



4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.67	-69.05	-13	56.05	Pass	2986
30	814	0.1	RMS	814	-46.62	-13	33.62	Pass	7841
814	859	0.1	RMS	838.6	-0.59	60	60.59	Pass	451
859	1000	0.1	RMS	890.8	-59.47	-13	46.47	Pass	1411
1000	3000	1	RMS	2969	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	9949	-55.75	-13	42.75	Pass	7001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	0.36	-69.32	-13	56.32	Pass	2986
30	814	0.1	RMS	813.5	-59.24	-13	46.24	Pass	7841
814	859	0.1	RMS	829.5	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	867.3	-59.6	-13	46.6	Pass	1411
1000	3000	1	RMS	2974	-45.38	-13	32.38	Pass	2001
3000	10000	1	RMS	9942	-55.78	-13	42.78	Pass	7001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	8.96	-69.58	-13	56.58	Pass	2986
30	814	0.1	RMS	792.9	-59.88	-13	46.88	Pass	7841
814	859	0.1	RMS	843.5	17.61	60	42.39	Pass	451
859	1000	0.1	RMS	906.5	-59.55	-13	46.55	Pass	1411
1000	3000	1	RMS	2970	-45.39	-13	32.39	Pass	2001
3000	10000	1	RMS	9918	-55.84	-13	42.84	Pass	7001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-72.95	-13	59.95	Pass	401
0.15	30	0.01	RMS	0.73	-69.32	-13	56.32	Pass	2986
30	814	0.1	RMS	814	-49.89	-13	36.89	Pass	7841
814	859	0.1	RMS	840.8	-0.48	60	60.48	Pass	451
859	1000	0.1	RMS	990.1	-59.64	-13	46.64	Pass	1411
1000	3000	1	RMS	2972	-45.32	-13	32.32	Pass	2001
3000	10000	1	RMS	9978	-55.69	-13	42.69	Pass	7001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.69	-13	57.69	Pass	401
0.15	30	0.01	RMS	0.16	-69	-13	56	Pass	2986
30	814	0.1	RMS	813.6	-59.78	-13	46.78	Pass	7841
814	859	0.1	RMS	834.5	17.2	60	42.8	Pass	451
859	1000	0.1	RMS	893.9	-59.55	-13	46.55	Pass	1411
1000	3000	1	RMS	2968	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	9972	-55.73	-13	42.73	Pass	7001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	58.55	Pass	401
0.15	30	0.01	RMS	24.31	-69.88	-13	56.88	Pass	2986
30	814	0.1	RMS	753.6	-59.71	-13	46.71	Pass	7841
814	859	0.1	RMS	848.5	17.14	60	42.86	Pass	451
859	1000	0.1	RMS	912.8	-59.7	-13	46.7	Pass	1411
1000	3000	1	RMS	2979	-45.56	-13	32.56	Pass	2001
3000	10000	1	RMS	9950	-55.86	-13	42.86	Pass	7001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.16	-68.45	-13	55.45	Pass	2986
30	814	0.1	RMS	814	-36.53	-13	23.53	Pass	7841
814	859	0.1	RMS	837	-1.84	60	61.84	Pass	451
859	1000	0.1	RMS	897.8	-59.59	-13	46.59	Pass	1411
1000	3000	1	RMS	2969	-45.42	-13	32.42	Pass	2001
3000	10000	1	RMS	9957	-55.85	-13	42.85	Pass	7001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.19	-68.95	-13	55.95	Pass	2986
30	814	0.1	RMS	813.1	-58.75	-13	45.75	Pass	7841
814	859	0.1	RMS	824.5	16.93	60	43.07	Pass	451
859	1000	0.1	RMS	996	-59.58	-13	46.58	Pass	1411
1000	3000	1	RMS	2983	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9954	-55.68	-13	42.68	Pass	7001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.29	-13	51.29	Pass	401
0.15	30	0.01	RMS	28.97	-69.75	-13	56.75	Pass	2986
30	814	0.1	RMS	814	-55.93	-13	42.93	Pass	7841
814	859	0.1	RMS	843.4	17.21	60	42.79	Pass	451
859	1000	0.1	RMS	903.1	-59.7	-13	46.7	Pass	1411
1000	3000	1	RMS	2970	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	9972	-55.74	-13	42.74	Pass	7001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.2	-69.68	-13	56.68	Pass	2986
30	814	0.1	RMS	814	-38.72	-13	25.72	Pass	7841
814	859	0.1	RMS	837.8	-1.83	60	61.83	Pass	451
859	1000	0.1	RMS	918.1	-59.38	-13	46.38	Pass	1411
1000	3000	1	RMS	2971	-45.49	-13	32.49	Pass	2001
3000	10000	1	RMS	10000	-55.86	-13	42.86	Pass	7001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.45	-13	54.45	Pass	401
0.15	30	0.01	RMS	0.17	-69.66	-13	56.66	Pass	2986
30	814	0.1	RMS	808.1	-55.56	-13	42.56	Pass	7841
814	859	0.1	RMS	827	16.9	60	43.1	Pass	451
859	1000	0.1	RMS	912.5	-59.63	-13	46.63	Pass	1411
1000	3000	1	RMS	2980	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	9947	-55.59	-13	42.59	Pass	7001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-13	59.06	Pass	401
0.15	30	0.01	RMS	0.68	-69.44	-13	56.44	Pass	2986
30	814	0.1	RMS	808.2	-56.46	-13	43.46	Pass	7841
814	859	0.1	RMS	845.9	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	875.3	-59.75	-13	46.75	Pass	1411
1000	3000	1	RMS	2974	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	9962	-55.76	-13	42.76	Pass	7001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.2	-69.1	-13	56.1	Pass	2986
30	814	0.1	RMS	814	-40.73	-13	27.73	Pass	7841
814	859	0.1	RMS	836.1	-1.65	60	61.65	Pass	451
859	1000	0.1	RMS	891.8	-58.64	-13	45.64	Pass	1411
1000	3000	1	RMS	2972	-45.35	-13	32.35	Pass	2001
3000	10000	1	RMS	9984	-55.47	-13	42.47	Pass	7001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.31	-68.59	-13	55.59	Pass	2986
30	814	0.1	RMS	810.6	-53.6	-13	40.6	Pass	7841
814	859	0.1	RMS	829.5	16.95	60	43.05	Pass	451
859	1000	0.1	RMS	903.1	-59.36	-13	46.36	Pass	1411
1000	3000	1	RMS	2973	-45.44	-13	32.44	Pass	2001
3000	10000	1	RMS	9962	-55.49	-13	42.49	Pass	7001



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-73	-13	60	Pass	401
0.15	30	0.01	RMS	11.32	-69.94	-13	56.94	Pass	2986
30	814	0.1	RMS	810.6	-55.56	-13	42.56	Pass	7841
814	859	0.1	RMS	848.4	16.7	60	43.3	Pass	451
859	1000	0.1	RMS	874.9	-59.6	-13	46.6	Pass	1411
1000	3000	1	RMS	2973	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	9997	-55.72	-13	42.72	Pass	7001



1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.68	-68.9	-13	55.9	Pass	2986
30	804	0.1	RMS	484	-59.82	-13	46.82	Pass	7741
804	834	0.1	RMS	817.8	4.28	60	55.72	Pass	401
834	1000	0.1	RMS	834.5	-58.4	-13	45.4	Pass	1661
1000	3000	1	RMS	2978	-45.48	-13	32.48	Pass	2001
3000	10000	1	RMS	9966	-55.86	-13	42.86	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	23.49	-70.13	-13	57.13	Pass	2986
30	804	0.1	RMS	505.1	-59.65	-13	46.65	Pass	7741
804	834	0.1	RMS	814.35	17.4	60	42.6	Pass	401
834	1000	0.1	RMS	911.2	-59.56	-13	46.56	Pass	1661
1000	3000	1	RMS	2969	-45.38	-13	32.38	Pass	2001
3000	10000	1	RMS	9974	-55.73	-13	42.73	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	59.25	Pass	401
0.15	30	0.01	RMS	0.55	-69.11	-13	56.11	Pass	2986
30	804	0.1	RMS	763.8	-59.96	-13	46.96	Pass	7741
804	834	0.1	RMS	818.625	17.43	60	42.57	Pass	401
834	1000	0.1	RMS	903.8	-59.49	-13	46.49	Pass	1661
1000	3000	1	RMS	2973	-45.51	-13	32.51	Pass	2001
3000	10000	1	RMS	9986	-55.83	-13	42.83	Pass	7001



1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.24	-69.87	-13	56.87	Pass	2986
30	804	0.1	RMS	466.7	-59.73	-13	46.73	Pass	7741
804	834	0.1	RMS	817.5	4.25	60	55.75	Pass	401
834	1000	0.1	RMS	834.1	-56.53	-13	43.53	Pass	1661
1000	3000	1	RMS	2973	-45.49	-13	32.49	Pass	2001
3000	10000	1	RMS	10000	-55.73	-13	42.73	Pass	7001



--BLANK BELOW--


1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-13	58.14	Pass	401
0.15	30	0.01	RMS	13.05	-69.1	-13	56.1	Pass	2986
30	804	0.1	RMS	507.7	-59.72	-13	46.72	Pass	7741
804	834	0.1	RMS	816.825	17.51	60	42.49	Pass	401
834	1000	0.1	RMS	858.4	-59.54	-13	46.54	Pass	1661
1000	3000	1	RMS	2970	-45.44	-13	32.44	Pass	2001
3000	10000	1	RMS	9927	-55.72	-13	42.72	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.56	-13	58.56	Pass	401
0.15	30	0.01	RMS	0.15	-69.67	-13	56.67	Pass	2986
30	804	0.1	RMS	601.5	-59.89	-13	46.89	Pass	7741
804	834	0.1	RMS	821.175	17.34	60	42.66	Pass	401
834	1000	0.1	RMS	921.2	-59.27	-13	46.27	Pass	1661
1000	3000	1	RMS	2971	-45.29	-13	32.29	Pass	2001
3000	10000	1	RMS	9988	-55.94	-13	42.94	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.19	-68.77	-13	55.77	Pass	2986
30	804	0.1	RMS	485.1	-59.77	-13	46.77	Pass	7741
804	834	0.1	RMS	819.6	4.31	60	55.69	Pass	401
834	1000	0.1	RMS	834	-53.8	-13	40.8	Pass	1661
1000	3000	1	RMS	2971	-45.28	-13	32.28	Pass	2001
3000	10000	1	RMS	9899	-55.84	-13	42.84	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-13	55.48	Pass	2986
30	804	0.1	RMS	793.8	-59.89	-13	46.89	Pass	7741
804	834	0.1	RMS	819.3	17.22	60	42.78	Pass	401
834	1000	0.1	RMS	908.5	-59.14	-13	46.14	Pass	1661
1000	3000	1	RMS	2976	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9940	-55.82	-13	42.82	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.72	-69.7	-13	56.7	Pass	2986
30	804	0.1	RMS	657.4	-59.76	-13	46.76	Pass	7741
804	834	0.1	RMS	823.65	17.5	60	42.5	Pass	401
834	1000	0.1	RMS	893.9	-59.73	-13	46.73	Pass	1661
1000	3000	1	RMS	2971	-45.39	-13	32.39	Pass	2001
3000	10000	1	RMS	9976	-55.76	-13	42.76	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.5	-69.6	-13	56.6	Pass	2986
30	804	0.1	RMS	792.6	-59.74	-13	46.74	Pass	7741
804	834	0.1	RMS	818.7	1.01	60	58.99	Pass	401
834	1000	0.1	RMS	834	-42.2	-13	29.2	Pass	1661
1000	3000	1	RMS	2977	-45.46	-13	32.46	Pass	2001
3000	10000	1	RMS	9998	-55.75	-13	42.75	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-69.14	-13	56.14	Pass	2986
30	804	0.1	RMS	732.2	-59.77	-13	46.77	Pass	7741
804	834	0.1	RMS	814.425	17.26	60	42.74	Pass	401
834	1000	0.1	RMS	870.3	-59.1	-13	46.1	Pass	1661
1000	3000	1	RMS	2977	-45.42	-13	32.42	Pass	2001
3000	10000	1	RMS	9995	-55.8	-13	42.8	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.19	-69.03	-13	56.03	Pass	2986
30	804	0.1	RMS	473.6	-59.59	-13	46.59	Pass	7741
804	834	0.1	RMS	823.575	17.53	60	42.47	Pass	401
834	1000	0.1	RMS	838.2	-58.52	-13	45.52	Pass	1661
1000	3000	1	RMS	2972	-45.52	-13	32.52	Pass	2001
3000	10000	1	RMS	9926	-55.77	-13	42.77	Pass	7001



2. n38_PC3


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.87	-25	45.87	Pass	401
0.15	30	0.01	RMS	27.97	-65.3	-25	40.3	Pass	2986
30	1000	0.1	RMS	510.2	-55.92	-25	30.92	Pass	9701
1000	2560	1	RMS	2560	-38.38	-25	13.38	Pass	1561
2560	2630	1	RMS	2571.9	12.17	60	47.83	Pass	401
2630	3000	1	RMS	2982.425	-45.22	-25	20.22	Pass	401
3000	7000	1	RMS	6975	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	25518	-42.33	-25	17.33	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.74	-25	44.74	Pass	401
0.15	30	0.01	RMS	17.57	-64	-25	39	Pass	2986
30	1000	0.1	RMS	976.885	-55.19	-25	30.19	Pass	9701
1000	2560	1	RMS	2506	-45.3	-25	20.3	Pass	1561
2560	2630	1	RMS	2570.85	21.13	60	38.87	Pass	401
2630	3000	1	RMS	2980.575	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	3755	-51.34	-25	26.34	Pass	4001
7000	26500	1	RMS	22662	-38.57	-25	13.57	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.84	-25	45.84	Pass	401
0.15	30	0.01	RMS	20.68	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	726.5	-54.86	-25	29.86	Pass	9701
1000	2560	1	RMS	2506	-45.97	-25	20.97	Pass	1561
2560	2630	1	RMS	2579.25	20.86	60	39.14	Pass	401
2630	3000	1	RMS	2987.05	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	6957	-56.95	-25	31.95	Pass	4001
7000	26500	1	RMS	25179	-42.45	-25	17.45	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.07	-25	46.07	Pass	401
0.15	30	0.01	RMS	21.95	-66.06	-25	41.06	Pass	2986
30	1000	0.1	RMS	824.3	-55.19	-25	30.19	Pass	9701
1000	2560	1	RMS	2483	-45.93	-25	20.93	Pass	1561
2560	2630	1	RMS	2598.15	11.91	60	48.09	Pass	401
2630	3000	1	RMS	2985.2	-45.22	-25	20.22	Pass	401
3000	7000	1	RMS	6921	-56.5	-25	31.5	Pass	4001
7000	26500	1	RMS	25407	-42.55	-25	17.55	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.61	-25	46.61	Pass	401
0.15	30	0.01	RMS	6.37	-64.79	-25	39.79	Pass	2986
30	1000	0.1	RMS	860.307	-55.49	-25	30.49	Pass	9701
1000	2560	1	RMS	2492	-45.53	-25	20.53	Pass	1561
2560	2630	1	RMS	2590.8	20.8	60	39.2	Pass	401
2630	3000	1	RMS	3000	-45.24	-25	20.24	Pass	401
3000	7000	1	RMS	6970	-56.07	-25	31.07	Pass	4001
7000	26500	1	RMS	25401	-42.13	-25	17.13	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.51	-25	45.51	Pass	401
0.15	30	0.01	RMS	1.47	-63.62	-25	38.62	Pass	2986
30	1000	0.1	RMS	855.704	-55.04	-25	30.04	Pass	9701
1000	2560	1	RMS	2531	-45.65	-25	20.65	Pass	1561
2560	2630	1	RMS	2599.2	20.88	60	39.12	Pass	401
2630	3000	1	RMS	2978.725	-45.32	-25	20.32	Pass	401
3000	7000	1	RMS	6975	-56.64	-25	31.64	Pass	4001
7000	26500	1	RMS	26212	-42.91	-25	17.91	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.86	-25	44.86	Pass	401
0.15	30	0.01	RMS	11.39	-65.64	-25	40.64	Pass	2986
30	1000	0.1	RMS	873.216	-55.07	-25	30.07	Pass	9701
1000	2560	1	RMS	2525	-45.83	-25	20.83	Pass	1561
2560	2630	1	RMS	2617.225	11.96	60	48.04	Pass	401
2630	3000	1	RMS	2630	-41.17	-25	16.17	Pass	401
3000	7000	1	RMS	6965	-56.58	-25	31.58	Pass	4001
7000	26500	1	RMS	24108	-42.45	-25	17.45	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.05	-25	45.05	Pass	401
0.15	30	0.01	RMS	0.35	-65.54	-25	40.54	Pass	2986
30	1000	0.1	RMS	913.042	-54.62	-25	29.62	Pass	9701
1000	2560	1	RMS	2507	-45.95	-25	20.95	Pass	1561
2560	2630	1	RMS	2610.75	20.79	60	39.21	Pass	401
2630	3000	1	RMS	2968.55	-45.08	-25	20.08	Pass	401
3000	7000	1	RMS	6971	-55.92	-25	30.92	Pass	4001
7000	26500	1	RMS	25783	-42.14	-25	17.14	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.25	-25	45.25	Pass	401
0.15	30	0.01	RMS	20.78	-65.86	-25	40.86	Pass	2986
30	1000	0.1	RMS	861.308	-55.14	-25	30.14	Pass	9701
1000	2560	1	RMS	2179	-46.03	-25	21.03	Pass	1561
2560	2630	1	RMS	2619.15	20.8	60	39.2	Pass	401
2630	3000	1	RMS	2977.8	-45.34	-25	20.34	Pass	401
3000	7000	1	RMS	6971	-56.34	-25	31.34	Pass	4001
7000	26500	1	RMS	24435	-42.31	-25	17.31	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.08	-25	44.08	Pass	401
0.15	30	0.01	RMS	23.26	-65.59	-25	40.59	Pass	2986
30	1000	0.1	RMS	848.6	-55	-25	30	Pass	9701
1000	2550	1	RMS	2550	-38.98	-25	13.98	Pass	1551
2550	2640	1	RMS	2579.7	8.79	60	51.21	Pass	401
2640	3000	1	RMS	2979.3	-45.23	-25	20.23	Pass	401
3000	7000	1	RMS	3732	-48.73	-25	23.73	Pass	4001
7000	26500	1	RMS	22631	-35.07	-25	10.07	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.86	-25	45.86	Pass	401
0.15	30	0.01	RMS	22	-64.7	-25	39.7	Pass	2986
30	1000	0.1	RMS	980.187	-55.65	-25	30.65	Pass	9701
1000	2550	1	RMS	2535	-45.55	-25	20.55	Pass	1551
2550	2640	1	RMS	2570.925	20.89	60	39.11	Pass	401
2640	3000	1	RMS	2981.1	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	6988	-56.61	-25	31.61	Pass	4001
7000	26500	1	RMS	25117	-42.36	-25	17.36	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.27	-25	44.27	Pass	401
0.15	30	0.01	RMS	8.67	-65.23	-25	40.23	Pass	2986
30	1000	0.1	RMS	750.8	-55.21	-25	30.21	Pass	9701
1000	2550	1	RMS	2527	-45.91	-25	20.91	Pass	1551
2550	2640	1	RMS	2588.925	20.76	60	39.24	Pass	401
2640	3000	1	RMS	2982.9	-45.13	-25	20.13	Pass	401
3000	7000	1	RMS	6996	-56.39	-25	31.39	Pass	4001
7000	26500	1	RMS	24113	-42.71	-25	17.71	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.98	-25	46.98	Pass	401
0.15	30	0.01	RMS	1.6	-64.95	-25	39.95	Pass	2986
30	1000	0.1	RMS	921.248	-54.87	-25	29.87	Pass	9701
1000	2550	1	RMS	2548	-44.73	-25	19.73	Pass	1551
2550	2640	1	RMS	2596.575	8.76	60	51.24	Pass	401
2640	3000	1	RMS	2984.7	-45.28	-25	20.28	Pass	401
3000	7000	1	RMS	6971	-56.21	-25	31.21	Pass	4001
7000	26500	1	RMS	25101	-42.24	-25	17.24	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-71.39	-25	46.39	Pass	401
0.15	30	0.01	RMS	10.39	-64.89	-25	39.89	Pass	2986
30	1000	0.1	RMS	910.241	-55.23	-25	30.23	Pass	9701
1000	2550	1	RMS	2483	-45.63	-25	20.63	Pass	1551
2550	2640	1	RMS	2586	20.96	60	39.04	Pass	401
2640	3000	1	RMS	2969.4	-45.08	-25	20.08	Pass	401
3000	7000	1	RMS	6975	-56.31	-25	31.31	Pass	4001
7000	26500	1	RMS	24131	-41.89	-25	16.89	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.25	-25	45.25	Pass	401
0.15	30	0.01	RMS	6.92	-65.66	-25	40.66	Pass	2986
30	1000	0.1	RMS	946.064	-54.64	-25	29.64	Pass	9701
1000	2550	1	RMS	2521	-45.75	-25	20.75	Pass	1551
2550	2640	1	RMS	2604	21.09	60	38.91	Pass	401
2640	3000	1	RMS	2976.6	-45.33	-25	20.33	Pass	401
3000	7000	1	RMS	6985	-56.33	-25	31.33	Pass	4001
7000	26500	1	RMS	25892	-42.85	-25	17.85	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.14	-25	46.14	Pass	401
0.15	30	0.01	RMS	11.94	-65.6	-25	40.6	Pass	2986
30	1000	0.1	RMS	927.252	-54.85	-25	29.85	Pass	9701
1000	2550	1	RMS	2485	-45.45	-25	20.45	Pass	1551
2550	2640	1	RMS	2609.85	8.84	60	51.16	Pass	401
2640	3000	1	RMS	2640	-43.3	-25	18.3	Pass	401
3000	7000	1	RMS	6977	-56.28	-25	31.28	Pass	4001
7000	26500	1	RMS	25069	-42.28	-25	17.28	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.79	-25	44.79	Pass	401
0.15	30	0.01	RMS	28.83	-64.96	-25	39.96	Pass	2986
30	1000	0.1	RMS	926.251	-55.44	-25	30.44	Pass	9701
1000	2550	1	RMS	2527	-45.65	-25	20.65	Pass	1551
2550	2640	1	RMS	2600.85	20.78	60	39.22	Pass	401
2640	3000	1	RMS	2979.3	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	6967	-55.92	-25	30.92	Pass	4001
7000	26500	1	RMS	25946	-42.7	-25	17.7	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.5	-25	44.5	Pass	401
0.15	30	0.01	RMS	16.99	-64.58	-25	39.58	Pass	2986
30	1000	0.1	RMS	926.852	-55.43	-25	30.43	Pass	9701
1000	2550	1	RMS	2498	-45.54	-25	20.54	Pass	1551
2550	2640	1	RMS	2619.075	20.89	60	39.11	Pass	401
2640	3000	1	RMS	2975.7	-45.35	-25	20.35	Pass	401
3000	7000	1	RMS	6979	-55.8	-25	30.8	Pass	4001
7000	26500	1	RMS	25916	-42.52	-25	17.52	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.55	-25	46.55	Pass	401
0.15	30	0.01	RMS	25.74	-65.94	-25	40.94	Pass	2986
30	1000	0.1	RMS	796	-54.64	-25	29.64	Pass	9701
1000	2530	1	RMS	2530	-40.28	-25	15.28	Pass	1531
2530	2660	1	RMS	2603.775	5.71	60	54.29	Pass	401
2660	3000	1	RMS	2966.85	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	3752	-50.63	-25	25.63	Pass	4001
7000	26500	1	RMS	22625	-33.1	-25	8.1	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.27	-25	46.27	Pass	401
0.15	30	0.01	RMS	28.1	-65.21	-25	40.21	Pass	2986
30	1000	0.1	RMS	533.3	-55.63	-25	30.63	Pass	9701
1000	2530	1	RMS	2508	-46.16	-25	21.16	Pass	1531
2530	2660	1	RMS	2570.95	21.05	60	38.95	Pass	401
2660	3000	1	RMS	2978.75	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	6993	-56.67	-25	31.67	Pass	4001
7000	26500	1	RMS	26188	-42.6	-25	17.6	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.27	-25	45.27	Pass	401
0.15	30	0.01	RMS	26.81	-65.57	-25	40.57	Pass	2986
30	1000	0.1	RMS	617.6	-55.13	-25	30.13	Pass	9701
1000	2530	1	RMS	2524	-45.56	-25	20.56	Pass	1531
2530	2660	1	RMS	2608.975	20.82	60	39.18	Pass	401
2660	3000	1	RMS	2972.8	-45.21	-25	20.21	Pass	401
3000	7000	1	RMS	6990	-56.38	-25	31.38	Pass	4001
7000	26500	1	RMS	25888	-42.44	-25	17.44	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.17	-25	46.17	Pass	401
0.15	30	0.01	RMS	20.59	-64.99	-25	39.99	Pass	2986
30	1000	0.1	RMS	855.104	-55.04	-25	30.04	Pass	9701
1000	2530	1	RMS	2530	-40.82	-25	15.82	Pass	1531
2530	2660	1	RMS	2600.525	5.89	60	54.11	Pass	401
2660	3000	1	RMS	2969.4	-45.03	-25	20.03	Pass	401
3000	7000	1	RMS	6973	-56.12	-25	31.12	Pass	4001
7000	26500	1	RMS	24076	-42.32	-25	17.32	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.93	-25	44.93	Pass	401
0.15	30	0.01	RMS	20.54	-65.72	-25	40.72	Pass	2986
30	1000	0.1	RMS	963.276	-54.72	-25	29.72	Pass	9701
1000	2530	1	RMS	2527	-45.56	-25	20.56	Pass	1531
2530	2660	1	RMS	2576.15	21	60	39	Pass	401
2660	3000	1	RMS	2987.25	-45.24	-25	20.24	Pass	401
3000	7000	1	RMS	6928	-57.11	-25	32.11	Pass	4001
7000	26500	1	RMS	25062	-42.6	-25	17.6	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.11	-25	46.11	Pass	401
0.15	30	0.01	RMS	2.58	-65.5	-25	40.5	Pass	2986
30	1000	0.1	RMS	906.338	-55.77	-25	30.77	Pass	9701
1000	2530	1	RMS	2523	-45.69	-25	20.69	Pass	1531
2530	2660	1	RMS	2613.85	20.99	60	39.01	Pass	401
2660	3000	1	RMS	2964.3	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	6951	-56.01	-25	31.01	Pass	4001
7000	26500	1	RMS	24097	-42.43	-25	17.43	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.97	-25	45.97	Pass	401
0.15	30	0.01	RMS	6.59	-64.13	-25	39.13	Pass	2986
30	1000	0.1	RMS	905.137	-54.94	-25	29.94	Pass	9701
1000	2530	1	RMS	2525	-42.29	-25	17.29	Pass	1531
2530	2660	1	RMS	2614.175	5.78	60	54.22	Pass	401
2660	3000	1	RMS	2660	-44.84	-25	19.84	Pass	401
3000	7000	1	RMS	6970	-56.48	-25	31.48	Pass	4001
7000	26500	1	RMS	25125	-42.41	-25	17.41	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.32	-25	45.32	Pass	401
0.15	30	0.01	RMS	4.42	-64.7	-25	39.7	Pass	2986
30	1000	0.1	RMS	912.342	-54.39	-25	29.39	Pass	9701
1000	2530	1	RMS	2496	-45.71	-25	20.71	Pass	1531
2530	2660	1	RMS	2581.025	20.8	60	39.2	Pass	401
2660	3000	1	RMS	2979.6	-45.25	-25	20.25	Pass	401
3000	7000	1	RMS	6984	-56	-25	31	Pass	4001
7000	26500	1	RMS	24145	-42.42	-25	17.42	Pass	19503



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	45.49	Pass	401
0.15	30	0.01	RMS	20.3	-63.2	-25	38.2	Pass	2986
30	1000	0.1	RMS	848.8	-54.51	-25	29.51	Pass	9701
1000	2530	1	RMS	2496	-45.79	-25	20.79	Pass	1531
2530	2660	1	RMS	2618.725	20.65	60	39.35	Pass	401
2660	3000	1	RMS	2979.6	-45.19	-25	20.19	Pass	401
3000	7000	1	RMS	3760	-50.6	-25	25.6	Pass	4001
7000	26500	1	RMS	22690	-38.27	-25	13.27	Pass	19503



1. n41


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.36	-25	44.36	Pass	401
0.15	30	0.01	RMS	28.1	-64.06	-25	39.06	Pass	2986
30	1000	0.1	RMS	996.097	-54.23	-25	29.23	Pass	9701
1000	2486	1	RMS	2486	-38.09	-25	13.09	Pass	1487
2486	2700	1	RMS	2504.19	14.76	60	45.24	Pass	401
2700	3000	1	RMS	2967	-45.38	-25	20.38	Pass	401
3000	7000	1	RMS	3901	-54.98	-25	29.98	Pass	4001
7000	26500	1	RMS	23367	-39.69	-25	14.69	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	7.83	-65.39	-25	40.39	Pass	2986
30	1000	0.1	RMS	858.406	-55.72	-25	30.72	Pass	9701
1000	2486	1	RMS	2192	-46.35	-25	21.35	Pass	1487
2486	2700	1	RMS	2496.7	22.54	60	37.46	Pass	401
2700	3000	1	RMS	2981.25	-45.36	-25	20.36	Pass	401
3000	7000	1	RMS	6970	-56.41	-25	31.41	Pass	4001
7000	26500	1	RMS	24088	-42.42	-25	17.42	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.1	-25	45.1	Pass	401
0.15	30	0.01	RMS	7.67	-66.04	-25	41.04	Pass	2986
30	1000	0.1	RMS	973.382	-55.1	-25	30.1	Pass	9701
1000	2486	1	RMS	2485	-46.05	-25	21.05	Pass	1487
2486	2700	1	RMS	2505.26	22.84	60	37.16	Pass	401
2700	3000	1	RMS	2971.5	-45.3	-25	20.3	Pass	401
3000	7000	1	RMS	6966	-56.87	-25	31.87	Pass	4001
7000	26500	1	RMS	25374	-42.87	-25	17.87	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-72.09	-25	47.09	Pass	401
0.15	30	0.01	RMS	0.15	-65.58	-25	40.58	Pass	2986
30	1000	0.1	RMS	839.6	-55.12	-25	30.12	Pass	9701
1000	2486	1	RMS	2205	-46.47	-25	21.47	Pass	1487
2486	2700	1	RMS	2594.07	14.87	60	45.13	Pass	401
2700	3000	1	RMS	2971.5	-45.33	-25	20.33	Pass	401
3000	7000	1	RMS	6989	-56.6	-25	31.6	Pass	4001
7000	26500	1	RMS	25475	-42.52	-25	17.52	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.02	-25	46.02	Pass	401
0.15	30	0.01	RMS	14.56	-64.32	-25	39.32	Pass	2986
30	1000	0.1	RMS	616.4	-55.33	-25	30.33	Pass	9701
1000	2486	1	RMS	2417	-46.34	-25	21.34	Pass	1487
2486	2700	1	RMS	2588.72	23.09	60	36.91	Pass	401
2700	3000	1	RMS	2975.25	-45.36	-25	20.36	Pass	401
3000	7000	1	RMS	6968	-56.52	-25	31.52	Pass	4001
7000	26500	1	RMS	24074	-42.7	-25	17.7	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.98	-25	45.98	Pass	401
0.15	30	0.01	RMS	27.69	-65.95	-25	40.95	Pass	2986
30	1000	0.1	RMS	870.114	-55.24	-25	30.24	Pass	9701
1000	2486	1	RMS	2480	-46.3	-25	21.3	Pass	1487
2486	2700	1	RMS	2597.28	22.84	60	37.16	Pass	401
2700	3000	1	RMS	2969.25	-45.33	-25	20.33	Pass	401
3000	7000	1	RMS	6977	-56.5	-25	31.5	Pass	4001
7000	26500	1	RMS	26266	-42.26	-25	17.26	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	26.26	-65.33	-25	40.33	Pass	2986
30	1000	0.1	RMS	380.6	-55.53	-25	30.53	Pass	9701
1000	2486	1	RMS	2196	-46.34	-25	21.34	Pass	1487
2486	2700	1	RMS	2681.81	14.51	60	45.49	Pass	401
2700	3000	1	RMS	2700	-35.61	-25	10.61	Pass	401
3000	7000	1	RMS	6960	-56.49	-25	31.49	Pass	4001
7000	26500	1	RMS	22703	-42.95	-25	17.95	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.01	-25	45.01	Pass	401
0.15	30	0.01	RMS	0.17	-65.13	-25	40.13	Pass	2986
30	1000	0.1	RMS	511.3	-55.6	-25	30.6	Pass	9701
1000	2486	1	RMS	2160	-46.25	-25	21.25	Pass	1487
2486	2700	1	RMS	2680.74	22.48	60	37.52	Pass	401
2700	3000	1	RMS	2973.75	-45.18	-25	20.18	Pass	401
3000	7000	1	RMS	6965	-57.02	-25	32.02	Pass	4001
7000	26500	1	RMS	24100	-42.02	-25	17.02	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-73.14	-25	48.14	Pass	401
0.15	30	0.01	RMS	18.63	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	594.8	-55.64	-25	30.64	Pass	9701
1000	2486	1	RMS	2389	-46.54	-25	21.54	Pass	1487
2486	2700	1	RMS	2689.3	22.52	60	37.48	Pass	401
2700	3000	1	RMS	2969.25	-45.36	-25	20.36	Pass	401
3000	7000	1	RMS	6920	-56.53	-25	31.53	Pass	4001
7000	26500	1	RMS	25031	-42.56	-25	17.56	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.98	-25	44.98	Pass	401
0.15	30	0.01	RMS	29.03	-62.93	-25	37.93	Pass	2986
30	1000	0.1	RMS	474.8	-55.5	-25	30.5	Pass	9701
1000	2446	1	RMS	2398	-46.28	-25	21.28	Pass	1447
2446	2740	1	RMS	2510.68	7.68	60	52.32	Pass	401
2740	3000	1	RMS	2981.15	-45.37	-25	20.37	Pass	401
3000	7000	1	RMS	6980	-56.63	-25	31.63	Pass	4001
7000	26500	1	RMS	25870	-42.73	-25	17.73	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-67.79	-25	42.79	Pass	401
0.15	30	0.01	RMS	26.29	-65.62	-25	40.62	Pass	2986
30	1000	0.1	RMS	998.999	-55.23	-25	30.23	Pass	9701
1000	2446	1	RMS	2393	-46.27	-25	21.27	Pass	1447
2446	2740	1	RMS	2497.45	22.32	60	37.68	Pass	401
2740	3000	1	RMS	2971.4	-45.26	-25	20.26	Pass	401
3000	7000	1	RMS	6987	-56.48	-25	31.48	Pass	4001
7000	26500	1	RMS	25157	-42.83	-25	17.83	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-68.45	-25	43.45	Pass	401
0.15	30	0.01	RMS	22.49	-65.32	-25	40.32	Pass	2986
30	1000	0.1	RMS	916.545	-55.76	-25	30.76	Pass	9701
1000	2446	1	RMS	2182	-46.32	-25	21.32	Pass	1447
2446	2740	1	RMS	2544.49	22.43	60	37.57	Pass	401
2740	3000	1	RMS	2970.1	-45.26	-25	20.26	Pass	401
3000	7000	1	RMS	6993	-56.51	-25	31.51	Pass	4001
7000	26500	1	RMS	25093	-42.55	-25	17.55	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.92	-25	45.92	Pass	401
0.15	30	0.01	RMS	4.04	-65.24	-25	40.24	Pass	2986
30	1000	0.1	RMS	515.4	-55.02	-25	30.02	Pass	9701
1000	2446	1	RMS	2153	-46.49	-25	21.49	Pass	1447
2446	2740	1	RMS	2612.845	7.76	60	52.24	Pass	401
2740	3000	1	RMS	2977.9	-45.08	-25	20.08	Pass	401
3000	7000	1	RMS	3770	-51.12	-25	26.12	Pass	4001
7000	26500	1	RMS	22733	-35.34	-25	10.34	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.49	-25	45.49	Pass	401
0.15	30	0.01	RMS	25.77	-65.01	-25	40.01	Pass	2986
30	1000	0.1	RMS	355	-55.51	-25	30.51	Pass	9701
1000	2446	1	RMS	2440	-46.29	-25	21.29	Pass	1447
2446	2740	1	RMS	2569.48	22.68	60	37.32	Pass	401
2740	3000	1	RMS	2969.45	-45.24	-25	20.24	Pass	401
3000	7000	1	RMS	6999	-56.64	-25	31.64	Pass	4001
7000	26500	1	RMS	24120	-42.57	-25	17.57	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	25.24	-65.67	-25	40.67	Pass	2986
30	1000	0.1	RMS	869.614	-54.46	-25	29.46	Pass	9701
1000	2446	1	RMS	2180	-46.28	-25	21.28	Pass	1447
2446	2740	1	RMS	2616.52	22.44	60	37.56	Pass	401
2740	3000	1	RMS	2968.15	-45.03	-25	20.03	Pass	401
3000	7000	1	RMS	6981	-56.42	-25	31.42	Pass	4001
7000	26500	1	RMS	25058	-42.78	-25	17.78	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	1.52	-64.8	-25	39.8	Pass	2986
30	1000	0.1	RMS	841.4	-55.35	-25	30.35	Pass	9701
1000	2446	1	RMS	2440	-46.2	-25	21.2	Pass	1447
2446	2740	1	RMS	2654.74	7.22	60	52.78	Pass	401
2740	3000	1	RMS	2740	-42.67	-25	17.67	Pass	401
3000	7000	1	RMS	6993	-56.73	-25	31.73	Pass	4001
7000	26500	1	RMS	25825	-42.53	-25	17.53	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.86	-25	44.86	Pass	401
0.15	30	0.01	RMS	16.02	-64.63	-25	39.63	Pass	2986
30	1000	0.1	RMS	894.23	-55.56	-25	30.56	Pass	9701
1000	2446	1	RMS	2051	-46.41	-25	21.41	Pass	1447
2446	2740	1	RMS	2641.51	21.57	60	38.43	Pass	401
2740	3000	1	RMS	2972.7	-45.19	-25	20.19	Pass	401
3000	7000	1	RMS	6976	-56.59	-25	31.59	Pass	4001
7000	26500	1	RMS	25490	-42.43	-25	17.43	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.11	-25	46.11	Pass	401
0.15	30	0.01	RMS	5.28	-63.68	-25	38.68	Pass	2986
30	1000	0.1	RMS	536.7	-55.13	-25	30.13	Pass	9701
1000	2446	1	RMS	2151	-46.27	-25	21.27	Pass	1447
2446	2740	1	RMS	2688.55	22.49	60	37.51	Pass	401
2740	3000	1	RMS	2974	-45.19	-25	20.19	Pass	401
3000	7000	1	RMS	6968	-56.55	-25	31.55	Pass	4001
7000	26500	1	RMS	25358	-42.39	-25	17.39	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.22	-25	45.22	Pass	401
0.15	30	0.01	RMS	25.46	-65.68	-25	40.68	Pass	2986
30	1000	0.1	RMS	874.617	-55.44	-25	30.44	Pass	9701
1000	2396	1	RMS	2094	-46.25	-25	21.25	Pass	1397
2396	2790	1	RMS	2520.11	4.67	60	55.33	Pass	401
2790	3000	1	RMS	2980.575	-45.3	-25	20.3	Pass	401
3000	7000	1	RMS	6979	-56.02	-25	31.02	Pass	4001
7000	26500	1	RMS	24171	-42.71	-25	17.71	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.26	-25	45.26	Pass	401
0.15	30	0.01	RMS	21.35	-65.51	-25	40.51	Pass	2986
30	1000	0.1	RMS	638.9	-55.54	-25	30.54	Pass	9701
1000	2396	1	RMS	2179	-46.21	-25	21.21	Pass	1397
2396	2790	1	RMS	2497.455	21.17	60	38.83	Pass	401
2790	3000	1	RMS	2974.8	-45.22	-25	20.22	Pass	401
3000	7000	1	RMS	6982	-56.45	-25	31.45	Pass	4001
7000	26500	1	RMS	25136	-42.8	-25	17.8	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-70.73	-25	45.73	Pass	401
0.15	30	0.01	RMS	24.77	-65.59	-25	40.59	Pass	2986
30	1000	0.1	RMS	474.1	-55.6	-25	30.6	Pass	9701
1000	2396	1	RMS	2216	-46.47	-25	21.47	Pass	1397
2396	2790	1	RMS	2594.97	22.76	60	37.24	Pass	401
2790	3000	1	RMS	2970.075	-44.99	-25	19.99	Pass	401
3000	7000	1	RMS	3772	-49.98	-25	24.98	Pass	4001
7000	26500	1	RMS	18764	-37.17	-25	12.17	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.38	-25	45.38	Pass	401
0.15	30	0.01	RMS	26.9	-66.69	-25	41.69	Pass	2986
30	1000	0.1	RMS	981.188	-55.39	-25	30.39	Pass	9701
1000	2396	1	RMS	2193	-46.39	-25	21.39	Pass	1397
2396	2790	1	RMS	2613.685	4.61	60	55.39	Pass	401
2790	3000	1	RMS	2982.15	-45.2	-25	20.2	Pass	401
3000	7000	1	RMS	6973	-56.28	-25	31.28	Pass	4001
7000	26500	1	RMS	24088	-41.57	-25	16.57	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	20.87	-64.88	-25	39.88	Pass	2986
30	1000	0.1	RMS	964.276	-55.07	-25	30.07	Pass	9701
1000	2396	1	RMS	2160	-46.46	-25	21.46	Pass	1397
2396	2790	1	RMS	2543.75	22.37	60	37.63	Pass	401
2790	3000	1	RMS	2970.075	-45.18	-25	20.18	Pass	401
3000	7000	1	RMS	6957	-57.01	-25	32.01	Pass	4001
7000	26500	1	RMS	25838	-42.63	-25	17.63	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.69	-25	45.69	Pass	401
0.15	30	0.01	RMS	3.21	-65.45	-25	40.45	Pass	2986
30	1000	0.1	RMS	929.753	-55.73	-25	30.73	Pass	9701
1000	2396	1	RMS	2217	-46.35	-25	21.35	Pass	1397
2396	2790	1	RMS	2642.25	21.4	60	38.6	Pass	401
2790	3000	1	RMS	2984.775	-45.17	-25	20.17	Pass	401
3000	7000	1	RMS	6974	-56.56	-25	31.56	Pass	4001
7000	26500	1	RMS	25717	-42.3	-25	17.3	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-69.63	-25	44.63	Pass	401
0.15	30	0.01	RMS	19.41	-65.95	-25	40.95	Pass	2986
30	1000	0.1	RMS	992.795	-55.75	-25	30.75	Pass	9701
1000	2396	1	RMS	2344	-46.6	-25	21.6	Pass	1397
2396	2790	1	RMS	2641.265	4.18	60	55.82	Pass	401
2790	3000	1	RMS	2978.475	-45.09	-25	20.09	Pass	401
3000	7000	1	RMS	6989	-56.22	-25	31.22	Pass	4001
7000	26500	1	RMS	25175	-42.83	-25	17.83	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.14	-25	46.14	Pass	401
0.15	30	0.01	RMS	3.29	-64.3	-25	39.3	Pass	2986
30	1000	0.1	RMS	885.924	-55.35	-25	30.35	Pass	9701
1000	2396	1	RMS	2202	-46.4	-25	21.4	Pass	1397
2396	2790	1	RMS	2591.03	22.67	60	37.33	Pass	401
2790	3000	1	RMS	2967.45	-45.26	-25	20.26	Pass	401
3000	7000	1	RMS	6988	-56.47	-25	31.47	Pass	4001
7000	26500	1	RMS	25771	-42.59	-25	17.59	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.27	-25	46.27	Pass	401
0.15	30	0.01	RMS	10.71	-65.49	-25	40.49	Pass	2986
30	1000	0.1	RMS	493.3	-54.99	-25	29.99	Pass	9701
1000	2396	1	RMS	2224	-46.44	-25	21.44	Pass	1397
2396	2790	1	RMS	2688.545	21.35	60	38.65	Pass	401
2790	3000	1	RMS	2978.475	-45.18	-25	20.18	Pass	401
3000	7000	1	RMS	6938	-56.78	-25	31.78	Pass	4001
7000	26500	1	RMS	25140	-42.45	-25	17.45	Pass	19503



3. n66


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.26	-13	53.26	Pass	401
0.15	30	0.01	RMS	0.56	-58.16	-13	45.16	Pass	2986
30	1000	0.1	RMS	861.108	-59.14	-13	46.14	Pass	9701
1000	1700	1	RMS	1700	-46.78	-13	33.78	Pass	701
1700	1790	1	RMS	1713.5	15.19	60	44.81	Pass	401
1790	3000	1	RMS	2968	-45.23	-13	32.23	Pass	1211
3000	7000	1	RMS	6991	-58.02	-13	45.02	Pass	4001
7000	20000	1	RMS	17500	-48.07	-13	35.07	Pass	13002




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.98	-13	51.98	Pass	401
0.15	30	0.01	RMS	0.67	-55.19	-13	42.19	Pass	2986
30	1000	0.1	RMS	935.557	-59.27	-13	46.27	Pass	9701
1000	1700	1	RMS	1700	-48.68	-13	35.68	Pass	701
1700	1790	1	RMS	1710.125	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2968	-45.23	-13	32.23	Pass	1211
3000	7000	1	RMS	6984	-57.88	-13	44.88	Pass	4001
7000	20000	1	RMS	19788	-48.24	-13	35.24	Pass	13002




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.43	-13	52.43	Pass	401
0.15	30	0.01	RMS	0.67	-57.35	-13	44.35	Pass	2986
30	1000	0.1	RMS	903.036	-59.26	-13	46.26	Pass	9701
1000	1700	1	RMS	1668	-48.71	-13	35.71	Pass	701
1700	1790	1	RMS	1714.625	21.08	60	38.92	Pass	401
1790	3000	1	RMS	2968	-45.17	-13	32.17	Pass	1211
3000	7000	1	RMS	6980	-57.8	-13	44.8	Pass	4001
7000	20000	1	RMS	17501	-48.07	-13	35.07	Pass	13002




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.47	-13	53.47	Pass	401
0.15	30	0.01	RMS	0.67	-55.45	-13	42.45	Pass	2986
30	1000	0.1	RMS	985.19	-58.99	-13	45.99	Pass	9701
1000	1700	1	RMS	1695	-48.65	-13	35.65	Pass	701
1700	1790	1	RMS	1743.65	15.28	60	44.72	Pass	401
1790	3000	1	RMS	2970	-45.34	-13	32.34	Pass	1211
3000	7000	1	RMS	6976	-57.97	-13	44.97	Pass	4001
7000	20000	1	RMS	17501	-48.14	-13	35.14	Pass	13002




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-64.67	-13	51.67	Pass	401
0.15	30	0.01	RMS	0.68	-55.58	-13	42.58	Pass	2986
30	1000	0.1	RMS	638.7	-59.38	-13	46.38	Pass	9701
1000	1700	1	RMS	1698	-48.63	-13	35.63	Pass	701
1700	1790	1	RMS	1742.75	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2978	-45.23	-13	32.23	Pass	1211
3000	7000	1	RMS	6979	-58.05	-13	45.05	Pass	4001
7000	20000	1	RMS	17504	-48.07	-13	35.07	Pass	13002




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.73	-55.71	-13	42.71	Pass	2986
30	1000	0.1	RMS	896.331	-59.19	-13	46.19	Pass	9701
1000	1700	1	RMS	1686	-48.72	-13	35.72	Pass	701
1700	1790	1	RMS	1747.025	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2968	-45.2	-13	32.2	Pass	1211
3000	7000	1	RMS	6976	-58.18	-13	45.18	Pass	4001
7000	20000	1	RMS	17501	-47.96	-13	34.96	Pass	13002




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.84	-13	52.84	Pass	401
0.15	30	0.01	RMS	0.67	-54.74	-13	41.74	Pass	2986
30	1000	0.1	RMS	915.544	-59.07	-13	46.07	Pass	9701
1000	1700	1	RMS	1698	-48.83	-13	35.83	Pass	701
1700	1790	1	RMS	1776.275	15.39	60	44.61	Pass	401
1790	3000	1	RMS	2973	-45.31	-13	32.31	Pass	1211
3000	7000	1	RMS	6976	-57.83	-13	44.83	Pass	4001
7000	20000	1	RMS	19795	-48.3	-13	35.3	Pass	13002




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-66.13	-13	53.13	Pass	401
0.15	30	0.01	RMS	0.67	-54.7	-13	41.7	Pass	2986
30	1000	0.1	RMS	903.636	-59.37	-13	46.37	Pass	9701
1000	1700	1	RMS	1667	-48.83	-13	35.83	Pass	701
1700	1790	1	RMS	1775.15	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2973	-45.38	-13	32.38	Pass	1211
3000	7000	1	RMS	6980	-57.85	-13	44.85	Pass	4001
7000	20000	1	RMS	17503	-48.43	-13	35.43	Pass	13002




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.73	-55.52	-13	42.52	Pass	2986
30	1000	0.1	RMS	896.331	-59.16	-13	46.16	Pass	9701
1000	1700	1	RMS	1663	-48.87	-13	35.87	Pass	701
1700	1790	1	RMS	1779.65	21.25	60	38.75	Pass	401
1790	3000	1	RMS	2970	-45.26	-13	32.26	Pass	1211
3000	7000	1	RMS	6981	-57.89	-13	44.89	Pass	4001
7000	20000	1	RMS	17500	-48.07	-13	35.07	Pass	13002




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.6	-13	54.6	Pass	401
0.15	30	0.01	RMS	0.67	-58.91	-13	45.91	Pass	2986
30	1000	0.1	RMS	886.725	-59.37	-13	46.37	Pass	9701
1000	1700	1	RMS	1700	-28.67	-13	15.67	Pass	701
1700	1790	1	RMS	1728.35	9.05	60	50.95	Pass	401
1790	3000	1	RMS	2969	-45.18	-13	32.18	Pass	1211
3000	7000	1	RMS	6976	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17502	-48.34	-13	35.34	Pass	13002




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-67.09	-13	54.09	Pass	401
0.15	30	0.01	RMS	0.7	-61.16	-13	48.16	Pass	2986
30	1000	0.1	RMS	892.729	-59.35	-13	46.35	Pass	9701
1000	1700	1	RMS	1700	-47.45	-13	34.45	Pass	701
1700	1790	1	RMS	1710.35	21.1	60	38.9	Pass	401
1790	3000	1	RMS	2975	-45.2	-13	32.2	Pass	1211
3000	7000	1	RMS	6977	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17498	-48.3	-13	35.3	Pass	13002




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.67	-57.15	-13	44.15	Pass	2986
30	1000	0.1	RMS	902.936	-59.43	-13	46.43	Pass	9701
1000	1700	1	RMS	1700	-43.37	-13	30.37	Pass	701
1700	1790	1	RMS	1729.25	21.02	60	38.98	Pass	401
1790	3000	1	RMS	2992	-45.41	-13	32.41	Pass	1211
3000	7000	1	RMS	6975	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17496	-48.19	-13	35.19	Pass	13002




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-65.95	-13	52.95	Pass	401
0.15	30	0.01	RMS	0.73	-54.55	-13	41.55	Pass	2986
30	1000	0.1	RMS	987.892	-59.39	-13	46.39	Pass	9701
1000	1700	1	RMS	1700	-47.51	-13	34.51	Pass	701
1700	1790	1	RMS	1742.3	8.99	60	51.01	Pass	401
1790	3000	1	RMS	2974	-45.35	-13	32.35	Pass	1211
3000	7000	1	RMS	7000	-58.02	-13	45.02	Pass	4001
7000	20000	1	RMS	17504	-47.98	-13	34.98	Pass	13002




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.18	-13	50.18	Pass	401
0.15	30	0.01	RMS	0.68	-61.67	-13	48.67	Pass	2986
30	1000	0.1	RMS	898.933	-59.39	-13	46.39	Pass	9701
1000	1700	1	RMS	1699	-48.83	-13	35.83	Pass	701
1700	1790	1	RMS	1735.325	20.95	60	39.05	Pass	401
1790	3000	1	RMS	2969	-45.33	-13	32.33	Pass	1211
3000	7000	1	RMS	6983	-57.82	-13	44.82	Pass	4001
7000	20000	1	RMS	17497	-48.08	-13	35.08	Pass	13002




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.66	-13	51.66	Pass	401
0.15	30	0.01	RMS	0.79	-65.11	-13	52.11	Pass	2986
30	1000	0.1	RMS	992.295	-59.31	-13	46.31	Pass	9701
1000	1700	1	RMS	1653	-48.86	-13	35.86	Pass	701
1700	1790	1	RMS	1754.225	21.09	60	38.91	Pass	401
1790	3000	1	RMS	2968	-45.15	-13	32.15	Pass	1211
3000	7000	1	RMS	6975	-57.97	-13	44.97	Pass	4001
7000	20000	1	RMS	17501	-48.42	-13	35.42	Pass	13002




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.14	-13	50.14	Pass	401
0.15	30	0.01	RMS	0.67	-58.59	-13	45.59	Pass	2986
30	1000	0.1	RMS	895.03	-59.22	-13	46.22	Pass	9701
1000	1700	1	RMS	1697	-48.51	-13	35.51	Pass	701
1700	1790	1	RMS	1766.825	9.18	60	50.82	Pass	401
1790	3000	1	RMS	1790	-26	-13	13	Pass	1211
3000	7000	1	RMS	6975	-57.86	-13	44.86	Pass	4001
7000	20000	1	RMS	17496	-48.09	-13	35.09	Pass	13002




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-60.51	-13	47.51	Pass	401
0.15	30	0.01	RMS	0.72	-65.29	-13	52.29	Pass	2986
30	1000	0.1	RMS	897.232	-59.39	-13	46.39	Pass	9701
1000	1700	1	RMS	1700	-48.72	-13	35.72	Pass	701
1700	1790	1	RMS	1760.525	21.13	60	38.87	Pass	401
1790	3000	1	RMS	1790	-43.49	-13	30.49	Pass	1211
3000	7000	1	RMS	6980	-58.03	-13	45.03	Pass	4001
7000	20000	1	RMS	17495	-48.02	-13	35.02	Pass	13002




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-61.6	-13	48.6	Pass	401
0.15	30	0.01	RMS	0.68	-60.45	-13	47.45	Pass	2986
30	1000	0.1	RMS	913.142	-59.32	-13	46.32	Pass	9701
1000	1700	1	RMS	1700	-48.63	-13	35.63	Pass	701
1700	1790	1	RMS	1779.425	21.24	60	38.76	Pass	401
1790	3000	1	RMS	2968	-45.05	-13	32.05	Pass	1211
3000	7000	1	RMS	6977	-57.83	-13	44.83	Pass	4001
7000	20000	1	RMS	17502	-48.28	-13	35.28	Pass	13002




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.09	-13	50.09	Pass	401
0.15	30	0.01	RMS	0.18	-71.64	-13	58.64	Pass	2986
30	1000	0.1	RMS	875.618	-63.9	-13	50.9	Pass	9701
1000	1700	1	RMS	1700	-28.8	-13	15.8	Pass	701
1700	1790	1	RMS	1732.85	6.28	60	53.72	Pass	401
1790	3000	1	RMS	1790	-46.38	-13	33.38	Pass	1211
3000	7000	1	RMS	6938	-61.43	-13	48.43	Pass	4001
7000	20000	1	RMS	19898	-50.5	-13	37.5	Pass	13002




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-62.74	-13	49.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	903.336	-63.89	-13	50.89	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	36.83	Pass	701
1700	1790	1	RMS	1710.575	21.5	60	38.5	Pass	401
1790	3000	1	RMS	2865	-48.86	-13	35.86	Pass	1211
3000	7000	1	RMS	6920	-61.47	-13	48.47	Pass	4001
7000	20000	1	RMS	19912	-50.6	-13	37.6	Pass	13002




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.1	-13	50.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	1000	0.1	RMS	889.427	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1691	-50.18	-13	37.18	Pass	701
1700	1790	1	RMS	1749.275	21.36	60	38.64	Pass	401
1790	3000	1	RMS	2870	-48.87	-13	35.87	Pass	1211
3000	7000	1	RMS	6932	-61.45	-13	48.45	Pass	4001
7000	20000	1	RMS	18258	-50.56	-13	37.56	Pass	13002




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.48	-13	50.48	Pass	401
0.15	30	0.01	RMS	0.2	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	897.532	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-33.06	-13	20.06	Pass	701
1700	1790	1	RMS	1734.2	6.06	60	53.94	Pass	401
1790	3000	1	RMS	1790	-31.04	-13	18.04	Pass	1211
3000	7000	1	RMS	6936	-61.47	-13	48.47	Pass	4001
7000	20000	1	RMS	19898	-50.6	-13	37.6	Pass	13002




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.31	-13	50.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	886.425	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	38.81	Pass	701
1700	1790	1	RMS	1725.425	21.21	60	38.79	Pass	401
1790	3000	1	RMS	2865	-48.82	-13	35.82	Pass	1211
3000	7000	1	RMS	6932	-61.51	-13	48.51	Pass	4001
7000	20000	1	RMS	19903	-50.46	-13	37.46	Pass	13002




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.11	-13	50.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	992.295	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1700	-51.9	-13	38.9	Pass	701
1700	1790	1	RMS	1764.125	21.15	60	38.85	Pass	401
1790	3000	1	RMS	2870	-48.85	-13	35.85	Pass	1211
3000	7000	1	RMS	6918	-61.48	-13	48.48	Pass	4001
7000	20000	1	RMS	19912	-50.5	-13	37.5	Pass	13002




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.11	-13	50.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	2986
30	1000	0.1	RMS	890.928	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-45.07	-13	32.07	Pass	701
1700	1790	1	RMS	1765.925	6.2	60	53.8	Pass	401
1790	3000	1	RMS	1790	-25.63	-13	12.63	Pass	1211
3000	7000	1	RMS	6933	-61.48	-13	48.48	Pass	4001
7000	20000	1	RMS	19901	-50.5	-13	37.5	Pass	13002




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.17	-13	50.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	893.73	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-52.59	-13	39.59	Pass	701
1700	1790	1	RMS	1740.5	21.26	60	38.74	Pass	401
1790	3000	1	RMS	2869	-48.84	-13	35.84	Pass	1211
3000	7000	1	RMS	6932	-61.47	-13	48.47	Pass	4001
7000	20000	1	RMS	19894	-50.59	-13	37.59	Pass	13002



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-63.35	-13	50.35	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	882.022	-63.86	-13	50.86	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	38.95	Pass	701
1700	1790	1	RMS	1779.2	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2867	-48.86	-13	35.86	Pass	1211
3000	7000	1	RMS	6935	-61.5	-13	48.5	Pass	4001
7000	20000	1	RMS	19910	-50.51	-13	37.51	Pass	13002



1. n71 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.19	-70.18	-13	57.18	Pass	2986
30	653	0.1	RMS	478	-64.82	-13	51.82	Pass	6231
653	708	0.1	RMS	667.5	5.37	60	54.63	Pass	551
708	1000	0.1	RMS	860	-63.83	-13	50.83	Pass	2921
1000	3000	1	RMS	2870	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8921	-58.3	-13	45.3	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	56.94	Pass	2986
30	653	0.1	RMS	481.2	-64.74	-13	51.74	Pass	6231
653	708	0.1	RMS	663.3	17.88	60	42.12	Pass	551
708	1000	0.1	RMS	888.1	-63.73	-13	50.73	Pass	2921
1000	3000	1	RMS	2869	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	8994	-58.32	-13	45.32	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.15	-70.03	-13	57.03	Pass	2986
30	653	0.1	RMS	487.3	-64.88	-13	51.88	Pass	6231
653	708	0.1	RMS	667.6	17.31	60	42.69	Pass	551
708	1000	0.1	RMS	881.8	-63.72	-13	50.72	Pass	2921
1000	3000	1	RMS	2870	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8906	-58.24	-13	45.24	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.22	-70.72	-13	57.72	Pass	2986
30	653	0.1	RMS	466.8	-64.72	-13	51.72	Pass	6231
653	708	0.1	RMS	678.8	5.06	60	54.94	Pass	551
708	1000	0.1	RMS	893	-63.79	-13	50.79	Pass	2921
1000	3000	1	RMS	2872	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	8907	-58.28	-13	45.28	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	56.44	Pass	2986
30	653	0.1	RMS	472.7	-64.86	-13	51.86	Pass	6231
653	708	0.1	RMS	678.3	18.08	60	41.92	Pass	551
708	1000	0.1	RMS	898.3	-63.83	-13	50.83	Pass	2921
1000	3000	1	RMS	2868	-48.97	-13	35.97	Pass	2001
3000	10000	1	RMS	8983	-58.29	-13	45.29	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.16	-13	57.16	Pass	401
0.15	30	0.01	RMS	0.15	-69.29	-13	56.29	Pass	2986
30	653	0.1	RMS	476	-64.75	-13	51.75	Pass	6231
653	708	0.1	RMS	682.7	17.61	60	42.39	Pass	551
708	1000	0.1	RMS	893.9	-63.79	-13	50.79	Pass	2921
1000	3000	1	RMS	2869	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8995	-58.28	-13	45.28	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.3	-71.27	-13	58.27	Pass	2986
30	653	0.1	RMS	481.3	-64.89	-13	51.89	Pass	6231
653	708	0.1	RMS	694	5.18	60	54.82	Pass	551
708	1000	0.1	RMS	708	-55.62	-13	42.62	Pass	2921
1000	3000	1	RMS	2874	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	8907	-58.26	-13	45.26	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	56.97	Pass	2986
30	653	0.1	RMS	483.3	-64.89	-13	51.89	Pass	6231
653	708	0.1	RMS	693.3	17.96	60	42.04	Pass	551
708	1000	0.1	RMS	890.2	-63.76	-13	50.76	Pass	2921
1000	3000	1	RMS	2870	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	8971	-58.31	-13	45.31	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	57	Pass	2986
30	653	0.1	RMS	468.5	-64.88	-13	51.88	Pass	6231
653	708	0.1	RMS	697.7	17.53	60	42.47	Pass	551
708	1000	0.1	RMS	986.1	-63.75	-13	50.75	Pass	2921
1000	3000	1	RMS	2869	-48.92	-13	35.92	Pass	2001
3000	10000	1	RMS	8919	-58.29	-13	45.29	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	57.56	Pass	2986
30	653	0.1	RMS	653	-64.83	-13	51.83	Pass	6231
653	708	0.1	RMS	673.8	0.15	60	59.85	Pass	551
708	1000	0.1	RMS	708.1	-57.96	-13	44.96	Pass	2921
1000	3000	1	RMS	2868	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	8906	-58.32	-13	45.32	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	57.21	Pass	2986
30	653	0.1	RMS	465.2	-64.88	-13	51.88	Pass	6231
653	708	0.1	RMS	663.5	17.87	60	42.13	Pass	551
708	1000	0.1	RMS	899.3	-63.83	-13	50.83	Pass	2921
1000	3000	1	RMS	2868	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	8996	-58.29	-13	45.29	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.47	-13	56.47	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	56.94	Pass	2986
30	653	0.1	RMS	471	-64.95	-13	51.95	Pass	6231
653	708	0.1	RMS	677.5	18.41	60	41.59	Pass	551
708	1000	0.1	RMS	895.4	-63.79	-13	50.79	Pass	2921
1000	3000	1	RMS	2870	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8905	-58.24	-13	45.24	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.17	-71.7	-13	58.7	Pass	2986
30	653	0.1	RMS	485.1	-64.92	-13	51.92	Pass	6231
653	708	0.1	RMS	687.4	0.74	60	59.26	Pass	551
708	1000	0.1	RMS	708.3	-49.93	-13	36.93	Pass	2921
1000	3000	1	RMS	2868	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	8902	-58.27	-13	45.27	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.15	-70.26	-13	57.26	Pass	2986
30	653	0.1	RMS	482.1	-64.85	-13	51.85	Pass	6231
653	708	0.1	RMS	673.5	18.06	60	41.94	Pass	551
708	1000	0.1	RMS	906.9	-63.75	-13	50.75	Pass	2921
1000	3000	1	RMS	2869	-48.94	-13	35.94	Pass	2001
3000	10000	1	RMS	9000	-58.25	-13	45.25	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-13	57.47	Pass	2986
30	653	0.1	RMS	494	-64.92	-13	51.92	Pass	6231
653	708	0.1	RMS	687.5	18.29	60	41.71	Pass	551
708	1000	0.1	RMS	883	-63.81	-13	50.81	Pass	2921
1000	3000	1	RMS	2867	-48.9	-13	35.9	Pass	2001
3000	10000	1	RMS	9001	-58.27	-13	45.27	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	57.55	Pass	2986
30	653	0.1	RMS	464	-64.77	-13	51.77	Pass	6231
653	708	0.1	RMS	690.2	0.2	60	59.8	Pass	551
708	1000	0.1	RMS	708	-43.77	-13	30.77	Pass	2921
1000	3000	1	RMS	2870	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	8897	-58.28	-13	45.28	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	55.73	Pass	2986
30	653	0.1	RMS	471	-64.87	-13	51.87	Pass	6231
653	708	0.1	RMS	683.5	18.12	60	41.88	Pass	551
708	1000	0.1	RMS	711.5	-61.36	-13	48.36	Pass	2921
1000	3000	1	RMS	2875	-48.93	-13	35.93	Pass	2001
3000	10000	1	RMS	8918	-58.28	-13	45.28	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.45	-13	57.45	Pass	401
0.15	30	0.01	RMS	0.15	-69.96	-13	56.96	Pass	2986
30	653	0.1	RMS	469.4	-64.86	-13	51.86	Pass	6231
653	708	0.1	RMS	697.5	18.34	60	41.66	Pass	551
708	1000	0.1	RMS	708.1	-62.21	-13	49.21	Pass	2921
1000	3000	1	RMS	2874	-48.99	-13	35.99	Pass	2001
3000	10000	1	RMS	8998	-58.29	-13	45.29	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	58.35	Pass	2986
30	653	0.1	RMS	652	-64.12	-13	51.12	Pass	6231
653	708	0.1	RMS	689.8	-2.31	60	62.31	Pass	551
708	1000	0.1	RMS	708	-40.21	-13	27.21	Pass	2921
1000	3000	1	RMS	2867	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8997	-57.95	-13	44.95	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-13	56.85	Pass	2986
30	653	0.1	RMS	472.8	-64.47	-13	51.47	Pass	6231
653	708	0.1	RMS	663.7	18.11	60	41.89	Pass	551
708	1000	0.1	RMS	708.1	-61.34	-13	48.34	Pass	2921
1000	3000	1	RMS	2870	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	8892	-58	-13	45	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:135600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-69.85	-13	56.85	Pass	401
0.15	30	0.01	RMS	0.15	-69.98	-13	56.98	Pass	2986
30	653	0.1	RMS	476.6	-64.45	-13	51.45	Pass	6231
653	708	0.1	RMS	692.3	18.37	60	41.63	Pass	551
708	1000	0.1	RMS	708.1	-61.3	-13	48.3	Pass	2921
1000	3000	1	RMS	2873	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	8901	-57.94	-13	44.94	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.18	-70.37	-13	57.37	Pass	2986
30	653	0.1	RMS	651.9	-64.36	-13	51.36	Pass	6231
653	708	0.1	RMS	689.9	-2.43	60	62.43	Pass	551
708	1000	0.1	RMS	708	-40.56	-13	27.56	Pass	2921
1000	3000	1	RMS	2871	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8900	-58.01	-13	45.01	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-13	56.43	Pass	2986
30	653	0.1	RMS	475.1	-64.33	-13	51.33	Pass	6231
653	708	0.1	RMS	666.2	17.95	60	42.05	Pass	551
708	1000	0.1	RMS	709.1	-58.23	-13	45.23	Pass	2921
1000	3000	1	RMS	2869	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	8901	-57.95	-13	44.95	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.15	-69.61	-13	56.61	Pass	2986
30	653	0.1	RMS	479	-64.53	-13	51.53	Pass	6231
653	708	0.1	RMS	694.8	18.36	60	41.64	Pass	551
708	1000	0.1	RMS	709.1	-53.14	-13	40.14	Pass	2921
1000	3000	1	RMS	2870	-48.65	-13	35.65	Pass	2001
3000	10000	1	RMS	9004	-57.99	-13	44.99	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	58.31	Pass	2986
30	653	0.1	RMS	476.1	-64.5	-13	51.5	Pass	6231
653	708	0.1	RMS	688.4	-2.41	60	62.41	Pass	551
708	1000	0.1	RMS	708.1	-40.69	-13	27.69	Pass	2921
1000	3000	1	RMS	2872	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	8919	-58.04	-13	45.04	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	57.09	Pass	2986
30	653	0.1	RMS	471.6	-64.4	-13	51.4	Pass	6231
653	708	0.1	RMS	668.7	18.17	60	41.83	Pass	551
708	1000	0.1	RMS	708	-60.58	-13	47.58	Pass	2921
1000	3000	1	RMS	2870	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	8904	-58	-13	45	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136600, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-69.6	-13	56.6	Pass	2986
30	653	0.1	RMS	480.5	-64.51	-13	51.51	Pass	6231
653	708	0.1	RMS	697.3	18.31	60	41.69	Pass	551
708	1000	0.1	RMS	709.7	-49.59	-13	36.59	Pass	2921
1000	3000	1	RMS	2870	-48.62	-13	35.62	Pass	2001
3000	10000	1	RMS	9002	-58.01	-13	45.01	Pass	7001



1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.07	-13	53.07	Pass	401
0.15	30	0.01	RMS	0.37	-69.53	-13	56.53	Pass	2986
30	1000	0.1	RMS	896.732	-61.59	-13	48.59	Pass	9701
1000	3000	1	RMS	2867	-48.52	-13	35.52	Pass	2001
3000	3440	1	RMS	3440	-39.73	-13	26.73	Pass	441
3440	3560	1	RMS	3454.7	12.31	60	47.69	Pass	401
3560	7000	1	RMS	6923	-61.13	-13	48.13	Pass	3441
7000	26500	1	RMS	25500	-45.7	-13	32.7	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.39	-13	52.39	Pass	401
0.15	30	0.01	RMS	0.41	-68.21	-13	55.21	Pass	2986
30	1000	0.1	RMS	902.936	-61.27	-13	48.27	Pass	9701
1000	3000	1	RMS	2862	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3029	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3450.8	21.02	60	38.98	Pass	401
3560	7000	1	RMS	6925	-61.03	-13	48.03	Pass	3441
7000	26500	1	RMS	25202	-45.68	-13	32.68	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.02	-13	52.02	Pass	401
0.15	30	0.01	RMS	0.3	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	751.1	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2873	-48.59	-13	35.59	Pass	2001
3000	3440	1	RMS	3000	-43.92	-13	30.92	Pass	441
3440	3560	1	RMS	3459.2	20.92	60	39.08	Pass	401
3560	7000	1	RMS	6899	-61.29	-13	48.29	Pass	3441
7000	26500	1	RMS	25205	-45.24	-13	32.24	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-58.11	-13	45.11	Pass	401
0.15	30	0.01	RMS	0.56	-69.02	-13	56.02	Pass	2986
30	1000	0.1	RMS	771.8	-60.91	-13	47.91	Pass	9701
1000	3000	1	RMS	2869	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3029	-43.82	-13	30.82	Pass	441
3440	3560	1	RMS	3500.9	12.78	60	47.22	Pass	401
3560	7000	1	RMS	6929	-61.16	-13	48.16	Pass	3441
7000	26500	1	RMS	25198	-45.7	-13	32.7	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.26	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	897.432	-61.21	-13	48.21	Pass	9701
1000	3000	1	RMS	2878	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3029	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3495.8	21.27	60	38.73	Pass	401
3560	7000	1	RMS	3652	-59.47	-13	46.47	Pass	3441
7000	26500	1	RMS	25193	-45.76	-13	32.76	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	0.68	-68.81	-13	55.81	Pass	2986
30	1000	0.1	RMS	929.153	-61.28	-13	48.28	Pass	9701
1000	3000	1	RMS	2868	-48.64	-13	35.64	Pass	2001
3000	3440	1	RMS	3030	-43.84	-13	30.84	Pass	441
3440	3560	1	RMS	3504.2	21.35	60	38.65	Pass	401
3560	7000	1	RMS	3660	-60.27	-13	47.27	Pass	3441
7000	26500	1	RMS	25192	-45.47	-13	32.47	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-61.06	-13	48.06	Pass	401
0.15	30	0.01	RMS	0.3	-70.41	-13	57.41	Pass	2986
30	1000	0.1	RMS	911.641	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2866	-48.65	-13	35.65	Pass	2001
3000	3440	1	RMS	3034	-43.79	-13	30.79	Pass	441
3440	3560	1	RMS	3543.5	13.06	60	46.94	Pass	401
3560	7000	1	RMS	3560	-39.82	-13	26.82	Pass	3441
7000	26500	1	RMS	25181	-45.7	-13	32.7	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.26	-70.43	-13	57.43	Pass	2986
30	1000	0.1	RMS	890.527	-61.19	-13	48.19	Pass	9701
1000	3000	1	RMS	2873	-48.5	-13	35.5	Pass	2001
3000	3440	1	RMS	3033	-43.76	-13	30.76	Pass	441
3440	3560	1	RMS	3540.8	21.75	60	38.25	Pass	401
3560	7000	1	RMS	3560	-54.45	-13	41.45	Pass	3441
7000	26500	1	RMS	25484	-45.74	-13	32.74	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-68.9	-13	55.9	Pass	401
0.15	30	0.01	RMS	0.21	-69.51	-13	56.51	Pass	2986
30	1000	0.1	RMS	875.417	-60.98	-13	47.98	Pass	9701
1000	3000	1	RMS	2874	-48.47	-13	35.47	Pass	2001
3000	3440	1	RMS	3026	-43.89	-13	30.89	Pass	441
3440	3560	1	RMS	3549.2	21.51	60	38.49	Pass	401
3560	7000	1	RMS	3560	-54.47	-13	41.47	Pass	3441
7000	26500	1	RMS	25191	-45.46	-13	32.46	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.69	-13	53.69	Pass	401
0.15	30	0.01	RMS	0.68	-70.58	-13	57.58	Pass	2986
30	1000	0.1	RMS	708.1	-61.47	-13	48.47	Pass	9701
1000	3000	1	RMS	2871	-48.57	-13	35.57	Pass	2001
3000	3440	1	RMS	3439	-34.84	-13	21.84	Pass	441
3440	3560	1	RMS	3497.3	5.34	60	54.66	Pass	401
3560	7000	1	RMS	3560	-46.49	-13	33.49	Pass	3441
7000	26500	1	RMS	25211	-45.29	-13	32.29	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.66	-13	54.66	Pass	401
0.15	30	0.01	RMS	0.26	-67.76	-13	54.76	Pass	2986
30	1000	0.1	RMS	874.417	-60.59	-13	47.59	Pass	9701
1000	3000	1	RMS	2872	-48.52	-13	35.52	Pass	2001
3000	3440	1	RMS	3427	-43.21	-13	30.21	Pass	441
3440	3560	1	RMS	3451.1	20.79	60	39.21	Pass	401
3560	7000	1	RMS	3608	-61.06	-13	48.06	Pass	3441
7000	26500	1	RMS	25800	-45.69	-13	32.69	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.01	-13	55.01	Pass	401
0.15	30	0.01	RMS	0.26	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	856.605	-61.36	-13	48.36	Pass	9701
1000	3000	1	RMS	2883	-48.52	-13	35.52	Pass	2001
3000	3440	1	RMS	3438	-41.86	-13	28.86	Pass	441
3440	3560	1	RMS	3498.8	21.44	60	38.56	Pass	401
3560	7000	1	RMS	3655	-59.11	-13	46.11	Pass	3441
7000	26500	1	RMS	25200	-45.19	-13	32.19	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.35	-13	52.35	Pass	401
0.15	30	0.01	RMS	0.24	-69.66	-13	56.66	Pass	2986
30	1000	0.1	RMS	890.327	-61.02	-13	48.02	Pass	9701
1000	3000	1	RMS	2875	-48.59	-13	35.59	Pass	2001
3000	3440	1	RMS	3440	-40.04	-13	27.04	Pass	441
3440	3560	1	RMS	3510.2	5.56	60	54.44	Pass	401
3560	7000	1	RMS	3560	-38.89	-13	25.89	Pass	3441
7000	26500	1	RMS	25201	-45.55	-13	32.55	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.71	-13	41.71	Pass	401
0.15	30	0.01	RMS	0.34	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	893.73	-60.86	-13	47.86	Pass	9701
1000	3000	1	RMS	2866	-48.58	-13	35.58	Pass	2001
3000	3440	1	RMS	3032	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3476.3	21.09	60	38.91	Pass	401
3560	7000	1	RMS	3561	-57.43	-13	44.43	Pass	3441
7000	26500	1	RMS	25199	-45.81	-13	32.81	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-58.23	-13	45.23	Pass	401
0.15	30	0.01	RMS	0.72	-69.36	-13	56.36	Pass	2986
30	1000	0.1	RMS	982.889	-60.94	-13	47.94	Pass	9701
1000	3000	1	RMS	2881	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3030	-43.81	-13	30.81	Pass	441
3440	3560	1	RMS	3523.7	21.77	60	38.23	Pass	401
3560	7000	1	RMS	3575	-56.85	-13	43.85	Pass	3441
7000	26500	1	RMS	25185	-45.5	-13	32.5	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.76	-13	51.76	Pass	401
0.15	30	0.01	RMS	0.2	-68.25	-13	55.25	Pass	2986
30	1000	0.1	RMS	873.016	-60.84	-13	47.84	Pass	9701
1000	3000	1	RMS	2869	-48.48	-13	35.48	Pass	2001
3000	3440	1	RMS	3030	-43.85	-13	30.85	Pass	441
3440	3560	1	RMS	3535.7	5.86	60	54.14	Pass	401
3560	7000	1	RMS	3560	-32.98	-13	19.98	Pass	3441
7000	26500	1	RMS	25201	-45.47	-13	32.47	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.86	-13	56.86	Pass	401
0.15	30	0.01	RMS	0.7	-69.41	-13	56.41	Pass	2986
30	1000	0.1	RMS	826.7	-61.2	-13	48.2	Pass	9701
1000	3000	1	RMS	2883	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3029	-43.73	-13	30.73	Pass	441
3440	3560	1	RMS	3501.2	21.39	60	38.61	Pass	401
3560	7000	1	RMS	3562	-44.57	-13	31.57	Pass	3441
7000	26500	1	RMS	25206	-45.49	-13	32.49	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.19	-13	48.19	Pass	401
0.15	30	0.01	RMS	0.27	-69.34	-13	56.34	Pass	2986
30	1000	0.1	RMS	890.127	-61.05	-13	48.05	Pass	9701
1000	3000	1	RMS	2886	-48.67	-13	35.67	Pass	2001
3000	3440	1	RMS	3031	-43.78	-13	30.78	Pass	441
3440	3560	1	RMS	3548.6	21.52	60	38.48	Pass	401
3560	7000	1	RMS	3572	-46.14	-13	33.14	Pass	3441
7000	26500	1	RMS	25198	-44.98	-13	31.98	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-62.81	-13	49.81	Pass	401
0.15	30	0.01	RMS	0.25	-70.8	-13	57.8	Pass	2986
30	1000	0.1	RMS	846.4	-61.17	-13	48.17	Pass	9701
1000	3000	1	RMS	2882	-48.68	-13	35.68	Pass	2001
3000	3440	1	RMS	3439	-36.47	-13	23.47	Pass	441
3440	3560	1	RMS	3509.3	2.54	60	57.46	Pass	401
3560	7000	1	RMS	3560	-35.17	-13	22.17	Pass	3441
7000	26500	1	RMS	25888	-45.08	-13	32.08	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-68.93	-13	55.93	Pass	401
0.15	30	0.01	RMS	0.26	-70.91	-13	57.91	Pass	2986
30	1000	0.1	RMS	957.872	-60.75	-13	47.75	Pass	9701
1000	3000	1	RMS	2869	-48.54	-13	35.54	Pass	2001
3000	3440	1	RMS	3402	-43.15	-13	30.15	Pass	441
3440	3560	1	RMS	3451.1	20.66	60	39.34	Pass	401
3560	7000	1	RMS	3568	-43.69	-13	30.69	Pass	3441
7000	26500	1	RMS	25493	-44.94	-13	31.94	Pass	19503



1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.52	-13	53.52	Pass	401
0.15	30	0.01	RMS	0.27	-68.01	-13	55.01	Pass	2986
30	1000	0.1	RMS	904.737	-61.51	-13	48.51	Pass	9701
1000	3000	1	RMS	2925	-47.9	-13	34.9	Pass	2001
3000	3440	1	RMS	3432	-41.16	-13	28.16	Pass	441
3440	3560	1	RMS	3548.9	21.44	60	38.56	Pass	401
3560	7000	1	RMS	3598	-46.31	-13	33.31	Pass	3441
7000	26500	1	RMS	25814	-45.55	-13	32.55	Pass	19503



2. n77(3700-3980)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-61.28	-13	48.28	Pass	401
0.15	30	0.01	RMS	0.19	-69.28	-13	56.28	Pass	2986
30	1000	0.1	RMS	699.4	-61.27	-13	48.27	Pass	9701
1000	3000	1	RMS	2879	-48.64	-13	35.64	Pass	2001
3000	3690	1	RMS	3690	-36.25	-13	23.25	Pass	691
3690	3990	1	RMS	3705	14.02	60	45.98	Pass	401
3990	7000	1	RMS	6930	-61.08	-13	48.08	Pass	3011
7000	26500	1	RMS	25204	-45.24	-13	32.24	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.72	-13	43.72	Pass	401
0.15	30	0.01	RMS	0.18	-69.6	-13	56.6	Pass	2986
30	1000	0.1	RMS	911.241	-61.53	-13	48.53	Pass	9701
1000	3000	1	RMS	2866	-48.65	-13	35.65	Pass	2001
3000	3690	1	RMS	3690	-43.67	-13	30.67	Pass	691
3690	3990	1	RMS	3700.5	21.19	60	38.81	Pass	401
3990	7000	1	RMS	6933	-61.07	-13	48.07	Pass	3011
7000	26500	1	RMS	25444	-45.5	-13	32.5	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	57.07	Pass	401
0.15	30	0.01	RMS	0.22	-69.12	-13	56.12	Pass	2986
30	1000	0.1	RMS	883.523	-59.98	-13	46.98	Pass	9701
1000	3000	1	RMS	2860	-48.7	-13	35.7	Pass	2001
3000	3690	1	RMS	3690	-43.56	-13	30.56	Pass	691
3690	3990	1	RMS	3708.75	21.03	60	38.97	Pass	401
3990	7000	1	RMS	6887	-61.04	-13	48.04	Pass	3011
7000	26500	1	RMS	25189	-45.72	-13	32.72	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.58	-13	45.58	Pass	401
0.15	30	0.01	RMS	0.18	-69.98	-13	56.98	Pass	2986
30	1000	0.1	RMS	978.686	-61.6	-13	48.6	Pass	9701
1000	3000	1	RMS	2859	-48.56	-13	35.56	Pass	2001
3000	3690	1	RMS	3035	-43.83	-13	30.83	Pass	691
3690	3990	1	RMS	3841.5	12.81	60	47.19	Pass	401
3990	7000	1	RMS	6940	-61.17	-13	48.17	Pass	3011
7000	26500	1	RMS	25216	-45.61	-13	32.61	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.19	-13	52.19	Pass	401
0.15	30	0.01	RMS	0.19	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	949.266	-60.75	-13	47.75	Pass	9701
1000	3000	1	RMS	2868	-48.56	-13	35.56	Pass	2001
3000	3690	1	RMS	3021	-43.9	-13	30.9	Pass	691
3690	3990	1	RMS	3835.5	19.72	60	40.28	Pass	401
3990	7000	1	RMS	6886	-61.01	-13	48.01	Pass	3011
7000	26500	1	RMS	25205	-45.16	-13	32.16	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.95	-13	40.95	Pass	401
0.15	30	0.01	RMS	0.3	-68.99	-13	55.99	Pass	2986
30	1000	0.1	RMS	906.538	-61.15	-13	48.15	Pass	9701
1000	3000	1	RMS	2885	-48.6	-13	35.6	Pass	2001
3000	3690	1	RMS	3030	-43.84	-13	30.84	Pass	691
3690	3990	1	RMS	3844.5	19.8	60	40.2	Pass	401
3990	7000	1	RMS	6932	-61.2	-13	48.2	Pass	3011
7000	26500	1	RMS	25206	-45.58	-13	32.58	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-64.78	-13	51.78	Pass	401
0.15	30	0.01	RMS	0.17	-68.83	-13	55.83	Pass	2986
30	1000	0.1	RMS	987.892	-61.74	-13	48.74	Pass	9701
1000	3000	1	RMS	2874	-48.5	-13	35.5	Pass	2001
3000	3690	1	RMS	3029	-43.85	-13	30.85	Pass	691
3690	3990	1	RMS	3974.25	12.59	60	47.41	Pass	401
3990	7000	1	RMS	3990	-37.18	-13	24.18	Pass	3011
7000	26500	1	RMS	25203	-45.72	-13	32.72	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61	-13	48	Pass	401
0.15	30	0.01	RMS	0.28	-69.37	-13	56.37	Pass	2986
30	1000	0.1	RMS	875.417	-61.13	-13	48.13	Pass	9701
1000	3000	1	RMS	2885	-48.45	-13	35.45	Pass	2001
3000	3690	1	RMS	3029	-43.79	-13	30.79	Pass	691
3690	3990	1	RMS	3970.5	19.6	60	40.4	Pass	401
3990	7000	1	RMS	3990	-54.41	-13	41.41	Pass	3011
7000	26500	1	RMS	25203	-45.59	-13	32.59	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	0.29	-68.68	-13	55.68	Pass	2986
30	1000	0.1	RMS	846.6	-61.62	-13	48.62	Pass	9701
1000	3000	1	RMS	2873	-48.54	-13	35.54	Pass	2001
3000	3690	1	RMS	3034	-43.86	-13	30.86	Pass	691
3690	3990	1	RMS	3979.5	19.45	60	40.55	Pass	401
3990	7000	1	RMS	3990	-54.2	-13	41.2	Pass	3011
7000	26500	1	RMS	25473	-45.47	-13	32.47	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.31	-13	52.31	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	56.4	Pass	2986
30	1000	0.1	RMS	847	-61.11	-13	48.11	Pass	9701
1000	3000	1	RMS	2876	-48.55	-13	35.55	Pass	2001
3000	3690	1	RMS	3689	-26.26	-13	13.26	Pass	691
3690	3990	1	RMS	3705.75	7.2	60	52.8	Pass	401
3990	7000	1	RMS	6924	-61.17	-13	48.17	Pass	3011
7000	26500	1	RMS	25198	-45.74	-13	32.74	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	0.23	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	775.9	-61.16	-13	48.16	Pass	9701
1000	3000	1	RMS	2870	-48.6	-13	35.6	Pass	2001
3000	3690	1	RMS	3677	-42.17	-13	29.17	Pass	691
3690	3990	1	RMS	3701.25	22.23	60	37.77	Pass	401
3990	7000	1	RMS	6890	-60.82	-13	47.82	Pass	3011
7000	26500	1	RMS	25199	-45.58	-13	32.58	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.47	-13	54.47	Pass	401
0.15	30	0.01	RMS	0.24	-70.19	-13	57.19	Pass	2986
30	1000	0.1	RMS	968.279	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2883	-48.68	-13	35.68	Pass	2001
3000	3690	1	RMS	3688	-40.28	-13	27.28	Pass	691
3690	3990	1	RMS	3748.5	22.47	60	37.53	Pass	401
3990	7000	1	RMS	6899	-61.24	-13	48.24	Pass	3011
7000	26500	1	RMS	25212	-45.63	-13	32.63	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.94	-13	47.94	Pass	401
0.15	30	0.01	RMS	0.21	-70.22	-13	57.22	Pass	2986
30	1000	0.1	RMS	728.6	-61.1	-13	48.1	Pass	9701
1000	3000	1	RMS	2866	-48.5	-13	35.5	Pass	2001
3000	3690	1	RMS	3012	-43.84	-13	30.84	Pass	691
3690	3990	1	RMS	3821.25	5.63	60	54.37	Pass	401
3990	7000	1	RMS	6928	-61.17	-13	48.17	Pass	3011
7000	26500	1	RMS	25875	-45.27	-13	32.27	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-64.07	-13	51.07	Pass	401
0.15	30	0.01	RMS	0.29	-68.02	-13	55.02	Pass	2986
30	1000	0.1	RMS	933.756	-61.4	-13	48.4	Pass	9701
1000	3000	1	RMS	2882	-48.57	-13	35.57	Pass	2001
3000	3690	1	RMS	3029	-43.83	-13	30.83	Pass	691
3690	3990	1	RMS	3816	20.54	60	39.46	Pass	401
3990	7000	1	RMS	6888	-61.16	-13	48.16	Pass	3011
7000	26500	1	RMS	25798	-45.66	-13	32.66	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-60.92	-13	47.92	Pass	401
0.15	30	0.01	RMS	0.16	-69.69	-13	56.69	Pass	2986
30	1000	0.1	RMS	857.606	-61.08	-13	48.08	Pass	9701
1000	3000	1	RMS	2871	-48.53	-13	35.53	Pass	2001
3000	3690	1	RMS	3031	-43.83	-13	30.83	Pass	691
3690	3990	1	RMS	3864	20.89	60	39.11	Pass	401
3990	7000	1	RMS	6915	-61.17	-13	48.17	Pass	3011
7000	26500	1	RMS	25203	-45.24	-13	32.24	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.3	-69.01	-13	56.01	Pass	2986
30	1000	0.1	RMS	756.7	-61.25	-13	48.25	Pass	9701
1000	3000	1	RMS	2865	-48.62	-13	35.62	Pass	2001
3000	3690	1	RMS	3030	-43.86	-13	30.86	Pass	691
3690	3990	1	RMS	3935.25	5.96	60	54.04	Pass	401
3990	7000	1	RMS	3990	-27.23	-13	14.23	Pass	3011
7000	26500	1	RMS	25887	-45.25	-13	32.25	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-62.22	-13	49.22	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	57.06	Pass	2986
30	1000	0.1	RMS	903.036	-61.05	-13	48.05	Pass	9701
1000	3000	1	RMS	2870	-48.61	-13	35.61	Pass	2001
3000	3690	1	RMS	3030	-43.8	-13	30.8	Pass	691
3690	3990	1	RMS	3931.5	20.57	60	39.43	Pass	401
3990	7000	1	RMS	3992	-44.05	-13	31.05	Pass	3011
7000	26500	1	RMS	25958	-45.66	-13	32.66	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.15	-13	54.15	Pass	401
0.15	30	0.01	RMS	0.26	-69.31	-13	56.31	Pass	2986
30	1000	0.1	RMS	882.222	-60.65	-13	47.65	Pass	9701
1000	3000	1	RMS	2864	-48.57	-13	35.57	Pass	2001
3000	3690	1	RMS	3024	-43.88	-13	30.88	Pass	691
3690	3990	1	RMS	3978.75	20.8	60	39.2	Pass	401
3990	7000	1	RMS	4003	-46.76	-13	33.76	Pass	3011
7000	26500	1	RMS	25198	-45.57	-13	32.57	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-66.79	-13	53.79	Pass	401
0.15	30	0.01	RMS	0.2	-70.5	-13	57.5	Pass	2986
30	1000	0.1	RMS	899.734	-61.22	-13	48.22	Pass	9701
1000	3000	1	RMS	2878	-48.43	-13	35.43	Pass	2001
3000	3690	1	RMS	3690	-27.8	-13	14.8	Pass	691
3690	3990	1	RMS	3726.75	4.21	60	55.79	Pass	401
3990	7000	1	RMS	3991	-56.3	-13	43.3	Pass	3011
7000	26500	1	RMS	25185	-45.67	-13	32.67	Pass	19503




2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-68.61	-13	55.61	Pass	401
0.15	30	0.01	RMS	0.26	-69.73	-13	56.73	Pass	2986
30	1000	0.1	RMS	960.574	-60.77	-13	47.77	Pass	9701
1000	3000	1	RMS	2885	-48.59	-13	35.59	Pass	2001
3000	3690	1	RMS	3652	-42.68	-13	29.68	Pass	691
3690	3990	1	RMS	3701.25	21.42	60	38.58	Pass	401
3990	7000	1	RMS	4325	-53.3	-13	40.3	Pass	3011
7000	26500	1	RMS	25200	-45.3	-13	32.3	Pass	19503




2.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.76	-13	52.76	Pass	401
0.15	30	0.01	RMS	0.16	-67.93	-13	54.93	Pass	2986
30	1000	0.1	RMS	850.501	-61.46	-13	48.46	Pass	9701
1000	3000	1	RMS	2865	-48.47	-13	35.47	Pass	2001
3000	3690	1	RMS	3682	-39.71	-13	26.71	Pass	691
3690	3990	1	RMS	3798.75	20.83	60	39.17	Pass	401
3990	7000	1	RMS	4423	-59.88	-13	46.88	Pass	3011
7000	26500	1	RMS	25848	-45.63	-13	32.63	Pass	19503




2.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-65.68	-13	52.68	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	57.48	Pass	2986
30	1000	0.1	RMS	921.948	-60.98	-13	47.98	Pass	9701
1000	3000	1	RMS	2869	-48.41	-13	35.41	Pass	2001
3000	3690	1	RMS	3689	-40.39	-13	27.39	Pass	691
3690	3990	1	RMS	3793.5	2.83	60	57.17	Pass	401
3990	7000	1	RMS	3994	-41.82	-13	28.82	Pass	3011
7000	26500	1	RMS	25185	-45.73	-13	32.73	Pass	19503




2.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.47	-13	47.47	Pass	401
0.15	30	0.01	RMS	0.26	-68.04	-13	55.04	Pass	2986
30	1000	0.1	RMS	808.6	-60.98	-13	47.98	Pass	9701
1000	3000	1	RMS	2877	-48.59	-13	35.59	Pass	2001
3000	3690	1	RMS	3031	-43.79	-13	30.79	Pass	691
3690	3990	1	RMS	3791.25	20.95	60	39.05	Pass	401
3990	7000	1	RMS	4415	-54.51	-13	41.51	Pass	3011
7000	26500	1	RMS	25220	-45.29	-13	32.29	Pass	19503




2.31. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.9	-13	51.9	Pass	401
0.15	30	0.01	RMS	0.15	-68.99	-13	55.99	Pass	2986
30	1000	0.1	RMS	731.5	-60.84	-13	47.84	Pass	9701
1000	3000	1	RMS	2861	-48.55	-13	35.55	Pass	2001
3000	3690	1	RMS	3265	-42.1	-13	29.1	Pass	691
3690	3990	1	RMS	3888.75	21	60	39	Pass	401
3990	7000	1	RMS	4045	-60.11	-13	47.11	Pass	3011
7000	26500	1	RMS	25898	-45.49	-13	32.49	Pass	19503




2.32. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.52	-13	48.52	Pass	401
0.15	30	0.01	RMS	0.33	-70.13	-13	57.13	Pass	2986
30	1000	0.1	RMS	918.446	-61.39	-13	48.39	Pass	9701
1000	3000	1	RMS	2882	-48.48	-13	35.48	Pass	2001
3000	3690	1	RMS	3030	-43.77	-13	30.77	Pass	691
3690	3990	1	RMS	3883.5	3.08	60	56.92	Pass	401
3990	7000	1	RMS	3991	-29.14	-13	16.14	Pass	3011
7000	26500	1	RMS	25165	-45.57	-13	32.57	Pass	19503




2.33. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.68	-13	49.68	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	57.28	Pass	2986
30	1000	0.1	RMS	873.816	-61.03	-13	48.03	Pass	9701
1000	3000	1	RMS	2869	-48.62	-13	35.62	Pass	2001
3000	3690	1	RMS	3026	-43.89	-13	30.89	Pass	691
3690	3990	1	RMS	3881.25	20.85	60	39.15	Pass	401
3990	7000	1	RMS	3998	-44.21	-13	31.21	Pass	3011
7000	26500	1	RMS	25194	-45.32	-13	32.32	Pass	19503



2.34. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-60.81	-13	47.81	Pass	401
0.15	30	0.01	RMS	0.7	-70.09	-13	57.09	Pass	2986
30	1000	0.1	RMS	989.993	-61.35	-13	48.35	Pass	9701
1000	3000	1	RMS	2868	-48.55	-13	35.55	Pass	2001
3000	3690	1	RMS	3355	-41.45	-13	28.45	Pass	691
3690	3990	1	RMS	3978.75	20.49	60	39.51	Pass	401
3990	7000	1	RMS	4028	-45.71	-13	32.71	Pass	3011
7000	26500	1	RMS	25493	-45.52	-13	32.52	Pass	19503



1. n78(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.89	-13	45.89	Pass	401
0.15	30	0.01	RMS	21.35	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	904.437	-54.86	-13	41.86	Pass	9701
1000	3000	1	RMS	2967	-44.62	-13	31.62	Pass	2001
3000	3440	1	RMS	3031	-35.6	-13	22.6	Pass	441
3440	3560	1	RMS	3454.4	14.76	60	45.24	Pass	401
3560	7000	1	RMS	6853	-45.99	-13	32.99	Pass	3441
7000	26500	1	RMS	14550	-38.24	-13	25.24	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.75	-13	45.75	Pass	401
0.15	30	0.01	RMS	4.29	-65.11	-13	52.11	Pass	2986
30	1000	0.1	RMS	996.898	-56.27	-13	43.27	Pass	9701
1000	3000	1	RMS	2926	-44.89	-13	31.89	Pass	2001
3000	3440	1	RMS	3411	-40.74	-13	27.74	Pass	441
3440	3560	1	RMS	3451.1	23.03	60	36.97	Pass	401
3560	7000	1	RMS	6925	-56.92	-13	43.92	Pass	3441
7000	26500	1	RMS	25883	-45.74	-13	32.74	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.45	-13	45.45	Pass	401
0.15	30	0.01	RMS	3.75	-66.42	-13	53.42	Pass	2986
30	1000	0.1	RMS	961.274	-55.08	-13	42.08	Pass	9701
1000	3000	1	RMS	2934	-44.96	-13	31.96	Pass	2001
3000	3440	1	RMS	3408	-40.79	-13	27.79	Pass	441
3440	3560	1	RMS	3459.2	23.26	60	36.74	Pass	401
3560	7000	1	RMS	6923	-57.3	-13	44.3	Pass	3441
7000	26500	1	RMS	25099	-44.85	-13	31.85	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.33	-13	46.33	Pass	401
0.15	30	0.01	RMS	18.17	-66.32	-13	53.32	Pass	2986
30	1000	0.1	RMS	877.019	-56.31	-13	43.31	Pass	9701
1000	3000	1	RMS	2974	-44.91	-13	31.91	Pass	2001
3000	3440	1	RMS	3432	-40.71	-13	27.71	Pass	441
3440	3560	1	RMS	3500	14.02	60	45.98	Pass	401
3560	7000	1	RMS	6969	-56.48	-13	43.48	Pass	3441
7000	26500	1	RMS	25827	-45.35	-13	32.35	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.26	-13	45.26	Pass	401
0.15	30	0.01	RMS	0.63	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	873.916	-55.58	-13	42.58	Pass	9701
1000	3000	1	RMS	2767	-44.98	-13	31.98	Pass	2001
3000	3440	1	RMS	3429	-40.9	-13	27.9	Pass	441
3440	3560	1	RMS	3495.8	22.37	60	37.63	Pass	401
3560	7000	1	RMS	6935	-57.53	-13	44.53	Pass	3441
7000	26500	1	RMS	24795	-45.17	-13	32.17	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.45	-13	45.45	Pass	401
0.15	30	0.01	RMS	24.71	-64.44	-13	51.44	Pass	2986
30	1000	0.1	RMS	953.869	-55.34	-13	42.34	Pass	9701
1000	3000	1	RMS	2971	-44.71	-13	31.71	Pass	2001
3000	3440	1	RMS	3033	-36.03	-13	23.03	Pass	441
3440	3560	1	RMS	3504.2	22.5	60	37.5	Pass	401
3560	7000	1	RMS	6860	-46.73	-13	33.73	Pass	3441
7000	26500	1	RMS	14602	-38.76	-13	25.76	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.26	-13	46.26	Pass	401
0.15	30	0.01	RMS	28.15	-66.94	-13	53.94	Pass	2986
30	1000	0.1	RMS	932.956	-54.86	-13	41.86	Pass	9701
1000	3000	1	RMS	2977	-44.91	-13	31.91	Pass	2001
3000	3440	1	RMS	3413	-40.65	-13	27.65	Pass	441
3440	3560	1	RMS	3544.1	13.75	60	46.25	Pass	401
3560	7000	1	RMS	3560	-38	-13	25	Pass	3441
7000	26500	1	RMS	25372	-45.17	-13	32.17	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.91	-13	44.91	Pass	401
0.15	30	0.01	RMS	0.24	-66.33	-13	53.33	Pass	2986
30	1000	0.1	RMS	609.2	-56.03	-13	43.03	Pass	9701
1000	3000	1	RMS	2841	-44.87	-13	31.87	Pass	2001
3000	3440	1	RMS	3432	-40.89	-13	27.89	Pass	441
3440	3560	1	RMS	3540.8	22.01	60	37.99	Pass	401
3560	7000	1	RMS	3560	-53.86	-13	40.86	Pass	3441
7000	26500	1	RMS	24099	-44.98	-13	31.98	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.64	-13	46.64	Pass	401
0.15	30	0.01	RMS	19.13	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	874.917	-55.16	-13	42.16	Pass	9701
1000	3000	1	RMS	2759	-44.66	-13	31.66	Pass	2001
3000	3440	1	RMS	3412	-41.02	-13	28.02	Pass	441
3440	3560	1	RMS	3549.2	22.16	60	37.84	Pass	401
3560	7000	1	RMS	3560	-53.5	-13	40.5	Pass	3441
7000	26500	1	RMS	25895	-45.31	-13	32.31	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.69	-13	45.69	Pass	401
0.15	30	0.01	RMS	25.35	-65.15	-13	52.15	Pass	2986
30	1000	0.1	RMS	665.3	-55.55	-13	42.55	Pass	9701
1000	3000	1	RMS	2759	-44.66	-13	31.66	Pass	2001
3000	3440	1	RMS	3440	-29.93	-13	16.93	Pass	441
3440	3560	1	RMS	3455.9	7.55	60	52.45	Pass	401
3560	7000	1	RMS	3560	-44.01	-13	31.01	Pass	3441
7000	26500	1	RMS	20548	-37.59	-13	24.59	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.66	-13	46.66	Pass	401
0.15	30	0.01	RMS	0.43	-66.07	-13	53.07	Pass	2986
30	1000	0.1	RMS	992.195	-55.42	-13	42.42	Pass	9701
1000	3000	1	RMS	2994	-45.08	-13	32.08	Pass	2001
3000	3440	1	RMS	3428	-39.86	-13	26.86	Pass	441
3440	3560	1	RMS	3451.4	23.41	60	36.59	Pass	401
3560	7000	1	RMS	6920	-57.04	-13	44.04	Pass	3441
7000	26500	1	RMS	25144	-45.45	-13	32.45	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-60.19	-13	47.19	Pass	401
0.15	30	0.01	RMS	11.77	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	887.726	-56.05	-13	43.05	Pass	9701
1000	3000	1	RMS	2980	-44.79	-13	31.79	Pass	2001
3000	3440	1	RMS	3438	-39.04	-13	26.04	Pass	441
3440	3560	1	RMS	3498.8	22.7	60	37.3	Pass	401
3560	7000	1	RMS	6980	-56.86	-13	43.86	Pass	3441
7000	26500	1	RMS	24119	-44.74	-13	31.74	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-56.91	-13	43.91	Pass	401
0.15	30	0.01	RMS	21.18	-65.13	-13	52.13	Pass	2986
30	1000	0.1	RMS	369.7	-55.4	-13	42.4	Pass	9701
1000	3000	1	RMS	2955	-44.81	-13	31.81	Pass	2001
3000	3440	1	RMS	3440	-36.19	-13	23.19	Pass	441
3440	3560	1	RMS	3480.8	7.26	60	52.74	Pass	401
3560	7000	1	RMS	3560	-36.54	-13	23.54	Pass	3441
7000	26500	1	RMS	26236	-45.02	-13	32.02	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.08	-13	46.08	Pass	401
0.15	30	0.01	RMS	18.84	-65.54	-13	52.54	Pass	2986
30	1000	0.1	RMS	881.121	-55.15	-13	42.15	Pass	9701
1000	3000	1	RMS	2988	-44.69	-13	31.69	Pass	2001
3000	3440	1	RMS	3403	-40.92	-13	27.92	Pass	441
3440	3560	1	RMS	3476.3	23.06	60	36.94	Pass	401
3560	7000	1	RMS	3560	-56.53	-13	43.53	Pass	3441
7000	26500	1	RMS	24121	-45.14	-13	32.14	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.72	-13	45.72	Pass	401
0.15	30	0.01	RMS	1.41	-64.77	-13	51.77	Pass	2986
30	1000	0.1	RMS	988.492	-55.93	-13	42.93	Pass	9701
1000	3000	1	RMS	2974	-44.42	-13	31.42	Pass	2001
3000	3440	1	RMS	3432	-40.8	-13	27.8	Pass	441
3440	3560	1	RMS	3523.7	22.23	60	37.77	Pass	401
3560	7000	1	RMS	6856	-45.63	-13	32.63	Pass	3441
7000	26500	1	RMS	20530	-35.88	-13	22.88	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.67	-13	45.67	Pass	401
0.15	30	0.01	RMS	1.18	-65.5	-13	52.5	Pass	2986
30	1000	0.1	RMS	902.736	-55.71	-13	42.71	Pass	9701
1000	3000	1	RMS	2993	-44.77	-13	31.77	Pass	2001
3000	3440	1	RMS	3439	-40.4	-13	27.4	Pass	441
3440	3560	1	RMS	3506	6.79	60	53.21	Pass	401
3560	7000	1	RMS	3561	-30.97	-13	17.97	Pass	3441
7000	26500	1	RMS	25810	-44.9	-13	31.9	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.26	-13	45.26	Pass	401
0.15	30	0.01	RMS	17.3	-66.36	-13	53.36	Pass	2986
30	1000	0.1	RMS	905.137	-55.87	-13	42.87	Pass	9701
1000	3000	1	RMS	2982	-44.8	-13	31.8	Pass	2001
3000	3440	1	RMS	3388	-40.83	-13	27.83	Pass	441
3440	3560	1	RMS	3501.2	22.51	60	37.49	Pass	401
3560	7000	1	RMS	3560	-44.18	-13	31.18	Pass	3441
7000	26500	1	RMS	25110	-44.82	-13	31.82	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.59	-13	45.59	Pass	401
0.15	30	0.01	RMS	0.55	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	915.044	-55.94	-13	42.94	Pass	9701
1000	3000	1	RMS	2967	-44.64	-13	31.64	Pass	2001
3000	3440	1	RMS	3434	-40.8	-13	27.8	Pass	441
3440	3560	1	RMS	3548.9	22.41	60	37.59	Pass	401
3560	7000	1	RMS	3573	-45.81	-13	32.81	Pass	3441
7000	26500	1	RMS	24102	-44.74	-13	31.74	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.31	-13	44.31	Pass	401
0.15	30	0.01	RMS	8.86	-66.13	-13	53.13	Pass	2986
30	1000	0.1	RMS	475.2	-55.81	-13	42.81	Pass	9701
1000	3000	1	RMS	2972	-44.86	-13	31.86	Pass	2001
3000	3440	1	RMS	3440	-32.04	-13	19.04	Pass	441
3440	3560	1	RMS	3458	4.38	60	55.62	Pass	401
3560	7000	1	RMS	3560	-32.12	-13	19.12	Pass	3441
7000	26500	1	RMS	25080	-44.97	-13	31.97	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.31	-13	46.31	Pass	401
0.15	30	0.01	RMS	22.92	-66.24	-13	53.24	Pass	2986
30	1000	0.1	RMS	865.311	-55.97	-13	42.97	Pass	9701
1000	3000	1	RMS	2997	-44.88	-13	31.88	Pass	2001
3000	3440	1	RMS	3032	-38.93	-13	25.93	Pass	441
3440	3560	1	RMS	3451.1	23.26	60	36.74	Pass	401
3560	7000	1	RMS	3568	-42.83	-13	29.83	Pass	3441
7000	26500	1	RMS	20515	-36.99	-13	23.99	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.3	-13	46.3	Pass	401
0.15	30	0.01	RMS	24.69	-66.13	-13	53.13	Pass	2986
30	1000	0.1	RMS	534	-55.75	-13	42.75	Pass	9701
1000	3000	1	RMS	2959	-44.79	-13	31.79	Pass	2001
3000	3440	1	RMS	3432	-38.32	-13	25.32	Pass	441
3440	3560	1	RMS	3548.9	22.21	60	37.79	Pass	401
3560	7000	1	RMS	3598	-45.15	-13	32.15	Pass	3441
7000	26500	1	RMS	24489	-45.46	-13	32.46	Pass	19503



2. n78(3700-3800)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.94	-13	45.94	Pass	401
0.15	30	0.01	RMS	0.46	-65.29	-13	52.29	Pass	2986
30	1000	0.1	RMS	987.692	-54.85	-13	41.85	Pass	9701
1000	3000	1	RMS	2981	-44.87	-13	31.87	Pass	2001
3000	3690	1	RMS	3690	-35.56	-13	22.56	Pass	691
3690	3810	1	RMS	3704.7	13.62	60	46.38	Pass	401
3810	7000	1	RMS	6976	-56.6	-13	43.6	Pass	3191
7000	26500	1	RMS	24083	-44.9	-13	31.9	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.12	-13	45.12	Pass	401
0.15	30	0.01	RMS	18.04	-65.6	-13	52.6	Pass	2986
30	1000	0.1	RMS	743.1	-55.78	-13	42.78	Pass	9701
1000	3000	1	RMS	2964	-44.6	-13	31.6	Pass	2001
3000	3690	1	RMS	3409	-40.78	-13	27.78	Pass	691
3690	3810	1	RMS	3701.1	21.74	60	38.26	Pass	401
3810	7000	1	RMS	6989	-57.14	-13	44.14	Pass	3191
7000	26500	1	RMS	24065	-45.48	-13	32.48	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.61	-13	45.61	Pass	401
0.15	30	0.01	RMS	21.57	-65.76	-13	52.76	Pass	2986
30	1000	0.1	RMS	919.447	-55.56	-13	42.56	Pass	9701
1000	3000	1	RMS	2977	-44.52	-13	31.52	Pass	2001
3000	3690	1	RMS	3051	-36.59	-13	23.59	Pass	691
3690	3810	1	RMS	3709.2	22.13	60	37.87	Pass	401
3810	7000	1	RMS	6838	-49	-13	36	Pass	3191
7000	26500	1	RMS	20512	-37.65	-13	24.65	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.16	-13	46.16	Pass	401
0.15	30	0.01	RMS	29.13	-66.16	-13	53.16	Pass	2986
30	1000	0.1	RMS	455	-55.93	-13	42.93	Pass	9701
1000	3000	1	RMS	2985	-44.73	-13	31.73	Pass	2001
3000	3690	1	RMS	3407	-40.57	-13	27.57	Pass	691
3690	3810	1	RMS	3750	14.19	60	45.81	Pass	401
3810	7000	1	RMS	6982	-56.56	-13	43.56	Pass	3191
7000	26500	1	RMS	26177	-45.44	-13	32.44	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.72	-13	45.72	Pass	401
0.15	30	0.01	RMS	18.36	-64.44	-13	51.44	Pass	2986
30	1000	0.1	RMS	931.855	-55.75	-13	42.75	Pass	9701
1000	3000	1	RMS	2997	-44.58	-13	31.58	Pass	2001
3000	3690	1	RMS	3408	-40.57	-13	27.57	Pass	691
3690	3810	1	RMS	3746.1	22.24	60	37.76	Pass	401
3810	7000	1	RMS	6968	-57.05	-13	44.05	Pass	3191
7000	26500	1	RMS	26220	-45.41	-13	32.41	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.39	-13	45.39	Pass	401
0.15	30	0.01	RMS	2.37	-64.72	-13	51.72	Pass	2986
30	1000	0.1	RMS	952.969	-55.19	-13	42.19	Pass	9701
1000	3000	1	RMS	2976	-44.98	-13	31.98	Pass	2001
3000	3690	1	RMS	3410	-40.61	-13	27.61	Pass	691
3690	3810	1	RMS	3754.2	22.5	60	37.5	Pass	401
3810	7000	1	RMS	6975	-57.15	-13	44.15	Pass	3191
7000	26500	1	RMS	25748	-45.54	-13	32.54	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-63.45	-13	50.45	Pass	401
0.15	30	0.01	RMS	16.88	-65.62	-13	52.62	Pass	2986
30	1000	0.1	RMS	877.419	-55.02	-13	42.02	Pass	9701
1000	3000	1	RMS	2985	-44.68	-13	31.68	Pass	2001
3000	3690	1	RMS	3403	-40.61	-13	27.61	Pass	691
3690	3810	1	RMS	3794.7	13.6	60	46.4	Pass	401
3810	7000	1	RMS	3810	-34.42	-13	21.42	Pass	3191
7000	26500	1	RMS	26197	-44.81	-13	31.81	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.36	-13	45.36	Pass	401
0.15	30	0.01	RMS	25.47	-66.32	-13	53.32	Pass	2986
30	1000	0.1	RMS	450.8	-55.57	-13	42.57	Pass	9701
1000	3000	1	RMS	2983	-44.71	-13	31.71	Pass	2001
3000	3690	1	RMS	3052	-38.17	-13	25.17	Pass	691
3690	3810	1	RMS	3791.1	21.95	60	38.05	Pass	401
3810	7000	1	RMS	6841	-49.23	-13	36.23	Pass	3191
7000	26500	1	RMS	20519	-42.76	-13	29.76	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.92	-13	45.92	Pass	401
0.15	30	0.01	RMS	10.51	-64.82	-13	51.82	Pass	2986
30	1000	0.1	RMS	914.643	-55.63	-13	42.63	Pass	9701
1000	3000	1	RMS	2995	-44.62	-13	31.62	Pass	2001
3000	3690	1	RMS	3418	-40.81	-13	27.81	Pass	691
3690	3810	1	RMS	3799.2	21.95	60	38.05	Pass	401
3810	7000	1	RMS	3810	-52.84	-13	39.84	Pass	3191
7000	26500	1	RMS	24100	-44.8	-13	31.8	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.59	-13	44.59	Pass	401
0.15	30	0.01	RMS	26.76	-65.05	-13	52.05	Pass	2986
30	1000	0.1	RMS	906.838	-55.47	-13	42.47	Pass	9701
1000	3000	1	RMS	2988	-44.6	-13	31.6	Pass	2001
3000	3690	1	RMS	3690	-25.41	-13	12.41	Pass	691
3690	3810	1	RMS	3706.2	6.56	60	53.44	Pass	401
3810	7000	1	RMS	3810	-39.51	-13	26.51	Pass	3191
7000	26500	1	RMS	25383	-45.17	-13	32.17	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.83	-13	46.83	Pass	401
0.15	30	0.01	RMS	0.3	-65.94	-13	52.94	Pass	2986
30	1000	0.1	RMS	856.505	-55.16	-13	42.16	Pass	9701
1000	3000	1	RMS	2945	-44.82	-13	31.82	Pass	2001
3000	3690	1	RMS	3410	-40.57	-13	27.57	Pass	691
3690	3810	1	RMS	3701.4	22.05	60	37.95	Pass	401
3810	7000	1	RMS	6967	-56.51	-13	43.51	Pass	3191
7000	26500	1	RMS	25060	-45.67	-13	32.67	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.8	-13	45.8	Pass	401
0.15	30	0.01	RMS	25.57	-63.52	-13	50.52	Pass	2986
30	1000	0.1	RMS	896.732	-55.03	-13	42.03	Pass	9701
1000	3000	1	RMS	2941	-44.85	-13	31.85	Pass	2001
3000	3690	1	RMS	3688	-40.83	-13	27.83	Pass	691
3690	3810	1	RMS	3748.8	22.76	60	37.24	Pass	401
3810	7000	1	RMS	6964	-57.12	-13	44.12	Pass	3191
7000	26500	1	RMS	26250	-45.59	-13	32.59	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.12	-13	46.12	Pass	401
0.15	30	0.01	RMS	14.16	-65.32	-13	52.32	Pass	2986
30	1000	0.1	RMS	900.334	-54.87	-13	41.87	Pass	9701
1000	3000	1	RMS	2927	-44.59	-13	31.59	Pass	2001
3000	3690	1	RMS	3690	-32.45	-13	19.45	Pass	691
3690	3810	1	RMS	3731.1	6.84	60	53.16	Pass	401
3810	7000	1	RMS	3810	-31.05	-13	18.05	Pass	3191
7000	26500	1	RMS	20535	-37.88	-13	24.88	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-58.73	-13	45.73	Pass	401
0.15	30	0.01	RMS	14.56	-65.11	-13	52.11	Pass	2986
30	1000	0.1	RMS	885.624	-56.15	-13	43.15	Pass	9701
1000	3000	1	RMS	2973	-44.83	-13	31.83	Pass	2001
3000	3690	1	RMS	3428	-40.55	-13	27.55	Pass	691
3690	3810	1	RMS	3726.3	22.36	60	37.64	Pass	401
3810	7000	1	RMS	3810	-55.92	-13	42.92	Pass	3191
7000	26500	1	RMS	25347	-44.92	-13	31.92	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-60.9	-13	47.9	Pass	401
0.15	30	0.01	RMS	3.3	-66.12	-13	53.12	Pass	2986
30	1000	0.1	RMS	810.1	-54.26	-13	41.26	Pass	9701
1000	3000	1	RMS	2988	-44.43	-13	31.43	Pass	2001
3000	3690	1	RMS	3412	-40.74	-13	27.74	Pass	691
3690	3810	1	RMS	3774	22.57	60	37.43	Pass	401
3810	7000	1	RMS	3821	-52.6	-13	39.6	Pass	3191
7000	26500	1	RMS	24104	-44.76	-13	31.76	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.29	-13	46.29	Pass	401
0.15	30	0.01	RMS	8.67	-66.08	-13	53.08	Pass	2986
30	1000	0.1	RMS	469.1	-55.57	-13	42.57	Pass	9701
1000	3000	1	RMS	2940	-44.95	-13	31.95	Pass	2001
3000	3690	1	RMS	3690	-40.58	-13	27.58	Pass	691
3690	3810	1	RMS	3768.3	6.73	60	53.27	Pass	401
3810	7000	1	RMS	3810	-23.23	-13	10.23	Pass	3191
7000	26500	1	RMS	25091	-45.38	-13	32.38	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.45	-13	44.45	Pass	401
0.15	30	0.01	RMS	0.95	-66.14	-13	53.14	Pass	2986
30	1000	0.1	RMS	654.6	-56.12	-13	43.12	Pass	9701
1000	3000	1	RMS	2999	-44.8	-13	31.8	Pass	2001
3000	3690	1	RMS	3423	-40.58	-13	27.58	Pass	691
3690	3810	1	RMS	3751.2	22.53	60	37.47	Pass	401
3810	7000	1	RMS	3810	-43.57	-13	30.57	Pass	3191
7000	26500	1	RMS	25099	-45.59	-13	32.59	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.04	-13	44.04	Pass	401
0.15	30	0.01	RMS	29.16	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	481.6	-55.64	-13	42.64	Pass	9701
1000	3000	1	RMS	2979	-44.97	-13	31.97	Pass	2001
3000	3690	1	RMS	3053	-33.33	-13	20.33	Pass	691
3690	3810	1	RMS	3798.9	22.13	60	37.87	Pass	401
3810	7000	1	RMS	3823	-46.44	-13	33.44	Pass	3191
7000	26500	1	RMS	20493	-39.38	-13	26.38	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.26	-13	46.26	Pass	401
0.15	30	0.01	RMS	0.15	-65.67	-13	52.67	Pass	2986
30	1000	0.1	RMS	815.9	-55.78	-13	42.78	Pass	9701
1000	3000	1	RMS	2978	-44.42	-13	31.42	Pass	2001
3000	3690	1	RMS	3690	-27.24	-13	14.24	Pass	691
3690	3810	1	RMS	3736.2	3.51	60	56.49	Pass	401
3810	7000	1	RMS	3812	-25.15	-13	12.15	Pass	3191
7000	26500	1	RMS	24096	-45.26	-13	32.26	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-59.73	-13	46.73	Pass	401
0.15	30	0.01	RMS	12.64	-66.51	-13	53.51	Pass	2986
30	1000	0.1	RMS	895.131	-55.49	-13	42.49	Pass	9701
1000	3000	1	RMS	2998	-44.94	-13	31.94	Pass	2001
3000	3690	1	RMS	3401	-40.9	-13	27.9	Pass	691
3690	3810	1	RMS	3701.1	21.71	60	38.29	Pass	401
3810	7000	1	RMS	3818	-41.38	-13	28.38	Pass	3191
7000	26500	1	RMS	25089	-44.92	-13	31.92	Pass	19503



2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-57.44	-13	44.44	Pass	401
0.15	30	0.01	RMS	26.37	-64.92	-13	51.92	Pass	2986
30	1000	0.1	RMS	909.04	-55.63	-13	42.63	Pass	9701
1000	3000	1	RMS	2974	-44.7	-13	31.7	Pass	2001
3000	3690	1	RMS	3683	-40.41	-13	27.41	Pass	691
3690	3810	1	RMS	3799.2	21.69	60	38.31	Pass	401
3810	7000	1	RMS	3848	-44.82	-13	31.82	Pass	3191
7000	26500	1	RMS	26014	-45.3	-13	32.3	Pass	19503



--BLANK BELOW--