


11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.900	41.56	74.0	32.44	Peak	101.00	200	Horizontal	Pass
1**	1570.900	32.66	54.0	21.34	AV	101.00	200	Horizontal	Pass
2	4277.500	49.37	74.0	24.63	Peak	204.00	200	Horizontal	Pass
2**	4277.500	39.97	54.0	14.03	AV	204.00	200	Horizontal	Pass
3	5701.250	90.56	--	--	Peak	276.00	200	Horizontal	N/A
3**	5701.250	83.39	--	--	AV	276.00	200	Horizontal	N/A
4	7370.750	56.47	74.0	17.53	Peak	346.00	400	Horizontal	Pass
4**	7370.750	46.76	54.0	7.24	AV	346.00	400	Horizontal	Pass
5	11788.363	50.32	74.0	23.68	Peak	326.00	100	Horizontal	Pass
5**	11788.363	39.85	54.0	14.15	AV	326.00	100	Horizontal	Pass
6	15430.651	52.46	74.0	21.54	Peak	1.00	200	Horizontal	Pass
6**	15430.651	41.90	54.0	12.10	AV	1.00	200	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.400	41.86	74.0	32.14	Peak	339.00	300	Vertical	Pass
1**	1445.400	32.00	54.0	22.00	AV	339.00	300	Vertical	Pass
2	4398.750	48.79	74.0	25.21	Peak	360.00	300	Vertical	Pass
2**	4398.750	40.28	54.0	13.72	AV	360.00	300	Vertical	Pass
3	5706.500	90.47	--	--	Peak	171.00	150	Vertical	N/A
3**	5706.500	82.67	--	--	AV	171.00	150	Vertical	N/A
4	7617.750	56.91	74.0	17.09	Peak	325.00	300	Vertical	Pass
4**	7617.750	47.25	54.0	6.75	AV	325.00	300	Vertical	Pass
5	11398.150	49.90	74.0	24.10	Peak	0.00	150	Vertical	Pass
5**	11398.150	44.31	54.0	9.69	AV	0.00	150	Vertical	Pass
6	15437.213	51.84	74.0	22.16	Peak	161.00	400	Vertical	Pass
6**	15437.213	42.55	54.0	11.45	AV	161.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.500	42.06	74.0	31.94	Peak	42.00	100	Horizontal	Pass
1**	1619.500	32.62	54.0	21.38	AV	42.00	100	Horizontal	Pass
2	4281.250	48.70	74.0	25.30	Peak	128.00	200	Horizontal	Pass
2**	4281.250	39.96	54.0	14.04	AV	128.00	200	Horizontal	Pass
3	5507.000	80.00	--	--	Peak	261.00	200	Horizontal	N/A
3**	5507.000	72.33	--	--	AV	261.00	200	Horizontal	N/A
4	7545.250	56.17	74.0	17.83	Peak	0.00	400	Horizontal	Pass
4**	7545.250	46.79	54.0	7.21	AV	0.00	400	Horizontal	Pass
5	12234.387	50.46	74.0	23.54	Peak	220.00	200	Horizontal	Pass
5**	12234.387	40.92	54.0	13.08	AV	220.00	200	Horizontal	Pass
6	16061.700	51.23	74.0	22.77	Peak	0.00	100	Horizontal	Pass
6**	16061.700	41.66	54.0	12.34	AV	0.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.100	41.80	74.0	32.20	Peak	272.00	300	Vertical	Pass
1**	1594.100	32.20	54.0	21.80	AV	272.00	300	Vertical	Pass
2	4313.250	49.46	74.0	24.54	Peak	248.00	300	Vertical	Pass
2**	4313.250	40.23	54.0	13.77	AV	248.00	300	Vertical	Pass
3	5505.250	80.29	--	--	Peak	228.00	200	Vertical	N/A
3**	5505.250	73.08	--	--	AV	228.00	200	Vertical	N/A
4	7532.250	56.32	74.0	17.68	Peak	219.00	300	Vertical	Pass
4**	7532.250	47.81	54.0	6.19	AV	219.00	300	Vertical	Pass
5	12328.912	50.55	74.0	23.45	Peak	220.00	150	Vertical	Pass
5**	12328.912	40.44	54.0	13.56	AV	220.00	150	Vertical	Pass
6	15965.887	51.31	74.0	22.69	Peak	52.00	100	Vertical	Pass
6**	15965.887	41.18	54.0	12.82	AV	52.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.600	41.91	74.0	32.09	Peak	305.00	300	Horizontal	Pass
1**	1616.600	31.99	54.0	22.01	AV	305.00	300	Horizontal	Pass
2	4300.750	48.87	74.0	25.13	Peak	182.00	100	Horizontal	Pass
2**	4300.750	40.31	54.0	13.69	AV	182.00	100	Horizontal	Pass
3	5587.500	88.44	--	--	Peak	204.00	100	Horizontal	N/A
3**	5587.500	80.60	--	--	AV	204.00	100	Horizontal	N/A
4	7386.750	56.14	74.0	17.86	Peak	192.00	200	Horizontal	Pass
4**	7386.750	47.16	54.0	6.84	AV	192.00	200	Horizontal	Pass
5	12341.262	50.57	74.0	23.43	Peak	222.00	200	Horizontal	Pass
5**	12341.262	41.06	54.0	12.94	AV	222.00	200	Horizontal	Pass
6	15357.150	50.86	74.0	23.14	Peak	224.00	300	Horizontal	Pass
6**	15357.150	40.96	54.0	13.04	AV	224.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1523.700	41.49	74.0	32.51	Peak	340.00	400	Vertical	Pass
1**	1523.700	31.74	54.0	22.26	AV	340.00	400	Vertical	Pass
2	4294.000	49.79	74.0	24.21	Peak	0.00	200	Vertical	Pass
2**	4294.000	39.69	54.0	14.31	AV	0.00	200	Vertical	Pass
3	5591.750	88.96	--	--	Peak	78.00	100	Vertical	N/A
3**	5591.750	80.85	--	--	AV	78.00	100	Vertical	N/A
4	7541.250	56.42	74.0	17.58	Peak	212.00	200	Vertical	Pass
4**	7541.250	47.35	54.0	6.65	AV	212.00	200	Vertical	Pass
5	11942.025	50.32	74.0	23.68	Peak	52.00	100	Vertical	Pass
5**	11942.025	41.40	54.0	12.60	AV	52.00	100	Vertical	Pass
6	15417.787	51.26	74.0	22.74	Peak	331.00	400	Vertical	Pass
6**	15417.787	41.36	54.0	12.64	AV	331.00	400	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.300	42.07	74.0	31.93	Peak	318.00	200	Horizontal	Pass
1**	1584.300	33.04	54.0	20.96	AV	318.00	200	Horizontal	Pass
2	4338.750	48.96	74.0	25.04	Peak	11.00	400	Horizontal	Pass
2**	4338.750	39.94	54.0	14.06	AV	11.00	400	Horizontal	Pass
3	5671.500	89.00	--	--	Peak	202.00	150	Horizontal	N/A
3**	5671.500	81.34	--	--	AV	202.00	150	Horizontal	N/A
4	7265.000	56.07	74.0	17.93	Peak	2.00	400	Horizontal	Pass
4**	7265.000	46.76	54.0	7.24	AV	2.00	400	Horizontal	Pass
5	12224.412	50.54	74.0	23.46	Peak	329.00	100	Horizontal	Pass
5**	12224.412	40.87	54.0	13.13	AV	329.00	100	Horizontal	Pass
6	15373.950	51.14	74.0	22.86	Peak	62.00	100	Horizontal	Pass
6**	15373.950	41.42	54.0	12.58	AV	62.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.400	41.48	74.0	32.52	Peak	340.00	300	Vertical	Pass
1**	1622.400	32.67	54.0	21.33	AV	340.00	300	Vertical	Pass
2	4316.000	49.09	74.0	24.91	Peak	36.00	200	Vertical	Pass
2**	4316.000	40.51	54.0	13.49	AV	36.00	200	Vertical	Pass
3	5668.000	88.17	--	--	Peak	98.00	100	Vertical	N/A
3**	5668.000	80.46	--	--	AV	98.00	100	Vertical	N/A
4	7612.000	57.62	74.0	16.38	Peak	78.00	100	Vertical	Pass
4**	7612.000	47.38	54.0	6.62	AV	78.00	100	Vertical	Pass
5	11880.750	51.16	74.0	22.84	Peak	212.00	100	Vertical	Pass
5**	11880.750	40.26	54.0	13.74	AV	212.00	100	Vertical	Pass
6	15437.737	51.44	74.0	22.56	Peak	269.00	200	Vertical	Pass
6**	15437.737	41.27	54.0	12.73	AV	269.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1537.200	41.66	74.0	32.34	Peak	96.00	400	Horizontal	Pass
1**	1537.200	31.92	54.0	22.08	AV	96.00	400	Horizontal	Pass
2	4287.750	49.21	74.0	24.79	Peak	1.00	300	Horizontal	Pass
2**	4287.750	39.76	54.0	14.24	AV	1.00	300	Horizontal	Pass
3	5497.250	91.41	--	--	Peak	326.00	100	Horizontal	N/A
3**	5497.250	82.72	--	--	AV	326.00	100	Horizontal	N/A
4	7558.750	56.35	74.0	17.65	Peak	360.00	400	Horizontal	Pass
4**	7558.750	46.79	54.0	7.21	AV	360.00	400	Horizontal	Pass
5	12555.013	50.94	74.0	23.06	Peak	238.00	150	Horizontal	Pass
5**	12555.013	40.82	54.0	13.18	AV	238.00	150	Horizontal	Pass
6	15379.724	51.61	74.0	22.39	Peak	101.00	200	Horizontal	Pass
6**	15379.724	42.40	54.0	11.60	AV	101.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.100	41.66	74.0	32.34	Peak	243.00	100	Vertical	Pass
1**	1463.100	31.81	54.0	22.19	AV	243.00	100	Vertical	Pass
2	4290.750	49.01	74.0	24.99	Peak	171.00	150	Vertical	Pass
2**	4290.750	39.47	54.0	14.53	AV	171.00	150	Vertical	Pass
3	5501.750	92.21	--	--	Peak	233.00	200	Vertical	N/A
3**	5501.750	85.02	--	--	AV	233.00	200	Vertical	N/A
4	7613.000	56.31	74.0	17.69	Peak	89.00	400	Vertical	Pass
4**	7613.000	46.88	54.0	7.12	AV	89.00	400	Vertical	Pass
5	10996.775	53.25	74.0	20.75	Peak	0.00	150	Vertical	Pass
5**	10996.775	48.62	54.0	5.38	AV	0.00	150	Vertical	Pass
6	16088.212	51.48	74.0	22.52	Peak	349.00	400	Vertical	Pass
6**	16088.212	41.87	54.0	12.13	AV	349.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.100	41.91	74.0	32.09	Peak	350.00	200	Horizontal	Pass
1**	1444.100	31.93	54.0	22.07	AV	350.00	200	Horizontal	Pass
2	4297.750	49.34	74.0	24.66	Peak	0.00	100	Horizontal	Pass
2**	4297.750	40.53	54.0	13.47	AV	0.00	100	Horizontal	Pass
3	5578.750	88.02	--	--	Peak	360.00	200	Horizontal	N/A
3**	5578.750	80.93	--	--	AV	360.00	200	Horizontal	N/A
4	7635.750	56.13	74.0	17.87	Peak	304.00	300	Horizontal	Pass
4**	7635.750	46.73	54.0	7.27	AV	304.00	300	Horizontal	Pass
5	12354.326	50.73	74.0	23.27	Peak	233.00	200	Horizontal	Pass
5**	12354.326	40.45	54.0	13.55	AV	233.00	200	Horizontal	Pass
6	16051.200	51.71	74.0	22.29	Peak	338.00	300	Horizontal	Pass
6**	16051.200	41.29	54.0	12.71	AV	338.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1575.000	41.54	74.0	32.46	Peak	0.00	100	Vertical	Pass
1**	1575.000	32.50	54.0	21.50	AV	0.00	100	Vertical	Pass
2	4171.000	49.02	74.0	24.98	Peak	152.00	200	Vertical	Pass
2**	4171.000	39.78	54.0	14.22	AV	152.00	200	Vertical	Pass
3	5578.250	90.60	--	--	Peak	173.00	200	Vertical	N/A
3**	5578.250	82.86	--	--	AV	173.00	200	Vertical	N/A
4	7530.500	56.26	74.0	17.74	Peak	224.00	300	Vertical	Pass
4**	7530.500	46.81	54.0	7.19	AV	224.00	300	Vertical	Pass
5	11159.224	53.03	74.0	20.97	Peak	0.00	150	Vertical	Pass
5**	11159.224	47.23	54.0	6.77	AV	0.00	150	Vertical	Pass
6	16065.112	50.96	74.0	23.04	Peak	360.00	200	Vertical	Pass
6**	16065.112	41.83	54.0	12.17	AV	360.00	200	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1598.800	42.27	74.0	31.73	Peak	117.00	400	Horizontal	Pass
1**	1598.800	32.88	54.0	21.12	AV	117.00	400	Horizontal	Pass
2	4307.000	48.99	74.0	25.01	Peak	1.00	300	Horizontal	Pass
2**	4307.000	39.67	54.0	14.33	AV	1.00	300	Horizontal	Pass
3	5698.250	90.50	--	--	Peak	276.00	100	Horizontal	N/A
3**	5698.250	82.97	--	--	AV	276.00	100	Horizontal	N/A
4	7611.250	56.54	74.0	17.46	Peak	360.00	100	Horizontal	Pass
4**	7611.250	48.17	54.0	5.83	AV	360.00	100	Horizontal	Pass
5	12159.100	50.62	74.0	23.38	Peak	336.00	150	Horizontal	Pass
5**	12159.100	40.70	54.0	13.30	AV	336.00	150	Horizontal	Pass
6	15436.162	50.82	74.0	23.18	Peak	284.00	300	Horizontal	Pass
6**	15436.162	42.01	54.0	11.99	AV	284.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.900	42.10	74.0	31.90	Peak	58.00	400	Vertical	Pass
1**	1594.900	32.23	54.0	21.77	AV	58.00	400	Vertical	Pass
2	4278.000	50.40	74.0	23.60	Peak	192.00	300	Vertical	Pass
2**	4278.000	40.10	54.0	13.90	AV	192.00	300	Vertical	Pass
3	5702.500	90.66	--	--	Peak	171.00	150	Vertical	N/A
3**	5702.500	83.75	--	--	AV	171.00	150	Vertical	N/A
4	7384.500	57.11	74.0	16.89	Peak	37.00	300	Vertical	Pass
4**	7384.500	47.61	54.0	6.39	AV	37.00	300	Vertical	Pass
5	11398.388	51.75	74.0	22.25	Peak	0.00	150	Vertical	Pass
5**	11398.388	44.16	54.0	9.84	AV	0.00	150	Vertical	Pass
6	15406.238	51.63	74.0	22.37	Peak	230.00	100	Vertical	Pass
6**	15406.238	41.44	54.0	12.56	AV	230.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.000	42.11	74.0	31.89	Peak	289.00	400	Horizontal	Pass
1**	1511.000	32.31	54.0	21.69	AV	289.00	400	Horizontal	Pass
2	4226.000	49.26	74.0	24.74	Peak	65.00	400	Horizontal	Pass
2**	4226.000	40.04	54.0	13.96	AV	65.00	400	Horizontal	Pass
3	5513.000	81.86	--	--	Peak	220.00	200	Horizontal	N/A
3**	5513.000	75.09	--	--	AV	220.00	200	Horizontal	N/A
4	7380.250	56.34	74.0	17.66	Peak	360.00	300	Horizontal	Pass
4**	7380.250	46.53	54.0	7.47	AV	360.00	300	Horizontal	Pass
5	12122.050	50.44	74.0	23.56	Peak	360.00	150	Horizontal	Pass
5**	12122.050	40.59	54.0	13.41	AV	360.00	150	Horizontal	Pass
6	15995.025	51.25	74.0	22.75	Peak	301.00	300	Horizontal	Pass
6**	15995.025	42.62	54.0	11.38	AV	301.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1567.500	41.38	74.0	32.62	Peak	228.00	300	Vertical	Pass
1**	1567.500	31.46	54.0	22.54	AV	228.00	300	Vertical	Pass
2	4268.250	48.57	74.0	25.43	Peak	360.00	200	Vertical	Pass
2**	4268.250	39.45	54.0	14.55	AV	360.00	200	Vertical	Pass
3	5513.750	81.43	--	--	Peak	232.00	150	Vertical	N/A
3**	5513.750	76.96	--	--	AV	232.00	150	Vertical	N/A
4	7362.500	56.62	74.0	17.38	Peak	4.00	300	Vertical	Pass
4**	7362.500	46.53	54.0	7.47	AV	4.00	300	Vertical	Pass
5	12621.987	50.37	74.0	23.63	Peak	300.00	100	Vertical	Pass
5**	12621.987	41.39	54.0	12.61	AV	300.00	100	Vertical	Pass
6	15990.563	50.75	74.0	23.25	Peak	338.00	400	Vertical	Pass
6**	15990.563	41.80	54.0	12.20	AV	338.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.000	41.84	74.0	32.16	Peak	1.00	300	Horizontal	Pass
1**	1620.000	32.19	54.0	21.81	AV	1.00	300	Horizontal	Pass
2	4350.250	48.88	74.0	25.12	Peak	294.00	200	Horizontal	Pass
2**	4350.250	39.23	54.0	14.77	AV	294.00	200	Horizontal	Pass
3	5593.000	87.89	--	--	Peak	202.00	200	Horizontal	N/A
3**	5593.000	80.56	--	--	AV	202.00	200	Horizontal	N/A
4	7532.500	56.53	74.0	17.47	Peak	233.00	200	Horizontal	Pass
4**	7532.500	47.44	54.0	6.56	AV	233.00	200	Horizontal	Pass
5	12236.287	50.36	74.0	23.64	Peak	34.00	100	Horizontal	Pass
5**	12236.287	40.87	54.0	13.13	AV	34.00	100	Horizontal	Pass
6	16045.425	52.07	74.0	21.93	Peak	12.00	300	Horizontal	Pass
6**	16045.425	41.67	54.0	12.33	AV	12.00	300	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.000	41.88	74.0	32.12	Peak	147.00	100	Vertical	Pass
1**	1504.000	32.60	54.0	21.40	AV	147.00	100	Vertical	Pass
2	4335.000	49.66	74.0	24.34	Peak	161.00	200	Vertical	Pass
2**	4335.000	39.06	54.0	14.94	AV	161.00	200	Vertical	Pass
3	5587.500	89.37	--	--	Peak	80.00	200	Vertical	N/A
3**	5587.500	82.57	--	--	AV	80.00	200	Vertical	N/A
4	7610.000	56.23	74.0	17.77	Peak	295.00	400	Vertical	Pass
4**	7610.000	47.11	54.0	6.89	AV	295.00	400	Vertical	Pass
5	10778.750	50.74	74.0	23.26	Peak	276.00	200	Vertical	Pass
5**	10778.750	41.31	54.0	12.69	AV	276.00	200	Vertical	Pass
6	15997.912	51.16	74.0	22.84	Peak	360.00	100	Vertical	Pass
6**	15997.912	42.13	54.0	11.87	AV	360.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.800	41.96	74.0	32.04	Peak	29.00	200	Horizontal	Pass
1**	1519.800	33.14	54.0	20.86	AV	29.00	200	Horizontal	Pass
2	4229.750	48.86	74.0	25.14	Peak	346.00	200	Horizontal	Pass
2**	4229.750	39.29	54.0	14.71	AV	346.00	200	Horizontal	Pass
3	5665.750	88.72	--	--	Peak	253.00	150	Horizontal	N/A
3**	5665.750	80.01	--	--	AV	253.00	150	Horizontal	N/A
4	7679.000	56.70	74.0	17.30	Peak	222.00	400	Horizontal	Pass
4**	7679.000	47.12	54.0	6.88	AV	222.00	400	Horizontal	Pass
5	12421.775	50.58	74.0	23.42	Peak	359.00	200	Horizontal	Pass
5**	12421.775	40.96	54.0	13.04	AV	359.00	200	Horizontal	Pass
6	15370.276	51.12	74.0	22.88	Peak	62.00	200	Horizontal	Pass
6**	15370.276	41.42	54.0	12.58	AV	62.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.100	41.41	74.0	32.59	Peak	230.00	400	Vertical	Pass
1**	1459.100	31.49	54.0	22.51	AV	230.00	400	Vertical	Pass
2	4343.250	49.38	74.0	24.62	Peak	163.00	200	Vertical	Pass
2**	4343.250	39.26	54.0	14.74	AV	163.00	200	Vertical	Pass
3	5668.750	88.68	--	--	Peak	91.00	150	Vertical	N/A
3**	5668.750	81.57	--	--	AV	91.00	150	Vertical	N/A
4	7513.500	56.59	74.0	17.41	Peak	101.00	200	Vertical	Pass
4**	7513.500	46.99	54.0	7.01	AV	101.00	200	Vertical	Pass
5	12335.325	49.91	74.0	24.09	Peak	238.00	100	Vertical	Pass
5**	12335.325	40.67	54.0	13.33	AV	238.00	100	Vertical	Pass
6	16084.275	50.96	74.0	23.04	Peak	202.00	100	Vertical	Pass
6**	16084.275	41.95	54.0	12.05	AV	202.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.800	41.81	74.0	32.19	Peak	266.00	400	Horizontal	Pass
1**	1595.800	33.12	54.0	20.88	AV	266.00	400	Horizontal	Pass
2	4276.000	49.40	74.0	24.60	Peak	198.00	300	Horizontal	Pass
2**	4276.000	39.76	54.0	14.24	AV	198.00	300	Horizontal	Pass
3	5525.500	81.61	--	--	Peak	348.00	150	Horizontal	N/A
3**	5525.500	74.17	--	--	AV	348.00	150	Horizontal	N/A
4	7477.750	56.45	74.0	17.55	Peak	147.00	200	Horizontal	Pass
4**	7477.750	48.07	54.0	5.93	AV	147.00	200	Horizontal	Pass
5	12544.326	50.56	74.0	23.44	Peak	194.00	150	Horizontal	Pass
5**	12544.326	41.32	54.0	12.68	AV	194.00	150	Horizontal	Pass
6	15457.162	51.26	74.0	22.74	Peak	0.00	400	Horizontal	Pass
6**	15457.162	42.27	54.0	11.73	AV	0.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.300	42.29	74.0	31.71	Peak	359.00	100	Vertical	Pass
1**	1595.300	32.07	54.0	21.93	AV	359.00	100	Vertical	Pass
2	4233.500	50.02	74.0	23.98	Peak	259.00	400	Vertical	Pass
2**	4233.500	40.27	54.0	13.73	AV	259.00	400	Vertical	Pass
3	5531.250	82.67	--	--	Peak	259.00	200	Vertical	N/A
3**	5531.250	74.76	--	--	AV	259.00	200	Vertical	N/A
4	7629.500	56.68	74.0	17.32	Peak	280.00	400	Vertical	Pass
4**	7629.500	47.19	54.0	6.81	AV	280.00	400	Vertical	Pass
5	12146.513	50.88	74.0	23.12	Peak	194.00	150	Vertical	Pass
5**	12146.513	41.16	54.0	12.84	AV	194.00	150	Vertical	Pass
6	15750.112	51.35	74.0	22.65	Peak	147.00	400	Vertical	Pass
6**	15750.112	41.05	54.0	12.95	AV	147.00	400	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.600	42.02	74.0	31.98	Peak	248.00	300	Horizontal	Pass
1**	1620.600	32.52	54.0	21.48	AV	248.00	300	Horizontal	Pass
2	4220.750	49.44	74.0	24.56	Peak	210.00	100	Horizontal	Pass
2**	4220.750	39.92	54.0	14.08	AV	210.00	100	Horizontal	Pass
3	5625.000	83.61	--	--	Peak	343.00	200	Horizontal	N/A
3**	5625.000	76.03	--	--	AV	343.00	200	Horizontal	N/A
4	7475.500	57.36	74.0	16.64	Peak	139.00	300	Horizontal	Pass
4**	7475.500	47.39	54.0	6.61	AV	139.00	300	Horizontal	Pass
5	12243.412	51.06	74.0	22.94	Peak	206.00	100	Horizontal	Pass
5**	12243.412	40.91	54.0	13.09	AV	206.00	100	Horizontal	Pass
6	15370.800	51.23	74.0	22.77	Peak	93.00	400	Horizontal	Pass
6**	15370.800	41.83	54.0	12.17	AV	93.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.000	42.25	74.0	31.75	Peak	241.00	400	Vertical	Pass
1**	1573.000	32.64	54.0	21.36	AV	241.00	400	Vertical	Pass
2	4288.750	49.97	74.0	24.03	Peak	302.00	400	Vertical	Pass
2**	4288.750	40.02	54.0	13.98	AV	302.00	400	Vertical	Pass
3	5617.750	83.89	--	--	Peak	178.00	200	Vertical	N/A
3**	5617.750	76.45	--	--	AV	178.00	200	Vertical	N/A
4	7381.500	56.69	74.0	17.31	Peak	0.00	300	Vertical	Pass
4**	7381.500	46.95	54.0	7.05	AV	0.00	300	Vertical	Pass
5	12321.549	50.82	74.0	23.18	Peak	108.00	100	Vertical	Pass
5**	12321.549	41.51	54.0	12.49	AV	108.00	100	Vertical	Pass
6	15735.675	51.33	74.0	22.67	Peak	112.00	100	Vertical	Pass
6**	15735.675	41.23	54.0	12.77	AV	112.00	100	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1602.500	41.61	74.0	32.39	Peak	13.00	200	Horizontal	Pass
1**	1602.500	32.47	54.0	21.53	AV	13.00	200	Horizontal	Pass
2	4312.500	49.30	74.0	24.70	Peak	101.00	400	Horizontal	Pass
2**	4312.500	39.72	54.0	14.28	AV	101.00	400	Horizontal	Pass
3	5498.500	91.50	--	--	Peak	305.00	200	Horizontal	N/A
3**	5498.500	82.77	--	--	AV	305.00	200	Horizontal	N/A
4	7547.750	56.62	74.0	17.38	Peak	360.00	200	Horizontal	Pass
4**	7547.750	46.94	54.0	7.06	AV	360.00	200	Horizontal	Pass
5	12429.850	50.63	74.0	23.37	Peak	54.00	200	Horizontal	Pass
5**	12429.850	40.90	54.0	13.10	AV	54.00	200	Horizontal	Pass
6	16062.750	51.77	74.0	22.23	Peak	344.00	300	Horizontal	Pass
6**	16062.750	41.58	54.0	12.42	AV	344.00	300	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.600	42.12	74.0	31.88	Peak	288.00	300	Vertical	Pass
1**	1544.600	31.58	54.0	22.42	AV	288.00	300	Vertical	Pass
2	4278.000	48.82	74.0	25.18	Peak	223.00	300	Vertical	Pass
2**	4278.000	40.56	54.0	13.44	AV	223.00	300	Vertical	Pass
3	5499.250	92.53	--	--	Peak	1.00	150	Vertical	N/A
3**	5499.250	84.64	--	--	AV	1.00	150	Vertical	N/A
4	7549.750	56.14	74.0	17.86	Peak	336.00	300	Vertical	Pass
4**	7549.750	47.13	54.0	6.87	AV	336.00	300	Vertical	Pass
5	10999.625	52.91	74.0	21.09	Peak	0.00	150	Vertical	Pass
5**	10999.625	47.71	54.0	6.29	AV	0.00	150	Vertical	Pass
6	15840.412	50.88	74.0	23.12	Peak	181.00	150	Vertical	Pass
6**	15840.412	41.49	54.0	12.51	AV	181.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.000	41.70	74.0	32.30	Peak	148.00	200	Horizontal	Pass
1**	1494.000	32.29	54.0	21.71	AV	148.00	200	Horizontal	Pass
2	4300.000	48.75	74.0	25.25	Peak	150.00	100	Horizontal	Pass
2**	4300.000	40.22	54.0	13.78	AV	150.00	100	Horizontal	Pass
3	5578.750	88.04	--	--	Peak	336.00	100	Horizontal	N/A
3**	5578.750	80.53	--	--	AV	336.00	100	Horizontal	N/A
4	7614.250	56.48	74.0	17.52	Peak	360.00	300	Horizontal	Pass
4**	7614.250	47.59	54.0	6.41	AV	360.00	300	Horizontal	Pass
5	12608.925	50.76	74.0	23.24	Peak	359.00	100	Horizontal	Pass
5**	12608.925	40.75	54.0	13.25	AV	359.00	100	Horizontal	Pass
6	15435.638	51.15	74.0	22.85	Peak	176.00	200	Horizontal	Pass
6**	15435.638	43.13	54.0	10.87	AV	176.00	200	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.700	41.77	74.0	32.23	Peak	294.00	200	Vertical	Pass
1**	1625.700	32.49	54.0	21.51	AV	294.00	200	Vertical	Pass
2	4297.250	49.35	74.0	24.65	Peak	101.00	400	Vertical	Pass
2**	4297.250	39.76	54.0	14.24	AV	101.00	400	Vertical	Pass
3	5579.000	90.62	--	--	Peak	173.00	150	Vertical	N/A
3**	5579.000	83.76	--	--	AV	173.00	150	Vertical	N/A
4	7631.750	56.61	74.0	17.39	Peak	90.00	200	Vertical	Pass
4**	7631.750	47.65	54.0	6.35	AV	90.00	200	Vertical	Pass
5	11162.787	53.82	74.0	20.18	Peak	354.00	150	Vertical	Pass
5**	11162.787	46.37	54.0	7.63	AV	354.00	150	Vertical	Pass
6	16085.063	50.97	74.0	23.03	Peak	31.00	150	Vertical	Pass
6**	16085.063	41.91	54.0	12.09	AV	31.00	150	Vertical	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1572.900	41.97	74.0	32.03	Peak	0.00	200	Horizontal	Pass
1**	1572.900	32.13	54.0	21.87	AV	0.00	200	Horizontal	Pass
2	4277.750	48.78	74.0	25.22	Peak	12.00	200	Horizontal	Pass
2**	4277.750	40.70	54.0	13.30	AV	12.00	200	Horizontal	Pass
3	5701.250	90.53	--	--	Peak	264.00	200	Horizontal	N/A
3**	5701.250	83.13	--	--	AV	264.00	200	Horizontal	N/A
4	7618.000	56.85	74.0	17.15	Peak	193.00	400	Horizontal	Pass
4**	7618.000	47.44	54.0	6.56	AV	193.00	400	Horizontal	Pass
5	12347.675	50.57	74.0	23.43	Peak	316.00	200	Horizontal	Pass
5**	12347.675	40.98	54.0	13.02	AV	316.00	200	Horizontal	Pass
6	16104.225	51.00	74.0	23.00	Peak	339.00	150	Horizontal	Pass
6**	16104.225	40.75	54.0	13.25	AV	339.00	150	Horizontal	Pass

11ax20(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.900	42.05	74.0	31.95	Peak	287.00	400	Vertical	Pass
1**	1471.900	32.53	54.0	21.47	AV	287.00	400	Vertical	Pass
2	4342.250	48.87	74.0	25.13	Peak	181.00	400	Vertical	Pass
2**	4342.250	39.18	54.0	14.82	AV	181.00	400	Vertical	Pass
3	5702.000	90.59	--	--	Peak	171.00	200	Vertical	N/A
3**	5702.000	83.04	--	--	AV	171.00	200	Vertical	N/A
4	7612.500	56.95	74.0	17.05	Peak	284.00	400	Vertical	Pass
4**	7612.500	47.74	54.0	6.26	AV	284.00	400	Vertical	Pass
5	11398.150	49.77	74.0	24.23	Peak	347.00	150	Vertical	Pass
5**	11398.150	44.54	54.0	9.46	AV	347.00	150	Vertical	Pass
6	15630.151	51.43	74.0	22.57	Peak	49.00	300	Vertical	Pass
6**	15630.151	41.41	54.0	12.59	AV	49.00	300	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1542.600	41.39	74.0	32.61	Peak	243.00	100	Horizontal	Pass
1**	1542.600	31.69	54.0	22.31	AV	243.00	100	Horizontal	Pass
2	4248.750	48.89	74.0	25.11	Peak	96.00	100	Horizontal	Pass
2**	4248.750	39.76	54.0	14.24	AV	96.00	100	Horizontal	Pass
3	5508.250	81.19	--	--	Peak	238.00	100	Horizontal	N/A
3**	5508.250	73.46	--	--	AV	238.00	100	Horizontal	N/A
4	7381.500	56.60	74.0	17.40	Peak	84.00	100	Horizontal	Pass
4**	7381.500	46.47	54.0	7.53	AV	84.00	100	Horizontal	Pass
5	12426.762	51.02	74.0	22.98	Peak	306.00	150	Horizontal	Pass
5**	12426.762	41.46	54.0	12.54	AV	306.00	150	Horizontal	Pass
6	15371.850	51.09	74.0	22.91	Peak	24.00	200	Horizontal	Pass
6**	15371.850	41.61	54.0	12.39	AV	24.00	200	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1507.600	42.00	74.0	32.00	Peak	86.00	400	Vertical	Pass
1**	1507.600	33.92	54.0	20.08	AV	86.00	400	Vertical	Pass
2	4300.250	49.01	74.0	24.99	Peak	212.00	400	Vertical	Pass
2**	4300.250	40.36	54.0	13.64	AV	212.00	400	Vertical	Pass
3	5507.250	80.43	--	--	Peak	89.00	100	Vertical	N/A
3**	5507.250	73.30	--	--	AV	89.00	100	Vertical	N/A
4	7251.000	56.86	74.0	17.14	Peak	360.00	200	Vertical	Pass
4**	7251.000	46.40	54.0	7.60	AV	360.00	200	Vertical	Pass
5	12561.424	50.99	74.0	23.01	Peak	233.00	150	Vertical	Pass
5**	12561.424	41.63	54.0	12.37	AV	233.00	150	Vertical	Pass
6	15381.826	51.27	74.0	22.73	Peak	24.00	200	Vertical	Pass
6**	15381.826	41.93	54.0	12.07	AV	24.00	200	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.700	42.01	74.0	31.99	Peak	199.00	300	Horizontal	Pass
1**	1504.700	31.95	54.0	22.05	AV	199.00	300	Horizontal	Pass
2	4323.000	49.52	74.0	24.48	Peak	346.00	100	Horizontal	Pass
2**	4323.000	39.57	54.0	14.43	AV	346.00	100	Horizontal	Pass
3	5588.000	87.79	--	--	Peak	192.00	100	Horizontal	N/A
3**	5588.000	80.79	--	--	AV	192.00	100	Horizontal	N/A
4	7482.250	56.18	74.0	17.82	Peak	120.00	100	Horizontal	Pass
4**	7482.250	47.03	54.0	6.97	AV	120.00	100	Horizontal	Pass
5	12444.575	50.18	74.0	23.82	Peak	113.00	150	Horizontal	Pass
5**	12444.575	40.56	54.0	13.44	AV	113.00	150	Horizontal	Pass
6	16063.799	51.39	74.0	22.61	Peak	155.00	400	Horizontal	Pass
6**	16063.799	41.06	54.0	12.94	AV	155.00	400	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.100	41.42	74.0	32.58	Peak	147.00	400	Vertical	Pass
1**	1519.100	32.25	54.0	21.75	AV	147.00	400	Vertical	Pass
2	4354.750	48.92	74.0	25.08	Peak	57.00	400	Vertical	Pass
2**	4354.750	39.80	54.0	14.20	AV	57.00	400	Vertical	Pass
3	5588.500	88.65	--	--	Peak	78.00	150	Vertical	N/A
3**	5588.500	80.83	--	--	AV	78.00	150	Vertical	N/A
4	7306.750	56.63	74.0	17.37	Peak	140.00	400	Vertical	Pass
4**	7306.750	47.40	54.0	6.60	AV	140.00	400	Vertical	Pass
5	12541.712	51.21	74.0	22.79	Peak	0.00	200	Vertical	Pass
5**	12541.712	40.90	54.0	13.10	AV	0.00	200	Vertical	Pass
6	15397.576	51.49	74.0	22.51	Peak	269.00	100	Vertical	Pass
6**	15397.576	41.92	54.0	12.08	AV	269.00	100	Vertical	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.200	41.76	74.0	32.24	Peak	333.00	200	Horizontal	Pass
1**	1453.200	33.65	54.0	20.35	AV	333.00	200	Horizontal	Pass
2	4209.000	49.24	74.0	24.76	Peak	192.00	300	Horizontal	Pass
2**	4209.000	40.17	54.0	13.83	AV	192.00	300	Horizontal	Pass
3	5668.500	89.98	--	--	Peak	254.00	200	Horizontal	N/A
3**	5668.500	81.67	--	--	AV	254.00	200	Horizontal	N/A
4	7562.750	56.64	74.0	17.36	Peak	163.00	300	Horizontal	Pass
4**	7562.750	46.88	54.0	7.12	AV	163.00	300	Horizontal	Pass
5	12313.000	50.19	74.0	23.81	Peak	2.00	100	Horizontal	Pass
5**	12313.000	40.81	54.0	13.19	AV	2.00	100	Horizontal	Pass
6	15352.950	50.89	74.0	23.11	Peak	249.00	100	Horizontal	Pass
6**	15352.950	41.22	54.0	12.78	AV	249.00	100	Horizontal	Pass

11ax40(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5,725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.300	41.56	74.0	32.44	Peak	0.00	400	Vertical	Pass
1**	1520.300	32.76	54.0	21.24	AV	0.00	400	Vertical	Pass
2	4105.500	49.32	74.0	24.68	Peak	220.00	200	Vertical	Pass
2**	4105.500	39.89	54.0	14.11	AV	220.00	200	Vertical	Pass
3	5671.500	89.29	--	--	Peak	107.00	100	Vertical	N/A
3**	5671.500	81.53	--	--	AV	107.00	100	Vertical	N/A
4	7498.500	56.36	74.0	17.64	Peak	239.00	200	Vertical	Pass
4**	7498.500	47.94	54.0	6.06	AV	239.00	200	Vertical	Pass
5	12376.412	50.28	74.0	23.72	Peak	63.00	150	Vertical	Pass
5**	12376.412	41.39	54.0	12.61	AV	63.00	150	Vertical	Pass
6	16034.925	51.06	74.0	22.94	Peak	175.00	400	Vertical	Pass
6**	16034.925	40.86	54.0	13.14	AV	175.00	400	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1619.100	42.28	74.0	31.72	Peak	106.00	100	Horizontal	Pass
1**	1619.100	33.71	54.0	20.29	AV	106.00	100	Horizontal	Pass
2	4269.750	49.19	74.0	24.81	Peak	353.00	100	Horizontal	Pass
2**	4269.750	39.94	54.0	14.06	AV	353.00	100	Horizontal	Pass
3	5525.250	81.99	--	--	Peak	359.00	100	Horizontal	N/A
3**	5525.250	74.70	--	--	AV	359.00	100	Horizontal	N/A
4	7393.250	56.93	74.0	17.07	Peak	209.00	300	Horizontal	Pass
4**	7393.250	46.88	54.0	7.12	AV	209.00	300	Horizontal	Pass
5	11492.675	50.47	74.0	23.53	Peak	271.00	150	Horizontal	Pass
5**	11492.675	40.21	54.0	13.79	AV	271.00	150	Horizontal	Pass
6	15372.637	51.82	74.0	22.18	Peak	0.00	400	Horizontal	Pass
6**	15372.637	42.48	54.0	11.52	AV	0.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1558.600	42.00	74.0	32.00	Peak	1.00	300	Vertical	Pass
1**	1558.600	32.01	54.0	21.99	AV	1.00	300	Vertical	Pass
2	4285.500	49.31	74.0	24.69	Peak	96.00	200	Vertical	Pass
2**	4285.500	40.13	54.0	13.87	AV	96.00	200	Vertical	Pass
3	5526.750	83.31	--	--	Peak	158.00	200	Vertical	N/A
3**	5526.750	76.30	--	--	AV	158.00	200	Vertical	N/A
4	7542.500	56.42	74.0	17.58	Peak	34.00	200	Vertical	Pass
4**	7542.500	47.08	54.0	6.92	AV	34.00	200	Vertical	Pass
5	11065.175	50.77	74.0	23.23	Peak	360.00	200	Vertical	Pass
5**	11065.175	41.87	54.0	12.13	AV	360.00	200	Vertical	Pass
6	15984.525	51.44	74.0	22.56	Peak	21.00	200	Vertical	Pass
6**	15984.525	41.74	54.0	12.26	AV	21.00	200	Vertical	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	41.97	74.0	32.03	Peak	300.00	300	Horizontal	Pass
1**	1499.900	34.36	54.0	19.64	AV	300.00	300	Horizontal	Pass
2	4299.500	49.26	74.0	24.74	Peak	170.00	100	Horizontal	Pass
2**	4299.500	40.37	54.0	13.63	AV	170.00	100	Horizontal	Pass
3	5605.500	84.94	--	--	Peak	305.00	150	Horizontal	N/A
3**	5605.500	76.65	--	--	AV	305.00	150	Horizontal	N/A
4	7384.750	57.66	74.0	16.34	Peak	336.00	100	Horizontal	Pass
4**	7384.750	47.62	54.0	6.38	AV	336.00	100	Horizontal	Pass
5	12398.737	51.57	74.0	22.43	Peak	37.00	200	Horizontal	Pass
5**	12398.737	40.53	54.0	13.47	AV	37.00	200	Horizontal	Pass
6	15990.825	51.66	74.0	22.34	Peak	308.00	400	Horizontal	Pass
6**	15990.825	42.88	54.0	11.12	AV	308.00	400	Horizontal	Pass

11ax80(SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5,47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.900	42.65	74.0	31.35	Peak	332.00	300	Vertical	Pass
1**	1574.900	33.08	54.0	20.92	AV	332.00	300	Vertical	Pass
2	4256.500	49.03	74.0	24.97	Peak	0.00	100	Vertical	Pass
2**	4256.500	40.48	54.0	13.52	AV	0.00	100	Vertical	Pass
3	5584.250	84.19	--	--	Peak	181.00	100	Vertical	N/A
3**	5584.250	74.95	--	--	AV	181.00	100	Vertical	N/A
4	7384.750	56.46	74.0	17.54	Peak	359.00	300	Vertical	Pass
4**	7384.750	47.50	54.0	6.50	AV	359.00	300	Vertical	Pass
5	11677.924	50.65	74.0	23.35	Peak	360.00	200	Vertical	Pass
5**	11677.924	40.36	54.0	13.64	AV	360.00	200	Vertical	Pass
6	15959.850	51.14	74.0	22.86	Peak	243.00	200	Vertical	Pass
6**	15959.850	41.79	54.0	12.21	AV	243.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1520.500	41.52	74.0	32.48	Peak	143.00	100	Horizontal	Pass
1**	1520.500	31.92	54.0	22.08	AV	143.00	100	Horizontal	Pass
2	4230.250	49.48	74.0	24.52	Peak	45.00	400	Horizontal	Pass
2**	4230.250	39.59	54.0	14.41	AV	45.00	400	Horizontal	Pass
3	5746.250	94.87	--	--	Peak	343.00	100	Horizontal	N/A
3**	5746.250	87.59	--	--	AV	343.00	100	Horizontal	N/A
4	7457.000	56.68	74.0	17.32	Peak	333.00	400	Horizontal	Pass
4**	7457.000	46.82	54.0	7.18	AV	333.00	400	Horizontal	Pass
5	12318.701	50.43	74.0	23.57	Peak	313.00	150	Horizontal	Pass
5**	12318.701	41.07	54.0	12.93	AV	313.00	150	Horizontal	Pass
6	15436.162	50.62	74.0	23.38	Peak	0.00	100	Horizontal	Pass
6**	15436.162	42.29	54.0	11.71	AV	0.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.600	42.32	74.0	31.68	Peak	6.00	300	Vertical	Pass
1**	1549.600	32.22	54.0	21.78	AV	6.00	300	Vertical	Pass
2	4262.000	49.26	74.0	24.74	Peak	143.00	100	Vertical	Pass
2**	4262.000	40.53	54.0	13.47	AV	143.00	100	Vertical	Pass
3	5746.500	93.73	--	--	Peak	174.00	200	Vertical	N/A
3**	5746.500	85.97	--	--	AV	174.00	200	Vertical	N/A
4	7456.250	56.91	74.0	17.09	Peak	164.00	100	Vertical	Pass
4**	7456.250	47.18	54.0	6.82	AV	164.00	100	Vertical	Pass
5	11490.062	51.63	74.0	22.37	Peak	360.00	150	Vertical	Pass
5**	11490.062	47.12	54.0	6.88	AV	360.00	150	Vertical	Pass
6	15825.450	51.81	74.0	22.19	Peak	193.00	100	Vertical	Pass
6**	15825.450	41.84	54.0	12.16	AV	193.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.200	41.58	74.0	32.42	Peak	70.00	300	Horizontal	Pass
1**	1463.200	31.70	54.0	22.30	AV	70.00	300	Horizontal	Pass
2	4297.500	48.66	74.0	25.34	Peak	24.00	300	Horizontal	Pass
2**	4297.500	39.87	54.0	14.13	AV	24.00	300	Horizontal	Pass
3	5786.750	95.41	--	--	Peak	349.00	200	Horizontal	N/A
3**	5786.750	86.06	--	--	AV	349.00	200	Horizontal	N/A
4	7616.750	56.61	74.0	17.39	Peak	34.00	400	Horizontal	Pass
4**	7616.750	47.19	54.0	6.81	AV	34.00	400	Horizontal	Pass
5	12036.550	50.22	74.0	23.78	Peak	20.00	150	Horizontal	Pass
5**	12036.550	40.38	54.0	13.62	AV	20.00	150	Horizontal	Pass
6	15434.325	50.91	74.0	23.09	Peak	46.00	400	Horizontal	Pass
6**	15434.325	42.09	54.0	11.91	AV	46.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	41.64	74.0	32.36	Peak	137.00	100	Vertical	Pass
1**	1500.000	34.65	54.0	19.35	AV	137.00	100	Vertical	Pass
2	4268.750	49.52	74.0	24.48	Peak	189.00	100	Vertical	Pass
2**	4268.750	38.86	54.0	15.14	AV	189.00	100	Vertical	Pass
3	5783.750	93.34	--	--	Peak	189.00	200	Vertical	N/A
3**	5783.750	83.09	--	--	AV	189.00	200	Vertical	N/A
4	7335.750	56.38	74.0	17.62	Peak	158.00	400	Vertical	Pass
4**	7335.750	45.78	54.0	8.22	AV	158.00	400	Vertical	Pass
5	11266.575	50.49	74.0	23.51	Peak	227.00	150	Vertical	Pass
5**	11266.575	41.00	54.0	13.00	AV	227.00	150	Vertical	Pass
6	15993.450	50.67	74.0	23.33	Peak	213.00	400	Vertical	Pass
6**	15993.450	41.96	54.0	12.04	AV	213.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1459.800	42.16	74.0	31.84	Peak	264.00	400	Horizontal	Pass
1**	1459.800	31.86	54.0	22.14	AV	264.00	400	Horizontal	Pass
2	4307.250	49.13	74.0	24.87	Peak	292.00	100	Horizontal	Pass
2**	4307.250	39.61	54.0	14.39	AV	292.00	100	Horizontal	Pass
3	5824.500	96.81	--	--	Peak	349.00	200	Horizontal	N/A
3**	5824.500	88.33	--	--	AV	349.00	200	Horizontal	N/A
4	7616.750	56.64	74.0	17.36	Peak	0.00	100	Horizontal	Pass
4**	7616.750	47.43	54.0	6.57	AV	0.00	100	Horizontal	Pass
5	12323.687	51.31	74.0	22.69	Peak	276.00	150	Horizontal	Pass
5**	12323.687	41.52	54.0	12.48	AV	276.00	150	Horizontal	Pass
6	15437.737	50.82	74.0	23.18	Peak	358.00	400	Horizontal	Pass
6**	15437.737	42.02	54.0	11.98	AV	358.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1511.000	41.33	74.0	32.67	Peak	355.00	300	Vertical	Pass
1**	1511.000	32.41	54.0	21.59	AV	355.00	300	Vertical	Pass
2	4310.250	49.09	74.0	24.91	Peak	98.00	200	Vertical	Pass
2**	4310.250	41.21	54.0	12.79	AV	98.00	200	Vertical	Pass
3	5824.250	95.09	--	--	Peak	189.00	100	Vertical	N/A
3**	5824.250	86.17	--	--	AV	189.00	100	Vertical	N/A
4	7564.250	56.40	74.0	17.60	Peak	250.00	300	Vertical	Pass
4**	7564.250	47.03	54.0	6.97	AV	250.00	300	Vertical	Pass
5	12464.050	50.42	74.0	23.58	Peak	332.00	100	Vertical	Pass
5**	12464.050	40.03	54.0	13.97	AV	332.00	100	Vertical	Pass
6	15378.938	51.10	74.0	22.90	Peak	274.00	200	Vertical	Pass
6**	15378.938	41.64	54.0	12.36	AV	274.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.200	41.77	74.0	32.23	Peak	229.00	200	Horizontal	Pass
1**	1574.200	32.15	54.0	21.85	AV	229.00	200	Horizontal	Pass
2	4334.750	49.76	74.0	24.24	Peak	360.00	400	Horizontal	Pass
2**	4334.750	40.13	54.0	13.87	AV	360.00	400	Horizontal	Pass
3	5744.000	94.43	--	--	Peak	343.00	200	Horizontal	N/A
3**	5744.000	87.33	--	--	AV	343.00	200	Horizontal	N/A
4	7382.750	56.98	74.0	17.02	Peak	353.00	400	Horizontal	Pass
4**	7382.750	47.16	54.0	6.84	AV	353.00	400	Horizontal	Pass
5	12183.326	50.60	74.0	23.40	Peak	295.00	200	Horizontal	Pass
5**	12183.326	41.19	54.0	12.81	AV	295.00	200	Horizontal	Pass
6	15382.612	51.72	74.0	22.28	Peak	236.00	200	Horizontal	Pass
6**	15382.612	42.00	54.0	12.00	AV	236.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.400	42.03	74.0	31.97	Peak	31.00	200	Vertical	Pass
1**	1489.400	32.23	54.0	21.77	AV	31.00	200	Vertical	Pass
2	4394.750	49.19	74.0	24.81	Peak	14.00	100	Vertical	Pass
2**	4394.750	40.08	54.0	13.92	AV	14.00	100	Vertical	Pass
3	5746.250	93.52	--	--	Peak	202.00	150	Vertical	N/A
3**	5746.250	86.24	--	--	AV	202.00	150	Vertical	N/A
4	7612.250	56.64	74.0	17.36	Peak	359.00	100	Vertical	Pass
4**	7612.250	47.82	54.0	6.18	AV	359.00	100	Vertical	Pass
5	11490.062	50.48	74.0	23.52	Peak	2.00	150	Vertical	Pass
5**	11490.062	45.55	54.0	8.45	AV	2.00	150	Vertical	Pass
6	15373.950	51.48	74.0	22.52	Peak	52.00	200	Vertical	Pass
6**	15373.950	42.35	54.0	11.65	AV	52.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	41.65	74.0	32.35	Peak	256.00	400	Horizontal	Pass
1**	1499.600	33.04	54.0	20.96	AV	256.00	400	Horizontal	Pass
2	3802.750	49.45	74.0	24.55	Peak	357.00	400	Horizontal	Pass
2**	3802.750	39.28	54.0	14.72	AV	357.00	400	Horizontal	Pass
3	5786.000	94.60	--	--	Peak	343.00	100	Horizontal	N/A
3**	5786.000	85.75	--	--	AV	343.00	100	Horizontal	N/A
4	7507.000	56.58	74.0	17.42	Peak	88.00	200	Horizontal	Pass
4**	7507.000	46.51	54.0	7.49	AV	88.00	200	Horizontal	Pass
5	12453.599	50.70	74.0	23.30	Peak	220.00	200	Horizontal	Pass
5**	12453.599	41.16	54.0	12.84	AV	220.00	200	Horizontal	Pass
6	15403.350	50.87	74.0	23.13	Peak	248.00	400	Horizontal	Pass
6**	15403.350	41.32	54.0	12.68	AV	248.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1579.400	42.03	74.0	31.97	Peak	209.00	300	Vertical	Pass
1**	1579.400	32.90	54.0	21.10	AV	209.00	300	Vertical	Pass
2	4291.750	49.01	74.0	24.99	Peak	283.00	100	Vertical	Pass
2**	4291.750	39.92	54.0	14.08	AV	283.00	100	Vertical	Pass
3	5787.250	93.66	--	--	Peak	190.00	100	Vertical	N/A
3**	5787.250	84.76	--	--	AV	190.00	100	Vertical	N/A
4	7548.000	56.75	74.0	17.25	Peak	303.00	400	Vertical	Pass
4**	7548.000	47.50	54.0	6.50	AV	303.00	400	Vertical	Pass
5	12240.088	50.71	74.0	23.29	Peak	315.00	200	Vertical	Pass
5**	12240.088	41.50	54.0	12.50	AV	315.00	200	Vertical	Pass
6	16085.850	51.01	74.0	22.99	Peak	280.00	100	Vertical	Pass
6**	16085.850	41.37	54.0	12.63	AV	280.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.600	42.10	74.0	31.90	Peak	55.00	200	Horizontal	Pass
1**	1577.600	31.94	54.0	22.06	AV	55.00	200	Horizontal	Pass
2	4293.000	48.90	74.0	25.10	Peak	76.00	100	Horizontal	Pass
2**	4293.000	39.97	54.0	14.03	AV	76.00	100	Horizontal	Pass
3	5826.500	98.44	--	--	Peak	349.00	150	Horizontal	N/A
3**	5826.500	88.63	--	--	AV	349.00	150	Horizontal	N/A
4	7614.000	55.92	74.0	18.08	Peak	198.00	100	Horizontal	Pass
4**	7614.000	47.80	54.0	6.20	AV	198.00	100	Horizontal	Pass
5	12539.338	50.62	74.0	23.38	Peak	258.00	150	Horizontal	Pass
5**	12539.338	40.45	54.0	13.55	AV	258.00	150	Horizontal	Pass
6	15375.000	50.53	74.0	23.47	Peak	200.00	400	Horizontal	Pass
6**	15375.000	41.38	54.0	12.62	AV	200.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.100	41.92	74.0	32.08	Peak	100.00	200	Vertical	Pass
1**	1622.100	31.81	54.0	22.19	AV	100.00	200	Vertical	Pass
2	4278.000	48.71	74.0	25.29	Peak	324.00	200	Vertical	Pass
2**	4278.000	39.70	54.0	14.30	AV	324.00	200	Vertical	Pass
3	5832.500	95.97	--	--	Peak	181.00	150	Vertical	N/A
3**	5832.500	84.87	--	--	AV	181.00	150	Vertical	N/A
4	7572.000	56.81	74.0	17.19	Peak	47.00	300	Vertical	Pass
4**	7572.000	45.81	54.0	8.19	AV	47.00	300	Vertical	Pass
5	12601.088	50.32	74.0	23.68	Peak	75.00	200	Vertical	Pass
5**	12601.088	40.49	54.0	13.51	AV	75.00	200	Vertical	Pass
6	15384.188	50.79	74.0	23.21	Peak	233.00	300	Vertical	Pass
6**	15384.188	41.14	54.0	12.86	AV	233.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.200	41.89	74.0	32.11	Peak	2.00	200	Horizontal	Pass
1**	1597.200	31.87	54.0	22.13	AV	2.00	200	Horizontal	Pass
2	4116.000	48.79	74.0	25.21	Peak	0.00	100	Horizontal	Pass
2**	4116.000	39.02	54.0	14.98	AV	0.00	100	Horizontal	Pass
3	5753.250	91.01	--	--	Peak	341.00	200	Horizontal	N/A
3**	5753.250	82.89	--	--	AV	341.00	200	Horizontal	N/A
4	7311.500	56.08	74.0	17.92	Peak	292.00	200	Horizontal	Pass
4**	7311.500	46.70	54.0	7.30	AV	292.00	200	Horizontal	Pass
5	12583.750	50.32	74.0	23.68	Peak	62.00	100	Horizontal	Pass
5**	12583.750	40.42	54.0	13.58	AV	62.00	100	Horizontal	Pass
6	16003.951	51.25	74.0	22.75	Peak	30.00	200	Horizontal	Pass
6**	16003.951	42.08	54.0	11.92	AV	30.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1471.700	41.87	74.0	32.13	Peak	325.00	400	Vertical	Pass
1**	1471.700	32.65	54.0	21.35	AV	325.00	400	Vertical	Pass
2	4331.500	49.26	74.0	24.74	Peak	261.00	300	Vertical	Pass
2**	4331.500	39.78	54.0	14.22	AV	261.00	300	Vertical	Pass
3	5756.500	88.76	--	--	Peak	178.00	200	Vertical	N/A
3**	5756.500	81.51	--	--	AV	178.00	200	Vertical	N/A
4	7376.250	56.57	74.0	17.43	Peak	350.00	100	Vertical	Pass
4**	7376.250	46.89	54.0	7.11	AV	350.00	100	Vertical	Pass
5	12574.488	50.18	74.0	23.82	Peak	75.00	100	Vertical	Pass
5**	12574.488	40.72	54.0	13.28	AV	75.00	100	Vertical	Pass
6	15362.925	51.10	74.0	22.90	Peak	187.00	100	Vertical	Pass
6**	15362.925	40.68	54.0	13.32	AV	187.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1584.200	41.88	74.0	32.12	Peak	256.00	300	Horizontal	Pass
1**	1584.200	32.38	54.0	21.62	AV	256.00	300	Horizontal	Pass
2	4283.750	48.93	74.0	25.07	Peak	0.00	100	Horizontal	Pass
2**	4283.750	39.94	54.0	14.06	AV	0.00	100	Horizontal	Pass
3	5793.500	95.34	--	--	Peak	349.00	150	Horizontal	N/A
3**	5793.500	84.71	--	--	AV	349.00	150	Horizontal	N/A
4	7621.000	56.31	74.0	17.69	Peak	76.00	400	Horizontal	Pass
4**	7621.000	47.38	54.0	6.62	AV	76.00	400	Horizontal	Pass
5	12551.213	50.35	74.0	23.65	Peak	231.00	200	Horizontal	Pass
5**	12551.213	41.26	54.0	12.74	AV	231.00	200	Horizontal	Pass
6	16110.000	50.90	74.0	23.10	Peak	316.00	300	Horizontal	Pass
6**	16110.000	41.92	54.0	12.08	AV	316.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.300	41.70	74.0	32.30	Peak	235.00	100	Vertical	Pass
1**	1494.300	32.31	54.0	21.69	AV	235.00	100	Vertical	Pass
2	4248.750	48.66	74.0	25.34	Peak	358.00	400	Vertical	Pass
2**	4248.750	39.64	54.0	14.36	AV	358.00	400	Vertical	Pass
3	5796.500	91.35	--	--	Peak	178.00	100	Vertical	N/A
3**	5796.500	83.20	--	--	AV	178.00	100	Vertical	N/A
4	7624.250	56.48	74.0	17.52	Peak	75.00	300	Vertical	Pass
4**	7624.250	48.27	54.0	5.73	AV	75.00	300	Vertical	Pass
5	11590.525	50.66	74.0	23.34	Peak	360.00	150	Vertical	Pass
5**	11590.525	41.74	54.0	12.26	AV	360.00	150	Vertical	Pass
6	16093.725	51.01	74.0	22.99	Peak	249.00	400	Vertical	Pass
6**	16093.725	41.28	54.0	12.72	AV	249.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1615.200	42.14	74.0	31.86	Peak	13.00	100	Horizontal	Pass
1**	1615.200	32.50	54.0	21.50	AV	13.00	100	Horizontal	Pass
2	4276.500	49.22	74.0	24.78	Peak	358.00	300	Horizontal	Pass
2**	4276.500	40.24	54.0	13.76	AV	358.00	300	Horizontal	Pass
3	5743.750	94.97	--	--	Peak	343.00	150	Horizontal	N/A
3**	5743.750	87.44	--	--	AV	343.00	150	Horizontal	N/A
4	7556.500	57.34	74.0	16.66	Peak	56.00	400	Horizontal	Pass
4**	7556.500	47.41	54.0	6.59	AV	56.00	400	Horizontal	Pass
5	12344.112	51.25	74.0	22.75	Peak	189.00	100	Horizontal	Pass
5**	12344.112	41.02	54.0	12.98	AV	189.00	100	Horizontal	Pass
6	16107.638	51.68	74.0	22.32	Peak	220.00	300	Horizontal	Pass
6**	16107.638	42.22	54.0	11.78	AV	220.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.900	42.09	74.0	31.91	Peak	114.00	300	Vertical	Pass
1**	1576.900	33.12	54.0	20.88	AV	114.00	300	Vertical	Pass
2	4277.750	49.20	74.0	24.80	Peak	77.00	300	Vertical	Pass
2**	4277.750	41.73	54.0	12.27	AV	77.00	300	Vertical	Pass
3	5748.000	93.10	--	--	Peak	199.00	150	Vertical	N/A
3**	5748.000	85.57	--	--	AV	199.00	150	Vertical	N/A
4	7367.750	56.81	74.0	17.19	Peak	1.00	300	Vertical	Pass
4**	7367.750	47.01	54.0	6.99	AV	1.00	300	Vertical	Pass
5	11489.588	50.59	74.0	23.41	Peak	360.00	150	Vertical	Pass
5**	11489.588	45.85	54.0	8.15	AV	360.00	150	Vertical	Pass
6	15435.375	51.39	74.0	22.61	Peak	152.00	150	Vertical	Pass
6**	15435.375	42.42	54.0	11.58	AV	152.00	150	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	41.26	74.0	32.74	Peak	360.00	300	Horizontal	Pass
1**	1493.100	31.99	54.0	22.01	AV	360.00	300	Horizontal	Pass
2	4245.750	49.30	74.0	24.70	Peak	261.00	400	Horizontal	Pass
2**	4245.750	39.64	54.0	14.36	AV	261.00	400	Horizontal	Pass
3	5782.500	94.98	--	--	Peak	343.00	150	Horizontal	N/A
3**	5782.500	85.86	--	--	AV	343.00	150	Horizontal	N/A
4	7463.000	56.24	74.0	17.76	Peak	261.00	300	Horizontal	Pass
4**	7463.000	46.28	54.0	7.72	AV	261.00	300	Horizontal	Pass
5	12333.901	50.11	74.0	23.89	Peak	2.00	150	Horizontal	Pass
5**	12333.901	41.26	54.0	12.74	AV	2.00	150	Horizontal	Pass
6	15387.076	50.78	74.0	23.22	Peak	346.00	300	Horizontal	Pass
6**	15387.076	41.16	54.0	12.84	AV	346.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1462.400	41.45	74.0	32.55	Peak	235.00	400	Vertical	Pass
1**	1462.400	32.29	54.0	21.71	AV	235.00	400	Vertical	Pass
2	4312.750	48.67	74.0	25.33	Peak	220.00	100	Vertical	Pass
2**	4312.750	39.38	54.0	14.62	AV	220.00	100	Vertical	Pass
3	5787.250	92.28	--	--	Peak	189.00	100	Vertical	N/A
3**	5787.250	84.22	--	--	AV	189.00	100	Vertical	N/A
4	7623.000	56.86	74.0	17.14	Peak	359.00	200	Vertical	Pass
4**	7623.000	48.55	54.0	5.45	AV	359.00	200	Vertical	Pass
5	12603.225	50.34	74.0	23.66	Peak	158.00	200	Vertical	Pass
5**	12603.225	40.70	54.0	13.30	AV	158.00	200	Vertical	Pass
6	15431.700	50.56	74.0	23.44	Peak	16.00	100	Vertical	Pass
6**	15431.700	42.12	54.0	11.88	AV	16.00	100	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.800	41.56	74.0	32.44	Peak	338.00	100	Horizontal	Pass
1**	1612.800	31.69	54.0	22.31	AV	338.00	100	Horizontal	Pass
2	4296.000	48.90	74.0	25.10	Peak	148.00	400	Horizontal	Pass
2**	4296.000	39.93	54.0	14.07	AV	148.00	400	Horizontal	Pass
3	5823.250	97.70	--	--	Peak	349.00	150	Horizontal	N/A
3**	5823.250	88.16	--	--	AV	349.00	150	Horizontal	N/A
4	7527.000	56.26	74.0	17.74	Peak	200.00	200	Horizontal	Pass
4**	7527.000	46.44	54.0	7.56	AV	200.00	200	Horizontal	Pass
5	12231.300	50.45	74.0	23.55	Peak	295.00	200	Horizontal	Pass
5**	12231.300	40.90	54.0	13.10	AV	295.00	200	Horizontal	Pass
6	15434.849	51.08	74.0	22.92	Peak	166.00	100	Horizontal	Pass
6**	15434.849	41.66	54.0	12.34	AV	166.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.400	41.94	74.0	32.06	Peak	310.00	200	Vertical	Pass
1**	1574.400	32.66	54.0	21.34	AV	310.00	200	Vertical	Pass
2	4209.250	48.96	74.0	25.04	Peak	232.00	100	Vertical	Pass
2**	4209.250	38.53	54.0	15.47	AV	232.00	100	Vertical	Pass
3	5826.250	96.03	--	--	Peak	179.00	200	Vertical	N/A
3**	5826.250	87.62	--	--	AV	179.00	200	Vertical	N/A
4	7634.750	56.92	74.0	17.08	Peak	360.00	100	Vertical	Pass
4**	7634.750	47.30	54.0	6.70	AV	360.00	100	Vertical	Pass
5	12135.349	50.12	74.0	23.88	Peak	258.00	200	Vertical	Pass
5**	12135.349	39.51	54.0	14.49	AV	258.00	200	Vertical	Pass
6	15435.638	50.75	74.0	23.25	Peak	315.00	400	Vertical	Pass
6**	15435.638	42.24	54.0	11.76	AV	315.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1518.800	41.93	74.0	32.07	Peak	251.00	300	Horizontal	Pass
1**	1518.800	32.07	54.0	21.93	AV	251.00	300	Horizontal	Pass
2	4285.500	48.71	74.0	25.29	Peak	240.00	200	Horizontal	Pass
2**	4285.500	39.45	54.0	14.55	AV	240.00	200	Horizontal	Pass
3	5759.750	93.56	--	--	Peak	349.00	200	Horizontal	N/A
3**	5759.750	82.75	--	--	AV	349.00	200	Horizontal	N/A
4	7607.750	56.69	74.0	17.31	Peak	0.00	300	Horizontal	Pass
4**	7607.750	47.64	54.0	6.36	AV	0.00	300	Horizontal	Pass
5	12544.326	50.10	74.0	23.90	Peak	248.00	200	Horizontal	Pass
5**	12544.326	41.19	54.0	12.81	AV	248.00	200	Horizontal	Pass
6	15439.313	51.44	74.0	22.56	Peak	224.00	300	Horizontal	Pass
6**	15439.313	41.92	54.0	12.08	AV	224.00	300	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.700	41.65	74.0	32.35	Peak	234.00	300	Vertical	Pass
1**	1578.700	33.30	54.0	20.70	AV	234.00	300	Vertical	Pass
2	4277.250	49.33	74.0	24.67	Peak	360.00	300	Vertical	Pass
2**	4277.250	40.12	54.0	13.88	AV	360.00	300	Vertical	Pass
3	5757.750	89.16	--	--	Peak	191.00	150	Vertical	N/A
3**	5757.750	81.13	--	--	AV	191.00	150	Vertical	N/A
4	7479.750	56.44	74.0	17.56	Peak	139.00	100	Vertical	Pass
4**	7479.750	46.78	54.0	7.22	AV	139.00	100	Vertical	Pass
5	12162.662	50.42	74.0	23.58	Peak	4.00	100	Vertical	Pass
5**	12162.662	41.02	54.0	12.98	AV	4.00	100	Vertical	Pass
6	15996.075	51.03	74.0	22.97	Peak	65.00	200	Vertical	Pass
6**	15996.075	41.56	54.0	12.44	AV	65.00	200	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.600	41.39	74.0	32.61	Peak	189.00	100	Horizontal	Pass
1**	1452.600	31.91	54.0	22.09	AV	189.00	100	Horizontal	Pass
2	4316.250	49.54	74.0	24.46	Peak	313.00	300	Horizontal	Pass
2**	4316.250	40.07	54.0	13.93	AV	313.00	300	Horizontal	Pass
3	5797.000	94.25	--	--	Peak	303.00	100	Horizontal	N/A
3**	5797.000	85.54	--	--	AV	303.00	100	Horizontal	N/A
4	7630.000	56.31	74.0	17.69	Peak	282.00	200	Horizontal	Pass
4**	7630.000	46.81	54.0	7.19	AV	282.00	200	Horizontal	Pass
5	12424.150	50.39	74.0	23.61	Peak	10.00	150	Horizontal	Pass
5**	12424.150	40.83	54.0	13.17	AV	10.00	150	Horizontal	Pass
6	16081.651	50.77	74.0	23.23	Peak	39.00	100	Horizontal	Pass
6**	16081.651	40.94	54.0	13.06	AV	39.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1490.700	41.90	74.0	32.10	Peak	284.00	200	Vertical	Pass
1**	1490.700	31.30	54.0	22.70	AV	284.00	200	Vertical	Pass
2	4299.500	49.03	74.0	24.97	Peak	0.00	200	Vertical	Pass
2**	4299.500	39.87	54.0	14.13	AV	0.00	200	Vertical	Pass
3	5797.750	93.37	--	--	Peak	191.00	200	Vertical	N/A
3**	5797.750	82.71	--	--	AV	191.00	200	Vertical	N/A
4	7250.250	56.28	74.0	17.72	Peak	262.00	200	Vertical	Pass
4**	7250.250	46.57	54.0	7.43	AV	262.00	200	Vertical	Pass
5	11585.299	50.73	74.0	23.27	Peak	360.00	150	Vertical	Pass
5**	11585.299	41.50	54.0	12.50	AV	360.00	150	Vertical	Pass
6	16005.526	52.69	74.0	21.31	Peak	179.00	300	Vertical	Pass
6**	16005.526	43.02	54.0	10.98	AV	179.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.100	41.76	74.0	32.24	Peak	136.00	100	Horizontal	Pass
1**	1549.100	31.59	54.0	22.41	AV	136.00	100	Horizontal	Pass
2	4321.750	49.24	74.0	24.76	Peak	0.00	400	Horizontal	Pass
2**	4321.750	40.07	54.0	13.93	AV	0.00	400	Horizontal	Pass
3	5753.250	90.68	--	--	Peak	343.00	150	Horizontal	N/A
3**	5753.250	80.73	--	--	AV	343.00	150	Horizontal	N/A
4	7555.750	56.25	74.0	17.75	Peak	158.00	300	Horizontal	Pass
4**	7555.750	48.12	54.0	5.88	AV	158.00	300	Horizontal	Pass
5	12323.925	50.59	74.0	23.41	Peak	325.00	200	Horizontal	Pass
5**	12323.925	41.37	54.0	12.63	AV	325.00	200	Horizontal	Pass
6	15996.075	50.90	74.0	23.10	Peak	249.00	400	Horizontal	Pass
6**	15996.075	42.31	54.0	11.69	AV	249.00	400	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.000	41.22	74.0	32.78	Peak	39.00	300	Vertical	Pass
1**	1596.000	31.77	54.0	22.23	AV	39.00	300	Vertical	Pass
2	4280.000	49.16	74.0	24.84	Peak	170.00	300	Vertical	Pass
2**	4280.000	40.21	54.0	13.79	AV	170.00	300	Vertical	Pass
3	5767.750	88.12	--	--	Peak	179.00	100	Vertical	N/A
3**	5767.750	79.42	--	--	AV	179.00	100	Vertical	N/A
4	7560.000	56.12	74.0	17.88	Peak	24.00	200	Vertical	Pass
4**	7560.000	47.09	54.0	6.91	AV	24.00	200	Vertical	Pass
5	11524.500	50.57	74.0	23.43	Peak	344.00	200	Vertical	Pass
5**	11524.500	42.22	54.0	11.78	AV	344.00	200	Vertical	Pass
6	15436.687	51.67	74.0	22.33	Peak	220.00	400	Vertical	Pass
6**	15436.687	41.72	54.0	12.28	AV	220.00	400	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1457.500	41.87	74.0	32.13	Peak	85.00	400	Horizontal	Pass
1**	1457.500	31.84	54.0	22.16	AV	85.00	400	Horizontal	Pass
2	4231.250	49.07	74.0	24.93	Peak	45.00	150	Horizontal	Pass
2**	4231.250	40.02	54.0	13.98	AV	45.00	150	Horizontal	Pass
3	5743.750	94.46	--	--	Peak	337.00	100	Horizontal	N/A
3**	5743.750	86.95	--	--	AV	337.00	100	Horizontal	N/A
4	7616.750	57.02	74.0	16.98	Peak	109.00	200	Horizontal	Pass
4**	7616.750	47.54	54.0	6.46	AV	109.00	200	Horizontal	Pass
5	12001.875	50.85	74.0	23.15	Peak	136.00	200	Horizontal	Pass
5**	12001.875	40.55	54.0	13.45	AV	136.00	200	Horizontal	Pass
6	15385.238	51.86	74.0	22.14	Peak	225.00	150	Horizontal	Pass
6**	15385.238	41.88	54.0	12.12	AV	225.00	150	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1506.300	42.33	74.0	31.67	Peak	360.00	200	Vertical	Pass
1**	1506.300	32.87	54.0	21.13	AV	360.00	200	Vertical	Pass
2	4273.250	49.26	74.0	24.74	Peak	210.00	400	Vertical	Pass
2**	4273.250	40.05	54.0	13.95	AV	210.00	400	Vertical	Pass
3	5746.000	93.03	--	--	Peak	180.00	100	Vertical	N/A
3**	5746.000	86.07	--	--	AV	180.00	100	Vertical	N/A
4	7303.250	56.38	74.0	17.62	Peak	230.00	200	Vertical	Pass
4**	7303.250	47.09	54.0	6.91	AV	230.00	200	Vertical	Pass
5	11490.300	50.61	74.0	23.39	Peak	360.00	150	Vertical	Pass
5**	11490.300	45.32	54.0	8.68	AV	360.00	150	Vertical	Pass
6	16114.725	52.77	74.0	21.23	Peak	86.00	200	Vertical	Pass
6**	16114.725	41.79	54.0	12.21	AV	86.00	200	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1522.800	41.91	74.0	32.09	Peak	10.00	200	Horizontal	Pass
1**	1522.800	32.74	54.0	21.26	AV	10.00	200	Horizontal	Pass
2	4398.000	49.12	74.0	24.88	Peak	344.00	200	Horizontal	Pass
2**	4398.000	39.14	54.0	14.86	AV	344.00	200	Horizontal	Pass
3	5787.000	95.90	--	--	Peak	344.00	150	Horizontal	N/A
3**	5787.000	87.34	--	--	AV	344.00	150	Horizontal	N/A
4	7615.750	56.78	74.0	17.22	Peak	57.00	100	Horizontal	Pass
4**	7615.750	47.33	54.0	6.67	AV	57.00	100	Horizontal	Pass
5	12289.724	51.41	74.0	22.59	Peak	220.00	150	Horizontal	Pass
5**	12289.724	39.86	54.0	14.14	AV	220.00	150	Horizontal	Pass
6	15995.288	51.69	74.0	22.31	Peak	109.00	300	Horizontal	Pass
6**	15995.288	41.76	54.0	12.24	AV	109.00	300	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1519.700	42.03	74.0	31.97	Peak	354.00	300	Vertical	Pass
1**	1519.700	31.95	54.0	22.05	AV	354.00	300	Vertical	Pass
2	4314.250	48.75	74.0	25.25	Peak	251.00	200	Vertical	Pass
2**	4314.250	40.38	54.0	13.62	AV	251.00	200	Vertical	Pass
3	5785.500	92.00	--	--	Peak	179.00	100	Vertical	N/A
3**	5785.500	83.37	--	--	AV	179.00	100	Vertical	N/A
4	7356.750	56.13	74.0	17.87	Peak	353.00	300	Vertical	Pass
4**	7356.750	46.41	54.0	7.59	AV	353.00	300	Vertical	Pass
5	12235.575	50.21	74.0	23.79	Peak	76.00	100	Vertical	Pass
5**	12235.575	40.68	54.0	13.32	AV	76.00	100	Vertical	Pass
6	15378.150	50.19	74.0	23.81	Peak	37.00	100	Vertical	Pass
6**	15378.150	40.98	54.0	13.02	AV	37.00	100	Vertical	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1504.000	41.59	74.0	32.41	Peak	219.00	100	Horizontal	Pass
1**	1504.000	32.14	54.0	21.86	AV	219.00	100	Horizontal	Pass
2	4283.000	48.79	74.0	25.21	Peak	294.00	300	Horizontal	Pass
2**	4283.000	39.75	54.0	14.25	AV	294.00	300	Horizontal	Pass
3	5828.000	96.88	--	--	Peak	344.00	150	Horizontal	N/A
3**	5828.000	88.29	--	--	AV	344.00	150	Horizontal	N/A
4	7464.000	56.59	74.0	17.41	Peak	150.00	400	Horizontal	Pass
4**	7464.000	47.30	54.0	6.70	AV	150.00	400	Horizontal	Pass
5	12120.150	50.23	74.0	23.77	Peak	360.00	100	Horizontal	Pass
5**	12120.150	39.91	54.0	14.09	AV	360.00	100	Horizontal	Pass
6	15391.275	51.15	74.0	22.85	Peak	181.00	200	Horizontal	Pass
6**	15391.275	41.50	54.0	12.50	AV	181.00	200	Horizontal	Pass

11ax20(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.300	41.51	74.0	32.49	Peak	354.00	400	Vertical	Pass
1**	1501.300	32.03	54.0	21.97	AV	354.00	400	Vertical	Pass
2	4342.000	49.19	74.0	24.81	Peak	353.00	400	Vertical	Pass
2**	4342.000	39.26	54.0	14.74	AV	353.00	400	Vertical	Pass
3	5831.000	95.58	--	--	Peak	179.00	200	Vertical	N/A
3**	5831.000	85.05	--	--	AV	179.00	200	Vertical	N/A
4	7611.750	57.37	74.0	16.63	Peak	0.00	300	Vertical	Pass
4**	7611.750	47.52	54.0	6.48	AV	0.00	300	Vertical	Pass
5	12413.938	50.07	74.0	23.93	Peak	21.00	100	Vertical	Pass
5**	12413.938	40.84	54.0	13.16	AV	21.00	100	Vertical	Pass
6	15437.475	51.58	74.0	22.42	Peak	78.00	400	Vertical	Pass
6**	15437.475	42.20	54.0	11.80	AV	78.00	400	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.200	42.11	74.0	31.89	Peak	78.00	200	Horizontal	Pass
1**	1581.200	32.26	54.0	21.74	AV	78.00	200	Horizontal	Pass
2	4296.500	48.81	74.0	25.19	Peak	311.00	300	Horizontal	Pass
2**	4296.500	40.59	54.0	13.41	AV	311.00	300	Horizontal	Pass
3	5754.250	91.85	--	--	Peak	343.00	200	Horizontal	N/A
3**	5754.250	84.29	--	--	AV	343.00	200	Horizontal	N/A
4	7481.500	56.29	74.0	17.71	Peak	279.00	300	Horizontal	Pass
4**	7481.500	47.18	54.0	6.82	AV	279.00	300	Horizontal	Pass
5	12379.263	50.75	74.0	23.25	Peak	206.00	100	Horizontal	Pass
5**	12379.263	41.36	54.0	12.64	AV	206.00	100	Horizontal	Pass
6	15424.088	50.97	74.0	23.03	Peak	358.00	300	Horizontal	Pass
6**	15424.088	41.81	54.0	12.19	AV	358.00	300	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1576.100	41.21	74.0	32.79	Peak	287.00	300	Vertical	Pass
1**	1576.100	32.60	54.0	21.40	AV	287.00	300	Vertical	Pass
2	4308.000	49.88	74.0	24.12	Peak	179.00	200	Vertical	Pass
2**	4308.000	39.51	54.0	14.49	AV	179.00	200	Vertical	Pass
3	5757.500	90.13	--	--	Peak	189.00	100	Vertical	N/A
3**	5757.500	80.86	--	--	AV	189.00	100	Vertical	N/A
4	7550.500	56.09	74.0	17.91	Peak	189.00	200	Vertical	Pass
4**	7550.500	47.76	54.0	6.24	AV	189.00	200	Vertical	Pass
5	12163.138	50.62	74.0	23.38	Peak	360.00	100	Vertical	Pass
5**	12163.138	41.91	54.0	12.09	AV	360.00	100	Vertical	Pass
6	15428.550	51.27	74.0	22.73	Peak	166.00	100	Vertical	Pass
6**	15428.550	41.72	54.0	12.28	AV	166.00	100	Vertical	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.100	42.06	74.0	31.94	Peak	145.00	400	Horizontal	Pass
1**	1436.100	32.07	54.0	21.93	AV	145.00	400	Horizontal	Pass
2	4222.750	48.77	74.0	25.23	Peak	301.00	200	Horizontal	Pass
2**	4222.750	39.39	54.0	14.61	AV	301.00	200	Horizontal	Pass
3	5797.250	94.23	--	--	Peak	343.00	200	Horizontal	N/A
3**	5797.250	84.81	--	--	AV	343.00	200	Horizontal	N/A
4	7617.250	55.80	74.0	18.20	Peak	251.00	100	Horizontal	Pass
4**	7617.250	46.89	54.0	7.11	AV	251.00	100	Horizontal	Pass
5	12268.588	50.32	74.0	23.68	Peak	232.00	150	Horizontal	Pass
5**	12268.588	40.61	54.0	13.39	AV	232.00	150	Horizontal	Pass
6	15528.037	50.98	74.0	23.02	Peak	226.00	400	Horizontal	Pass
6**	15528.037	40.51	54.0	13.49	AV	226.00	400	Horizontal	Pass

11ax40(SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1494.100	41.41	74.0	32.59	Peak	4.00	200	Vertical	Pass
1**	1494.100	31.38	54.0	22.62	AV	4.00	200	Vertical	Pass
2	4298.750	48.68	74.0	25.32	Peak	343.00	100	Vertical	Pass
2**	4298.750	39.52	54.0	14.48	AV	343.00	100	Vertical	Pass
3	5793.750	91.91	--	--	Peak	189.00	150	Vertical	N/A
3**	5793.750	84.21	--	--	AV	189.00	150	Vertical	N/A
4	7609.750	56.38	74.0	17.62	Peak	0.00	100	Vertical	Pass
4**	7609.750	47.30	54.0	6.70	AV	0.00	100	Vertical	Pass
5	12644.312	50.61	74.0	23.39	Peak	162.00	100	Vertical	Pass
5**	12644.312	40.51	54.0	13.49	AV	162.00	100	Vertical	Pass
6	15998.175	51.14	74.0	22.86	Peak	274.00	400	Vertical	Pass
6**	15998.175	41.89	54.0	12.11	AV	274.00	400	Vertical	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H


RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1517.000	41.72	74.0	32.28	Peak	264.00	200	Horizontal	Pass
1**	1517.000	32.26	54.0	21.74	AV	264.00	200	Horizontal	Pass
2	4176.750	48.97	74.0	25.03	Peak	158.00	300	Horizontal	Pass
2**	4176.750	39.24	54.0	14.76	AV	158.00	300	Horizontal	Pass
3	5788.500	91.03	--	--	Peak	343.00	150	Horizontal	N/A
3**	5788.500	81.50	--	--	AV	343.00	150	Horizontal	N/A
4	7309.000	56.28	74.0	17.72	Peak	333.00	300	Horizontal	Pass
4**	7309.000	46.49	54.0	7.51	AV	333.00	300	Horizontal	Pass
5	12317.513	50.11	74.0	23.89	Peak	15.00	200	Horizontal	Pass
5**	12317.513	40.91	54.0	13.09	AV	15.00	200	Horizontal	Pass
6	15991.875	51.67	74.0	22.33	Peak	230.00	400	Horizontal	Pass
6**	15991.875	41.48	54.0	12.52	AV	230.00	400	Horizontal	Pass

11ax80(SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

RSE (SRD)_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.800	41.95	74.0	32.05	Peak	145.00	300	Vertical	Pass
1**	1569.800	31.94	54.0	22.06	AV	145.00	300	Vertical	Pass
2	4232.250	49.36	74.0	24.64	Peak	168.00	200	Vertical	Pass
2**	4232.250	40.45	54.0	13.55	AV	168.00	200	Vertical	Pass
3	5773.750	89.54	--	--	Peak	220.00	100	Vertical	N/A
3**	5773.750	79.39	--	--	AV	220.00	100	Vertical	N/A
4	7556.750	56.56	74.0	17.44	Peak	230.00	300	Vertical	Pass
4**	7556.750	46.59	54.0	7.41	AV	230.00	300	Vertical	Pass
5	11524.975	50.42	74.0	23.58	Peak	360.00	150	Vertical	Pass
5**	11524.975	41.89	54.0	12.11	AV	360.00	150	Vertical	Pass
6	15394.950	51.03	74.0	22.97	Peak	5.00	200	Vertical	Pass
6**	15394.950	41.89	54.0	12.11	AV	5.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass

	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20)(SU)	Low	Pass
		High	Pass
	802.11ax(HE40)(SU)	Low	Pass
		High	Pass
	802.11ax(HE80)(SU)	Middle	Pass
	802.11be(EHT20)(SU)	Low	Pass
		High	Pass
	802.11be(EHT40)(SU)	Low	Pass
		High	Pass
	802.11be(EHT80)(SU)	Middle	Pass

Note ¹: All the configurations were pre tested, only the worst configuration has been reported in this report.


Note ²: All antenna were pre tested, but only the worst case has been reported in this report.

Note ³: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

MIMO


Test Data and Plots

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5081.425	57.96	74.0	16.04	Peak	83.00	100	Horizontal	Pass
1**	5081.425	45.72	54.0	8.28	AV	83.00	100	Horizontal	Pass
2	5150.000	54.92	74.0	19.08	Peak	21.00	150	Horizontal	Pass
2**	5150.000	45.65	54.0	8.35	AV	21.00	150	Horizontal	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.07	74.0	17.93	Peak	2.00	100	Horizontal	Pass
1**	5350.000	45.20	54.0	8.80	AV	2.00	100	Horizontal	Pass
2	5446.983	57.35	74.0	16.65	Peak	49.00	200	Horizontal	Pass
2**	5446.983	45.28	54.0	8.72	AV	49.00	200	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5137.650	57.26	74.0	16.74	Peak	181.00	100	Horizontal	Pass
1**	5137.650	45.73	54.0	8.27	AV	181.00	100	Horizontal	Pass
2	5150.000	56.23	74.0	17.77	Peak	163.00	150	Horizontal	Pass
2**	5150.000	45.89	54.0	8.11	AV	163.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.75	74.0	18.25	Peak	55.00	150	Horizontal	Pass
1**	5350.000	45.28	54.0	8.72	AV	55.00	150	Horizontal	Pass
2	5352.933	57.42	74.0	16.58	Peak	258.00	100	Horizontal	Pass
2**	5352.933	45.35	54.0	8.65	AV	258.00	100	Horizontal	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.225	57.05	74.0	16.95	Peak	106.00	100	Horizontal	Pass
1**	5050.225	45.84	54.0	8.16	AV	106.00	100	Horizontal	Pass
2	5150.000	55.74	74.0	18.26	Peak	197.00	200	Horizontal	Pass
2**	5150.000	46.12	54.0	7.88	AV	197.00	200	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	74.0	18.35	Peak	326.00	200	Horizontal	Pass
1**	5350.000	45.23	54.0	8.77	AV	326.00	200	Horizontal	Pass
2	5446.433	57.31	74.0	16.69	Peak	245.00	150	Horizontal	Pass
2**	5446.433	45.35	54.0	8.65	AV	245.00	150	Horizontal	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.725	57.15	74.0	16.85	Peak	77.00	100	Horizontal	Pass
1**	5082.725	45.52	54.0	8.48	AV	77.00	100	Horizontal	Pass
2	5150.000	55.27	74.0	18.73	Peak	68.00	100	Horizontal	Pass
2**	5150.000	45.57	54.0	8.43	AV	68.00	100	Horizontal	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.49	74.0	18.51	Peak	129.00	150	Horizontal	Pass
1**	5350.000	45.33	54.0	8.67	AV	129.00	150	Horizontal	Pass
2	5446.067	57.49	74.0	16.51	Peak	360.00	150	Horizontal	Pass
2**	5446.067	45.23	54.0	8.77	AV	360.00	150	Horizontal	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4965.400	57.60	74.0	16.40	Peak	148.00	200	Horizontal	Pass
1**	4965.400	45.39	54.0	8.61	AV	148.00	200	Horizontal	Pass
2	5150.000	56.63	74.0	17.37	Peak	109.00	200	Horizontal	Pass
2**	5150.000	46.20	54.0	7.80	AV	109.00	200	Horizontal	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.27	74.0	16.73	Peak	0.00	100	Horizontal	Pass
1**	5350.000	45.26	54.0	8.74	AV	0.00	100	Horizontal	Pass
2	5396.017	57.86	74.0	16.14	Peak	347.00	100	Horizontal	Pass
2**	5396.017	45.21	54.0	8.79	AV	347.00	100	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.725	57.49	74.0	16.51	Peak	140.00	100	Horizontal	Pass
1**	5134.725	46.09	54.0	7.91	AV	140.00	100	Horizontal	Pass
2	5150.000	55.57	74.0	18.43	Peak	337.00	150	Horizontal	Pass
2**	5150.000	46.08	54.0	7.92	AV	337.00	150	Horizontal	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.67	74.0	17.33	Peak	328.00	150	Horizontal	Pass
1**	5350.000	45.20	54.0	8.80	AV	328.00	150	Horizontal	Pass
2	5385.567	57.85	74.0	16.15	Peak	303.00	200	Horizontal	Pass
2**	5385.567	45.18	54.0	8.82	AV	303.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5025.850	57.11	74.0	16.89	Peak	174.00	100	Horizontal	Pass
1**	5025.850	45.67	54.0	8.33	AV	174.00	100	Horizontal	Pass
2	5150.000	55.83	74.0	18.17	Peak	244.00	200	Horizontal	Pass
2**	5150.000	45.65	54.0	8.35	AV	244.00	200	Horizontal	Pass

U-NII-1 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.26	74.0	18.74	Peak	288.00	100	Horizontal	Pass
1**	5350.000	45.26	54.0	8.74	AV	288.00	100	Horizontal	Pass
2	5448.267	57.63	74.0	16.37	Peak	107.00	100	Horizontal	Pass
2**	5448.267	45.26	54.0	8.74	AV	107.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.225	57.10	74.0	16.90	Peak	15.00	200	Horizontal	Pass
1**	5050.225	45.92	54.0	8.08	AV	15.00	200	Horizontal	Pass
2	5150.000	55.52	74.0	18.48	Peak	305.00	100	Horizontal	Pass
2**	5150.000	45.78	54.0	8.22	AV	305.00	100	Horizontal	Pass

U-NII-1 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.30	74.0	18.70	Peak	350.00	200	Horizontal	Pass
1**	5350.000	45.49	54.0	8.51	AV	350.00	200	Horizontal	Pass
2	5435.983	57.35	74.0	16.65	Peak	68.00	100	Horizontal	Pass
2**	5435.983	45.08	54.0	8.92	AV	68.00	100	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.850	57.35	74.0	16.65	Peak	189.00	150	Horizontal	Pass
1**	5116.850	46.01	54.0	7.99	AV	189.00	150	Horizontal	Pass
2	5150.000	56.10	74.0	17.90	Peak	179.00	150	Horizontal	Pass
2**	5150.000	46.65	54.0	7.35	AV	179.00	150	Horizontal	Pass

U-NII-1 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.11	74.0	17.89	Peak	196.00	200	Horizontal	Pass
1**	5350.000	45.32	54.0	8.68	AV	196.00	200	Horizontal	Pass
2	5404.266	57.88	74.0	16.12	Peak	91.00	150	Horizontal	Pass
2**	5404.266	45.05	54.0	8.95	AV	91.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.875	57.45	74.0	16.55	Peak	230.00	200	Horizontal	Pass
1**	5128.875	46.27	54.0	7.73	AV	230.00	200	Horizontal	Pass
2	5150.000	56.40	74.0	17.60	Peak	288.00	150	Horizontal	Pass
2**	5150.000	46.48	54.0	7.52	AV	288.00	150	Horizontal	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.25	74.0	17.75	Peak	331.00	150	Horizontal	Pass
1**	5350.000	45.38	54.0	8.62	AV	331.00	150	Horizontal	Pass
2	5395.833	57.53	74.0	16.47	Peak	360.00	200	Horizontal	Pass
2**	5395.833	45.37	54.0	8.63	AV	360.00	200	Horizontal	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.425	57.95	74.0	16.05	Peak	218.00	150	Horizontal	Pass
1**	5133.425	46.57	54.0	7.43	AV	218.00	150	Horizontal	Pass
2	5150.000	55.75	74.0	18.25	Peak	305.00	100	Horizontal	Pass
2**	5150.000	46.37	54.0	7.63	AV	305.00	100	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.82	74.0	18.18	Peak	58.00	100	Horizontal	Pass
1**	5350.000	45.39	54.0	8.61	AV	58.00	100	Horizontal	Pass
2	5357.883	57.60	74.0	16.40	Peak	164.00	200	Horizontal	Pass
2**	5357.883	45.40	54.0	8.60	AV	164.00	200	Horizontal	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4985.550	57.06	74.0	16.94	Peak	115.00	100	Horizontal	Pass
1**	4985.550	45.45	54.0	8.55	AV	115.00	100	Horizontal	Pass
2	5150.000	56.13	74.0	17.87	Peak	228.00	100	Horizontal	Pass
2**	5150.000	46.49	54.0	7.51	AV	228.00	100	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.51	74.0	17.49	Peak	101.00	200	Horizontal	Pass
1**	5350.000	45.67	54.0	8.33	AV	101.00	200	Horizontal	Pass
2	5416.733	57.60	74.0	16.40	Peak	155.00	200	Horizontal	Pass
2**	5416.733	45.07	54.0	8.93	AV	155.00	200	Horizontal	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	57.25	74.0	16.75	Peak	130.00	100	Horizontal	Pass
1**	5143.175	46.25	54.0	7.75	AV	130.00	100	Horizontal	Pass
2	5150.000	55.95	74.0	18.05	Peak	186.00	200	Horizontal	Pass
2**	5150.000	46.50	54.0	7.50	AV	186.00	200	Horizontal	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.34	74.0	17.66	Peak	137.00	150	Horizontal	Pass
1**	5350.000	45.44	54.0	8.56	AV	137.00	150	Horizontal	Pass
2	5455.416	57.44	74.0	16.56	Peak	15.00	200	Horizontal	Pass
2**	5455.416	45.36	54.0	8.64	AV	15.00	200	Horizontal	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5060.950	57.69	74.0	16.31	Peak	238.00	100	Horizontal	Pass
1**	5060.950	45.81	54.0	8.19	AV	238.00	100	Horizontal	Pass
2	5150.000	55.73	74.0	18.27	Peak	186.00	150	Horizontal	Pass
2**	5150.000	46.52	54.0	7.48	AV	186.00	150	Horizontal	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.25	74.0	16.75	Peak	228.00	150	Horizontal	Pass
1**	5350.000	45.92	54.0	8.08	AV	228.00	150	Horizontal	Pass
2	5442.400	58.01	74.0	15.99	Peak	178.00	150	Horizontal	Pass
2**	5442.400	45.56	54.0	8.44	AV	178.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5057.050	57.32	74.0	16.68	Peak	72.00	200	Horizontal	Pass
1**	5057.050	45.81	54.0	8.19	AV	72.00	200	Horizontal	Pass
2	5150.000	55.76	74.0	18.24	Peak	108.00	100	Horizontal	Pass
2**	5150.000	46.78	54.0	7.22	AV	108.00	100	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.69	74.0	17.31	Peak	188.00	150	Horizontal	Pass
1**	5350.000	45.69	54.0	8.31	AV	188.00	150	Horizontal	Pass
2	5376.400	57.78	74.0	16.22	Peak	61.00	150	Horizontal	Pass
2**	5376.400	45.65	54.0	8.35	AV	61.00	150	Horizontal	Pass

U-NII-2A 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.825	57.61	74.0	16.39	Peak	300.00	150	Horizontal	Pass
1**	5117.825	46.08	54.0	7.92	AV	300.00	150	Horizontal	Pass
2	5150.000	55.69	74.0	18.31	Peak	345.00	100	Horizontal	Pass
2**	5150.000	46.43	54.0	7.57	AV	345.00	100	Horizontal	Pass

U-NII-2A 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.87	74.0	18.13	Peak	154.00	100	Horizontal	Pass
1**	5350.000	45.31	54.0	8.69	AV	154.00	100	Horizontal	Pass
2	5373.834	57.86	74.0	16.14	Peak	345.00	150	Horizontal	Pass
2**	5373.834	45.46	54.0	8.54	AV	345.00	150	Horizontal	Pass

U-NII-2A 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.150	57.38	74.0	16.62	Peak	292.00	100	Horizontal	Pass
1**	5144.150	46.15	54.0	7.85	AV	292.00	100	Horizontal	Pass
2	5150.000	56.28	74.0	17.72	Peak	269.00	100	Horizontal	Pass
2**	5150.000	46.40	54.0	7.60	AV	269.00	100	Horizontal	Pass

U-NII-2A 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	74.0	18.08	Peak	234.00	100	Horizontal	Pass
1**	5350.000	45.74	54.0	8.26	AV	234.00	100	Horizontal	Pass
2	5381.717	57.69	74.0	16.31	Peak	116.00	100	Horizontal	Pass
2**	5381.717	45.63	54.0	8.37	AV	116.00	100	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	57.30	74.0	16.70	Peak	283.00	200	Horizontal	Pass
1**	5132.125	46.27	54.0	7.73	AV	283.00	200	Horizontal	Pass
2	5150.000	56.06	74.0	17.94	Peak	266.00	150	Horizontal	Pass
2**	5150.000	46.46	54.0	7.54	AV	266.00	150	Horizontal	Pass

U-NII-2A 11ax80(SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.62	74.0	17.38	Peak	274.00	200	Horizontal	Pass
1**	5350.000	46.21	54.0	7.79	AV	274.00	200	Horizontal	Pass
2	5367.234	58.30	74.0	15.70	Peak	84.00	200	Horizontal	Pass
2**	5367.234	46.25	54.0	7.75	AV	84.00	200	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.400	57.30	74.0	16.70	Peak	40.00	100	Horizontal	Pass
1**	5455.400	45.27	54.0	8.73	AV	40.00	100	Horizontal	Pass
2	5460.000	56.65	74.0	17.35	Peak	190.00	150	Horizontal	Pass
2**	5460.000	45.56	54.0	8.44	AV	190.00	150	Horizontal	Pass
3	5462.200	57.47	68.2	10.73	Peak	56.00	100	Horizontal	Pass
3**	5462.200	45.43	--	--	AV	56.00	100	Horizontal	N/A
4	5469.800	56.37	68.2	11.83	Peak	3.00	200	Horizontal	Pass
4**	5469.800	45.53	--	--	AV	3.00	200	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.74	68.2	10.46	Peak	134.00	100	Horizontal	Pass
2	5763.334	58.30	68.2	9.90	Peak	264.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.400	57.47	74.0	16.53	Peak	241.00	200	Horizontal	Pass
1**	5352.400	45.36	54.0	8.64	AV	241.00	200	Horizontal	Pass
2	5460.000	55.83	74.0	18.17	Peak	0.00	200	Horizontal	Pass
2**	5460.000	45.36	54.0	8.64	AV	0.00	200	Horizontal	Pass
3	5467.200	57.63	68.2	10.57	Peak	350.00	150	Horizontal	Pass
3**	5467.200	45.39	--	--	AV	350.00	150	Horizontal	N/A
4	5469.800	55.49	68.2	12.71	Peak	22.00	200	Horizontal	Pass
4**	5469.800	45.51	--	--	AV	22.00	200	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.56	68.2	11.64	Peak	6.00	200	Horizontal	Pass
2	5760.000	58.89	68.2	9.31	Peak	251.00	100	Horizontal	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5368.800	57.72	74.0	16.28	Peak	171.00	200	Horizontal	Pass
1**	5368.800	45.24	54.0	8.76	AV	171.00	200	Horizontal	Pass
2	5460.000	55.79	74.0	18.21	Peak	81.00	100	Horizontal	Pass
2**	5460.000	45.24	54.0	8.76	AV	81.00	100	Horizontal	Pass
3	5461.000	57.60	68.2	10.60	Peak	349.00	200	Horizontal	Pass
3**	5461.000	45.27	--	--	AV	349.00	200	Horizontal	N/A
4	5469.800	55.70	68.2	12.50	Peak	0.00	200	Horizontal	Pass
4**	5469.800	45.37	--	--	AV	0.00	200	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.46	68.2	11.74	Peak	220.00	150	Horizontal	Pass
2	5790.209	58.24	68.2	9.96	Peak	306.00	150	Horizontal	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.400	57.60	74.0	16.40	Peak	194.00	200	Horizontal	Pass
1**	5448.400	45.29	54.0	8.71	AV	194.00	200	Horizontal	Pass
2	5460.000	55.98	74.0	18.02	Peak	232.00	200	Horizontal	Pass
2**	5460.000	45.50	54.0	8.50	AV	232.00	200	Horizontal	Pass
3	5467.000	57.07	68.2	11.13	Peak	300.00	100	Horizontal	Pass
3**	5467.000	45.46	--	--	AV	300.00	100	Horizontal	N/A
4	5469.800	55.68	68.2	12.52	Peak	312.00	200	Horizontal	Pass
4**	5469.800	45.38	--	--	AV	312.00	200	Horizontal	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.19	68.2	12.01	Peak	54.00	150	Horizontal	Pass
2	5767.291	58.44	68.2	9.76	Peak	298.00	100	Horizontal	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5356.400	57.67	74.0	16.33	Peak	86.00	200	Horizontal	Pass
1**	5356.400	45.14	54.0	8.86	AV	86.00	200	Horizontal	Pass
2	5460.000	55.30	74.0	18.70	Peak	304.00	200	Horizontal	Pass
2**	5460.000	45.37	54.0	8.63	AV	304.00	200	Horizontal	Pass
3	5465.400	57.01	68.2	11.19	Peak	21.00	200	Horizontal	Pass
3**	5465.400	45.63	--	--	AV	21.00	200	Horizontal	N/A
4	5469.800	56.15	68.2	12.05	Peak	45.00	200	Horizontal	Pass
4**	5469.800	45.35	--	--	AV	45.00	200	Horizontal	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.36	68.2	11.84	Peak	171.00	200	Horizontal	Pass
2	5818.750	58.61	68.2	9.59	Peak	146.00	200	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.600	57.96	74.0	16.04	Peak	279.00	150	Horizontal	Pass
1**	5454.600	45.14	54.0	8.86	AV	279.00	150	Horizontal	Pass
2	5460.000	56.27	74.0	17.73	Peak	0.00	200	Horizontal	Pass
2**	5460.000	45.33	54.0	8.67	AV	0.00	200	Horizontal	Pass
3	5468.400	57.05	68.2	11.15	Peak	194.00	150	Horizontal	Pass
3**	5468.400	45.58	--	--	AV	194.00	150	Horizontal	N/A
4	5469.800	55.86	68.2	12.34	Peak	322.00	150	Horizontal	Pass
4**	5469.800	45.58	--	--	AV	322.00	150	Horizontal	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	68.2	11.45	Peak	328.00	100	Horizontal	Pass
2	5792.709	59.05	68.2	9.15	Peak	200.00	200	Horizontal	Pass

U-NII-2C 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5379.000	57.06	74.0	16.94	Peak	352.00	100	Horizontal	Pass
1**	5379.000	45.16	54.0	8.84	AV	352.00	100	Horizontal	Pass
2	5460.000	55.61	74.0	18.39	Peak	187.00	100	Horizontal	Pass
2**	5460.000	45.43	54.0	8.57	AV	187.00	100	Horizontal	Pass
3	5465.200	56.65	68.2	11.55	Peak	274.00	100	Horizontal	Pass
3**	5465.200	45.49	--	--	AV	274.00	100	Horizontal	N/A
4	5469.800	55.36	68.2	12.84	Peak	184.00	200	Horizontal	Pass
4**	5469.800	45.30	--	--	AV	184.00	200	Horizontal	N/A

U-NII-2C 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.63	68.2	11.57	Peak	3.00	100	Horizontal	Pass
2	5773.334	58.25	68.2	9.95	Peak	253.00	150	Horizontal	Pass

U-NII-2C 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.800	57.18	74.0	16.82	Peak	44.00	100	Horizontal	Pass
1**	5432.800	44.92	54.0	9.08	AV	44.00	100	Horizontal	Pass
2	5460.000	56.08	74.0	17.92	Peak	176.00	150	Horizontal	Pass
2**	5460.000	45.33	54.0	8.67	AV	176.00	150	Horizontal	Pass
3	5466.600	57.25	68.2	10.95	Peak	283.00	150	Horizontal	Pass
3**	5466.600	45.40	--	--	AV	283.00	150	Horizontal	N/A
4	5469.800	56.05	68.2	12.15	Peak	173.00	150	Horizontal	Pass
4**	5469.800	45.24	--	--	AV	173.00	150	Horizontal	N/A

U-NII-2C 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.60	68.2	11.60	Peak	100.00	100	Horizontal	Pass
2	5771.875	58.44	68.2	9.76	Peak	145.00	150	Horizontal	Pass

U-NII-2C 11ax80(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5368.000	57.51	74.0	16.49	Peak	12.00	150	Horizontal	Pass
1**	5368.000	45.36	54.0	8.64	AV	12.00	150	Horizontal	Pass
2	5460.000	55.74	74.0	18.26	Peak	1.00	200	Horizontal	Pass
2**	5460.000	45.33	54.0	8.67	AV	1.00	200	Horizontal	Pass
3	5462.600	57.99	68.2	10.21	Peak	220.00	200	Horizontal	Pass
3**	5462.600	45.32	--	--	AV	220.00	200	Horizontal	N/A
4	5469.800	55.83	68.2	12.37	Peak	1.00	150	Horizontal	Pass
4**	5469.800	45.47	--	--	AV	1.00	150	Horizontal	N/A

U-NII-2C 11ax80(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.47	68.2	11.73	Peak	285.00	100	Horizontal	Pass
2	5764.791	58.61	68.2	9.59	Peak	196.00	150	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.375	58.16	68.2	10.04	Peak	91.00	200	Horizontal	Pass
2	5650.000	55.91	68.2	12.29	Peak	228.00	150	Horizontal	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.97	68.4	10.43	Peak	173.00	200	Horizontal	Pass
2	5966.250	59.06	68.2	9.14	Peak	222.00	100	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5613.125	57.89	68.2	10.31	Peak	8.00	150	Horizontal	Pass
2	5650.000	56.20	68.2	12.00	Peak	269.00	100	Horizontal	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.08	68.4	11.32	Peak	207.00	150	Horizontal	Pass
2	5937.750	58.80	68.2	9.40	Peak	2.00	100	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.167	57.43	68.2	10.77	Peak	47.00	100	Horizontal	Pass
2	5650.000	56.10	68.2	12.10	Peak	305.00	200	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.69	68.4	10.71	Peak	0.00	150	Horizontal	Pass
2	5937.250	59.28	68.2	8.92	Peak	152.00	150	Horizontal	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.125	57.94	68.2	10.26	Peak	356.00	100	Horizontal	Pass
2	5650.000	56.33	68.2	11.87	Peak	284.00	150	Horizontal	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.25	68.4	11.15	Peak	112.00	200	Horizontal	Pass
2	5938.500	59.45	68.2	8.75	Peak	137.00	100	Horizontal	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5609.375	57.44	68.2	10.76	Peak	168.00	150	Horizontal	Pass
2	5650.000	55.55	68.2	12.65	Peak	304.00	200	Horizontal	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.70	68.4	10.70	Peak	354.00	200	Horizontal	Pass
2	5940.250	59.09	68.2	9.11	Peak	344.00	100	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.958	57.76	68.2	10.44	Peak	164.00	100	Horizontal	Pass
2	5650.000	55.82	68.2	12.38	Peak	0.00	200	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.70	68.4	10.70	Peak	282.00	200	Horizontal	Pass
2	5941.500	58.86	68.2	9.34	Peak	282.00	150	Horizontal	Pass

U-NII-3 11ax20(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5620.833	57.90	68.2	10.30	Peak	0.00	150	Horizontal	Pass
2	5650.000	55.87	68.2	12.33	Peak	58.00	200	Horizontal	Pass

U-NII-3 11ax20(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.42	68.4	10.98	Peak	43.00	100	Horizontal	Pass
2	5936.750	59.19	68.2	9.01	Peak	207.00	200	Horizontal	Pass

U-NII-3 11ax40(SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5633.125	57.64	68.2	10.56	Peak	300.00	200	Horizontal	Pass
2	5650.000	56.13	68.2	12.07	Peak	162.00	100	Horizontal	Pass

U-NII-3 11ax40(SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	58.50	68.4	9.90	Peak	233.00	100	Horizontal	Pass
2	5931.250	58.87	68.2	9.33	Peak	233.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.875	57.83	68.2	10.37	Peak	241.00	150	Horizontal	Pass
2	5650.000	55.90	68.2	12.30	Peak	132.00	150	Horizontal	Pass

U-NII-3 11ax80(SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.750	57.96	68.4	10.44	Peak	83.00	150	Horizontal	Pass
2	5933.000	59.10	68.2	9.10	Peak	104.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25C1313-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25C1313-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25C1313-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--