

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
10 MHz	LCH		RB12#13	19.6	-2.45	-4.6	15.00	0.032	7.000	Pass
			RB25#0	19.61	-2.45	-4.6	15.01	0.032	7.000	Pass
		256QAM	RB1#0	17.78	-2.45	-4.6	13.18	0.021	7.000	Pass
			RB1#13	17.74	-2.45	-4.6	13.14	0.021	7.000	Pass
			RB1#24	17.57	-2.45	-4.6	12.97	0.020	7.000	Pass
			RB12#0	17.7	-2.45	-4.6	13.10	0.020	7.000	Pass
			RB12#6	17.56	-2.45	-4.6	12.96	0.020	7.000	Pass
			RB12#13	17.53	-2.45	-4.6	12.93	0.020	7.000	Pass
			RB25#0	17.63	-2.45	-4.6	13.03	0.020	7.000	Pass
		QPSK	RB1#0	22.42	-2.45	-4.6	17.82	0.061	7.000	Pass
			RB1#25	22.42	-2.45	-4.6	17.82	0.061	7.000	Pass
			RB1#49	22.58	-2.45	-4.6	17.98	0.063	7.000	Pass
			RB25#0	21.37	-2.45	-4.6	16.77	0.048	7.000	Pass
			RB25#13	21.41	-2.45	-4.6	16.81	0.048	7.000	Pass
			RB25#25	21.55	-2.45	-4.6	16.95	0.050	7.000	Pass
			RB50#0	21.47	-2.45	-4.6	16.87	0.049	7.000	Pass
		16QAM	RB1#0	21.79	-2.45	-4.6	17.19	0.052	7.000	Pass
			RB1#25	21.75	-2.45	-4.6	17.15	0.052	7.000	Pass
			RB1#49	21.82	-2.45	-4.6	17.22	0.053	7.000	Pass
			RB25#0	20.42	-2.45	-4.6	15.82	0.038	7.000	Pass
			RB25#13	20.5	-2.45	-4.6	15.90	0.039	7.000	Pass
			RB25#25	20.51	-2.45	-4.6	15.91	0.039	7.000	Pass
			RB50#0	20.47	-2.45	-4.6	15.87	0.039	7.000	Pass
		64QAM	RB1#0	20.61	-2.45	-4.6	16.01	0.040	7.000	Pass
			RB1#25	20.55	-2.45	-4.6	15.95	0.039	7.000	Pass
			RB1#49	20.61	-2.45	-4.6	16.01	0.040	7.000	Pass
			RB25#0	19.4	-2.45	-4.6	14.80	0.030	7.000	Pass
			RB25#13	19.46	-2.45	-4.6	14.86	0.031	7.000	Pass
			RB25#25	19.48	-2.45	-4.6	14.88	0.031	7.000	Pass
			RB50#0	19.43	-2.45	-4.6	14.83	0.030	7.000	Pass
		256QAM	RB1#0	17.52	-2.45	-4.6	12.92	0.020	7.000	Pass
			RB1#25	17.47	-2.45	-4.6	12.87	0.019	7.000	Pass
			RB1#49	17.68	-2.45	-4.6	13.08	0.020	7.000	Pass
			RB25#0	17.42	-2.45	-4.6	12.82	0.019	7.000	Pass
			RB25#13	17.4	-2.45	-4.6	12.80	0.019	7.000	Pass
			RB25#25	17.43	-2.45	-4.6	12.83	0.019	7.000	Pass
			RB50#0	17.5	-2.45	-4.6	12.90	0.019	7.000	Pass
	MCH	QPSK	RB1#0	22.69	-2.45	-4.6	18.09	0.064	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Off set)	Conducted Output AV Power (dBm)	Antenn a Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
			RB1#25	22.83	-2.45	-4.6	18.23	0.067	7.000	Pass
			RB1#49	22.82	-2.45	-4.6	18.22	0.066	7.000	Pass
			RB25#0	21.82	-2.45	-4.6	17.22	0.053	7.000	Pass
			RB25#13	21.84	-2.45	-4.6	17.24	0.053	7.000	Pass
			RB25#25	21.9	-2.45	-4.6	17.30	0.054	7.000	Pass
			RB50#0	21.83	-2.45	-4.6	17.23	0.053	7.000	Pass
		16QAM	RB1#0	22.08	-2.45	-4.6	17.48	0.056	7.000	Pass
			RB1#25	22.13	-2.45	-4.6	17.53	0.057	7.000	Pass
			RB1#49	22.13	-2.45	-4.6	17.53	0.057	7.000	Pass
			RB25#0	20.72	-2.45	-4.6	16.12	0.041	7.000	Pass
			RB25#13	20.77	-2.45	-4.6	16.17	0.041	7.000	Pass
			RB25#25	20.85	-2.45	-4.6	16.25	0.042	7.000	Pass
			RB50#0	20.83	-2.45	-4.6	16.23	0.042	7.000	Pass
		64QAM	RB1#0	20.84	-2.45	-4.6	16.24	0.042	7.000	Pass
			RB1#25	20.96	-2.45	-4.6	16.36	0.043	7.000	Pass
			RB1#49	20.99	-2.45	-4.6	16.39	0.044	7.000	Pass
			RB25#0	19.74	-2.45	-4.6	15.14	0.033	7.000	Pass
			RB25#13	19.75	-2.45	-4.6	15.15	0.033	7.000	Pass
			RB25#25	19.83	-2.45	-4.6	15.23	0.033	7.000	Pass
			RB50#0	19.78	-2.45	-4.6	15.18	0.033	7.000	Pass
		256QAM	RB1#0	17.78	-2.45	-4.6	13.18	0.021	7.000	Pass
			RB1#25	17.92	-2.45	-4.6	13.32	0.021	7.000	Pass
			RB1#49	17.98	-2.45	-4.6	13.38	0.022	7.000	Pass
			RB25#0	17.73	-2.45	-4.6	13.13	0.021	7.000	Pass
			RB25#13	17.77	-2.45	-4.6	13.17	0.021	7.000	Pass
			RB25#25	17.79	-2.45	-4.6	13.19	0.021	7.000	Pass
			RB50#0	17.78	-2.45	-4.6	13.18	0.021	7.000	Pass
	HCH	QPSK	RB1#0	22.87	-2.45	-4.6	18.27	0.067	7.000	Pass
			RB1#25	22.61	-2.45	-4.6	18.01	0.063	7.000	Pass
			RB1#49	22.52	-2.45	-4.6	17.92	0.062	7.000	Pass
			RB25#0	21.7	-2.45	-4.6	17.10	0.051	7.000	Pass
			RB25#13	21.64	-2.45	-4.6	17.04	0.051	7.000	Pass
			RB25#25	21.58	-2.45	-4.6	16.98	0.050	7.000	Pass
			RB50#0	21.64	-2.45	-4.6	17.04	0.051	7.000	Pass
		16QAM	RB1#0	22.06	-2.45	-4.6	17.46	0.056	7.000	Pass
			RB1#25	21.81	-2.45	-4.6	17.21	0.053	7.000	Pass
			RB1#49	21.77	-2.45	-4.6	17.17	0.052	7.000	Pass
			RB25#0	20.84	-2.45	-4.6	16.24	0.042	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
			RB25#13	20.8	-2.45	-4.6	16.20	0.042	7.000	Pass
			RB25#25	20.62	-2.45	-4.6	16.02	0.040	7.000	Pass
			RB50#0	20.72	-2.45	-4.6	16.12	0.041	7.000	Pass
		64QAM	RB1#0	20.97	-2.45	-4.6	16.37	0.043	7.000	Pass
			RB1#25	20.84	-2.45	-4.6	16.24	0.042	7.000	Pass
			RB1#49	20.71	-2.45	-4.6	16.11	0.041	7.000	Pass
			RB25#0	19.85	-2.45	-4.6	15.25	0.033	7.000	Pass
			RB25#13	19.77	-2.45	-4.6	15.17	0.033	7.000	Pass
			RB25#25	19.63	-2.45	-4.6	15.03	0.032	7.000	Pass
			RB50#0	19.72	-2.45	-4.6	15.12	0.033	7.000	Pass
		256QAM	RB1#0	17.87	-2.45	-4.6	13.27	0.021	7.000	Pass
			RB1#25	17.85	-2.45	-4.6	13.25	0.021	7.000	Pass
			RB1#49	17.57	-2.45	-4.6	12.97	0.020	7.000	Pass
			RB25#0	17.79	-2.45	-4.6	13.19	0.021	7.000	Pass
			RB25#13	17.76	-2.45	-4.6	13.16	0.021	7.000	Pass
			RB25#25	17.59	-2.45	-4.6	12.99	0.020	7.000	Pass
			RB50#0	17.68	-2.45	-4.6	13.08	0.020	7.000	Pass
15 MHz	LCH	QPSK	RB1#0	22.45	-2.45	-4.6	17.85	0.061	7.000	Pass
			RB1#38	22.56	-2.45	-4.6	17.96	0.063	7.000	Pass
			RB1#74	22.62	-2.45	-4.6	18.02	0.063	7.000	Pass
			RB36#0	21.38	-2.45	-4.6	16.78	0.048	7.000	Pass
			RB36#19	21.48	-2.45	-4.6	16.88	0.049	7.000	Pass
			RB36#39	21.63	-2.45	-4.6	17.03	0.050	7.000	Pass
			RB75#0	21.49	-2.45	-4.6	16.89	0.049	7.000	Pass
		16QAM	RB1#0	21.73	-2.45	-4.6	17.13	0.052	7.000	Pass
			RB1#38	21.94	-2.45	-4.6	17.34	0.054	7.000	Pass
			RB1#74	21.95	-2.45	-4.6	17.35	0.054	7.000	Pass
			RB36#0	20.4	-2.45	-4.6	15.80	0.038	7.000	Pass
			RB36#19	20.44	-2.45	-4.6	15.84	0.038	7.000	Pass
			RB36#39	20.52	-2.45	-4.6	15.92	0.039	7.000	Pass
			RB75#0	20.51	-2.45	-4.6	15.91	0.039	7.000	Pass
		64QAM	RB1#0	20.75	-2.45	-4.6	16.15	0.041	7.000	Pass
			RB1#38	20.72	-2.45	-4.6	16.12	0.041	7.000	Pass
			RB1#74	20.83	-2.45	-4.6	16.23	0.042	7.000	Pass
			RB36#0	19.44	-2.45	-4.6	14.84	0.030	7.000	Pass
			RB36#19	19.48	-2.45	-4.6	14.88	0.031	7.000	Pass
			RB36#39	19.55	-2.45	-4.6	14.95	0.031	7.000	Pass
			RB75#0	19.45	-2.45	-4.6	14.85	0.031	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
		256QAM	RB1#0	17.63	-2.45	-4.6	13.03	0.020	7.000	Pass
			RB1#38	17.42	-2.45	-4.6	12.82	0.019	7.000	Pass
			RB1#74	17.76	-2.45	-4.6	13.16	0.021	7.000	Pass
			RB36#0	17.38	-2.45	-4.6	12.78	0.019	7.000	Pass
			RB36#19	17.44	-2.45	-4.6	12.84	0.019	7.000	Pass
			RB36#39	17.54	-2.45	-4.6	12.94	0.020	7.000	Pass
			RB75#0	17.47	-2.45	-4.6	12.87	0.019	7.000	Pass
	MCH	QPSK	RB1#0	22.73	-2.45	-4.6	18.13	0.065	7.000	Pass
			RB1#38	22.79	-2.45	-4.6	18.19	0.066	7.000	Pass
			RB1#74	22.73	-2.45	-4.6	18.13	0.065	7.000	Pass
			RB36#0	21.71	-2.45	-4.6	17.11	0.051	7.000	Pass
			RB36#19	21.69	-2.45	-4.6	17.09	0.051	7.000	Pass
			RB36#39	21.77	-2.45	-4.6	17.17	0.052	7.000	Pass
			RB75#0	21.79	-2.45	-4.6	17.19	0.052	7.000	Pass
		16QAM	RB1#0	22.03	-2.45	-4.6	17.43	0.055	7.000	Pass
			RB1#38	22.12	-2.45	-4.6	17.52	0.056	7.000	Pass
			RB1#74	21.98	-2.45	-4.6	17.38	0.055	7.000	Pass
			RB36#0	20.61	-2.45	-4.6	16.01	0.040	7.000	Pass
			RB36#19	20.66	-2.45	-4.6	16.06	0.040	7.000	Pass
			RB36#39	20.72	-2.45	-4.6	16.12	0.041	7.000	Pass
			RB75#0	20.7	-2.45	-4.6	16.10	0.041	7.000	Pass
		64QAM	RB1#0	20.73	-2.45	-4.6	16.13	0.041	7.000	Pass
			RB1#38	20.8	-2.45	-4.6	16.20	0.042	7.000	Pass
			RB1#74	20.83	-2.45	-4.6	16.23	0.042	7.000	Pass
			RB36#0	19.67	-2.45	-4.6	15.07	0.032	7.000	Pass
			RB36#19	19.72	-2.45	-4.6	15.12	0.033	7.000	Pass
			RB36#39	19.74	-2.45	-4.6	15.14	0.033	7.000	Pass
			RB75#0	19.66	-2.45	-4.6	15.06	0.032	7.000	Pass
		256QAM	RB1#0	17.75	-2.45	-4.6	13.15	0.021	7.000	Pass
			RB1#38	17.68	-2.45	-4.6	13.08	0.020	7.000	Pass
			RB1#74	17.64	-2.45	-4.6	13.04	0.020	7.000	Pass
			RB36#0	17.65	-2.45	-4.6	13.05	0.020	7.000	Pass
			RB36#19	17.69	-2.45	-4.6	13.09	0.020	7.000	Pass
			RB36#39	17.71	-2.45	-4.6	13.11	0.020	7.000	Pass
			RB75#0	17.68	-2.45	-4.6	13.08	0.020	7.000	Pass
	HCH	QPSK	RB1#0	22.84	-2.45	-4.6	18.24	0.067	7.000	Pass
			RB1#38	22.63	-2.45	-4.6	18.03	0.064	7.000	Pass
			RB1#74	22.44	-2.45	-4.6	17.84	0.061	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
			RB36#0	21.68	-2.45	-4.6	17.08	0.051	7.000	Pass
			RB36#19	21.55	-2.45	-4.6	16.95	0.050	7.000	Pass
			RB36#39	21.41	-2.45	-4.6	16.81	0.048	7.000	Pass
			RB75#0	21.61	-2.45	-4.6	17.01	0.050	7.000	Pass
		16QAM	RB1#0	22.02	-2.45	-4.6	17.42	0.055	7.000	Pass
			RB1#38	21.81	-2.45	-4.6	17.21	0.053	7.000	Pass
			RB1#74	21.7	-2.45	-4.6	17.10	0.051	7.000	Pass
			RB36#0	20.68	-2.45	-4.6	16.08	0.041	7.000	Pass
			RB36#19	20.69	-2.45	-4.6	16.09	0.041	7.000	Pass
			RB36#39	20.54	-2.45	-4.6	15.94	0.039	7.000	Pass
			RB75#0	20.62	-2.45	-4.6	16.02	0.040	7.000	Pass
		64QAM	RB1#0	20.94	-2.45	-4.6	16.34	0.043	7.000	Pass
			RB1#38	20.89	-2.45	-4.6	16.29	0.043	7.000	Pass
			RB1#74	20.68	-2.45	-4.6	16.08	0.041	7.000	Pass
			RB36#0	19.72	-2.45	-4.6	15.12	0.033	7.000	Pass
			RB36#19	19.72	-2.45	-4.6	15.12	0.033	7.000	Pass
			RB36#39	19.61	-2.45	-4.6	15.01	0.032	7.000	Pass
			RB75#0	19.66	-2.45	-4.6	15.06	0.032	7.000	Pass
		256QAM	RB1#0	17.91	-2.45	-4.6	13.31	0.021	7.000	Pass
			RB1#38	17.63	-2.45	-4.6	13.03	0.020	7.000	Pass
			RB1#74	17.44	-2.45	-4.6	12.84	0.019	7.000	Pass
			RB36#0	17.65	-2.45	-4.6	13.05	0.020	7.000	Pass
			RB36#19	17.63	-2.45	-4.6	13.03	0.020	7.000	Pass
			RB36#39	17.5	-2.45	-4.6	12.90	0.019	7.000	Pass
			RB75#0	17.64	-2.45	-4.6	13.04	0.020	7.000	Pass
20 MHz	LCH	QPSK	RB1#0	22.5	-2.45	-4.6	17.90	0.062	7.000	Pass
			RB1#50	22.56	-2.45	-4.6	17.96	0.063	7.000	Pass
			RB1#99	22.7	-2.45	-4.6	18.10	0.065	7.000	Pass
			RB50#0	21.42	-2.45	-4.6	16.82	0.048	7.000	Pass
			RB50#25	21.55	-2.45	-4.6	16.95	0.050	7.000	Pass
			RB50#50	21.69	-2.45	-4.6	17.09	0.051	7.000	Pass
			RB100#0	21.56	-2.45	-4.6	16.96	0.050	7.000	Pass
		16QAM	RB1#0	21.8	-2.45	-4.6	17.20	0.052	7.000	Pass
			RB1#50	21.84	-2.45	-4.6	17.24	0.053	7.000	Pass
			RB1#99	22.1	-2.45	-4.6	17.50	0.056	7.000	Pass
			RB50#0	20.38	-2.45	-4.6	15.78	0.038	7.000	Pass
			RB50#25	20.53	-2.45	-4.6	15.93	0.039	7.000	Pass
			RB50#50	20.57	-2.45	-4.6	15.97	0.040	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Offset)	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
		64QAM	RB100#0	20.49	-2.45	-4.6	15.89	0.039	7.000	Pass
			RB1#0	20.6	-2.45	-4.6	16.00	0.040	7.000	Pass
			RB1#50	20.61	-2.45	-4.6	16.01	0.040	7.000	Pass
			RB1#99	20.85	-2.45	-4.6	16.25	0.042	7.000	Pass
			RB50#0	19.37	-2.45	-4.6	14.77	0.030	7.000	Pass
			RB50#25	19.5	-2.45	-4.6	14.90	0.031	7.000	Pass
			RB50#50	19.59	-2.45	-4.6	14.99	0.032	7.000	Pass
			RB100#0	19.47	-2.45	-4.6	14.87	0.031	7.000	Pass
		256QAM	RB1#0	17.45	-2.45	-4.6	12.85	0.019	7.000	Pass
			RB1#50	17.46	-2.45	-4.6	12.86	0.019	7.000	Pass
			RB1#99	17.81	-2.45	-4.6	13.21	0.021	7.000	Pass
			RB50#0	17.36	-2.45	-4.6	12.76	0.019	7.000	Pass
			RB50#25	17.46	-2.45	-4.6	12.86	0.019	7.000	Pass
			RB50#50	17.54	-2.45	-4.6	12.94	0.020	7.000	Pass
			RB100#0	17.47	-2.45	-4.6	12.87	0.019	7.000	Pass
	MCH	QPSK	RB1#0	22.8	-2.45	-4.6	18.20	0.066	7.000	Pass
			RB1#50	22.82	-2.45	-4.6	18.22	0.066	7.000	Pass
			RB1#99	22.53	-2.45	-4.6	17.93	0.062	7.000	Pass
			RB50#0	21.78	-2.45	-4.6	17.18	0.052	7.000	Pass
			RB50#25	21.82	-2.45	-4.6	17.22	0.053	7.000	Pass
			RB50#50	21.77	-2.45	-4.6	17.17	0.052	7.000	Pass
			RB100#0	21.78	-2.45	-4.6	17.18	0.052	7.000	Pass
		16QAM	RB1#0	22.03	-2.45	-4.6	17.43	0.055	7.000	Pass
			RB1#50	22.05	-2.45	-4.6	17.45	0.056	7.000	Pass
			RB1#99	21.87	-2.45	-4.6	17.27	0.053	7.000	Pass
			RB50#0	20.71	-2.45	-4.6	16.11	0.041	7.000	Pass
			RB50#25	20.76	-2.45	-4.6	16.16	0.041	7.000	Pass
			RB50#50	20.78	-2.45	-4.6	16.18	0.041	7.000	Pass
			RB100#0	20.75	-2.45	-4.6	16.15	0.041	7.000	Pass
		64QAM	RB1#0	20.88	-2.45	-4.6	16.28	0.042	7.000	Pass
			RB1#50	20.92	-2.45	-4.6	16.32	0.043	7.000	Pass
			RB1#99	20.88	-2.45	-4.6	16.28	0.042	7.000	Pass
			RB50#0	19.69	-2.45	-4.6	15.09	0.032	7.000	Pass
			RB50#25	19.75	-2.45	-4.6	15.15	0.033	7.000	Pass
			RB50#50	19.8	-2.45	-4.6	15.20	0.033	7.000	Pass
			RB100#0	19.73	-2.45	-4.6	15.13	0.033	7.000	Pass
		256QAM	RB1#0	17.74	-2.45	-4.6	13.14	0.021	7.000	Pass
			RB1#50	17.92	-2.45	-4.6	13.32	0.021	7.000	Pass

Test BW	Test Channel	Test Mode	Test RB (Size#Off set)	Conducted Output AV Power (dBm)	Antenn a Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE Band 71										
			RB1#99	17.78	-2.45	-4.6	13.18	0.021	7.000	Pass
			RB50#0	17.71	-2.45	-4.6	13.11	0.020	7.000	Pass
			RB50#25	17.73	-2.45	-4.6	13.13	0.021	7.000	Pass
			RB50#50	17.8	-2.45	-4.6	13.20	0.021	7.000	Pass
			RB100#0	17.73	-2.45	-4.6	13.13	0.021	7.000	Pass
	HCH	QPSK	RB1#0	22.93	-2.45	-4.6	18.33	0.068	7.000	Pass
			RB1#50	22.7	-2.45	-4.6	18.10	0.065	7.000	Pass
			RB1#99	22.5	-2.45	-4.6	17.90	0.062	7.000	Pass
			RB50#0	21.78	-2.45	-4.6	17.18	0.052	7.000	Pass
			RB50#25	21.7	-2.45	-4.6	17.10	0.051	7.000	Pass
			RB50#50	21.56	-2.45	-4.6	16.96	0.050	7.000	Pass
			RB100#0	21.69	-2.45	-4.6	17.09	0.051	7.000	Pass
		16QAM	RB1#0	22.13	-2.45	-4.6	17.53	0.057	7.000	Pass
			RB1#50	21.94	-2.45	-4.6	17.34	0.054	7.000	Pass
			RB1#99	21.73	-2.45	-4.6	17.13	0.052	7.000	Pass
			RB50#0	20.7	-2.45	-4.6	16.10	0.041	7.000	Pass
			RB50#25	20.78	-2.45	-4.6	16.18	0.041	7.000	Pass
			RB50#50	20.67	-2.45	-4.6	16.07	0.040	7.000	Pass
			RB100#0	20.67	-2.45	-4.6	16.07	0.040	7.000	Pass
		64QAM	RB1#0	21.07	-2.45	-4.6	16.47	0.044	7.000	Pass
			RB1#50	20.91	-2.45	-4.6	16.31	0.043	7.000	Pass
			RB1#99	20.62	-2.45	-4.6	16.02	0.040	7.000	Pass
			RB50#0	19.74	-2.45	-4.6	15.14	0.033	7.000	Pass
			RB50#25	19.73	-2.45	-4.6	15.13	0.033	7.000	Pass
			RB50#50	19.67	-2.45	-4.6	15.07	0.032	7.000	Pass
			RB100#0	19.7	-2.45	-4.6	15.10	0.032	7.000	Pass
		256QAM	RB1#0	17.88	-2.45	-4.6	13.28	0.021	7.000	Pass
			RB1#50	17.77	-2.45	-4.6	13.17	0.021	7.000	Pass
			RB1#99	17.61	-2.45	-4.6	13.01	0.020	7.000	Pass
			RB50#0	17.71	-2.45	-4.6	13.11	0.020	7.000	Pass
			RB50#25	17.75	-2.45	-4.6	13.15	0.021	7.000	Pass
			RB50#50	17.63	-2.45	-4.6	13.03	0.020	7.000	Pass
			RB100#0	17.66	-2.45	-4.6	13.06	0.020	7.000	Pass

NR Mode Test Data

DFT -s-OFDM:

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n2								
5	LCH	PI/2 BPSK	12	6	24.47	0.297	2.000	Pass
			1	1	24.38	0.291	2.000	Pass
			1	23	24.37	0.290	2.000	Pass
		QPSK	12	6	24.53	0.301	2.000	Pass
			1	1	24.2	0.279	2.000	Pass
			1	23	24.3	0.286	2.000	Pass
		16QAM	12	6	23.47	0.236	2.000	Pass
			1	1	23.8	0.255	2.000	Pass
			1	23	23.72	0.250	2.000	Pass
		64QAM	12	6	22.06	0.171	2.000	Pass
			1	1	22.22	0.177	2.000	Pass
			1	23	22.22	0.177	2.000	Pass
		256QAM	12	6	20.03	0.107	2.000	Pass
			1	1	20.02	0.107	2.000	Pass
			1	23	20.05	0.107	2.000	Pass
	MCH	PI/2 BPSK	12	6	24.58	0.305	2.000	Pass
			1	1	24.54	0.302	2.000	Pass
			1	23	24.52	0.301	2.000	Pass
		QPSK	12	6	24.65	0.310	2.000	Pass
			1	1	24.4	0.292	2.000	Pass
			1	23	24.38	0.291	2.000	Pass
		16QAM	12	6	23.57	0.242	2.000	Pass
			1	1	23.89	0.260	2.000	Pass
			1	23	23.85	0.258	2.000	Pass
		64QAM	12	6	22.15	0.174	2.000	Pass
			1	1	22.33	0.182	2.000	Pass
			1	23	22.31	0.181	2.000	Pass
		256QAM	12	6	20.14	0.110	2.000	Pass
			1	1	20.16	0.110	2.000	Pass
			1	23	20.15	0.110	2.000	Pass
	HCH	PI/2 BPSK	12	6	24.54	0.302	2.000	Pass
			1	1	24.36	0.290	2.000	Pass
			1	23	24.46	0.296	2.000	Pass
		QPSK	12	6	24.64	0.309	2.000	Pass
			1	1	24.28	0.284	2.000	Pass
			1	23	24.28	0.284	2.000	Pass

		16QAM	12	6	23.55	0.240	2.000	Pass
			1	1	23.94	0.263	2.000	Pass
			1	23	23.94	0.263	2.000	Pass
		64QAM	12	6	22.16	0.175	2.000	Pass
			1	1	22.27	0.179	2.000	Pass
			1	23	22.29	0.180	2.000	Pass
		256QAM	12	6	20.12	0.109	2.000	Pass
			1	1	20.06	0.108	2.000	Pass
			1	23	20.14	0.110	2.000	Pass
10	LCH	PI/2 BPSK	25	12	24.58	0.305	2.000	Pass
			1	1	24.51	0.300	2.000	Pass
			1	50	24.51	0.300	2.000	Pass
		QPSK	25	12	24.59	0.305	2.000	Pass
			1	1	24.33	0.288	2.000	Pass
			1	50	24.42	0.294	2.000	Pass
		16QAM	25	12	23.66	0.247	2.000	Pass
			1	1	23.97	0.265	2.000	Pass
			1	50	23.77	0.253	2.000	Pass
		64QAM	25	12	22.17	0.175	2.000	Pass
			1	1	22.34	0.182	2.000	Pass
			1	50	22.29	0.180	2.000	Pass
		256QAM	25	12	20.1	0.109	2.000	Pass
			1	1	20.18	0.111	2.000	Pass
			1	50	20.11	0.109	2.000	Pass
	MCH	PI/2 BPSK	25	12	24.63	0.308	2.000	Pass
			1	1	24.62	0.308	2.000	Pass
			1	50	24.57	0.304	2.000	Pass
		QPSK	25	12	24.65	0.310	2.000	Pass
			1	1	24.5	0.299	2.000	Pass
			1	50	24.48	0.298	2.000	Pass
		16QAM	25	12	23.71	0.249	2.000	Pass
			1	1	24	0.267	2.000	Pass
			1	50	23.93	0.262	2.000	Pass
		64QAM	25	12	22.27	0.179	2.000	Pass
			1	1	22.41	0.185	2.000	Pass
			1	50	22.29	0.180	2.000	Pass
		256QAM	25	12	20.15	0.110	2.000	Pass
			1	1	20.22	0.112	2.000	Pass
			1	50	20.2	0.111	2.000	Pass
	HCH	PI/2 BPSK	25	12	24.47	0.297	2.000	Pass
			1	1	24.45	0.296	2.000	Pass
			1	50	24.44	0.295	2.000	Pass
		QPSK	25	12	24.48	0.298	2.000	Pass

			1	1	24.35	0.289	2.000	Pass
			1	50	24.31	0.286	2.000	Pass
			25	12	23.56	0.241	2.000	Pass
		16QAM	1	1	23.92	0.262	2.000	Pass
			1	50	23.93	0.262	2.000	Pass
		64QAM	25	12	22.08	0.171	2.000	Pass
			1	1	22.29	0.180	2.000	Pass
			1	50	22.26	0.179	2.000	Pass
		256QAM	25	12	19.95	0.105	2.000	Pass
			1	1	20.05	0.107	2.000	Pass
			1	50	20.08	0.108	2.000	Pass
15	LCH	PI/2 BPSK	36	18	24.58	0.305	2.000	Pass
			1	1	24.51	0.300	2.000	Pass
			1	77	24.53	0.301	2.000	Pass
		QPSK	36	18	24.64	0.309	2.000	Pass
			1	1	24.32	0.287	2.000	Pass
			1	77	24.4	0.292	2.000	Pass
		16QAM	36	18	23.69	0.248	2.000	Pass
			1	1	23.96	0.264	2.000	Pass
			1	77	23.86	0.258	2.000	Pass
		64QAM	36	18	22.15	0.174	2.000	Pass
			1	1	22.25	0.178	2.000	Pass
			1	77	22.32	0.181	2.000	Pass
		256QAM	36	18	20.1	0.109	2.000	Pass
			1	1	20.14	0.110	2.000	Pass
			1	77	20.11	0.109	2.000	Pass
	MCH	PI/2 BPSK	36	18	24.63	0.308	2.000	Pass
			1	1	24.61	0.307	2.000	Pass
			1	77	24.6	0.306	2.000	Pass
		QPSK	36	18	24.66	0.310	2.000	Pass
			1	1	24.5	0.299	2.000	Pass
			1	77	24.5	0.299	2.000	Pass
		16QAM	36	18	23.73	0.251	2.000	Pass
			1	1	23.94	0.263	2.000	Pass
			1	77	23.97	0.265	2.000	Pass
		64QAM	36	18	22.22	0.177	2.000	Pass
			1	1	22.31	0.181	2.000	Pass
			1	77	22.41	0.185	2.000	Pass
		256QAM	36	18	20.18	0.111	2.000	Pass
			1	1	20.21	0.111	2.000	Pass
			1	77	20.21	0.111	2.000	Pass
	HCH	PI/2 BPSK	36	18	24.41	0.293	2.000	Pass
			1	1	24.45	0.296	2.000	Pass

			1	77	24.4	0.292	2.000	Pass
		QPSK	36	18	24.45	0.296	2.000	Pass
			1	1	24.33	0.288	2.000	Pass
			1	77	24.28	0.284	2.000	Pass
			1	77	24.28	0.284	2.000	Pass
		16QAM	36	18	23.53	0.239	2.000	Pass
			1	1	23.86	0.258	2.000	Pass
			1	77	23.84	0.257	2.000	Pass
			1	77	23.84	0.257	2.000	Pass
		64QAM	36	18	21.99	0.168	2.000	Pass
			1	1	22.23	0.177	2.000	Pass
			1	77	22.25	0.178	2.000	Pass
			1	77	22.25	0.178	2.000	Pass
		256QAM	36	18	19.95	0.105	2.000	Pass
			1	1	20.04	0.107	2.000	Pass
			1	77	20.04	0.107	2.000	Pass
			1	77	20.04	0.107	2.000	Pass
20	LCH	PI/2 BPSK	50	25	24.56	0.303	2.000	Pass
			1	1	24.48	0.298	2.000	Pass
			1	104	24.48	0.298	2.000	Pass
		QPSK	50	25	24.58	0.305	2.000	Pass
			1	1	24.31	0.286	2.000	Pass
			1	104	24.36	0.290	2.000	Pass
		16QAM	50	25	23.64	0.245	2.000	Pass
			1	1	23.85	0.258	2.000	Pass
			1	104	23.75	0.252	2.000	Pass
		64QAM	50	25	22.1	0.172	2.000	Pass
			1	1	22.3	0.180	2.000	Pass
			1	104	22.27	0.179	2.000	Pass
		256QAM	50	25	20.07	0.108	2.000	Pass
			1	1	20.14	0.110	2.000	Pass
			1	104	20.08	0.108	2.000	Pass
	MCH	PI/2 BPSK	50	25	24.7	0.313	2.000	Pass
			1	1	24.65	0.310	2.000	Pass
			1	104	24.67	0.311	2.000	Pass
		QPSK	50	25	24.72	0.315	2.000	Pass
			1	1	24.56	0.303	2.000	Pass
			1	104	24.53	0.301	2.000	Pass
		16QAM	50	25	23.81	0.255	2.000	Pass
			1	1	23.9	0.261	2.000	Pass
			1	104	24.03	0.269	2.000	Pass
		64QAM	50	25	22.25	0.178	2.000	Pass
			1	1	22.44	0.186	2.000	Pass
			1	104	22.46	0.187	2.000	Pass
		256QAM	50	25	20.22	0.112	2.000	Pass
			1	1	20.25	0.112	2.000	Pass
			1	104	20.28	0.113	2.000	Pass

	HCH	PI/2 BPSK	50	25	24.51	0.300	2.000	Pass
			1	1	24.49	0.299	2.000	Pass
			1	104	24.41	0.293	2.000	Pass
		QPSK	50	25	24.52	0.301	2.000	Pass
			1	1	24.38	0.291	2.000	Pass
			1	104	24.25	0.282	2.000	Pass
		16QAM	50	25	23.66	0.247	2.000	Pass
			1	1	23.94	0.263	2.000	Pass
			1	104	23.81	0.255	2.000	Pass
		64QAM	50	25	22.06	0.171	2.000	Pass
			1	1	22.34	0.182	2.000	Pass
			1	104	22.26	0.179	2.000	Pass
		256QAM	50	25	20	0.106	2.000	Pass
			1	1	20.11	0.109	2.000	Pass
			1	104	20.06	0.108	2.000	Pass
25	LCH	PI/2 BPSK	64	32	24.57	0.304	2.000	Pass
			1	1	24.43	0.294	2.000	Pass
			1	131	24.47	0.297	2.000	Pass
		QPSK	64	32	24.61	0.307	2.000	Pass
			1	1	24.35	0.289	2.000	Pass
			1	131	24.36	0.290	2.000	Pass
		16QAM	64	32	23.6	0.243	2.000	Pass
			1	1	23.92	0.262	2.000	Pass
			1	131	23.88	0.259	2.000	Pass
		64QAM	64	32	22.17	0.175	2.000	Pass
			1	1	22.29	0.180	2.000	Pass
			1	131	22.26	0.179	2.000	Pass
		256QAM	64	32	20.1	0.109	2.000	Pass
			1	1	20.07	0.108	2.000	Pass
			1	131	20.03	0.107	2.000	Pass
	MCH	PI/2 BPSK	64	32	24.69	0.313	2.000	Pass
			1	1	24.56	0.303	2.000	Pass
			1	131	24.49	0.299	2.000	Pass
		QPSK	64	32	24.73	0.316	2.000	Pass
			1	1	24.47	0.297	2.000	Pass
			1	131	24.45	0.296	2.000	Pass
		16QAM	64	32	23.75	0.252	2.000	Pass
			1	1	23.9	0.261	2.000	Pass
			1	131	23.86	0.258	2.000	Pass
		64QAM	64	32	22.31	0.181	2.000	Pass
			1	1	22.32	0.181	2.000	Pass
			1	131	22.36	0.183	2.000	Pass
		256QAM	64	32	20.23	0.112	2.000	Pass

			1	1	20.16	0.110	2.000	Pass
			1	131	20.13	0.109	2.000	Pass
	HCH	PI/2 BPSK	64	32	24.54	0.302	2.000	Pass
			1	1	24.49	0.299	2.000	Pass
			1	131	24.38	0.291	2.000	Pass
		QPSK	64	32	24.6	0.306	2.000	Pass
			1	1	24.39	0.292	2.000	Pass
			1	131	24.3	0.286	2.000	Pass
		16QAM	64	32	23.63	0.245	2.000	Pass
			1	1	23.87	0.259	2.000	Pass
			1	131	23.84	0.257	2.000	Pass
		64QAM	64	32	22.13	0.173	2.000	Pass
			1	1	22.28	0.179	2.000	Pass
			1	131	22.21	0.177	2.000	Pass
		256QAM	64	32	20.09	0.108	2.000	Pass
			1	1	20.07	0.108	2.000	Pass
			1	131	20.04	0.107	2.000	Pass
30	LCH	PI/2 BPSK	80	40	24.67	0.311	2.000	Pass
			1	1	24.54	0.302	2.000	Pass
			1	158	24.57	0.304	2.000	Pass
		QPSK	80	40	24.74	0.316	2.000	Pass
			1	1	24.45	0.296	2.000	Pass
			1	158	24.45	0.296	2.000	Pass
		16QAM	80	40	23.77	0.253	2.000	Pass
			1	1	24.06	0.270	2.000	Pass
			1	158	23.97	0.265	2.000	Pass
		64QAM	80	40	22.24	0.178	2.000	Pass
			1	1	22.44	0.186	2.000	Pass
			1	158	22.41	0.185	2.000	Pass
		256QAM	80	40	20.23	0.112	2.000	Pass
			1	1	20.24	0.112	2.000	Pass
			1	158	20.21	0.111	2.000	Pass
	MCH	PI/2 BPSK	80	40	24.73	0.316	2.000	Pass
			1	1	24.63	0.308	2.000	Pass
			1	158	24.59	0.305	2.000	Pass
		QPSK	80	40	24.8	0.321	2.000	Pass
			1	1	24.52	0.301	2.000	Pass
			1	158	24.47	0.297	2.000	Pass
		16QAM	80	40	23.85	0.258	2.000	Pass
			1	1	23.97	0.265	2.000	Pass
			1	158	24.03	0.269	2.000	Pass
		64QAM	80	40	22.32	0.181	2.000	Pass
			1	1	22.41	0.185	2.000	Pass

		256QAM	1	158	22.39	0.184	2.000	Pass
			80	40	20.25	0.112	2.000	Pass
			1	1	20.18	0.111	2.000	Pass
			1	158	20.19	0.111	2.000	Pass
	HCH	PI/2 BPSK	80	40	24.77	0.318	2.000	Pass
			1	1	24.74	0.316	2.000	Pass
			1	158	24.59	0.305	2.000	Pass
		QPSK	80	40	24.84	0.324	2.000	Pass
			1	1	24.62	0.308	2.000	Pass
			1	158	24.45	0.296	2.000	Pass
		16QAM	80	40	23.89	0.260	2.000	Pass
			1	1	24.11	0.274	2.000	Pass
			1	158	24.03	0.269	2.000	Pass
		64QAM	80	40	22.34	0.182	2.000	Pass
			1	1	22.55	0.191	2.000	Pass
			1	158	22.45	0.187	2.000	Pass
		256QAM	80	40	20.28	0.113	2.000	Pass
			1	1	20.33	0.115	2.000	Pass
			1	158	20.23	0.112	2.000	Pass
35	LCH	PI/2 BPSK	90	45	24.84	0.324	2.000	Pass
			1	1	24.73	0.316	2.000	Pass
			1	186	24.79	0.320	2.000	Pass
		QPSK	90	45	24.85	0.324	2.000	Pass
			1	1	24.61	0.307	2.000	Pass
			1	186	24.71	0.314	2.000	Pass
		16QAM	90	45	23.88	0.259	2.000	Pass
			1	1	24.14	0.275	2.000	Pass
			1	186	24.19	0.279	2.000	Pass
		64QAM	90	45	22.37	0.183	2.000	Pass
			1	1	22.61	0.194	2.000	Pass
			1	186	22.51	0.189	2.000	Pass
	MCH	256QAM	90	45	20.35	0.115	2.000	Pass
			1	1	20.28	0.113	2.000	Pass
			1	186	20.36	0.115	2.000	Pass
		PI/2 BPSK	90	45	24.83	0.323	2.000	Pass
			1	1	24.71	0.314	2.000	Pass
			1	186	24.64	0.309	2.000	Pass
		QPSK	90	45	24.88	0.327	2.000	Pass
			1	1	24.66	0.310	2.000	Pass
			1	186	24.56	0.303	2.000	Pass
		16QAM	90	45	23.93	0.262	2.000	Pass
			1	1	24.05	0.270	2.000	Pass
			1	186	24.06	0.270	2.000	Pass

		64QAM	90	45	22.4	0.185	2.000	Pass
			1	1	22.52	0.190	2.000	Pass
			1	186	22.49	0.188	2.000	Pass
		256QAM	90	45	20.38	0.116	2.000	Pass
			1	1	20.29	0.114	2.000	Pass
			1	186	20.25	0.112	2.000	Pass
	HCH	PI/2 BPSK	90	45	24.71	0.314	2.000	Pass
			1	1	24.57	0.304	2.000	Pass
			1	186	24.49	0.299	2.000	Pass
		QPSK	90	45	24.75	0.317	2.000	Pass
			1	1	24.47	0.297	2.000	Pass
			1	186	24.38	0.291	2.000	Pass
		16QAM	90	45	23.78	0.254	2.000	Pass
			1	1	23.96	0.264	2.000	Pass
			1	186	24.01	0.267	2.000	Pass
		64QAM	90	45	22.26	0.179	2.000	Pass
			1	1	22.41	0.185	2.000	Pass
			1	186	22.38	0.184	2.000	Pass
		256QAM	90	45	20.23	0.112	2.000	Pass
			1	1	20.17	0.110	2.000	Pass
			1	186	20.15	0.110	2.000	Pass
40	LCH	PI/2 BPSK	108	54	24.85	0.324	2.000	Pass
			1	1	24.74	0.316	2.000	Pass
			1	214	24.71	0.314	2.000	Pass
		QPSK	108	54	24.9	0.328	2.000	Pass
			1	1	24.62	0.308	2.000	Pass
			1	214	24.67	0.311	2.000	Pass
		16QAM	108	54	23.91	0.261	2.000	Pass
			1	1	24.19	0.279	2.000	Pass
			1	214	24.17	0.277	2.000	Pass
		64QAM	108	54	22.39	0.184	2.000	Pass
			1	1	22.58	0.192	2.000	Pass
			1	214	22.61	0.194	2.000	Pass
		256QAM	108	54	20.37	0.116	2.000	Pass
			1	1	20.4	0.116	2.000	Pass
			1	214	20.37	0.116	2.000	Pass
	MCH	PI/2 BPSK	108	54	24.87	0.326	2.000	Pass
			1	1	24.73	0.316	2.000	Pass
			1	214	24.69	0.313	2.000	Pass
		QPSK	108	54	24.91	0.329	2.000	Pass
			1	1	24.66	0.310	2.000	Pass
			1	214	24.59	0.305	2.000	Pass
		16QAM	108	54	23.95	0.264	2.000	Pass

			1	1	24.08	0.272	2.000	Pass
			1	214	24.16	0.277	2.000	Pass
		64QAM	108	54	22.42	0.185	2.000	Pass
			1	1	22.57	0.192	2.000	Pass
			1	214	22.53	0.190	2.000	Pass
		256QAM	108	54	20.41	0.117	2.000	Pass
			1	1	20.28	0.113	2.000	Pass
			1	214	20.3	0.114	2.000	Pass
	HCH	PI/2 BPSK	108	54	24.71	0.314	2.000	Pass
			1	1	24.64	0.309	2.000	Pass
			1	214	24.55	0.303	2.000	Pass
		QPSK	108	54	24.77	0.318	2.000	Pass
			1	1	24.58	0.305	2.000	Pass
			1	214	24.39	0.292	2.000	Pass
		16QAM	108	54	23.83	0.256	2.000	Pass
			1	1	24.01	0.267	2.000	Pass
			1	214	24.04	0.269	2.000	Pass
		64QAM	108	54	22.29	0.180	2.000	Pass
			1	1	22.4	0.185	2.000	Pass
			1	214	22.39	0.184	2.000	Pass
		256QAM	108	54	20.24	0.112	2.000	Pass
			1	1	20.2	0.111	2.000	Pass
			1	214	20.17	0.110	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR n5								
5	LCH	PI/2 BPSK	12	6	22.93	0.093	7.000	Pass
			1	1	23.07	0.096	7.000	Pass
			1	23	23.04	0.095	7.000	Pass
		QPSK	12	6	22.98	0.094	7.000	Pass
			1	1	23.26	0.100	7.000	Pass
			1	23	23.25	0.100	7.000	Pass
		16QAM	12	6	21.95	0.074	7.000	Pass
			1	1	21.84	0.072	7.000	Pass
			1	23	21.79	0.071	7.000	Pass
		64QAM	12	6	20.45	0.052	7.000	Pass
			1	1	20.38	0.052	7.000	Pass
			1	23	20.3	0.051	7.000	Pass
		256QAM	12	6	18.44	0.033	7.000	Pass
			1	1	18.44	0.033	7.000	Pass
			1	23	18.36	0.032	7.000	Pass
	MCH	PI/2 BPSK	12	6	22.95	0.093	7.000	Pass
			1	1	23.12	0.097	7.000	Pass
			1	23	23.12	0.097	7.000	Pass
		QPSK	12	6	23.04	0.095	7.000	Pass
			1	1	23.32	0.101	7.000	Pass
			1	23	23.32	0.101	7.000	Pass
		16QAM	12	6	22.03	0.075	7.000	Pass
			1	1	21.89	0.073	7.000	Pass
			1	23	21.9	0.073	7.000	Pass
		64QAM	12	6	20.52	0.053	7.000	Pass
			1	1	20.41	0.052	7.000	Pass
			1	23	20.45	0.052	7.000	Pass
		256QAM	12	6	18.37	0.032	7.000	Pass
			1	1	18.44	0.033	7.000	Pass
			1	23	18.33	0.032	7.000	Pass
	HCH	PI/2 BPSK	12	6	23.19	0.098	7.000	Pass
			1	1	23.36	0.102	7.000	Pass
			1	23	23.06	0.095	7.000	Pass
		QPSK	12	6	23.08	0.096	7.000	Pass
			1	1	23.54	0.107	7.000	Pass
			1	23	23.26	0.100	7.000	Pass
		16QAM	12	6	22.12	0.077	7.000	Pass

			1	1	22.13	0.077	7.000	Pass
			1	23	21.88	0.073	7.000	Pass
		64QAM	12	6	20.68	0.055	7.000	Pass
			1	1	20.66	0.055	7.000	Pass
			1	23	20.35	0.051	7.000	Pass
		256QAM	12	6	18.73	0.035	7.000	Pass
			1	1	18.74	0.035	7.000	Pass
			1	23	18.69	0.035	7.000	Pass
		PI/2 BPSK	25	12	23.02	0.095	7.000	Pass
			1	1	23.13	0.097	7.000	Pass
			1	50	23.13	0.097	7.000	Pass
10	LCH	QPSK	25	12	23.02	0.095	7.000	Pass
			1	1	23.35	0.102	7.000	Pass
			1	50	23.42	0.104	7.000	Pass
		16QAM	25	12	22.07	0.076	7.000	Pass
			1	1	21.94	0.074	7.000	Pass
			1	50	21.94	0.074	7.000	Pass
		64QAM	25	12	20.51	0.053	7.000	Pass
			1	1	20.41	0.052	7.000	Pass
			1	50	20.37	0.051	7.000	Pass
		256QAM	25	12	18.48	0.033	7.000	Pass
			1	1	18.52	0.034	7.000	Pass
			1	50	18.45	0.033	7.000	Pass
	MCH	PI/2 BPSK	25	12	23	0.094	7.000	Pass
			1	1	23.12	0.097	7.000	Pass
			1	50	23.24	0.100	7.000	Pass
		QPSK	25	12	23.05	0.095	7.000	Pass
			1	1	23.45	0.104	7.000	Pass
			1	50	23.48	0.105	7.000	Pass
		16QAM	25	12	22.12	0.077	7.000	Pass
			1	1	21.96	0.074	7.000	Pass
			1	50	22.04	0.076	7.000	Pass
		64QAM	25	12	20.55	0.054	7.000	Pass
			1	1	20.39	0.052	7.000	Pass
			1	50	20.55	0.054	7.000	Pass
		256QAM	25	12	18.41	0.033	7.000	Pass
			1	1	18.53	0.034	7.000	Pass
			1	50	18.5	0.033	7.000	Pass
	HCH	PI/2 BPSK	25	12	23.29	0.101	7.000	Pass
			1	1	23.27	0.100	7.000	Pass
			1	50	22.97	0.094	7.000	Pass
		QPSK	25	12	23.26	0.100	7.000	Pass
			1	1	23.52	0.106	7.000	Pass

			1	50	23.23	0.099	7.000	Pass
		16QAM	25	12	22.32	0.081	7.000	Pass
			1	1	22.05	0.076	7.000	Pass
			1	50	21.83	0.072	7.000	Pass
			1	50	21.83	0.072	7.000	Pass
		64QAM	25	12	20.78	0.056	7.000	Pass
			1	1	20.55	0.054	7.000	Pass
			1	50	20.26	0.050	7.000	Pass
			1	50	20.26	0.050	7.000	Pass
		256QAM	25	12	18.62	0.034	7.000	Pass
			1	1	18.56	0.034	7.000	Pass
			1	50	18.62	0.034	7.000	Pass
			1	50	18.62	0.034	7.000	Pass
15	LCH	PI/2 BPSK	36	18	22.95	0.093	7.000	Pass
			1	1	22.95	0.093	7.000	Pass
			1	77	22.98	0.094	7.000	Pass
		QPSK	36	18	23.02	0.095	7.000	Pass
			1	1	23.25	0.100	7.000	Pass
			1	77	23.32	0.101	7.000	Pass
		16QAM	36	18	22.02	0.075	7.000	Pass
			1	1	21.84	0.072	7.000	Pass
			1	77	21.87	0.073	7.000	Pass
		64QAM	36	18	20.55	0.054	7.000	Pass
			1	1	20.33	0.051	7.000	Pass
			1	77	20.34	0.051	7.000	Pass
		256QAM	36	18	18.48	0.033	7.000	Pass
			1	1	18.45	0.033	7.000	Pass
			1	77	18.27	0.032	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.01	0.094	7.000	Pass
			1	1	22.96	0.093	7.000	Pass
			1	77	23.15	0.097	7.000	Pass
		QPSK	36	18	23.09	0.096	7.000	Pass
			1	1	23.25	0.100	7.000	Pass
			1	77	23.41	0.104	7.000	Pass
		16QAM	36	18	22.08	0.076	7.000	Pass
			1	1	21.79	0.071	7.000	Pass
			1	77	22.01	0.075	7.000	Pass
		64QAM	36	18	20.6	0.054	7.000	Pass
			1	1	20.33	0.051	7.000	Pass
			1	77	20.59	0.054	7.000	Pass
		256QAM	36	18	18.45	0.033	7.000	Pass
			1	1	18.43	0.033	7.000	Pass
			1	77	18.49	0.033	7.000	Pass
	HCH	PI/2 BPSK	36	18	23.21	0.099	7.000	Pass
			1	1	23.02	0.095	7.000	Pass
			1	77	22.75	0.089	7.000	Pass

		QPSK	36	18	23.27	0.100	7.000	Pass
			1	1	23.37	0.103	7.000	Pass
			1	77	23.06	0.095	7.000	Pass
		16QAM	36	18	22.24	0.079	7.000	Pass
			1	1	21.88	0.073	7.000	Pass
			1	77	21.72	0.070	7.000	Pass
		64QAM	36	18	20.78	0.056	7.000	Pass
			1	1	20.4	0.052	7.000	Pass
			1	77	20.2	0.049	7.000	Pass
		256QAM	36	18	18.59	0.034	7.000	Pass
			1	1	18.43	0.033	7.000	Pass
			1	77	18.5	0.033	7.000	Pass
20	LCH	PI/2 BPSK	50	25	23.07	0.096	7.000	Pass
			1	1	23.04	0.095	7.000	Pass
			1	104	23.19	0.098	7.000	Pass
		QPSK	50	25	23.18	0.098	7.000	Pass
			1	1	23.3	0.101	7.000	Pass
			1	104	23.44	0.104	7.000	Pass
		16QAM	50	25	22.14	0.077	7.000	Pass
			1	1	21.85	0.072	7.000	Pass
			1	104	22	0.075	7.000	Pass
		64QAM	50	25	20.64	0.055	7.000	Pass
			1	1	20.45	0.052	7.000	Pass
			1	104	20.52	0.053	7.000	Pass
		256QAM	50	25	18.6	0.034	7.000	Pass
			1	1	18.5	0.033	7.000	Pass
			1	104	18.51	0.033	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.09	0.096	7.000	Pass
			1	1	23.03	0.095	7.000	Pass
			1	104	23.03	0.095	7.000	Pass
		QPSK	50	25	23.19	0.098	7.000	Pass
			1	1	23.32	0.101	7.000	Pass
			1	104	23.3	0.101	7.000	Pass
		16QAM	50	25	22.18	0.078	7.000	Pass
			1	1	21.86	0.072	7.000	Pass
			1	104	21.89	0.073	7.000	Pass
		64QAM	50	25	20.65	0.055	7.000	Pass
			1	1	20.38	0.052	7.000	Pass
			1	104	20.48	0.053	7.000	Pass
		256QAM	50	25	18.57	0.034	7.000	Pass
			1	1	18.51	0.033	7.000	Pass
			1	104	18.64	0.035	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.2	0.099	7.000	Pass

			1	1	23.04	0.095	7.000	Pass
			1	104	22.7	0.088	7.000	Pass
		QPSK	50	25	23.29	0.101	7.000	Pass
			1	1	23.37	0.103	7.000	Pass
			1	104	23.03	0.095	7.000	Pass
		16QAM	50	25	22.27	0.080	7.000	Pass
			1	1	21.91	0.073	7.000	Pass
			1	104	21.62	0.069	7.000	Pass
		64QAM	50	25	20.74	0.056	7.000	Pass
			1	1	20.39	0.052	7.000	Pass
			1	104	20.16	0.049	7.000	Pass
		256QAM	50	25	18.78	0.036	7.000	Pass
			1	1	18.88	0.036	7.000	Pass
			1	104	18.92	0.037	7.000	Pass
25	MCH	PI/2 BPSK	64	32	23.38	0.103	7.000	Pass
			1	1	23.2	0.099	7.000	Pass
			1	131	22.91	0.092	7.000	Pass
		QPSK	64	32	23.45	0.104	7.000	Pass
			1	1	23.04	0.095	7.000	Pass
			1	131	22.73	0.089	7.000	Pass
		16QAM	64	32	22.48	0.084	7.000	Pass
			1	1	22.63	0.086	7.000	Pass
			1	131	22.44	0.083	7.000	Pass
		64QAM	64	32	20.97	0.059	7.000	Pass
			1	1	21.07	0.060	7.000	Pass
			1	131	20.98	0.059	7.000	Pass
		256QAM	64	32	18.87	0.036	7.000	Pass
			1	1	18.85	0.036	7.000	Pass
			1	131	18.87	0.036	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n7								
5	LCH	PI/2 BPSK	12	6	23.49	0.202	2.000	Pass
			1	1	23.39	0.198	2.000	Pass
			1	23	23.55	0.205	2.000	Pass
		QPSK	12	6	23.64	0.209	2.000	Pass
			1	1	23.19	0.189	2.000	Pass
			1	23	23.32	0.195	2.000	Pass
		16QAM	12	6	22.53	0.162	2.000	Pass
			1	1	23.01	0.181	2.000	Pass
			1	23	23.15	0.187	2.000	Pass
		64QAM	12	6	21.22	0.120	2.000	Pass
			1	1	21.46	0.127	2.000	Pass
			1	23	21.36	0.124	2.000	Pass
		256QAM	12	6	19.21	0.076	2.000	Pass
			1	1	19.26	0.076	2.000	Pass
			1	23	19.1	0.074	2.000	Pass
	MCH	PI/2 BPSK	12	6	23.46	0.201	2.000	Pass
			1	1	23.36	0.196	2.000	Pass
			1	23	23.44	0.200	2.000	Pass
		QPSK	12	6	23.58	0.207	2.000	Pass
			1	1	23.18	0.188	2.000	Pass
			1	23	23.22	0.190	2.000	Pass
		16QAM	12	6	22.48	0.160	2.000	Pass
			1	1	22.76	0.171	2.000	Pass
			1	23	22.97	0.179	2.000	Pass
		64QAM	12	6	21.09	0.116	2.000	Pass
			1	1	21.22	0.120	2.000	Pass
			1	23	21.34	0.123	2.000	Pass
		256QAM	12	6	19.03	0.072	2.000	Pass
			1	1	18.98	0.072	2.000	Pass
			1	23	19.1	0.074	2.000	Pass
	HCH	PI/2 BPSK	12	6	23.77	0.216	2.000	Pass
			1	1	23.63	0.209	2.000	Pass
			1	23	23.81	0.218	2.000	Pass
		QPSK	12	6	23.93	0.224	2.000	Pass
			1	1	23.41	0.199	2.000	Pass
			1	23	23.49	0.202	2.000	Pass
		16QAM	12	6	22.82	0.173	2.000	Pass

			1	1	23.34	0.195	2.000	Pass
			1	23	23.56	0.206	2.000	Pass
		64QAM	12	6	21.77	0.136	2.000	Pass
			1	1	21.97	0.143	2.000	Pass
			1	23	21.88	0.140	2.000	Pass
		256QAM	12	6	19.68	0.084	2.000	Pass
			1	1	19.79	0.086	2.000	Pass
			1	23	19.67	0.084	2.000	Pass
		PI/2 BPSK	25	12	23.41	0.199	2.000	Pass
			1	1	23.28	0.193	2.000	Pass
			1	50	23.44	0.200	2.000	Pass
10	LCH	QPSK	25	12	23.47	0.201	2.000	Pass
			1	1	23.03	0.182	2.000	Pass
			1	50	23.29	0.193	2.000	Pass
		16QAM	25	12	22.54	0.163	2.000	Pass
			1	1	22.87	0.175	2.000	Pass
			1	50	23.08	0.184	2.000	Pass
		64QAM	25	12	21.02	0.115	2.000	Pass
			1	1	21.36	0.124	2.000	Pass
			1	50	21.22	0.120	2.000	Pass
		256QAM	25	12	18.88	0.070	2.000	Pass
			1	1	19.09	0.073	2.000	Pass
			1	50	18.92	0.071	2.000	Pass
	MCH	PI/2 BPSK	25	12	23.49	0.202	2.000	Pass
			1	1	23.38	0.197	2.000	Pass
			1	50	23.46	0.201	2.000	Pass
		QPSK	25	12	23.51	0.203	2.000	Pass
			1	1	23.2	0.189	2.000	Pass
			1	50	23.27	0.192	2.000	Pass
		16QAM	25	12	22.59	0.164	2.000	Pass
			1	1	22.93	0.178	2.000	Pass
			1	50	22.88	0.176	2.000	Pass
		64QAM	25	12	21.1	0.117	2.000	Pass
			1	1	21.08	0.116	2.000	Pass
			1	50	21.48	0.127	2.000	Pass
		256QAM	25	12	18.98	0.072	2.000	Pass
			1	1	18.93	0.071	2.000	Pass
			1	50	19.22	0.076	2.000	Pass
	HCH	PI/2 BPSK	25	12	23.72	0.213	2.000	Pass
			1	1	23.5	0.203	2.000	Pass
			1	50	23.8	0.217	2.000	Pass
		QPSK	25	12	23.73	0.214	2.000	Pass
			1	1	23.36	0.196	2.000	Pass

			1	50	23.48	0.202	2.000	Pass
		16QAM	25	12	22.82	0.173	2.000	Pass
			1	1	23.15	0.187	2.000	Pass
			1	50	23.55	0.205	2.000	Pass
			1	50	23.55	0.205	2.000	Pass
		64QAM	25	12	21.75	0.136	2.000	Pass
			1	1	21.92	0.141	2.000	Pass
			1	50	21.88	0.140	2.000	Pass
			1	50	21.88	0.140	2.000	Pass
		256QAM	25	12	19.55	0.082	2.000	Pass
			1	1	19.67	0.084	2.000	Pass
			1	50	19.62	0.083	2.000	Pass
			1	50	19.62	0.083	2.000	Pass
15	LCH	PI/2 BPSK	36	18	23.5	0.203	2.000	Pass
			1	1	23.39	0.198	2.000	Pass
			1	77	23.52	0.204	2.000	Pass
		QPSK	36	18	23.59	0.207	2.000	Pass
			1	1	23.18	0.188	2.000	Pass
			1	77	23.41	0.199	2.000	Pass
		16QAM	36	18	22.65	0.167	2.000	Pass
			1	1	22.96	0.179	2.000	Pass
			1	77	22.94	0.178	2.000	Pass
		64QAM	36	18	21.03	0.115	2.000	Pass
			1	1	21.4	0.125	2.000	Pass
			1	77	21.23	0.120	2.000	Pass
		256QAM	36	18	18.95	0.071	2.000	Pass
			1	1	19.1	0.074	2.000	Pass
			1	77	18.94	0.071	2.000	Pass
	MCH	PI/2 BPSK	36	18	23.45	0.200	2.000	Pass
			1	1	23.45	0.200	2.000	Pass
			1	77	23.44	0.200	2.000	Pass
		QPSK	36	18	23.51	0.203	2.000	Pass
			1	1	23.3	0.194	2.000	Pass
			1	77	23.33	0.195	2.000	Pass
		16QAM	36	18	22.59	0.164	2.000	Pass
			1	1	22.83	0.174	2.000	Pass
			1	77	23.06	0.183	2.000	Pass
		64QAM	36	18	21.05	0.115	2.000	Pass
			1	1	21.21	0.120	2.000	Pass
			1	77	21.54	0.129	2.000	Pass
		256QAM	36	18	19	0.072	2.000	Pass
			1	1	18.9	0.070	2.000	Pass
			1	77	19.37	0.078	2.000	Pass
	HCH	PI/2 BPSK	36	18	23.84	0.219	2.000	Pass
			1	1	23.77	0.216	2.000	Pass
			1	77	23.98	0.226	2.000	Pass

		QPSK	36	18	23.9	0.222	2.000	Pass
			1	1	23.58	0.207	2.000	Pass
			1	77	23.73	0.214	2.000	Pass
		16QAM	36	18	23	0.181	2.000	Pass
			1	1	23.29	0.193	2.000	Pass
			1	77	23.75	0.215	2.000	Pass
		64QAM	36	18	21.81	0.137	2.000	Pass
			1	1	22.07	0.146	2.000	Pass
			1	77	22.05	0.145	2.000	Pass
		256QAM	36	18	19.78	0.086	2.000	Pass
			1	1	19.78	0.086	2.000	Pass
			1	77	19.78	0.086	2.000	Pass
20	LCH	PI/2 BPSK	50	25	23.63	0.209	2.000	Pass
			1	1	23.43	0.200	2.000	Pass
			1	104	23.53	0.204	2.000	Pass
		QPSK	50	25	23.7	0.212	2.000	Pass
			1	1	23.25	0.191	2.000	Pass
			1	104	23.45	0.200	2.000	Pass
		16QAM	50	25	22.79	0.172	2.000	Pass
			1	1	23	0.181	2.000	Pass
			1	104	23.15	0.187	2.000	Pass
		64QAM	50	25	21.04	0.115	2.000	Pass
			1	1	21.38	0.124	2.000	Pass
			1	104	21.26	0.121	2.000	Pass
		256QAM	50	25	18.99	0.072	2.000	Pass
			1	1	19.18	0.075	2.000	Pass
			1	104	18.95	0.071	2.000	Pass
	MCH	PI/2 BPSK	50	25	23.53	0.204	2.000	Pass
			1	1	23.48	0.202	2.000	Pass
			1	104	23.55	0.205	2.000	Pass
		QPSK	50	25	23.53	0.204	2.000	Pass
			1	1	23.34	0.195	2.000	Pass
			1	104	23.39	0.198	2.000	Pass
		16QAM	50	25	22.67	0.167	2.000	Pass
			1	1	23.08	0.184	2.000	Pass
			1	104	23.05	0.183	2.000	Pass
		64QAM	50	25	21.07	0.116	2.000	Pass
			1	1	21.17	0.119	2.000	Pass
			1	104	21.66	0.133	2.000	Pass
		256QAM	50	25	19.05	0.073	2.000	Pass
			1	1	18.91	0.070	2.000	Pass
			1	104	19.49	0.081	2.000	Pass
	HCH	PI/2 BPSK	50	25	23.8	0.217	2.000	Pass

			1	1	23.57	0.206	2.000	Pass
			1	104	23.95	0.225	2.000	Pass
			50	25	23.8	0.217	2.000	Pass
		QPSK	1	1	23.45	0.200	2.000	Pass
			1	104	23.71	0.213	2.000	Pass
			50	25	22.93	0.178	2.000	Pass
		16QAM	1	1	23.17	0.188	2.000	Pass
			1	104	23.72	0.213	2.000	Pass
			50	25	21.77	0.136	2.000	Pass
		64QAM	1	1	21.97	0.143	2.000	Pass
			1	104	21.95	0.142	2.000	Pass
			50	25	19.72	0.085	2.000	Pass
		256QAM	1	1	19.72	0.085	2.000	Pass
			1	104	19.84	0.087	2.000	Pass
			64	32	23.78	0.216	2.000	Pass
25	LCH	PI/2 BPSK	1	1	23.49	0.202	2.000	Pass
			1	131	23.69	0.212	2.000	Pass
			64	32	23.87	0.221	2.000	Pass
		QPSK	1	1	23.36	0.196	2.000	Pass
			1	131	23.52	0.204	2.000	Pass
			64	32	22.88	0.176	2.000	Pass
		16QAM	1	1	23.03	0.182	2.000	Pass
			1	131	23.24	0.191	2.000	Pass
			64	32	21.13	0.117	2.000	Pass
		64QAM	1	1	21.4	0.125	2.000	Pass
			1	131	21.24	0.121	2.000	Pass
			64	32	19.06	0.073	2.000	Pass
		256QAM	1	1	19.24	0.076	2.000	Pass
			1	131	18.94	0.071	2.000	Pass
			64	32	23.65	0.210	2.000	Pass
	MCH	PI/2 BPSK	1	1	23.52	0.204	2.000	Pass
			1	131	23.48	0.202	2.000	Pass
			64	32	23.69	0.212	2.000	Pass
		QPSK	1	1	23.34	0.195	2.000	Pass
			1	131	23.46	0.201	2.000	Pass
			64	32	22.7	0.169	2.000	Pass
		16QAM	1	1	23.07	0.184	2.000	Pass
			1	131	23.05	0.183	2.000	Pass
			64	32	21.21	0.120	2.000	Pass
		64QAM	1	1	20.94	0.112	2.000	Pass
			1	131	21.8	0.137	2.000	Pass
			64	32	19.15	0.074	2.000	Pass
		256QAM	1	1	18.75	0.068	2.000	Pass

	HCH	PI/2 BPSK	1	131	19.51	0.081	2.000	Pass
			64	32	23.8	0.217	2.000	Pass
			1	1	23.53	0.204	2.000	Pass
		QPSK	1	131	23.83	0.219	2.000	Pass
			64	32	23.85	0.220	2.000	Pass
			1	1	23.4	0.198	2.000	Pass
		16QAM	1	131	23.59	0.207	2.000	Pass
			64	32	22.9	0.177	2.000	Pass
			1	1	22.96	0.179	2.000	Pass
		64QAM	1	131	23.62	0.208	2.000	Pass
			64	32	21.84	0.138	2.000	Pass
			1	1	21.74	0.135	2.000	Pass
		256QAM	1	131	21.96	0.142	2.000	Pass
			64	32	19.75	0.086	2.000	Pass
			1	1	19.45	0.080	2.000	Pass
			1	131	19.7	0.085	2.000	Pass
30	LCH	QPSK	80	40	23.68	0.211	2.000	Pass
			1	1	23.49	0.202	2.000	Pass
			1	158	23.61	0.208	2.000	Pass
		16QAM	80	40	23.8	0.217	2.000	Pass
			1	1	23.27	0.192	2.000	Pass
			1	158	23.41	0.199	2.000	Pass
		64QAM	80	40	22.82	0.173	2.000	Pass
			1	1	23.02	0.182	2.000	Pass
			1	158	23.13	0.186	2.000	Pass
		256QAM	80	40	20.98	0.114	2.000	Pass
			1	1	21.36	0.124	2.000	Pass
			1	158	21.24	0.121	2.000	Pass
	MCH	QPSK	80	40	18.91	0.070	2.000	Pass
			1	1	19.14	0.074	2.000	Pass
			1	158	19.03	0.072	2.000	Pass
		16QAM	80	40	23.67	0.211	2.000	Pass
			1	1	23.55	0.205	2.000	Pass
			1	158	23.5	0.203	2.000	Pass
		64QAM	80	40	23.74	0.214	2.000	Pass
			1	1	23.37	0.197	2.000	Pass
			1	158	23.44	0.200	2.000	Pass
		256QAM	80	40	22.76	0.171	2.000	Pass
			1	1	23	0.181	2.000	Pass
			1	158	23.12	0.186	2.000	Pass
	HCH	QPSK	80	40	21.23	0.120	2.000	Pass
			1	1	21.15	0.118	2.000	Pass
			1	158	21.95	0.142	2.000	Pass

		16QAM	80	40	19.16	0.075	2.000	Pass
			1	1	18.86	0.070	2.000	Pass
			1	158	19.62	0.083	2.000	Pass
		64QAM	80	40	23.74	0.214	2.000	Pass
			1	1	23.53	0.204	2.000	Pass
			1	158	23.82	0.218	2.000	Pass
		256QAM	80	40	23.8	0.217	2.000	Pass
			1	1	23.32	0.195	2.000	Pass
			1	158	23.6	0.207	2.000	Pass
35	LCH	PI/2 BPSK	90	45	22.86	0.175	2.000	Pass
			1	1	23.01	0.181	2.000	Pass
			1	186	23.55	0.205	2.000	Pass
		QPSK	90	45	21.72	0.135	2.000	Pass
			1	1	21.62	0.132	2.000	Pass
			1	186	21.9	0.140	2.000	Pass
		16QAM	90	45	19.65	0.084	2.000	Pass
			1	1	19.36	0.078	2.000	Pass
			1	186	19.74	0.085	2.000	Pass
		64QAM	90	45	23.72	0.213	2.000	Pass
			1	1	23.47	0.201	2.000	Pass
			1	186	23.45	0.200	2.000	Pass
		256QAM	90	45	23.82	0.218	2.000	Pass
			1	1	23.3	0.194	2.000	Pass
			1	186	23.44	0.200	2.000	Pass
	MCH	PI/2 BPSK	90	45	22.82	0.173	2.000	Pass
			1	1	23.01	0.181	2.000	Pass
			1	186	23.14	0.187	2.000	Pass
		QPSK	90	45	21.02	0.115	2.000	Pass
			1	1	21.45	0.126	2.000	Pass
			1	186	21.34	0.123	2.000	Pass
		16QAM	90	45	18.99	0.072	2.000	Pass
			1	1	19.19	0.075	2.000	Pass
			1	186	19.22	0.076	2.000	Pass
		64QAM	90	45	23.67	0.211	2.000	Pass
			1	1	23.51	0.203	2.000	Pass
			1	186	23.56	0.206	2.000	Pass
		256QAM	90	45	23.72	0.213	2.000	Pass
			1	1	23.36	0.196	2.000	Pass
			1	186	23.47	0.201	2.000	Pass
	HCH	PI/2 BPSK	90	45	22.75	0.171	2.000	Pass
			1	1	23.04	0.182	2.000	Pass
			1	186	23.14	0.187	2.000	Pass
		QPSK	90	45	21.23	0.120	2.000	Pass

			1	1	21.08	0.116	2.000	Pass
			1	186	21.9	0.140	2.000	Pass
		16QAM	90	45	19.2	0.075	2.000	Pass
			1	1	18.82	0.069	2.000	Pass
			1	186	19.68	0.084	2.000	Pass
		64QAM	90	45	23.89	0.222	2.000	Pass
			1	1	23.66	0.210	2.000	Pass
			1	186	23.94	0.224	2.000	Pass
		256QAM	90	45	23.91	0.223	2.000	Pass
			1	1	23.48	0.202	2.000	Pass
			1	186	23.69	0.212	2.000	Pass
40	LCH	PI/2 BPSK	108	54	22.98	0.180	2.000	Pass
			1	1	23.22	0.190	2.000	Pass
			1	214	23.68	0.211	2.000	Pass
		QPSK	108	54	21.84	0.138	2.000	Pass
			1	1	21.54	0.129	2.000	Pass
			1	214	21.91	0.141	2.000	Pass
		16QAM	108	54	19.81	0.087	2.000	Pass
			1	1	19.31	0.077	2.000	Pass
			1	214	19.82	0.087	2.000	Pass
		64QAM	108	54	23.77	0.216	2.000	Pass
			1	1	23.46	0.201	2.000	Pass
			1	214	23.73	0.214	2.000	Pass
		256QAM	108	54	23.9	0.222	2.000	Pass
			1	1	23.38	0.197	2.000	Pass
			1	214	23.5	0.203	2.000	Pass
	MCH	PI/2 BPSK	108	54	22.93	0.178	2.000	Pass
			1	1	23.07	0.184	2.000	Pass
			1	214	23.24	0.191	2.000	Pass
		QPSK	108	54	21.1	0.117	2.000	Pass
			1	1	21.42	0.126	2.000	Pass
			1	214	21.78	0.136	2.000	Pass
		16QAM	108	54	19.03	0.072	2.000	Pass
			1	1	19.29	0.077	2.000	Pass
			1	214	19.46	0.080	2.000	Pass
		64QAM	108	54	23.69	0.212	2.000	Pass
			1	1	23.46	0.201	2.000	Pass
			1	214	23.69	0.212	2.000	Pass
		256QAM	108	54	23.75	0.215	2.000	Pass
			1	1	23.38	0.197	2.000	Pass
			1	214	23.51	0.203	2.000	Pass
	HCH	PI/2 BPSK	108	54	22.8	0.173	2.000	Pass
			1	1	23.08	0.184	2.000	Pass

			1	214	23.19	0.189	2.000	Pass
		QPSK	108	54	21.2	0.119	2.000	Pass
			1	1	21.15	0.118	2.000	Pass
			1	214	21.92	0.141	2.000	Pass
		16QAM	108	54	19.19	0.075	2.000	Pass
			1	1	18.85	0.070	2.000	Pass
			1	214	19.77	0.086	2.000	Pass
		64QAM	108	54	23.83	0.219	2.000	Pass
			1	1	23.59	0.207	2.000	Pass
			1	214	23.92	0.223	2.000	Pass
		256QAM	108	54	23.85	0.220	2.000	Pass
			1	1	23.41	0.199	2.000	Pass
			1	214	23.69	0.212	2.000	Pass
50	LCH	PI/2 BPSK	135	67	22.9	0.177	2.000	Pass
			1	1	23.09	0.185	2.000	Pass
			1	268	23.65	0.210	2.000	Pass
		QPSK	135	67	21.71	0.134	2.000	Pass
			1	1	21.41	0.125	2.000	Pass
			1	268	22.02	0.144	2.000	Pass
		16QAM	135	67	19.69	0.084	2.000	Pass
			1	1	19.1	0.074	2.000	Pass
			1	268	19.82	0.087	2.000	Pass
		64QAM	135	67	23.57	0.206	2.000	Pass
			1	1	23.36	0.196	2.000	Pass
			1	268	23.65	0.210	2.000	Pass
		256QAM	135	67	23.67	0.211	2.000	Pass
			1	1	23.26	0.192	2.000	Pass
			1	268	23.48	0.202	2.000	Pass
	MCH	PI/2 BPSK	135	67	22.69	0.168	2.000	Pass
			1	1	22.99	0.180	2.000	Pass
			1	268	23.14	0.187	2.000	Pass
		QPSK	135	67	21.02	0.115	2.000	Pass
			1	1	21.33	0.123	2.000	Pass
			1	268	21.94	0.142	2.000	Pass
		16QAM	135	67	19.02	0.072	2.000	Pass
			1	1	19.1	0.074	2.000	Pass
			1	268	19.68	0.084	2.000	Pass
		64QAM	135	67	23.61	0.208	2.000	Pass
			1	1	23.54	0.205	2.000	Pass
			1	268	23.7	0.212	2.000	Pass
		256QAM	135	67	23.68	0.211	2.000	Pass
			1	1	23.4	0.198	2.000	Pass
			1	268	23.49	0.202	2.000	Pass

	HCH	PI/2 BPSK	135	67	22.68	0.168	2.000	Pass
			1	1	23.07	0.184	2.000	Pass
			1	268	23.19	0.189	2.000	Pass
		QPSK	135	67	21.18	0.119	2.000	Pass
			1	1	21.19	0.119	2.000	Pass
			1	268	22.09	0.147	2.000	Pass
		16QAM	135	67	19.19	0.075	2.000	Pass
			1	1	18.92	0.071	2.000	Pass
			1	268	19.85	0.087	2.000	Pass
		64QAM	135	67	23.61	0.208	2.000	Pass
			1	1	23.34	0.195	2.000	Pass
			1	268	23.89	0.222	2.000	Pass
		256QAM	135	67	23.68	0.211	2.000	Pass
			1	1	23.36	0.196	2.000	Pass
			1	268	23.7	0.212	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR n26 (Part22)								
5	LCH	PI/2 BPSK	12	6	23.18	0.098	7.000	Pass
			1	1	23.26	0.100	7.000	Pass
			1	23	23.18	0.098	7.000	Pass
		QPSK	12	6	23.22	0.099	7.000	Pass
			1	1	23.46	0.105	7.000	Pass
			1	23	23.38	0.103	7.000	Pass
		16QAM	12	6	22.18	0.078	7.000	Pass
			1	1	22.01	0.075	7.000	Pass
			1	23	21.94	0.074	7.000	Pass
		64QAM	12	6	20.68	0.055	7.000	Pass
			1	1	20.56	0.054	7.000	Pass
			1	23	20.41	0.052	7.000	Pass
		256QAM	12	6	18.64	0.035	7.000	Pass
			1	1	18.65	0.035	7.000	Pass
			1	23	18.59	0.034	7.000	Pass
	MCH	PI/2 BPSK	12	6	23.14	0.097	7.000	Pass
			1	1	23.27	0.100	7.000	Pass
			1	23	23.34	0.102	7.000	Pass
		QPSK	12	6	23.25	0.100	7.000	Pass
			1	1	23.52	0.106	7.000	Pass
			1	23	23.56	0.107	7.000	Pass
		16QAM	12	6	22.22	0.079	7.000	Pass
			1	1	22.03	0.075	7.000	Pass
			1	23	22.1	0.077	7.000	Pass
		64QAM	12	6	20.7	0.055	7.000	Pass
			1	1	20.5	0.053	7.000	Pass
			1	23	20.6	0.054	7.000	Pass
		256QAM	12	6	18.61	0.034	7.000	Pass
			1	1	18.59	0.034	7.000	Pass
			1	23	18.66	0.035	7.000	Pass
	HCH	PI/2 BPSK	12	6	23.5	0.106	7.000	Pass
			1	1	23.48	0.105	7.000	Pass
			1	23	23.15	0.097	7.000	Pass
		QPSK	12	6	23.41	0.104	7.000	Pass
			1	1	23.69	0.110	7.000	Pass
			1	23	23.34	0.102	7.000	Pass
		16QAM	12	6	22.41	0.082	7.000	Pass

			1	1	22.27	0.080	7.000	Pass
			1	23	21.94	0.074	7.000	Pass
		64QAM	12	6	20.99	0.059	7.000	Pass
			1	1	20.8	0.057	7.000	Pass
			1	23	20.44	0.052	7.000	Pass
		256QAM	12	6	19.07	0.038	7.000	Pass
			1	1	18.97	0.037	7.000	Pass
			1	23	18.82	0.036	7.000	Pass
		PI/2 BPSK	25	12	23.19	0.098	7.000	Pass
			1	1	23.31	0.101	7.000	Pass
			1	50	23.31	0.101	7.000	Pass
10	LCH	QPSK	25	12	23.2	0.099	7.000	Pass
			1	1	23.55	0.107	7.000	Pass
			1	50	23.58	0.108	7.000	Pass
		16QAM	25	12	22.24	0.079	7.000	Pass
			1	1	22.09	0.076	7.000	Pass
			1	50	22.08	0.076	7.000	Pass
		64QAM	25	12	20.69	0.055	7.000	Pass
			1	1	20.59	0.054	7.000	Pass
			1	50	20.52	0.053	7.000	Pass
		256QAM	25	12	18.64	0.035	7.000	Pass
			1	1	18.71	0.035	7.000	Pass
			1	50	18.65	0.035	7.000	Pass
	MCH	PI/2 BPSK	25	12	23.23	0.099	7.000	Pass
			1	1	23.39	0.103	7.000	Pass
			1	50	23.54	0.107	7.000	Pass
		QPSK	25	12	23.26	0.100	7.000	Pass
			1	1	23.73	0.111	7.000	Pass
			1	50	23.79	0.113	7.000	Pass
		16QAM	25	12	22.34	0.081	7.000	Pass
			1	1	22.2	0.078	7.000	Pass
			1	50	22.3	0.080	7.000	Pass
		64QAM	25	12	20.78	0.056	7.000	Pass
			1	1	20.66	0.055	7.000	Pass
			1	50	20.83	0.057	7.000	Pass
		256QAM	25	12	18.67	0.035	7.000	Pass
			1	1	18.79	0.036	7.000	Pass
			1	50	18.86	0.036	7.000	Pass
	HCH	PI/2 BPSK	25	12	23.53	0.106	7.000	Pass
			1	1	23.55	0.107	7.000	Pass
			1	50	23.14	0.097	7.000	Pass
		QPSK	25	12	23.48	0.105	7.000	Pass
			1	1	23.81	0.114	7.000	Pass

		16QAM	1	50	23.38	0.103	7.000	Pass
			25	12	22.52	0.084	7.000	Pass
			1	1	22.37	0.081	7.000	Pass
			1	50	21.96	0.074	7.000	Pass
		64QAM	25	12	20.99	0.059	7.000	Pass
			1	1	20.88	0.058	7.000	Pass
			1	50	20.51	0.053	7.000	Pass
		256QAM	25	12	18.95	0.037	7.000	Pass
			1	1	18.85	0.036	7.000	Pass
			1	50	18.86	0.036	7.000	Pass
15	LCH	PI/2 BPSK	36	18	23.19	0.098	7.000	Pass
			1	1	23.2	0.099	7.000	Pass
			1	77	23.23	0.099	7.000	Pass
		QPSK	36	18	23.24	0.100	7.000	Pass
			1	1	23.5	0.106	7.000	Pass
			1	77	23.53	0.106	7.000	Pass
		16QAM	36	18	22.23	0.079	7.000	Pass
			1	1	22.08	0.076	7.000	Pass
			1	77	22.11	0.077	7.000	Pass
		64QAM	36	18	20.75	0.056	7.000	Pass
			1	1	20.61	0.054	7.000	Pass
			1	77	20.55	0.054	7.000	Pass
		256QAM	36	18	18.68	0.035	7.000	Pass
			1	1	18.69	0.035	7.000	Pass
			1	77	18.58	0.034	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.27	0.100	7.000	Pass
			1	1	23.17	0.098	7.000	Pass
			1	77	23.33	0.102	7.000	Pass
		QPSK	36	18	23.34	0.102	7.000	Pass
			1	1	23.47	0.105	7.000	Pass
			1	77	23.63	0.109	7.000	Pass
		16QAM	36	18	22.32	0.081	7.000	Pass
			1	1	22.03	0.075	7.000	Pass
			1	77	22.23	0.079	7.000	Pass
		64QAM	36	18	20.84	0.057	7.000	Pass
			1	1	20.52	0.053	7.000	Pass
			1	77	20.69	0.055	7.000	Pass
		256QAM	36	18	18.71	0.035	7.000	Pass
			1	1	18.6	0.034	7.000	Pass
			1	77	18.82	0.036	7.000	Pass
	HCH	PI/2 BPSK	36	18	23.44	0.104	7.000	Pass
			1	1	23.18	0.098	7.000	Pass
			1	77	22.96	0.093	7.000	Pass

		QPSK	36	18	23.5	0.106	7.000	Pass
			1	1	23.51	0.106	7.000	Pass
			1	77	23.24	0.100	7.000	Pass
		16QAM	36	18	22.46	0.083	7.000	Pass
			1	1	22.04	0.076	7.000	Pass
			1	77	21.89	0.073	7.000	Pass
		64QAM	36	18	20.98	0.059	7.000	Pass
			1	1	20.49	0.053	7.000	Pass
			1	77	20.33	0.051	7.000	Pass
		256QAM	36	18	18.86	0.036	7.000	Pass
			1	1	18.57	0.034	7.000	Pass
			1	77	18.74	0.035	7.000	Pass
20	LCH	PI/2 BPSK	50	25	23.31	0.101	7.000	Pass
			1	1	23.26	0.100	7.000	Pass
			1	104	23.34	0.102	7.000	Pass
		QPSK	50	25	23.41	0.104	7.000	Pass
			1	1	23.56	0.107	7.000	Pass
			1	104	23.65	0.109	7.000	Pass
		16QAM	50	25	22.39	0.082	7.000	Pass
			1	1	22.09	0.076	7.000	Pass
			1	104	22.19	0.078	7.000	Pass
		64QAM	50	25	20.87	0.058	7.000	Pass
			1	1	20.58	0.054	7.000	Pass
			1	104	20.72	0.056	7.000	Pass
		256QAM	50	25	18.83	0.036	7.000	Pass
			1	1	18.72	0.035	7.000	Pass
			1	104	18.83	0.036	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.34	0.102	7.000	Pass
			1	1	23.25	0.100	7.000	Pass
			1	104	23.3	0.101	7.000	Pass
		QPSK	50	25	23.44	0.104	7.000	Pass
			1	1	23.59	0.108	7.000	Pass
			1	104	23.6	0.108	7.000	Pass
		16QAM	50	25	22.41	0.082	7.000	Pass
			1	1	22.11	0.077	7.000	Pass
			1	104	22.18	0.078	7.000	Pass
		64QAM	50	25	20.89	0.058	7.000	Pass
			1	1	20.55	0.054	7.000	Pass
			1	104	20.68	0.055	7.000	Pass
		256QAM	50	25	18.84	0.036	7.000	Pass
			1	1	18.73	0.035	7.000	Pass
			1	104	18.98	0.037	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.41	0.104	7.000	Pass

			1	1	23.24	0.100	7.000	Pass
			1	104	22.97	0.094	7.000	Pass
		QPSK	50	25	23.5	0.106	7.000	Pass
			1	1	23.54	0.107	7.000	Pass
			1	104	23.25	0.100	7.000	Pass
		16QAM	50	25	22.47	0.083	7.000	Pass
			1	1	22.09	0.076	7.000	Pass
			1	104	21.85	0.072	7.000	Pass
		64QAM	50	25	20.95	0.059	7.000	Pass
			1	1	20.56	0.054	7.000	Pass
			1	104	20.37	0.051	7.000	Pass
		256QAM	50	25	18.89	0.037	7.000	Pass
			1	1	18.68	0.035	7.000	Pass
			1	104	18.72	0.035	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	ERP (W)	Limit (W)	Verdict
NR n26 (Part90)								
5	LCH	PI/2 BPSK	12	6	23.21	0.095	100.000	Pass
			1	1	23.22	0.095	100.000	Pass
			1	23	23.3	0.097	100.000	Pass
		QPSK	12	6	23.11	0.093	100.000	Pass
			1	1	23.4	0.099	100.000	Pass
			1	23	23.5	0.102	100.000	Pass
		16QAM	12	6	22.13	0.074	100.000	Pass
			1	1	21.97	0.071	100.000	Pass
			1	23	22.07	0.073	100.000	Pass
		64QAM	12	6	20.7	0.053	100.000	Pass
			1	1	20.55	0.052	100.000	Pass
			1	23	20.62	0.052	100.000	Pass
		256QAM	12	6	18.76	0.034	100.000	Pass
			1	1	18.85	0.035	100.000	Pass
			1	23	18.79	0.034	100.000	Pass
	MCH	PI/2 BPSK	12	6	23.28	0.097	100.000	Pass
			1	1	23.31	0.097	100.000	Pass
			1	23	23.28	0.097	100.000	Pass
		QPSK	12	6	23.21	0.095	100.000	Pass
			1	1	23.52	0.102	100.000	Pass
			1	23	23.42	0.100	100.000	Pass
		16QAM	12	6	22.22	0.076	100.000	Pass
			1	1	22.08	0.073	100.000	Pass
			1	23	21.99	0.072	100.000	Pass
		64QAM	12	6	20.75	0.054	100.000	Pass
			1	1	20.56	0.052	100.000	Pass
			1	23	20.57	0.052	100.000	Pass
		256QAM	12	6	18.8	0.034	100.000	Pass
			1	1	18.82	0.035	100.000	Pass
			1	23	18.75	0.034	100.000	Pass
	HCH	PI/2 BPSK	12	6	23.22	0.095	100.000	Pass
			1	1	23.29	0.097	100.000	Pass
			1	23	23.24	0.096	100.000	Pass
		QPSK	12	6	23.17	0.094	100.000	Pass
			1	1	23.42	0.100	100.000	Pass
			1	23	23.41	0.100	100.000	Pass
		16QAM	12	6	22.15	0.074	100.000	Pass

			1	1	22.03	0.072	100.000	Pass
			1	23	21.98	0.072	100.000	Pass
		64QAM	12	6	20.69	0.053	100.000	Pass
			1	1	20.57	0.052	100.000	Pass
			1	23	20.55	0.052	100.000	Pass
		256QAM	12	6	18.7	0.034	100.000	Pass
			1	1	18.78	0.034	100.000	Pass
			1	23	18.66	0.033	100.000	Pass
		PI/2 BPSK	25	12	23.25	0.096	100.000	Pass
			1	1	23.32	0.097	100.000	Pass
			1	50	23.3	0.097	100.000	Pass
10	MCH	QPSK	25	12	23.21	0.095	100.000	Pass
			1	1	23.54	0.103	100.000	Pass
			1	50	23.52	0.102	100.000	Pass
		16QAM	25	12	22.26	0.076	100.000	Pass
			1	1	22.08	0.073	100.000	Pass
			1	50	22.09	0.073	100.000	Pass
		64QAM	25	12	20.75	0.054	100.000	Pass
			1	1	20.69	0.053	100.000	Pass
			1	50	20.67	0.053	100.000	Pass
		256QAM	25	12	18.75	0.034	100.000	Pass
			1	1	18.94	0.036	100.000	Pass
			1	50	18.75	0.034	100.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n38								
10	LCH	PI/2 BPSK	12	6	24	0.198	2.000	Pass
			1	1	24.14	0.204	2.000	Pass
			1	22	23.97	0.196	2.000	Pass
		QPSK	12	6	23.98	0.197	2.000	Pass
			1	1	24.02	0.199	2.000	Pass
			1	22	23.92	0.194	2.000	Pass
		16QAM	12	6	23	0.157	2.000	Pass
			1	1	22.98	0.156	2.000	Pass
			1	22	22.87	0.152	2.000	Pass
		64QAM	12	6	21.56	0.113	2.000	Pass
			1	1	21.49	0.111	2.000	Pass
			1	22	21.39	0.108	2.000	Pass
		256QAM	12	6	21.45	0.110	2.000	Pass
			1	1	21.5	0.111	2.000	Pass
			1	22	21.43	0.109	2.000	Pass
	MCH	PI/2 BPSK	12	6	23.79	0.188	2.000	Pass
			1	1	23.82	0.190	2.000	Pass
			1	22	23.71	0.185	2.000	Pass
		QPSK	12	6	23.68	0.184	2.000	Pass
			1	1	23.8	0.189	2.000	Pass
			1	22	23.69	0.184	2.000	Pass
		16QAM	12	6	22.79	0.150	2.000	Pass
			1	1	22.75	0.148	2.000	Pass
			1	22	22.65	0.145	2.000	Pass
		64QAM	12	6	21.37	0.108	2.000	Pass
			1	1	21.31	0.106	2.000	Pass
			1	22	21.15	0.103	2.000	Pass
		256QAM	12	6	21.32	0.107	2.000	Pass
			1	1	21.42	0.109	2.000	Pass
			1	22	21.27	0.105	2.000	Pass
	HCH	PI/2 BPSK	12	6	23.54	0.178	2.000	Pass
			1	1	23.69	0.184	2.000	Pass
			1	22	23.53	0.177	2.000	Pass
		QPSK	12	6	23.55	0.178	2.000	Pass
			1	1	23.64	0.182	2.000	Pass
			1	22	23.53	0.177	2.000	Pass
		16QAM	12	6	22.54	0.141	2.000	Pass

			1	1	22.57	0.142	2.000	Pass
			1	22	22.39	0.136	2.000	Pass
		64QAM	12	6	21.17	0.103	2.000	Pass
			1	1	21.12	0.102	2.000	Pass
			1	22	20.93	0.097	2.000	Pass
		256QAM	12	6	21.07	0.101	2.000	Pass
			1	1	21.27	0.105	2.000	Pass
			1	22	21.05	0.100	2.000	Pass
		PI/2 BPSK	18	9	24.13	0.204	2.000	Pass
			1	1	24.26	0.210	2.000	Pass
			1	36	24.14	0.204	2.000	Pass
15	LCH	QPSK	18	9	24.06	0.200	2.000	Pass
			1	1	24.06	0.200	2.000	Pass
			1	36	23.97	0.196	2.000	Pass
		16QAM	18	9	23.26	0.167	2.000	Pass
			1	1	22.86	0.152	2.000	Pass
			1	36	22.78	0.149	2.000	Pass
		64QAM	18	9	21.82	0.120	2.000	Pass
			1	1	21.6	0.114	2.000	Pass
			1	36	21.56	0.113	2.000	Pass
		256QAM	18	9	20.09	0.080	2.000	Pass
			1	1	20.06	0.080	2.000	Pass
			1	36	19.99	0.079	2.000	Pass
	MCH	PI/2 BPSK	18	9	23.93	0.195	2.000	Pass
			1	1	23.99	0.197	2.000	Pass
			1	36	23.89	0.193	2.000	Pass
		QPSK	18	9	23.94	0.195	2.000	Pass
			1	1	23.84	0.191	2.000	Pass
			1	36	23.74	0.186	2.000	Pass
		16QAM	18	9	23.06	0.159	2.000	Pass
			1	1	22.71	0.147	2.000	Pass
			1	36	22.66	0.145	2.000	Pass
		64QAM	18	9	21.69	0.116	2.000	Pass
			1	1	21.57	0.113	2.000	Pass
			1	36	21.46	0.110	2.000	Pass
		256QAM	18	9	19.89	0.077	2.000	Pass
			1	1	19.82	0.076	2.000	Pass
			1	36	19.69	0.073	2.000	Pass
	HCH	PI/2 BPSK	18	9	23.87	0.192	2.000	Pass
			1	1	23.93	0.195	2.000	Pass
			1	36	23.88	0.192	2.000	Pass
		QPSK	18	9	23.92	0.194	2.000	Pass
			1	1	23.82	0.190	2.000	Pass

			1	36	23.71	0.185	2.000	Pass
		16QAM	18	9	23.02	0.158	2.000	Pass
			1	1	22.68	0.146	2.000	Pass
			1	36	22.6	0.143	2.000	Pass
			1	36	22.6	0.143	2.000	Pass
		64QAM	18	9	21.62	0.114	2.000	Pass
			1	1	21.56	0.113	2.000	Pass
			1	36	21.42	0.109	2.000	Pass
			1	36	21.42	0.109	2.000	Pass
		256QAM	18	9	19.78	0.075	2.000	Pass
			1	1	19.82	0.076	2.000	Pass
			1	36	19.54	0.071	2.000	Pass
			1	36	19.54	0.071	2.000	Pass
20	LCH	PI/2 BPSK	25	12	23.95	0.195	2.000	Pass
			1	1	24.05	0.200	2.000	Pass
			1	49	23.79	0.188	2.000	Pass
		QPSK	25	12	23.98	0.197	2.000	Pass
			1	1	24.38	0.216	2.000	Pass
			1	49	24.1	0.202	2.000	Pass
		16QAM	25	12	23.01	0.157	2.000	Pass
			1	1	23.09	0.160	2.000	Pass
			1	49	22.81	0.150	2.000	Pass
		64QAM	25	12	21.68	0.116	2.000	Pass
			1	1	21.49	0.111	2.000	Pass
			1	49	21.2	0.104	2.000	Pass
		256QAM	25	12	21.69	0.116	2.000	Pass
			1	1	21.69	0.116	2.000	Pass
			1	49	21.46	0.110	2.000	Pass
	MCH	PI/2 BPSK	25	12	23.82	0.190	2.000	Pass
			1	1	23.77	0.187	2.000	Pass
			1	49	23.63	0.182	2.000	Pass
		QPSK	25	12	23.75	0.187	2.000	Pass
			1	1	24.1	0.202	2.000	Pass
			1	49	23.94	0.195	2.000	Pass
		16QAM	25	12	22.82	0.151	2.000	Pass
			1	1	22.81	0.150	2.000	Pass
			1	49	22.63	0.144	2.000	Pass
		64QAM	25	12	21.44	0.110	2.000	Pass
			1	1	21.34	0.107	2.000	Pass
			1	49	21.16	0.103	2.000	Pass
		256QAM	25	12	21.5	0.111	2.000	Pass
			1	1	21.47	0.110	2.000	Pass
			1	49	21.34	0.107	2.000	Pass
	HCH	PI/2 BPSK	25	12	23.68	0.184	2.000	Pass
			1	1	23.71	0.185	2.000	Pass
			1	49	23.4	0.172	2.000	Pass

		QPSK	25	12	23.68	0.184	2.000	Pass
			1	1	23.98	0.197	2.000	Pass
			1	49	23.7	0.185	2.000	Pass
		16QAM	25	12	22.72	0.147	2.000	Pass
			1	1	22.72	0.147	2.000	Pass
			1	49	22.43	0.138	2.000	Pass
		64QAM	25	12	21.37	0.108	2.000	Pass
			1	1	21.22	0.104	2.000	Pass
			1	49	20.93	0.097	2.000	Pass
		256QAM	25	12	21.42	0.109	2.000	Pass
			1	1	21.4	0.109	2.000	Pass
			1	49	21.16	0.103	2.000	Pass
25	LCH	PI/2 BPSK	32	16	24.25	0.209	2.000	Pass
			1	1	24.42	0.218	2.000	Pass
			1	63	24.21	0.207	2.000	Pass
		QPSK	32	16	24.35	0.214	2.000	Pass
			1	1	24.21	0.207	2.000	Pass
			1	63	24.04	0.200	2.000	Pass
		16QAM	32	16	23.3	0.168	2.000	Pass
			1	1	22.94	0.155	2.000	Pass
			1	63	22.8	0.150	2.000	Pass
		64QAM	32	16	22.07	0.127	2.000	Pass
			1	1	21.75	0.118	2.000	Pass
			1	63	21.63	0.115	2.000	Pass
		256QAM	32	16	20.22	0.083	2.000	Pass
			1	1	20.07	0.080	2.000	Pass
			1	63	19.95	0.078	2.000	Pass
	MCH	PI/2 BPSK	32	16	24.02	0.199	2.000	Pass
			1	1	24.06	0.200	2.000	Pass
			1	63	23.95	0.195	2.000	Pass
		QPSK	32	16	24.07	0.201	2.000	Pass
			1	1	23.91	0.194	2.000	Pass
			1	63	23.83	0.190	2.000	Pass
		16QAM	32	16	23.05	0.159	2.000	Pass
			1	1	22.67	0.146	2.000	Pass
			1	63	22.57	0.142	2.000	Pass
		64QAM	32	16	21.74	0.117	2.000	Pass
			1	1	21.51	0.111	2.000	Pass
			1	63	21.44	0.110	2.000	Pass
		256QAM	32	16	19.92	0.077	2.000	Pass
			1	1	19.84	0.076	2.000	Pass
			1	63	19.68	0.073	2.000	Pass
	HCH	PI/2 BPSK	32	16	23.96	0.196	2.000	Pass

			1	1	24.14	0.204	2.000	Pass
			1	63	23.92	0.194	2.000	Pass
		QPSK	32	16	24.02	0.199	2.000	Pass
			1	1	23.9	0.193	2.000	Pass
			1	63	23.7	0.185	2.000	Pass
		16QAM	32	16	23.01	0.157	2.000	Pass
			1	1	22.67	0.146	2.000	Pass
			1	63	22.49	0.140	2.000	Pass
		64QAM	32	16	21.78	0.119	2.000	Pass
			1	1	21.5	0.111	2.000	Pass
			1	63	21.35	0.107	2.000	Pass
		256QAM	32	16	19.86	0.076	2.000	Pass
			1	1	19.8	0.075	2.000	Pass
			1	63	19.46	0.070	2.000	Pass
30	LCH	PI/2 BPSK	36	18	24.05	0.200	2.000	Pass
			1	1	24.1	0.202	2.000	Pass
			1	76	23.82	0.190	2.000	Pass
		QPSK	36	18	24.03	0.199	2.000	Pass
			1	1	24.66	0.230	2.000	Pass
			1	76	24.2	0.207	2.000	Pass
		16QAM	36	18	23.11	0.161	2.000	Pass
			1	1	23.12	0.161	2.000	Pass
			1	76	22.82	0.151	2.000	Pass
		64QAM	36	18	21.68	0.116	2.000	Pass
			1	1	21.58	0.113	2.000	Pass
			1	76	21.34	0.107	2.000	Pass
		256QAM	36	18	21.64	0.115	2.000	Pass
			1	1	21.66	0.115	2.000	Pass
			1	76	21.44	0.110	2.000	Pass
	MCH	PI/2 BPSK	36	18	23.98	0.197	2.000	Pass
			1	1	23.95	0.195	2.000	Pass
			1	76	23.63	0.182	2.000	Pass
		QPSK	36	18	23.93	0.195	2.000	Pass
			1	1	24.36	0.215	2.000	Pass
			1	76	24	0.198	2.000	Pass
		16QAM	36	18	23.02	0.158	2.000	Pass
			1	1	22.9	0.153	2.000	Pass
			1	76	22.61	0.144	2.000	Pass
		64QAM	36	18	21.53	0.112	2.000	Pass
			1	1	21.43	0.109	2.000	Pass
			1	76	21.18	0.103	2.000	Pass
		256QAM	36	18	21.52	0.112	2.000	Pass
			1	1	21.5	0.111	2.000	Pass

	HCH	PI/2 BPSK	1	76	21.3	0.106	2.000	Pass
			36	18	23.88	0.192	2.000	Pass
			1	1	23.85	0.191	2.000	Pass
		QPSK	1	76	23.52	0.177	2.000	Pass
			36	18	23.89	0.193	2.000	Pass
			1	1	24.34	0.214	2.000	Pass
		16QAM	1	76	23.93	0.195	2.000	Pass
			36	18	22.96	0.156	2.000	Pass
			1	1	22.9	0.153	2.000	Pass
		64QAM	1	76	22.51	0.140	2.000	Pass
			36	18	21.55	0.112	2.000	Pass
			1	1	21.34	0.107	2.000	Pass
		256QAM	1	76	21.01	0.099	2.000	Pass
			36	18	21.47	0.110	2.000	Pass
			1	1	21.49	0.111	2.000	Pass
			1	76	21.23	0.104	2.000	Pass
40	LCH	PI/2 BPSK	50	25	23.98	0.197	2.000	Pass
			1	1	24.09	0.202	2.000	Pass
			1	104	23.69	0.184	2.000	Pass
		QPSK	50	25	23.96	0.196	2.000	Pass
			1	1	24.6	0.227	2.000	Pass
			1	104	24.13	0.204	2.000	Pass
		16QAM	50	25	23.05	0.159	2.000	Pass
			1	1	23.09	0.160	2.000	Pass
			1	104	22.65	0.145	2.000	Pass
		64QAM	50	25	21.58	0.113	2.000	Pass
			1	1	21.59	0.114	2.000	Pass
			1	104	21.3	0.106	2.000	Pass
	MCH	PI/2 BPSK	50	25	21.55	0.112	2.000	Pass
			1	1	21.71	0.117	2.000	Pass
			1	104	21.34	0.107	2.000	Pass
		QPSK	50	25	23.9	0.193	2.000	Pass
			1	1	24.04	0.200	2.000	Pass
			1	104	23.61	0.181	2.000	Pass
		16QAM	50	25	23.94	0.195	2.000	Pass
			1	1	24.52	0.223	2.000	Pass
			1	104	23.99	0.197	2.000	Pass
		64QAM	50	25	22.98	0.156	2.000	Pass
			1	1	22.98	0.156	2.000	Pass
			1	104	22.56	0.142	2.000	Pass
		256QAM	50	25	21.59	0.114	2.000	Pass
			1	1	21.54	0.112	2.000	Pass
			1	104	21.19	0.104	2.000	Pass

		256QAM	50	25	21.59	0.114	2.000	Pass
			1	1	21.65	0.115	2.000	Pass
			1	104	21.3	0.106	2.000	Pass
	HCH	PI/2 BPSK	50	25	23.92	0.194	2.000	Pass
			1	1	24.01	0.198	2.000	Pass
			1	104	23.59	0.180	2.000	Pass
		QPSK	50	25	23.89	0.193	2.000	Pass
			1	1	24.43	0.218	2.000	Pass
			1	104	23.91	0.194	2.000	Pass
		16QAM	50	25	22.96	0.156	2.000	Pass
			1	1	22.94	0.155	2.000	Pass
			1	104	22.52	0.141	2.000	Pass
		64QAM	50	25	21.55	0.112	2.000	Pass
			1	1	21.48	0.111	2.000	Pass
			1	104	21.14	0.102	2.000	Pass
		256QAM	50	25	21.53	0.112	2.000	Pass
			1	1	21.61	0.114	2.000	Pass
			1	104	21.23	0.104	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n41								
10	LCH	PI/2 BPSK	12	6	26.73	0.482	2.000	Pass
			1	1	26.69	0.478	2.000	Pass
			1	22	26.89	0.500	2.000	Pass
		QPSK	12	6	26.69	0.478	2.000	Pass
			1	1	26.41	0.448	2.000	Pass
			1	22	26.59	0.467	2.000	Pass
		16QAM	12	6	25.68	0.378	2.000	Pass
			1	1	25.57	0.369	2.000	Pass
			1	22	25.68	0.378	2.000	Pass
		64QAM	12	6	23.99	0.256	2.000	Pass
			1	1	23.75	0.243	2.000	Pass
			1	22	23.91	0.252	2.000	Pass
		256QAM	12	6	23.89	0.251	2.000	Pass
			1	1	23.68	0.239	2.000	Pass
			1	22	23.84	0.248	2.000	Pass
	MCH	PI/2 BPSK	12	6	26.78	0.488	2.000	Pass
			1	1	26.87	0.498	2.000	Pass
			1	22	26.74	0.483	2.000	Pass
		QPSK	12	6	26.69	0.478	2.000	Pass
			1	1	26.63	0.471	2.000	Pass
			1	22	26.57	0.465	2.000	Pass
		16QAM	12	6	25.83	0.392	2.000	Pass
			1	1	25.8	0.389	2.000	Pass
			1	22	25.72	0.382	2.000	Pass
		64QAM	12	6	24.2	0.269	2.000	Pass
			1	1	24.02	0.258	2.000	Pass
			1	22	24.01	0.258	2.000	Pass
		256QAM	12	6	24.14	0.265	2.000	Pass
			1	1	24.04	0.259	2.000	Pass
			1	22	24.02	0.258	2.000	Pass
	HCH	PI/2 BPSK	12	6	26.47	0.454	2.000	Pass
			1	1	26.37	0.444	2.000	Pass
			1	22	26.56	0.463	2.000	Pass
		QPSK	12	6	26.49	0.456	2.000	Pass
			1	1	26.2	0.427	2.000	Pass
			1	22	26.29	0.436	2.000	Pass
		16QAM	12	6	25.47	0.361	2.000	Pass

			1	1	25.28	0.345	2.000	Pass
			1	22	25.37	0.352	2.000	Pass
		64QAM	12	6	23.88	0.250	2.000	Pass
			1	1	23.56	0.232	2.000	Pass
			1	22	23.64	0.237	2.000	Pass
		256QAM	12	6	23.71	0.240	2.000	Pass
			1	1	23.58	0.233	2.000	Pass
			1	22	23.59	0.234	2.000	Pass
		PI/2 BPSK	18	9	26.73	0.482	2.000	Pass
			1	1	26.63	0.471	2.000	Pass
			1	36	26.86	0.497	2.000	Pass
15	LCH	QPSK	18	9	26.76	0.485	2.000	Pass
			1	1	26.87	0.498	2.000	Pass
			1	36	27.12	0.527	2.000	Pass
		16QAM	18	9	25.68	0.378	2.000	Pass
			1	1	25.79	0.388	2.000	Pass
			1	36	25.95	0.403	2.000	Pass
		64QAM	18	9	24.24	0.272	2.000	Pass
			1	1	23.62	0.236	2.000	Pass
			1	36	23.87	0.249	2.000	Pass
		256QAM	18	9	24.1	0.263	2.000	Pass
			1	1	23.71	0.240	2.000	Pass
			1	36	23.91	0.252	2.000	Pass
	MCH	PI/2 BPSK	18	9	26.83	0.493	2.000	Pass
			1	1	26.87	0.498	2.000	Pass
			1	36	26.69	0.478	2.000	Pass
		QPSK	18	9	26.76	0.485	2.000	Pass
			1	1	27.07	0.521	2.000	Pass
			1	36	26.88	0.499	2.000	Pass
		16QAM	18	9	25.87	0.395	2.000	Pass
			1	1	25.92	0.400	2.000	Pass
			1	36	25.74	0.384	2.000	Pass
		64QAM	18	9	24.32	0.277	2.000	Pass
			1	1	24.04	0.259	2.000	Pass
			1	36	23.86	0.249	2.000	Pass
		256QAM	18	9	24.42	0.283	2.000	Pass
			1	1	24.15	0.266	2.000	Pass
			1	36	23.99	0.256	2.000	Pass
	HCH	PI/2 BPSK	18	9	26.24	0.431	2.000	Pass
			1	1	26.22	0.429	2.000	Pass
			1	36	26.47	0.454	2.000	Pass
		QPSK	18	9	26.29	0.436	2.000	Pass
			1	1	26.61	0.469	2.000	Pass

			1	36	26.72	0.481	2.000	Pass
		16QAM	18	9	25.28	0.345	2.000	Pass
			1	1	25.36	0.352	2.000	Pass
			1	36	25.62	0.373	2.000	Pass
		64QAM	18	9	23.95	0.254	2.000	Pass
			1	1	23.53	0.231	2.000	Pass
			1	36	23.54	0.231	2.000	Pass
		256QAM	18	9	23.82	0.247	2.000	Pass
			1	1	23.59	0.234	2.000	Pass
			1	36	23.5	0.229	2.000	Pass
20	LCH	PI/2 BPSK	25	12	26.79	0.489	2.000	Pass
			1	1	26.65	0.473	2.000	Pass
			1	49	26.89	0.500	2.000	Pass
		QPSK	25	12	26.9	0.501	2.000	Pass
			1	1	26.91	0.502	2.000	Pass
			1	49	27.12	0.527	2.000	Pass
		16QAM	25	12	25.75	0.385	2.000	Pass
			1	1	25.75	0.385	2.000	Pass
			1	49	26.05	0.412	2.000	Pass
		64QAM	25	12	24.29	0.275	2.000	Pass
			1	1	23.67	0.238	2.000	Pass
			1	49	23.93	0.253	2.000	Pass
		256QAM	25	12	24.31	0.276	2.000	Pass
			1	1	23.7	0.240	2.000	Pass
			1	49	23.97	0.255	2.000	Pass
	MCH	PI/2 BPSK	25	12	26.88	0.499	2.000	Pass
			1	1	26.89	0.500	2.000	Pass
			1	49	26.67	0.475	2.000	Pass
		QPSK	25	12	26.85	0.495	2.000	Pass
			1	1	27.08	0.522	2.000	Pass
			1	49	26.86	0.497	2.000	Pass
		16QAM	25	12	25.89	0.397	2.000	Pass
			1	1	25.96	0.404	2.000	Pass
			1	49	25.71	0.381	2.000	Pass
		64QAM	25	12	24.38	0.281	2.000	Pass
			1	1	24.06	0.261	2.000	Pass
			1	49	23.84	0.248	2.000	Pass
		256QAM	25	12	24.4	0.282	2.000	Pass
			1	1	24.19	0.269	2.000	Pass
			1	49	23.98	0.256	2.000	Pass
	HCH	PI/2 BPSK	25	12	26.27	0.434	2.000	Pass
			1	1	26.19	0.426	2.000	Pass
			1	49	26.46	0.453	2.000	Pass

		QPSK	25	12	26.38	0.445	2.000	Pass
			1	1	26.53	0.460	2.000	Pass
			1	49	26.7	0.479	2.000	Pass
		16QAM	25	12	25.34	0.350	2.000	Pass
			1	1	25.3	0.347	2.000	Pass
			1	49	25.55	0.367	2.000	Pass
		64QAM	25	12	23.95	0.254	2.000	Pass
			1	1	23.51	0.230	2.000	Pass
			1	49	23.52	0.230	2.000	Pass
		256QAM	25	12	23.98	0.256	2.000	Pass
			1	1	23.57	0.233	2.000	Pass
			1	49	23.58	0.233	2.000	Pass
25	LCH	PI/2 BPSK	32	16	27.02	0.515	2.000	Pass
			1	1	26.77	0.486	2.000	Pass
			1	63	27.04	0.518	2.000	Pass
		QPSK	32	16	27.08	0.522	2.000	Pass
			1	1	27.04	0.518	2.000	Pass
			1	63	27.26	0.545	2.000	Pass
		16QAM	32	16	25.96	0.404	2.000	Pass
			1	1	25.95	0.403	2.000	Pass
			1	63	26.14	0.421	2.000	Pass
		64QAM	32	16	24.52	0.290	2.000	Pass
			1	1	23.88	0.250	2.000	Pass
			1	63	24.03	0.259	2.000	Pass
		256QAM	32	16	24.41	0.282	2.000	Pass
			1	1	23.91	0.252	2.000	Pass
			1	63	24.09	0.262	2.000	Pass
	MCH	PI/2 BPSK	32	16	27.02	0.515	2.000	Pass
			1	1	27.03	0.516	2.000	Pass
			1	63	26.85	0.495	2.000	Pass
		QPSK	32	16	27.01	0.514	2.000	Pass
			1	1	27.37	0.558	2.000	Pass
			1	63	27.15	0.531	2.000	Pass
		16QAM	32	16	26.07	0.414	2.000	Pass
			1	1	26.05	0.412	2.000	Pass
			1	63	25.83	0.392	2.000	Pass
		64QAM	32	16	24.55	0.292	2.000	Pass
			1	1	24.21	0.270	2.000	Pass
			1	63	24.05	0.260	2.000	Pass
		256QAM	32	16	24.46	0.286	2.000	Pass
			1	1	24.32	0.277	2.000	Pass
			1	63	24.17	0.267	2.000	Pass
	HCH	PI/2 BPSK	32	16	26.46	0.453	2.000	Pass

			1	1	26.31	0.438	2.000	Pass
			1	63	26.64	0.472	2.000	Pass
		QPSK	32	16	26.6	0.468	2.000	Pass
			1	1	26.63	0.471	2.000	Pass
			1	63	26.92	0.504	2.000	Pass
		16QAM	32	16	25.57	0.369	2.000	Pass
			1	1	25.36	0.352	2.000	Pass
			1	63	25.74	0.384	2.000	Pass
		64QAM	32	16	24.18	0.268	2.000	Pass
			1	1	23.61	0.235	2.000	Pass
			1	63	23.7	0.240	2.000	Pass
		256QAM	32	16	24.07	0.261	2.000	Pass
			1	1	23.78	0.244	2.000	Pass
			1	63	23.82	0.247	2.000	Pass
30	LCH	PI/2 BPSK	36	18	27.18	0.535	2.000	Pass
			1	1	26.87	0.498	2.000	Pass
			1	76	27.08	0.522	2.000	Pass
		QPSK	36	18	27.15	0.531	2.000	Pass
			1	1	27.52	0.578	2.000	Pass
			1	76	27.69	0.601	2.000	Pass
		16QAM	36	18	26.12	0.419	2.000	Pass
			1	1	26.15	0.422	2.000	Pass
			1	76	26.34	0.441	2.000	Pass
		64QAM	36	18	24.52	0.290	2.000	Pass
			1	1	23.97	0.255	2.000	Pass
			1	76	24.07	0.261	2.000	Pass
		256QAM	36	18	24.55	0.292	2.000	Pass
			1	1	23.92	0.252	2.000	Pass
			1	76	24.11	0.264	2.000	Pass
	MCH	PI/2 BPSK	36	18	27.07	0.521	2.000	Pass
			1	1	27.09	0.524	2.000	Pass
			1	76	26.85	0.495	2.000	Pass
		QPSK	36	18	27.05	0.519	2.000	Pass
			1	1	27.77	0.612	2.000	Pass
			1	76	27.43	0.566	2.000	Pass
		16QAM	36	18	26.17	0.424	2.000	Pass
			1	1	26.18	0.425	2.000	Pass
			1	76	25.86	0.394	2.000	Pass
		64QAM	36	18	24.51	0.289	2.000	Pass
			1	1	24.36	0.279	2.000	Pass
			1	76	24.07	0.261	2.000	Pass
		256QAM	36	18	24.52	0.290	2.000	Pass
			1	1	24.39	0.281	2.000	Pass

	HCH	PI/2 BPSK	1	76	24.14	0.265	2.000	Pass
			36	18	26.47	0.454	2.000	Pass
			1	1	26.31	0.438	2.000	Pass
		QPSK	1	76	26.68	0.476	2.000	Pass
			36	18	26.51	0.458	2.000	Pass
			1	1	27.02	0.515	2.000	Pass
		16QAM	1	76	27.28	0.547	2.000	Pass
			36	18	25.59	0.371	2.000	Pass
			1	1	25.44	0.358	2.000	Pass
		64QAM	1	76	25.86	0.394	2.000	Pass
			36	18	24.1	0.263	2.000	Pass
			1	1	23.67	0.238	2.000	Pass
		256QAM	1	76	23.71	0.240	2.000	Pass
			36	18	24.06	0.261	2.000	Pass
			1	1	23.75	0.243	2.000	Pass
			1	76	23.76	0.243	2.000	Pass
35	LCH	PI/2 BPSK	45	22	26.6	0.468	2.000	Pass
			1	1	26.91	0.502	2.000	Pass
			1	90	23.29	0.218	2.000	Pass
		QPSK	45	22	26.03	0.410	2.000	Pass
			1	1	27.52	0.578	2.000	Pass
			1	90	23.59	0.234	2.000	Pass
		16QAM	45	22	25.07	0.329	2.000	Pass
			1	1	26.1	0.417	2.000	Pass
			1	90	23.2	0.214	2.000	Pass
		64QAM	45	22	24.51	0.289	2.000	Pass
			1	1	23.99	0.256	2.000	Pass
			1	90	23.07	0.207	2.000	Pass
	MCH	PI/2 BPSK	45	22	24.57	0.293	2.000	Pass
			1	1	23.97	0.255	2.000	Pass
			1	90	23.17	0.212	2.000	Pass
		QPSK	45	22	26.53	0.460	2.000	Pass
			1	1	27.11	0.526	2.000	Pass
			1	90	23.34	0.221	2.000	Pass
		16QAM	45	22	25.91	0.399	2.000	Pass
			1	1	27.78	0.614	2.000	Pass
			1	90	23.48	0.228	2.000	Pass
		64QAM	45	22	24.98	0.322	2.000	Pass
			1	1	26.17	0.424	2.000	Pass
			1	90	23.23	0.215	2.000	Pass
		256QAM	45	22	24.45	0.285	2.000	Pass
			1	1	24.23	0.271	2.000	Pass
			1	90	23.15	0.211	2.000	Pass

		256QAM	45	22	24.46	0.286	2.000	Pass
			1	1	24.35	0.279	2.000	Pass
			1	90	23.31	0.219	2.000	Pass
	HCH	PI/2 BPSK	45	22	25.95	0.403	2.000	Pass
			1	1	26.26	0.433	2.000	Pass
			1	90	23	0.204	2.000	Pass
		QPSK	45	22	25.4	0.355	2.000	Pass
			1	1	26.8	0.490	2.000	Pass
			1	90	23.25	0.216	2.000	Pass
		16QAM	45	22	24.46	0.286	2.000	Pass
			1	1	25.24	0.342	2.000	Pass
			1	90	22.81	0.195	2.000	Pass
		64QAM	45	22	23.96	0.255	2.000	Pass
			1	1	23.55	0.232	2.000	Pass
			1	90	22.73	0.192	2.000	Pass
		256QAM	45	22	23.98	0.256	2.000	Pass
			1	1	23.8	0.245	2.000	Pass
			1	90	22.79	0.195	2.000	Pass
40	LCH	PI/2 BPSK	50	25	27.25	0.543	2.000	Pass
			1	1	26.86	0.497	2.000	Pass
			1	104	27.06	0.520	2.000	Pass
		QPSK	50	25	27.27	0.546	2.000	Pass
			1	1	27.47	0.571	2.000	Pass
			1	104	27.58	0.586	2.000	Pass
		16QAM	50	25	26.15	0.422	2.000	Pass
			1	1	26.07	0.414	2.000	Pass
			1	104	26.37	0.444	2.000	Pass
		64QAM	50	25	24.62	0.296	2.000	Pass
			1	1	23.88	0.250	2.000	Pass
			1	104	24.08	0.262	2.000	Pass
		256QAM	50	25	24.58	0.294	2.000	Pass
			1	1	23.92	0.252	2.000	Pass
			1	104	24.09	0.262	2.000	Pass
	MCH	PI/2 BPSK	50	25	27.07	0.521	2.000	Pass
			1	1	27.21	0.538	2.000	Pass
			1	104	26.75	0.484	2.000	Pass
		QPSK	50	25	27.07	0.521	2.000	Pass
			1	1	27.93	0.635	2.000	Pass
			1	104	27.36	0.557	2.000	Pass
		16QAM	50	25	26.14	0.421	2.000	Pass
			1	1	26.29	0.436	2.000	Pass
			1	104	25.72	0.382	2.000	Pass
		64QAM	50	25	24.57	0.293	2.000	Pass

		256QAM	1	1	24.51	0.289	2.000	Pass
			1	104	24.07	0.261	2.000	Pass
			50	25	24.56	0.292	2.000	Pass
			1	1	24.5	0.288	2.000	Pass
			1	104	24.1	0.263	2.000	Pass
	HCH	PI/2 BPSK	50	25	26.44	0.451	2.000	Pass
			1	1	26.34	0.441	2.000	Pass
			1	104	26.69	0.478	2.000	Pass
		QPSK	50	25	26.48	0.455	2.000	Pass
			1	1	26.93	0.505	2.000	Pass
			1	104	27.25	0.543	2.000	Pass
		16QAM	50	25	25.49	0.362	2.000	Pass
			1	1	25.52	0.365	2.000	Pass
			1	104	25.99	0.406	2.000	Pass
		64QAM	50	25	24.06	0.261	2.000	Pass
			1	1	23.78	0.244	2.000	Pass
			1	104	23.74	0.242	2.000	Pass
		256QAM	50	25	24.03	0.259	2.000	Pass
			1	1	23.79	0.245	2.000	Pass
			1	104	23.76	0.243	2.000	Pass
45	LCH	PI/2 BPSK	54	27	26.54	0.461	2.000	Pass
			1	1	26.94	0.506	2.000	Pass
			1	117	23.36	0.222	2.000	Pass
		QPSK	54	27	26	0.407	2.000	Pass
			1	1	27.53	0.579	2.000	Pass
			1	117	23.71	0.240	2.000	Pass
		16QAM	54	27	25.05	0.327	2.000	Pass
			1	1	26.13	0.420	2.000	Pass
			1	117	23.32	0.220	2.000	Pass
		64QAM	54	27	24.54	0.291	2.000	Pass
			1	1	23.93	0.253	2.000	Pass
			1	117	23.21	0.214	2.000	Pass
		256QAM	54	27	24.57	0.293	2.000	Pass
			1	1	23.99	0.256	2.000	Pass
			1	117	23.3	0.219	2.000	Pass
	MCH	PI/2 BPSK	54	27	26.56	0.463	2.000	Pass
			1	1	27.23	0.541	2.000	Pass
			1	117	23.3	0.219	2.000	Pass
		QPSK	54	27	25.95	0.403	2.000	Pass
			1	1	27.93	0.635	2.000	Pass
			1	117	23.39	0.223	2.000	Pass
		16QAM	54	27	25	0.324	2.000	Pass
			1	1	26.35	0.442	2.000	Pass

			1	117	23.18	0.213	2.000	Pass	
		64QAM	54	27	24.5	0.288	2.000	Pass	
			1	1	24.36	0.279	2.000	Pass	
			1	117	23.12	0.210	2.000	Pass	
			54	27	24.49	0.288	2.000	Pass	
		256QAM	1	1	24.51	0.289	2.000	Pass	
			1	117	23.26	0.217	2.000	Pass	
			54	27	25.86	0.394	2.000	Pass	
		HCH	PI/2 BPSK	1	1	26.36	0.443	2.000	Pass
				1	117	23.05	0.207	2.000	Pass
	54			27	25.4	0.355	2.000	Pass	
	QPSK		1	1	26.86	0.497	2.000	Pass	
			1	117	23.26	0.217	2.000	Pass	
			54	27	24.39	0.281	2.000	Pass	
	16QAM		1	1	25.41	0.356	2.000	Pass	
			1	117	22.93	0.201	2.000	Pass	
			54	27	23.97	0.255	2.000	Pass	
	64QAM		1	1	23.79	0.245	2.000	Pass	
			1	117	22.83	0.196	2.000	Pass	
			54	27	23.99	0.256	2.000	Pass	
	256QAM	1	1	23.83	0.247	2.000	Pass		
		1	117	22.91	0.200	2.000	Pass		

50	LCH	PI/2 BPSK	64	32	27.24	0.542	2.000	Pass
			1	1	26.79	0.489	2.000	Pass
			1	131	27.08	0.522	2.000	Pass
		QPSK	64	32	27.36	0.557	2.000	Pass
			1	1	27.39	0.561	2.000	Pass
			1	131	27.6	0.589	2.000	Pass
		16QAM	64	32	26.36	0.443	2.000	Pass
			1	1	26.04	0.411	2.000	Pass
			1	131	26.34	0.441	2.000	Pass
		64QAM	64	32	24.62	0.296	2.000	Pass
			1	1	23.87	0.249	2.000	Pass
			1	131	24.18	0.268	2.000	Pass
		256QAM	64	32	24.61	0.296	2.000	Pass
			1	1	23.87	0.249	2.000	Pass
			1	131	24.16	0.267	2.000	Pass
	MCH	PI/2 BPSK	64	32	27.09	0.524	2.000	Pass
			1	1	27.22	0.540	2.000	Pass
			1	131	26.47	0.454	2.000	Pass
		QPSK	64	32	27.16	0.532	2.000	Pass
			1	1	27.87	0.627	2.000	Pass
			1	131	27.13	0.528	2.000	Pass

		16QAM	64	32	26.2	0.427	2.000	Pass
			1	1	26.25	0.432	2.000	Pass
			1	131	25.5	0.363	2.000	Pass
		64QAM	64	32	24.58	0.294	2.000	Pass
			1	1	24.46	0.286	2.000	Pass
			1	131	23.76	0.243	2.000	Pass
		256QAM	64	32	24.59	0.294	2.000	Pass
			1	1	24.44	0.284	2.000	Pass
			1	131	23.9	0.251	2.000	Pass
	HCH	PI/2 BPSK	64	32	26.39	0.446	2.000	Pass
			1	1	26.34	0.441	2.000	Pass
			1	131	26.53	0.460	2.000	Pass
		QPSK	64	32	26.52	0.459	2.000	Pass
			1	1	26.88	0.499	2.000	Pass
			1	131	27.12	0.527	2.000	Pass
		16QAM	64	32	25.5	0.363	2.000	Pass
			1	1	25.49	0.362	2.000	Pass
			1	131	25.75	0.385	2.000	Pass
		64QAM	64	32	23.99	0.256	2.000	Pass
			1	1	23.75	0.243	2.000	Pass
			1	131	23.58	0.233	2.000	Pass
		256QAM	64	32	23.99	0.256	2.000	Pass
			1	1	23.9	0.251	2.000	Pass
			1	131	23.66	0.238	2.000	Pass
60	LCH	PI/2 BPSK	81	40	27.21	0.538	2.000	Pass
			1	1	26.84	0.494	2.000	Pass
			1	160	27.25	0.543	2.000	Pass
		QPSK	81	40	27.3	0.550	2.000	Pass
			1	1	27.58	0.586	2.000	Pass
			1	160	27.67	0.598	2.000	Pass
		16QAM	81	40	26.31	0.438	2.000	Pass
			1	1	26.11	0.418	2.000	Pass
			1	160	26.51	0.458	2.000	Pass
		64QAM	81	40	24.57	0.293	2.000	Pass
			1	1	23.95	0.254	2.000	Pass
			1	160	24.36	0.279	2.000	Pass
		256QAM	81	40	24.58	0.294	2.000	Pass
			1	1	23.93	0.253	2.000	Pass
			1	160	24.38	0.281	2.000	Pass
	MCH	PI/2 BPSK	81	40	27.04	0.518	2.000	Pass
			1	1	27.33	0.553	2.000	Pass
			1	160	26.36	0.443	2.000	Pass
		QPSK	81	40	27.03	0.516	2.000	Pass

			1	1	27.87	0.627	2.000	Pass
			1	160	27.19	0.536	2.000	Pass
		16QAM	81	40	26.1	0.417	2.000	Pass
			1	1	26.36	0.443	2.000	Pass
			1	160	25.37	0.352	2.000	Pass
		64QAM	81	40	24.45	0.285	2.000	Pass
			1	1	24.51	0.289	2.000	Pass
			1	160	23.76	0.243	2.000	Pass
		256QAM	81	40	24.45	0.285	2.000	Pass
			1	1	24.56	0.292	2.000	Pass
			1	160	23.83	0.247	2.000	Pass
	HCH	PI/2 BPSK	81	40	26.23	0.430	2.000	Pass
			1	1	26.35	0.442	2.000	Pass
			1	160	26.5	0.457	2.000	Pass
		QPSK	81	40	26.33	0.440	2.000	Pass
			1	1	27.24	0.542	2.000	Pass
			1	160	27	0.513	2.000	Pass
		16QAM	81	40	25.34	0.350	2.000	Pass
			1	1	25.42	0.356	2.000	Pass
			1	160	25.68	0.378	2.000	Pass
		64QAM	81	40	23.89	0.251	2.000	Pass
			1	1	23.83	0.247	2.000	Pass
			1	160	23.56	0.232	2.000	Pass
		256QAM	81	40	23.85	0.248	2.000	Pass
			1	1	23.96	0.255	2.000	Pass
			1	160	23.68	0.239	2.000	Pass
70	LCH	PI/2 BPSK	90	45	27.21	0.538	2.000	Pass
			1	1	26.86	0.497	2.000	Pass
			1	187	27.27	0.546	2.000	Pass
		QPSK	90	45	27.28	0.547	2.000	Pass
			1	1	27.55	0.582	2.000	Pass
			1	187	27.71	0.604	2.000	Pass
		16QAM	90	45	26.35	0.442	2.000	Pass
			1	1	26.14	0.421	2.000	Pass
			1	187	26.55	0.462	2.000	Pass
		64QAM	90	45	24.59	0.294	2.000	Pass
			1	1	24.05	0.260	2.000	Pass
			1	187	24.47	0.286	2.000	Pass
		256QAM	90	45	24.6	0.295	2.000	Pass
			1	1	24	0.257	2.000	Pass
			1	187	24.54	0.291	2.000	Pass
	MCH	PI/2 BPSK	90	45	27	0.513	2.000	Pass
			1	1	27.22	0.540	2.000	Pass

		QPSK	1	187	26.27	0.434	2.000	Pass
			90	45	27.02	0.515	2.000	Pass
			1	1	27.81	0.618	2.000	Pass
			1	187	27.08	0.522	2.000	Pass
		16QAM	90	45	26.11	0.418	2.000	Pass
			1	1	26.2	0.427	2.000	Pass
			1	187	25.18	0.337	2.000	Pass
		64QAM	90	45	24.45	0.285	2.000	Pass
			1	1	24.51	0.289	2.000	Pass
			1	187	23.77	0.244	2.000	Pass
		256QAM	90	45	24.46	0.286	2.000	Pass
			1	1	24.52	0.290	2.000	Pass
			1	187	23.79	0.245	2.000	Pass
	HCH	PI/2 BPSK	90	45	26.19	0.426	2.000	Pass
			1	1	26.45	0.452	2.000	Pass
			1	187	26.45	0.452	2.000	Pass
		QPSK	90	45	26.3	0.437	2.000	Pass
			1	1	27.26	0.545	2.000	Pass
			1	187	27.06	0.520	2.000	Pass
		16QAM	90	45	25.33	0.349	2.000	Pass
			1	1	25.49	0.362	2.000	Pass
			1	187	25.59	0.371	2.000	Pass
		64QAM	90	45	23.84	0.248	2.000	Pass
			1	1	23.85	0.248	2.000	Pass
			1	187	23.56	0.232	2.000	Pass
		256QAM	90	45	23.82	0.247	2.000	Pass
			1	1	24.04	0.259	2.000	Pass
			1	187	23.7	0.240	2.000	Pass
80	LCH	PI/2 BPSK	108	54	27.21	0.538	2.000	Pass
			1	1	26.83	0.493	2.000	Pass
			1	215	27.12	0.527	2.000	Pass
		QPSK	108	54	27.32	0.552	2.000	Pass
			1	1	27.49	0.574	2.000	Pass
			1	215	27.7	0.603	2.000	Pass
		16QAM	108	54	26.29	0.436	2.000	Pass
			1	1	26.11	0.418	2.000	Pass
			1	215	26.32	0.439	2.000	Pass
		64QAM	108	54	24.65	0.299	2.000	Pass
			1	1	24.02	0.258	2.000	Pass
			1	215	24.36	0.279	2.000	Pass
		256QAM	108	54	24.62	0.296	2.000	Pass
			1	1	24.01	0.258	2.000	Pass
			1	215	24.44	0.284	2.000	Pass

	MCH	PI/2 BPSK	108	54	26.96	0.508	2.000	Pass
			1	1	27.28	0.547	2.000	Pass
			1	215	26.25	0.432	2.000	Pass
		QPSK	108	54	27.03	0.516	2.000	Pass
			1	1	27.71	0.604	2.000	Pass
			1	215	26.91	0.502	2.000	Pass
		16QAM	108	54	26.07	0.414	2.000	Pass
			1	1	26.49	0.456	2.000	Pass
			1	215	25.29	0.346	2.000	Pass
		64QAM	108	54	24.45	0.285	2.000	Pass
			1	1	24.42	0.283	2.000	Pass
			1	215	23.65	0.237	2.000	Pass
		256QAM	108	54	24.4	0.282	2.000	Pass
			1	1	24.55	0.292	2.000	Pass
			1	215	23.81	0.246	2.000	Pass
	HCH	PI/2 BPSK	108	54	26.27	0.434	2.000	Pass
			1	1	26.78	0.488	2.000	Pass
			1	215	26.46	0.453	2.000	Pass
		QPSK	108	54	26.41	0.448	2.000	Pass
			1	1	27.41	0.564	2.000	Pass
			1	215	27	0.513	2.000	Pass
		16QAM	108	54	25.36	0.352	2.000	Pass
			1	1	25.77	0.386	2.000	Pass
			1	215	25.6	0.372	2.000	Pass
		64QAM	108	54	23.91	0.252	2.000	Pass
			1	1	24.1	0.263	2.000	Pass
			1	215	23.51	0.230	2.000	Pass
		256QAM	108	54	23.89	0.251	2.000	Pass
			1	1	24.25	0.272	2.000	Pass
			1	215	23.71	0.240	2.000	Pass
90	LCH	PI/2 BPSK	120	60	27.27	0.546	2.000	Pass
			1	1	26.88	0.499	2.000	Pass
			1	243	27.01	0.514	2.000	Pass
		QPSK	120	60	27.36	0.557	2.000	Pass
			1	1	27.48	0.573	2.000	Pass
			1	243	27.52	0.578	2.000	Pass
		16QAM	120	60	26.42	0.449	2.000	Pass
			1	1	26.18	0.425	2.000	Pass
			1	243	26.19	0.426	2.000	Pass
		64QAM	120	60	24.7	0.302	2.000	Pass
			1	1	24	0.257	2.000	Pass
			1	243	24.31	0.276	2.000	Pass
		256QAM	120	60	24.69	0.301	2.000	Pass

			1	1	24.07	0.261	2.000	Pass
			1	243	24.36	0.279	2.000	Pass
	MCH	PI/2 BPSK	120	60	26.99	0.512	2.000	Pass
			1	1	27.29	0.548	2.000	Pass
			1	243	26.26	0.433	2.000	Pass
		QPSK	120	60	27.03	0.516	2.000	Pass
			1	1	27.55	0.582	2.000	Pass
			1	243	26.92	0.504	2.000	Pass
		16QAM	120	60	26.11	0.418	2.000	Pass
			1	1	26.6	0.468	2.000	Pass
			1	243	25.42	0.356	2.000	Pass
		64QAM	120	60	24.43	0.284	2.000	Pass
			1	1	24.48	0.287	2.000	Pass
			1	243	23.66	0.238	2.000	Pass
		256QAM	120	60	24.44	0.284	2.000	Pass
			1	1	24.52	0.290	2.000	Pass
			1	243	23.77	0.244	2.000	Pass
	HCH	PI/2 BPSK	120	60	26.31	0.438	2.000	Pass
			1	1	26.94	0.506	2.000	Pass
			1	243	26.53	0.460	2.000	Pass
		QPSK	120	60	26.44	0.451	2.000	Pass
			1	1	27.6	0.589	2.000	Pass
			1	243	26.84	0.494	2.000	Pass
		16QAM	120	60	25.45	0.359	2.000	Pass
			1	1	26	0.407	2.000	Pass
			1	243	25.67	0.378	2.000	Pass
		64QAM	120	60	23.93	0.253	2.000	Pass
			1	1	24.24	0.272	2.000	Pass
			1	243	23.68	0.239	2.000	Pass
		256QAM	120	60	23.95	0.254	2.000	Pass
			1	1	24.41	0.282	2.000	Pass
			1	243	23.76	0.243	2.000	Pass
100	LCH	PI/2 BPSK	135	67	27.17	0.533	2.000	Pass
			1	1	26.89	0.500	2.000	Pass
			1	271	26.85	0.495	2.000	Pass
		QPSK	135	67	27.28	0.547	2.000	Pass
			1	1	27.31	0.551	2.000	Pass
			1	271	27.33	0.553	2.000	Pass
		16QAM	135	67	26.33	0.440	2.000	Pass
			1	1	26.18	0.425	2.000	Pass
			1	271	26.02	0.409	2.000	Pass
		64QAM	135	67	24.68	0.301	2.000	Pass
			1	1	24.04	0.259	2.000	Pass

		256QAM	1	271	24.11	0.264	2.000	Pass
			135	67	24.65	0.299	2.000	Pass
			1	1	24.07	0.261	2.000	Pass
			1	271	24.24	0.272	2.000	Pass
	MCH	PI/2 BPSK	135	67	26.92	0.504	2.000	Pass
			1	1	27.24	0.542	2.000	Pass
			1	271	26.2	0.427	2.000	Pass
		QPSK	135	67	26.97	0.509	2.000	Pass
			1	1	27.36	0.557	2.000	Pass
			1	271	26.91	0.502	2.000	Pass
		16QAM	135	67	26.04	0.411	2.000	Pass
			1	1	26.52	0.459	2.000	Pass
			1	271	25.39	0.354	2.000	Pass
		64QAM	135	67	24.43	0.284	2.000	Pass
			1	1	24.4	0.282	2.000	Pass
			1	271	23.63	0.236	2.000	Pass
		256QAM	135	67	24.43	0.284	2.000	Pass
			1	1	24.43	0.284	2.000	Pass
			1	271	23.74	0.242	2.000	Pass
	HCH	PI/2 BPSK	135	67	26.35	0.442	2.000	Pass
			1	1	26.99	0.512	2.000	Pass
			1	271	26.6	0.468	2.000	Pass
		QPSK	135	67	26.48	0.455	2.000	Pass
			1	1	27.49	0.574	2.000	Pass
			1	271	26.75	0.484	2.000	Pass
		16QAM	135	67	25.48	0.361	2.000	Pass
			1	1	26.16	0.423	2.000	Pass
			1	271	25.89	0.397	2.000	Pass
		64QAM	135	67	24.03	0.259	2.000	Pass
			1	1	24.26	0.273	2.000	Pass
			1	271	23.69	0.239	2.000	Pass
		256QAM	135	67	24.01	0.258	2.000	Pass
			1	1	24.34	0.278	2.000	Pass
			1	271	23.8	0.245	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n66								
5	LCH	PI/2 BPSK	12	6	24.41	0.375	1.000	Pass
			1	1	24.35	0.370	1.000	Pass
			1	23	24.29	0.365	1.000	Pass
		QPSK	12	6	24.48	0.381	1.000	Pass
			1	1	24.27	0.363	1.000	Pass
			1	23	24.16	0.354	1.000	Pass
		16QAM	12	6	23.42	0.299	1.000	Pass
			1	1	23.55	0.308	1.000	Pass
			1	23	23.55	0.308	1.000	Pass
		64QAM	12	6	21.97	0.214	1.000	Pass
			1	1	22.08	0.219	1.000	Pass
			1	23	22.08	0.219	1.000	Pass
		256QAM	12	6	19.93	0.134	1.000	Pass
			1	1	19.87	0.132	1.000	Pass
			1	23	19.81	0.130	1.000	Pass
	MCH	PI/2 BPSK	12	6	24.49	0.382	1.000	Pass
			1	1	24.37	0.372	1.000	Pass
			1	23	24.42	0.376	1.000	Pass
		QPSK	12	6	24.56	0.388	1.000	Pass
			1	1	24.29	0.365	1.000	Pass
			1	23	24.28	0.364	1.000	Pass
		16QAM	12	6	23.49	0.303	1.000	Pass
			1	1	23.76	0.323	1.000	Pass
			1	23	23.81	0.327	1.000	Pass
		64QAM	12	6	22.06	0.218	1.000	Pass
			1	1	22.2	0.225	1.000	Pass
			1	23	22.23	0.227	1.000	Pass
		256QAM	12	6	20.07	0.138	1.000	Pass
			1	1	19.99	0.136	1.000	Pass
			1	23	20	0.136	1.000	Pass
	HCH	PI/2 BPSK	12	6	24.49	0.382	1.000	Pass
			1	1	24.45	0.378	1.000	Pass
			1	23	24.45	0.378	1.000	Pass
		QPSK	12	6	24.62	0.394	1.000	Pass
			1	1	24.38	0.372	1.000	Pass
			1	23	24.31	0.366	1.000	Pass
		16QAM	12	6	23.53	0.306	1.000	Pass

			1	1	23.84	0.329	1.000	Pass	
			1	23	23.86	0.330	1.000	Pass	
		64QAM	12	6	22.07	0.219	1.000	Pass	
			1	1	22.26	0.229	1.000	Pass	
			1	23	22.25	0.228	1.000	Pass	
		256QAM	12	6	20.06	0.138	1.000	Pass	
			1	1	20.06	0.138	1.000	Pass	
			1	23	20.07	0.138	1.000	Pass	
10	LCH	PI/2 BPSK	25	12	24.4	0.374	1.000	Pass	
			1	1	24.44	0.378	1.000	Pass	
			1	50	24.29	0.365	1.000	Pass	
		QPSK	25	12	24.43	0.377	1.000	Pass	
			1	1	24.38	0.372	1.000	Pass	
			1	50	24.19	0.356	1.000	Pass	
		16QAM	25	12	23.48	0.303	1.000	Pass	
			1	1	23.78	0.324	1.000	Pass	
			1	50	23.7	0.318	1.000	Pass	
		64QAM	25	12	22.04	0.217	1.000	Pass	
			1	1	22.21	0.226	1.000	Pass	
			1	50	21.99	0.215	1.000	Pass	
		256QAM	25	12	19.9	0.133	1.000	Pass	
			1	1	20.01	0.136	1.000	Pass	
			1	50	19.84	0.131	1.000	Pass	
		MCH	PI/2 BPSK	25	12	24.47	0.380	1.000	Pass
				1	1	24.45	0.378	1.000	Pass
				1	50	24.42	0.376	1.000	Pass
			QPSK	25	12	24.53	0.385	1.000	Pass
				1	1	24.34	0.369	1.000	Pass
				1	50	24.3	0.366	1.000	Pass
			16QAM	25	12	23.51	0.305	1.000	Pass
				1	1	23.84	0.329	1.000	Pass
				1	50	23.73	0.321	1.000	Pass
	64QAM		25	12	22.06	0.218	1.000	Pass	
			1	1	22.28	0.230	1.000	Pass	
			1	50	22.3	0.231	1.000	Pass	
	256QAM		25	12	19.96	0.135	1.000	Pass	
			1	1	20.05	0.137	1.000	Pass	
			1	50	20.03	0.137	1.000	Pass	
	HCH		PI/2 BPSK	25	12	24.55	0.387	1.000	Pass
		1		1	24.53	0.385	1.000	Pass	
		1		50	24.51	0.384	1.000	Pass	
		QPSK	25	12	24.59	0.391	1.000	Pass	
			1	1	24.38	0.372	1.000	Pass	

			1	50	24.35	0.370	1.000	Pass
		16QAM	25	12	23.6	0.311	1.000	Pass
			1	1	23.96	0.338	1.000	Pass
			1	50	23.93	0.336	1.000	Pass
			1	50	23.93	0.336	1.000	Pass
		64QAM	25	12	22.16	0.223	1.000	Pass
			1	1	22.38	0.235	1.000	Pass
			1	50	22.34	0.233	1.000	Pass
			1	50	22.34	0.233	1.000	Pass
		256QAM	25	12	20.02	0.136	1.000	Pass
			1	1	20.13	0.140	1.000	Pass
			1	50	20.11	0.139	1.000	Pass
			1	50	20.11	0.139	1.000	Pass
15	LCH	PI/2 BPSK	36	18	24.36	0.371	1.000	Pass
			1	1	24.39	0.373	1.000	Pass
			1	77	24.24	0.361	1.000	Pass
		QPSK	36	18	24.42	0.376	1.000	Pass
			1	1	24.31	0.366	1.000	Pass
			1	77	24.13	0.352	1.000	Pass
		16QAM	36	18	23.48	0.303	1.000	Pass
			1	1	23.73	0.321	1.000	Pass
			1	77	23.66	0.316	1.000	Pass
		64QAM	36	18	21.94	0.212	1.000	Pass
			1	1	22.21	0.226	1.000	Pass
			1	77	22.08	0.219	1.000	Pass
		256QAM	36	18	19.87	0.132	1.000	Pass
			1	1	19.95	0.134	1.000	Pass
			1	77	19.84	0.131	1.000	Pass
	MCH	PI/2 BPSK	36	18	24.46	0.379	1.000	Pass
			1	1	24.44	0.378	1.000	Pass
			1	77	24.39	0.373	1.000	Pass
		QPSK	36	18	24.5	0.383	1.000	Pass
			1	1	24.29	0.365	1.000	Pass
			1	77	24.26	0.362	1.000	Pass
		16QAM	36	18	23.57	0.309	1.000	Pass
			1	1	23.79	0.325	1.000	Pass
			1	77	23.82	0.327	1.000	Pass
		64QAM	36	18	22.04	0.217	1.000	Pass
			1	1	22.24	0.228	1.000	Pass
			1	77	22.18	0.224	1.000	Pass
		256QAM	36	18	20.01	0.136	1.000	Pass
			1	1	19.99	0.136	1.000	Pass
			1	77	20	0.136	1.000	Pass
	HCH	PI/2 BPSK	36	18	24.48	0.381	1.000	Pass
			1	1	24.34	0.369	1.000	Pass
			1	77	24.46	0.379	1.000	Pass

		QPSK	36	18	24.52	0.385	1.000	Pass
			1	1	24.26	0.362	1.000	Pass
			1	77	24.31	0.366	1.000	Pass
		16QAM	36	18	23.59	0.310	1.000	Pass
			1	1	23.77	0.324	1.000	Pass
			1	77	23.84	0.329	1.000	Pass
		64QAM	36	18	22.05	0.218	1.000	Pass
			1	1	22.22	0.226	1.000	Pass
			1	77	22.2	0.225	1.000	Pass
		256QAM	36	18	20.01	0.136	1.000	Pass
			1	1	20.04	0.137	1.000	Pass
			1	77	20.07	0.138	1.000	Pass
20	LCH	PI/2 BPSK	50	25	24.35	0.370	1.000	Pass
			1	1	24.4	0.374	1.000	Pass
			1	104	24.28	0.364	1.000	Pass
		QPSK	50	25	24.36	0.371	1.000	Pass
			1	1	24.29	0.365	1.000	Pass
			1	104	24.16	0.354	1.000	Pass
		16QAM	50	25	23.45	0.301	1.000	Pass
			1	1	23.7	0.318	1.000	Pass
			1	104	23.71	0.319	1.000	Pass
		64QAM	50	25	21.9	0.210	1.000	Pass
			1	1	22.13	0.222	1.000	Pass
			1	104	22.14	0.222	1.000	Pass
		256QAM	50	25	19.88	0.132	1.000	Pass
			1	1	19.96	0.135	1.000	Pass
			1	104	19.88	0.132	1.000	Pass
	MCH	PI/2 BPSK	50	25	24.48	0.381	1.000	Pass
			1	1	24.42	0.376	1.000	Pass
			1	104	24.39	0.373	1.000	Pass
		QPSK	50	25	24.52	0.385	1.000	Pass
			1	1	24.32	0.367	1.000	Pass
			1	104	24.26	0.362	1.000	Pass
		16QAM	50	25	23.6	0.311	1.000	Pass
			1	1	23.78	0.324	1.000	Pass
			1	104	23.85	0.330	1.000	Pass
		64QAM	50	25	22.05	0.218	1.000	Pass
			1	1	22.2	0.225	1.000	Pass
			1	104	22.26	0.229	1.000	Pass
		256QAM	50	25	20.01	0.136	1.000	Pass
			1	1	20.02	0.136	1.000	Pass
			1	104	20.03	0.137	1.000	Pass
	HCH	PI/2 BPSK	50	25	24.49	0.382	1.000	Pass

			1	1	24.42	0.376	1.000	Pass
			1	104	24.48	0.381	1.000	Pass
		QPSK	50	25	24.53	0.385	1.000	Pass
			1	1	24.23	0.360	1.000	Pass
			1	104	24.34	0.369	1.000	Pass
		16QAM	50	25	23.61	0.312	1.000	Pass
			1	1	23.89	0.333	1.000	Pass
			1	104	23.72	0.320	1.000	Pass
		64QAM	50	25	22.02	0.216	1.000	Pass
			1	1	22.27	0.229	1.000	Pass
			1	104	22.3	0.231	1.000	Pass
		256QAM	50	25	20.03	0.137	1.000	Pass
			1	1	20.02	0.136	1.000	Pass
			1	104	20.06	0.138	1.000	Pass
25	LCH	PI/2 BPSK	64	32	24.4	0.374	1.000	Pass
			1	1	24.31	0.366	1.000	Pass
			1	131	24.24	0.361	1.000	Pass
		QPSK	64	32	24.42	0.376	1.000	Pass
			1	1	24.25	0.361	1.000	Pass
			1	131	24.15	0.353	1.000	Pass
		16QAM	64	32	23.41	0.298	1.000	Pass
			1	1	23.64	0.314	1.000	Pass
			1	131	23.56	0.308	1.000	Pass
		64QAM	64	32	21.95	0.213	1.000	Pass
			1	1	22.09	0.220	1.000	Pass
			1	131	21.98	0.214	1.000	Pass
		256QAM	64	32	19.9	0.133	1.000	Pass
			1	1	19.91	0.133	1.000	Pass
			1	131	19.89	0.132	1.000	Pass
	MCH	PI/2 BPSK	64	32	24.51	0.384	1.000	Pass
			1	1	24.44	0.378	1.000	Pass
			1	131	24.33	0.368	1.000	Pass
		QPSK	64	32	24.54	0.386	1.000	Pass
			1	1	24.28	0.364	1.000	Pass
			1	131	24.25	0.361	1.000	Pass
		16QAM	64	32	23.54	0.307	1.000	Pass
			1	1	23.82	0.327	1.000	Pass
			1	131	23.85	0.330	1.000	Pass
		64QAM	64	32	22.08	0.219	1.000	Pass
			1	1	22.26	0.229	1.000	Pass
			1	131	22.26	0.229	1.000	Pass
		256QAM	64	32	20.08	0.138	1.000	Pass
			1	1	19.99	0.136	1.000	Pass

	HCH	PI/2 BPSK	1	131	20	0.136	1.000	Pass
			64	32	24.51	0.384	1.000	Pass
			1	1	24.37	0.372	1.000	Pass
		QPSK	1	131	24.46	0.379	1.000	Pass
			64	32	24.58	0.390	1.000	Pass
			1	1	24.23	0.360	1.000	Pass
		16QAM	1	131	24.31	0.366	1.000	Pass
			64	32	23.58	0.310	1.000	Pass
			1	1	23.76	0.323	1.000	Pass
		64QAM	1	131	23.88	0.332	1.000	Pass
			64	32	22.09	0.220	1.000	Pass
			1	1	22.23	0.227	1.000	Pass
		256QAM	1	131	22.14	0.222	1.000	Pass
			64	32	20.07	0.138	1.000	Pass
			1	1	20	0.136	1.000	Pass
			1	131	20.04	0.137	1.000	Pass
30	LCH	PI/2 BPSK	80	40	24.5	0.383	1.000	Pass
			1	1	24.47	0.380	1.000	Pass
			1	158	24.4	0.374	1.000	Pass
		QPSK	80	40	24.58	0.390	1.000	Pass
			1	1	24.39	0.373	1.000	Pass
			1	158	24.28	0.364	1.000	Pass
		16QAM	80	40	23.6	0.311	1.000	Pass
			1	1	23.82	0.327	1.000	Pass
			1	158	23.8	0.326	1.000	Pass
		64QAM	80	40	22.07	0.219	1.000	Pass
			1	1	22.26	0.229	1.000	Pass
			1	158	22.23	0.227	1.000	Pass
	MCH	256QAM	80	40	20.01	0.136	1.000	Pass
			1	1	20.04	0.137	1.000	Pass
			1	158	20.01	0.136	1.000	Pass
		PI/2 BPSK	80	40	24.6	0.392	1.000	Pass
			1	1	24.54	0.386	1.000	Pass
			1	158	24.5	0.383	1.000	Pass
		QPSK	80	40	24.63	0.394	1.000	Pass
			1	1	24.43	0.377	1.000	Pass
			1	158	24.35	0.370	1.000	Pass
		16QAM	80	40	23.71	0.319	1.000	Pass
			1	1	23.93	0.336	1.000	Pass
			1	158	23.87	0.331	1.000	Pass
		64QAM	80	40	22.17	0.224	1.000	Pass
			1	1	22.35	0.233	1.000	Pass
			1	158	22.34	0.233	1.000	Pass

		256QAM	80	40	20.09	0.139	1.000	Pass
			1	1	20.11	0.139	1.000	Pass
			1	158	20.11	0.139	1.000	Pass
	HCH	PI/2 BPSK	80	40	24.61	0.393	1.000	Pass
			1	1	24.47	0.380	1.000	Pass
			1	158	24.56	0.388	1.000	Pass
		QPSK	80	40	24.7	0.401	1.000	Pass
			1	1	24.4	0.374	1.000	Pass
			1	158	24.43	0.377	1.000	Pass
		16QAM	80	40	23.73	0.321	1.000	Pass
			1	1	23.89	0.333	1.000	Pass
			1	158	23.96	0.338	1.000	Pass
		64QAM	80	40	22.19	0.225	1.000	Pass
			1	1	22.27	0.229	1.000	Pass
			1	158	22.35	0.233	1.000	Pass
		256QAM	80	40	20.13	0.140	1.000	Pass
			1	1	20.09	0.139	1.000	Pass
			1	158	20.18	0.142	1.000	Pass
35	LCH	PI/2 BPSK	90	45	24.47	0.380	1.000	Pass
			1	1	24.43	0.377	1.000	Pass
			1	186	24.37	0.372	1.000	Pass
		QPSK	90	45	24.48	0.381	1.000	Pass
			1	1	24.36	0.371	1.000	Pass
			1	186	24.27	0.363	1.000	Pass
		16QAM	90	45	23.5	0.304	1.000	Pass
			1	1	23.65	0.315	1.000	Pass
			1	186	23.67	0.316	1.000	Pass
		64QAM	90	45	21.99	0.215	1.000	Pass
			1	1	22.18	0.224	1.000	Pass
			1	186	22.18	0.224	1.000	Pass
		256QAM	90	45	19.98	0.135	1.000	Pass
			1	1	20	0.136	1.000	Pass
			1	186	19.96	0.135	1.000	Pass
	MCH	PI/2 BPSK	90	45	24.56	0.388	1.000	Pass
			1	1	24.47	0.380	1.000	Pass
			1	186	24.42	0.376	1.000	Pass
		QPSK	90	45	24.59	0.391	1.000	Pass
			1	1	24.29	0.365	1.000	Pass
			1	186	24.28	0.364	1.000	Pass
		16QAM	90	45	23.63	0.313	1.000	Pass
			1	1	23.86	0.330	1.000	Pass
			1	186	23.9	0.333	1.000	Pass
		64QAM	90	45	22.09	0.220	1.000	Pass

			1	1	22.28	0.230	1.000	Pass
			1	186	22.27	0.229	1.000	Pass
		256QAM	90	45	20.11	0.139	1.000	Pass
			1	1	20.02	0.136	1.000	Pass
			1	186	20.04	0.137	1.000	Pass
	HCH	PI/2 BPSK	90	45	24.55	0.387	1.000	Pass
			1	1	24.38	0.372	1.000	Pass
			1	186	24.44	0.378	1.000	Pass
		QPSK	90	45	24.57	0.389	1.000	Pass
			1	1	24.28	0.364	1.000	Pass
			1	186	24.36	0.371	1.000	Pass
		16QAM	90	45	23.59	0.310	1.000	Pass
			1	1	23.77	0.324	1.000	Pass
			1	186	23.92	0.335	1.000	Pass
		64QAM	90	45	22.09	0.220	1.000	Pass
			1	1	22.23	0.227	1.000	Pass
			1	186	22.34	0.233	1.000	Pass
		256QAM	90	45	22.12	0.221	1.000	Pass
			1	1	21.89	0.210	1.000	Pass
			1	186	21.99	0.215	1.000	Pass
40	LCH	PI/2 BPSK	108	54	24.47	0.380	1.000	Pass
			1	1	24.44	0.378	1.000	Pass
			1	214	24.26	0.362	1.000	Pass
		QPSK	108	54	24.51	0.384	1.000	Pass
			1	1	24.34	0.369	1.000	Pass
			1	214	24.24	0.361	1.000	Pass
		16QAM	108	54	23.56	0.308	1.000	Pass
			1	1	23.67	0.316	1.000	Pass
			1	214	23.66	0.316	1.000	Pass
		64QAM	108	54	22.02	0.216	1.000	Pass
			1	1	22.21	0.226	1.000	Pass
			1	214	22.18	0.224	1.000	Pass
		256QAM	108	54	20.02	0.136	1.000	Pass
			1	1	20.04	0.137	1.000	Pass
			1	214	19.99	0.136	1.000	Pass
	MCH	PI/2 BPSK	108	54	24.61	0.393	1.000	Pass
			1	1	24.49	0.382	1.000	Pass
			1	214	24.47	0.380	1.000	Pass
		QPSK	108	54	24.64	0.395	1.000	Pass
			1	1	24.35	0.370	1.000	Pass
			1	214	24.35	0.370	1.000	Pass
		16QAM	108	54	23.65	0.315	1.000	Pass
			1	1	23.9	0.333	1.000	Pass

			1	214	24	0.341	1.000	Pass
			108	54	22.13	0.222	1.000	Pass
			1	1	22.31	0.231	1.000	Pass
			1	214	22.35	0.233	1.000	Pass
		64QAM	108	54	20.13	0.140	1.000	Pass
			1	1	20.1	0.139	1.000	Pass
			1	214	20.12	0.140	1.000	Pass
		256QAM	108	54	24.55	0.387	1.000	Pass
			1	1	24.46	0.379	1.000	Pass
			1	214	24.53	0.385	1.000	Pass
		PI/2 BPSK	108	54	24.61	0.393	1.000	Pass
			1	1	24.34	0.369	1.000	Pass
			1	214	24.42	0.376	1.000	Pass
45	HCH	QPSK	108	54	23.64	0.314	1.000	Pass
			1	1	23.82	0.327	1.000	Pass
			1	214	23.85	0.330	1.000	Pass
		16QAM	108	54	22.11	0.221	1.000	Pass
			1	1	22.28	0.230	1.000	Pass
			1	214	22.39	0.236	1.000	Pass
		64QAM	108	54	20.09	0.139	1.000	Pass
			1	1	20.05	0.137	1.000	Pass
			1	214	20.1	0.139	1.000	Pass
		256QAM	120	60	24.43	0.377	1.000	Pass
			1	1	24.38	0.372	1.000	Pass
			1	240	24.33	0.368	1.000	Pass
		QPSK	120	60	24.48	0.381	1.000	Pass
			1	1	24.29	0.365	1.000	Pass
			1	240	24.18	0.356	1.000	Pass
		16QAM	120	60	23.55	0.308	1.000	Pass
			1	1	23.71	0.319	1.000	Pass
			1	240	23.8	0.326	1.000	Pass
		64QAM	120	60	21.98	0.214	1.000	Pass
			1	1	22.17	0.224	1.000	Pass
			1	240	22.16	0.223	1.000	Pass
		256QAM	120	60	19.99	0.136	1.000	Pass
			1	1	19.96	0.135	1.000	Pass
			1	240	19.94	0.134	1.000	Pass
	MCH	PI/2 BPSK	120	60	24.58	0.390	1.000	Pass
			1	1	24.46	0.379	1.000	Pass
			1	240	24.47	0.380	1.000	Pass
		QPSK	120	60	24.6	0.392	1.000	Pass
			1	1	24.31	0.366	1.000	Pass
			1	240	24.29	0.365	1.000	Pass

		16QAM	120	60	23.69	0.318	1.000	Pass
			1	1	23.84	0.329	1.000	Pass
			1	240	23.94	0.337	1.000	Pass
		64QAM	120	60	22.13	0.222	1.000	Pass
			1	1	22.27	0.229	1.000	Pass
			1	240	22.3	0.231	1.000	Pass
		256QAM	120	60	22.12	0.221	1.000	Pass
			1	1	21.91	0.211	1.000	Pass
			1	240	21.95	0.213	1.000	Pass
	HCH	PI/2 BPSK	120	60	24.54	0.386	1.000	Pass
			1	1	24.42	0.376	1.000	Pass
			1	240	24.52	0.385	1.000	Pass
		QPSK	120	60	24.59	0.391	1.000	Pass
			1	1	24.31	0.366	1.000	Pass
			1	240	24.38	0.372	1.000	Pass
		16QAM	120	60	23.68	0.317	1.000	Pass
			1	1	23.79	0.325	1.000	Pass
			1	240	23.89	0.333	1.000	Pass
		64QAM	120	60	22.09	0.220	1.000	Pass
			1	1	22.24	0.228	1.000	Pass
			1	240	22.33	0.232	1.000	Pass
		256QAM	120	60	20.13	0.140	1.000	Pass
			1	1	20.02	0.136	1.000	Pass
			1	240	20.11	0.139	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n71								
5	LCH	PI/2 BPSK	12	6	23.33	0.075	3.000	Pass
			1	1	23.36	0.075	3.000	Pass
			1	23	23.43	0.076	3.000	Pass
		QPSK	12	6	23.32	0.074	3.000	Pass
			1	1	23.53	0.078	3.000	Pass
			1	23	23.6	0.079	3.000	Pass
		16QAM	12	6	22.3	0.059	3.000	Pass
			1	1	22.13	0.057	3.000	Pass
			1	23	22.16	0.057	3.000	Pass
		64QAM	12	6	20.83	0.042	3.000	Pass
			1	1	20.8	0.042	3.000	Pass
			1	23	20.75	0.041	3.000	Pass
		256QAM	12	6	18.78	0.026	3.000	Pass
			1	1	18.78	0.026	3.000	Pass
			1	23	18.7	0.026	3.000	Pass
	MCH	PI/2 BPSK	12	6	23.76	0.082	3.000	Pass
			1	1	23.77	0.083	3.000	Pass
			1	23	23.74	0.082	3.000	Pass
		QPSK	12	6	23.74	0.082	3.000	Pass
			1	1	23.86	0.084	3.000	Pass
			1	23	23.85	0.084	3.000	Pass
		16QAM	12	6	22.69	0.064	3.000	Pass
			1	1	22.56	0.063	3.000	Pass
			1	23	22.51	0.062	3.000	Pass
		64QAM	12	6	21.09	0.045	3.000	Pass
			1	1	21.07	0.044	3.000	Pass
			1	23	21.02	0.044	3.000	Pass
		256QAM	12	6	19.05	0.028	3.000	Pass
			1	1	19.07	0.028	3.000	Pass
			1	23	19.01	0.028	3.000	Pass
	HCH	PI/2 BPSK	12	6	23.44	0.077	3.000	Pass
			1	1	23.56	0.079	3.000	Pass
			1	23	23.43	0.076	3.000	Pass
		QPSK	12	6	23.53	0.078	3.000	Pass
			1	1	23.65	0.080	3.000	Pass
			1	23	23.52	0.078	3.000	Pass
		16QAM	12	6	22.45	0.061	3.000	Pass

			1	1	22.32	0.059	3.000	Pass
			1	23	22.19	0.057	3.000	Pass
		64QAM	12	6	21.03	0.044	3.000	Pass
			1	1	21.04	0.044	3.000	Pass
			1	23	20.93	0.043	3.000	Pass
		256QAM	12	6	18.94	0.027	3.000	Pass
			1	1	19	0.028	3.000	Pass
			1	23	18.96	0.027	3.000	Pass
		PI/2 BPSK	25	12	23.39	0.076	3.000	Pass
			1	1	23.4	0.076	3.000	Pass
			1	50	23.63	0.080	3.000	Pass
10	LCH	QPSK	25	12	23.39	0.076	3.000	Pass
			1	1	23.64	0.080	3.000	Pass
			1	50	23.82	0.084	3.000	Pass
		16QAM	25	12	22.36	0.060	3.000	Pass
			1	1	22.16	0.057	3.000	Pass
			1	50	22.4	0.060	3.000	Pass
		64QAM	25	12	20.83	0.042	3.000	Pass
			1	1	20.87	0.042	3.000	Pass
			1	50	20.89	0.043	3.000	Pass
		256QAM	25	12	18.73	0.026	3.000	Pass
			1	1	18.86	0.027	3.000	Pass
			1	50	18.95	0.027	3.000	Pass
	MCH	PI/2 BPSK	25	12	23.77	0.083	3.000	Pass
			1	1	23.79	0.083	3.000	Pass
			1	50	23.74	0.082	3.000	Pass
		QPSK	25	12	23.77	0.083	3.000	Pass
			1	1	23.93	0.086	3.000	Pass
			1	50	23.9	0.085	3.000	Pass
		16QAM	25	12	22.73	0.065	3.000	Pass
			1	1	22.56	0.063	3.000	Pass
			1	50	22.55	0.062	3.000	Pass
		64QAM	25	12	21.12	0.045	3.000	Pass
			1	1	21.09	0.045	3.000	Pass
			1	50	21.11	0.045	3.000	Pass
		256QAM	25	12	19.03	0.028	3.000	Pass
			1	1	19.06	0.028	3.000	Pass
			1	50	19.1	0.028	3.000	Pass
	HCH	PI/2 BPSK	25	12	23.58	0.079	3.000	Pass
			1	1	23.75	0.082	3.000	Pass
			1	50	23.52	0.078	3.000	Pass
		QPSK	25	12	23.55	0.079	3.000	Pass
			1	1	23.9	0.085	3.000	Pass

			1	50	23.65	0.080	3.000	Pass
		16QAM	25	12	22.53	0.062	3.000	Pass
			1	1	22.55	0.062	3.000	Pass
			1	50	22.32	0.059	3.000	Pass
			1	50	22.32	0.059	3.000	Pass
		64QAM	25	12	21.09	0.045	3.000	Pass
			1	1	21.15	0.045	3.000	Pass
			1	50	20.99	0.044	3.000	Pass
			1	50	20.99	0.044	3.000	Pass
		256QAM	25	12	19.02	0.028	3.000	Pass
			1	1	19.15	0.029	3.000	Pass
			1	50	19.03	0.028	3.000	Pass
			1	50	19.03	0.028	3.000	Pass
15	LCH	PI/2 BPSK	36	18	23.55	0.079	3.000	Pass
			1	1	23.32	0.074	3.000	Pass
			1	77	23.72	0.082	3.000	Pass
		QPSK	36	18	23.56	0.079	3.000	Pass
			1	1	23.56	0.079	3.000	Pass
			1	77	23.86	0.084	3.000	Pass
		16QAM	36	18	22.59	0.063	3.000	Pass
			1	1	22.13	0.057	3.000	Pass
			1	77	22.51	0.062	3.000	Pass
		64QAM	36	18	21	0.044	3.000	Pass
			1	1	20.77	0.041	3.000	Pass
			1	77	21.04	0.044	3.000	Pass
	MCH	256QAM	36	18	18.94	0.027	3.000	Pass
			1	1	18.8	0.026	3.000	Pass
			1	77	19.02	0.028	3.000	Pass
		PI/2 BPSK	36	18	23.78	0.083	3.000	Pass
			1	1	23.59	0.079	3.000	Pass
			1	77	23.55	0.079	3.000	Pass
		QPSK	36	18	23.8	0.083	3.000	Pass
			1	1	23.75	0.082	3.000	Pass
			1	77	23.73	0.082	3.000	Pass
		16QAM	36	18	22.76	0.065	3.000	Pass
			1	1	22.36	0.060	3.000	Pass
			1	77	22.3	0.059	3.000	Pass
	HCH	64QAM	36	18	21.2	0.046	3.000	Pass
			1	1	20.89	0.043	3.000	Pass
			1	77	20.95	0.043	3.000	Pass
		256QAM	36	18	19.14	0.028	3.000	Pass
			1	1	18.9	0.027	3.000	Pass
			1	77	18.98	0.027	3.000	Pass
		PI/2 BPSK	36	18	23.62	0.080	3.000	Pass
			1	1	23.71	0.081	3.000	Pass
			1	77	23.42	0.076	3.000	Pass

		QPSK	36	18	23.61	0.080	3.000	Pass
			1	1	23.91	0.085	3.000	Pass
			1	77	23.54	0.078	3.000	Pass
		16QAM	36	18	22.59	0.063	3.000	Pass
			1	1	22.53	0.062	3.000	Pass
			1	77	22.21	0.058	3.000	Pass
		64QAM	36	18	21.18	0.045	3.000	Pass
			1	1	21.03	0.044	3.000	Pass
			1	77	20.95	0.043	3.000	Pass
		256QAM	36	18	19.13	0.028	3.000	Pass
			1	1	19.04	0.028	3.000	Pass
			1	77	18.91	0.027	3.000	Pass
20	LCH	PI/2 BPSK	50	25	23.7	0.081	3.000	Pass
			1	1	23.37	0.075	3.000	Pass
			1	104	23.73	0.082	3.000	Pass
		QPSK	50	25	23.72	0.082	3.000	Pass
			1	1	23.64	0.080	3.000	Pass
			1	104	23.89	0.085	3.000	Pass
		16QAM	50	25	22.72	0.065	3.000	Pass
			1	1	22.19	0.057	3.000	Pass
			1	104	22.52	0.062	3.000	Pass
		64QAM	50	25	21.14	0.045	3.000	Pass
			1	1	20.83	0.042	3.000	Pass
			1	104	21.01	0.044	3.000	Pass
		256QAM	50	25	19.09	0.028	3.000	Pass
			1	1	18.85	0.027	3.000	Pass
			1	104	19.03	0.028	3.000	Pass
	MCH	PI/2 BPSK	50	25	23.84	0.084	3.000	Pass
			1	1	23.55	0.079	3.000	Pass
			1	104	23.54	0.078	3.000	Pass
		QPSK	50	25	23.84	0.084	3.000	Pass
			1	1	23.77	0.083	3.000	Pass
			1	104	23.71	0.081	3.000	Pass
		16QAM	50	25	22.83	0.067	3.000	Pass
			1	1	22.32	0.059	3.000	Pass
			1	104	22.28	0.059	3.000	Pass
		64QAM	50	25	21.25	0.046	3.000	Pass
			1	1	20.8	0.042	3.000	Pass
			1	104	20.92	0.043	3.000	Pass
		256QAM	50	25	19.22	0.029	3.000	Pass
			1	1	18.83	0.026	3.000	Pass
			1	104	18.97	0.027	3.000	Pass
	HCH	PI/2 BPSK	50	25	23.71	0.081	3.000	Pass

			1	1	23.76	0.082	3.000	Pass
			1	104	23.4	0.076	3.000	Pass
		QPSK	50	25	23.7	0.081	3.000	Pass
			1	1	23.89	0.085	3.000	Pass
			1	104	23.53	0.078	3.000	Pass
		16QAM	50	25	22.7	0.065	3.000	Pass
			1	1	22.49	0.062	3.000	Pass
			1	104	22.18	0.057	3.000	Pass
		64QAM	50	25	21.27	0.046	3.000	Pass
			1	1	21.01	0.044	3.000	Pass
			1	104	20.86	0.042	3.000	Pass
		256QAM	50	25	19.2	0.029	3.000	Pass
			1	1	19.06	0.028	3.000	Pass
			1	104	18.9	0.027	3.000	Pass
25	LCH	PI/2 BPSK	64	32	23.74	0.082	3.000	Pass
			1	1	23.37	0.075	3.000	Pass
			1	131	23.58	0.079	3.000	Pass
		QPSK	64	32	23.77	0.083	3.000	Pass
			1	1	23.28	0.074	3.000	Pass
			1	131	23.48	0.077	3.000	Pass
		16QAM	64	32	22.7	0.065	3.000	Pass
			1	1	22.61	0.063	3.000	Pass
			1	131	22.73	0.065	3.000	Pass
		64QAM	64	32	21.2	0.046	3.000	Pass
			1	1	21.22	0.046	3.000	Pass
			1	131	21.34	0.047	3.000	Pass
		256QAM	64	32	19.13	0.028	3.000	Pass
			1	1	18.88	0.027	3.000	Pass
			1	131	19.03	0.028	3.000	Pass
	MCH	PI/2 BPSK	64	32	23.8	0.083	3.000	Pass
			1	1	23.41	0.076	3.000	Pass
			1	131	23.48	0.077	3.000	Pass
		QPSK	64	32	23.77	0.083	3.000	Pass
			1	1	23.34	0.075	3.000	Pass
			1	131	23.41	0.076	3.000	Pass
		16QAM	64	32	22.72	0.065	3.000	Pass
			1	1	22.57	0.063	3.000	Pass
			1	131	22.62	0.063	3.000	Pass
		64QAM	64	32	21.22	0.046	3.000	Pass
			1	1	21.17	0.045	3.000	Pass
			1	131	21.31	0.047	3.000	Pass
		256QAM	64	32	19.18	0.029	3.000	Pass
			1	1	18.82	0.026	3.000	Pass

	HCH	PI/2 BPSK	1	131	18.99	0.027	3.000	Pass
			64	32	23.71	0.081	3.000	Pass
			1	1	23.6	0.079	3.000	Pass
		QPSK	1	131	23.34	0.075	3.000	Pass
			64	32	23.71	0.081	3.000	Pass
			1	1	23.56	0.079	3.000	Pass
		16QAM	1	131	23.32	0.074	3.000	Pass
			64	32	22.63	0.064	3.000	Pass
			1	1	22.73	0.065	3.000	Pass
		64QAM	1	131	22.5	0.062	3.000	Pass
			64	32	21.19	0.046	3.000	Pass
			1	1	21.24	0.046	3.000	Pass
		256QAM	1	131	21.04	0.044	3.000	Pass
			64	32	19.14	0.028	3.000	Pass
			1	1	18.99	0.027	3.000	Pass
			1	131	18.79	0.026	3.000	Pass
30	LCH	PI/2 BPSK	80	40	23.77	0.083	3.000	Pass
			1	1	23.4	0.076	3.000	Pass
			1	158	23.51	0.078	3.000	Pass
		QPSK	80	40	23.79	0.083	3.000	Pass
			1	1	23.27	0.074	3.000	Pass
			1	158	23.41	0.076	3.000	Pass
		16QAM	80	40	22.77	0.066	3.000	Pass
			1	1	22.64	0.064	3.000	Pass
			1	158	22.69	0.064	3.000	Pass
		64QAM	80	40	21.2	0.046	3.000	Pass
			1	1	21.26	0.046	3.000	Pass
			1	158	21.28	0.047	3.000	Pass
	MCH	256QAM	80	40	19.18	0.029	3.000	Pass
			1	1	18.92	0.027	3.000	Pass
			1	158	19.04	0.028	3.000	Pass
		PI/2 BPSK	80	40	23.78	0.083	3.000	Pass
			1	1	23.38	0.076	3.000	Pass
			1	158	23.44	0.077	3.000	Pass
		QPSK	80	40	23.76	0.082	3.000	Pass
			1	1	23.26	0.073	3.000	Pass
			1	158	23.4	0.076	3.000	Pass
		16QAM	80	40	22.76	0.065	3.000	Pass
			1	1	22.63	0.064	3.000	Pass
			1	158	22.53	0.062	3.000	Pass
		64QAM	80	40	21.23	0.046	3.000	Pass
			1	1	21.17	0.045	3.000	Pass
			1	158	21.27	0.046	3.000	Pass

		256QAM	80	40	19.18	0.029	3.000	Pass
			1	1	18.82	0.026	3.000	Pass
			1	158	18.98	0.027	3.000	Pass
	HCH	PI/2 BPSK	80	40	23.73	0.082	3.000	Pass
			1	1	23.4	0.076	3.000	Pass
			1	158	23.42	0.076	3.000	Pass
		QPSK	80	40	23.78	0.083	3.000	Pass
			1	1	23.34	0.075	3.000	Pass
			1	158	23.33	0.075	3.000	Pass
		16QAM	80	40	22.72	0.065	3.000	Pass
			1	1	22.62	0.063	3.000	Pass
			1	158	22.55	0.062	3.000	Pass
		64QAM	80	40	21.25	0.046	3.000	Pass
			1	1	21.15	0.045	3.000	Pass
			1	158	21.11	0.045	3.000	Pass
		256QAM	80	40	19.15	0.029	3.000	Pass
			1	1	18.83	0.026	3.000	Pass
			1	158	18.85	0.027	3.000	Pass
35	MCH	PI/2 BPSK	90	45	23.77	0.083	3.000	Pass
			1	1	23.37	0.075	3.000	Pass
			1	186	23.36	0.075	3.000	Pass
		QPSK	90	45	23.75	0.082	3.000	Pass
			1	1	23.23	0.073	3.000	Pass
			1	186	23.3	0.074	3.000	Pass
		16QAM	90	45	22.75	0.065	3.000	Pass
			1	1	22.62	0.063	3.000	Pass
			1	186	22.5	0.062	3.000	Pass
		64QAM	90	45	21.22	0.046	3.000	Pass
			1	1	21.26	0.046	3.000	Pass
			1	186	21.14	0.045	3.000	Pass
		256QAM	90	45	19.19	0.029	3.000	Pass
			1	1	18.89	0.027	3.000	Pass
			1	186	18.82	0.026	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n77 (3450-3550MHz)								
10	LCH	PI/2 BPSK	12	6	25.32	0.379	1.000	Pass
			1	1	25.47	0.393	1.000	Pass
			1	22	25.47	0.393	1.000	Pass
		QPSK	12	6	25.34	0.381	1.000	Pass
			1	1	25.46	0.392	1.000	Pass
			1	22	25.46	0.392	1.000	Pass
		16QAM	12	6	24.32	0.301	1.000	Pass
			1	1	24.35	0.303	1.000	Pass
			1	22	24.37	0.305	1.000	Pass
		64QAM	12	6	22.88	0.216	1.000	Pass
			1	1	22.97	0.221	1.000	Pass
			1	22	22.92	0.218	1.000	Pass
		256QAM	12	6	20.62	0.129	1.000	Pass
			1	1	21.01	0.141	1.000	Pass
			1	22	21.01	0.141	1.000	Pass
	MCH	PI/2 BPSK	12	6	25.37	0.384	1.000	Pass
			1	1	25.47	0.393	1.000	Pass
			1	22	25.47	0.393	1.000	Pass
		QPSK	12	6	25.34	0.381	1.000	Pass
			1	1	25.47	0.393	1.000	Pass
			1	22	25.47	0.393	1.000	Pass
		16QAM	12	6	24.36	0.304	1.000	Pass
			1	1	24.32	0.301	1.000	Pass
			1	22	24.39	0.306	1.000	Pass
		64QAM	12	6	22.94	0.219	1.000	Pass
			1	1	23.05	0.225	1.000	Pass
			1	22	22.92	0.218	1.000	Pass
		256QAM	12	6	20.65	0.129	1.000	Pass
			1	1	21.02	0.141	1.000	Pass
			1	22	21	0.140	1.000	Pass
	HCH	PI/2 BPSK	12	6	25.27	0.375	1.000	Pass
			1	1	25.42	0.388	1.000	Pass
			1	22	25.36	0.383	1.000	Pass
		QPSK	12	6	25.25	0.373	1.000	Pass
			1	1	25.42	0.388	1.000	Pass
			1	22	25.37	0.384	1.000	Pass
		16QAM	12	6	24.24	0.296	1.000	Pass

			1	1	24.25	0.296	1.000	Pass
			1	22	24.2	0.293	1.000	Pass
		64QAM	12	6	22.82	0.213	1.000	Pass
			1	1	22.89	0.217	1.000	Pass
			1	22	22.87	0.216	1.000	Pass
		256QAM	12	6	20.58	0.127	1.000	Pass
			1	1	20.97	0.139	1.000	Pass
			1	22	20.92	0.138	1.000	Pass
		PI/2 BPSK	18	9	25.4	0.386	1.000	Pass
			1	1	25.38	0.385	1.000	Pass
			1	36	25.36	0.383	1.000	Pass
15	LCH	QPSK	18	9	25.36	0.383	1.000	Pass
			1	1	25.42	0.388	1.000	Pass
			1	36	25.51	0.396	1.000	Pass
		16QAM	18	9	24.38	0.305	1.000	Pass
			1	1	24.33	0.302	1.000	Pass
			1	36	24.24	0.296	1.000	Pass
		64QAM	18	9	22.95	0.220	1.000	Pass
			1	1	22.91	0.218	1.000	Pass
			1	36	22.93	0.219	1.000	Pass
		256QAM	18	9	20.89	0.137	1.000	Pass
			1	1	20.96	0.139	1.000	Pass
			1	36	20.93	0.138	1.000	Pass
	MCH	PI/2 BPSK	18	9	25.41	0.387	1.000	Pass
			1	1	25.38	0.385	1.000	Pass
			1	36	25.39	0.385	1.000	Pass
		QPSK	18	9	25.42	0.388	1.000	Pass
			1	1	25.48	0.394	1.000	Pass
			1	36	25.49	0.394	1.000	Pass
		16QAM	18	9	24.43	0.309	1.000	Pass
			1	1	24.32	0.301	1.000	Pass
			1	36	24.32	0.301	1.000	Pass
		64QAM	18	9	23.11	0.228	1.000	Pass
			1	1	22.97	0.221	1.000	Pass
			1	36	22.99	0.222	1.000	Pass
		256QAM	18	9	20.94	0.138	1.000	Pass
			1	1	20.94	0.138	1.000	Pass
			1	36	20.95	0.139	1.000	Pass
	HCH	PI/2 BPSK	18	9	25.33	0.380	1.000	Pass
			1	1	25.31	0.378	1.000	Pass
			1	36	25.24	0.372	1.000	Pass
		QPSK	18	9	25.34	0.381	1.000	Pass
			1	1	25.45	0.391	1.000	Pass

		16QAM	1	36	25.37	0.384	1.000	Pass
			18	9	24.34	0.303	1.000	Pass
			1	1	24.25	0.296	1.000	Pass
			1	36	24.2	0.293	1.000	Pass
		64QAM	18	9	22.96	0.220	1.000	Pass
			1	1	22.91	0.218	1.000	Pass
			1	36	22.89	0.217	1.000	Pass
		256QAM	18	9	20.83	0.135	1.000	Pass
			1	1	20.96	0.139	1.000	Pass
			1	36	20.84	0.135	1.000	Pass
20	LCH	PI/2 BPSK	25	12	25.4	0.386	1.000	Pass
			1	1	25.41	0.387	1.000	Pass
			1	49	25.4	0.386	1.000	Pass
		QPSK	25	12	25.42	0.388	1.000	Pass
			1	1	25.54	0.399	1.000	Pass
			1	49	25.5	0.395	1.000	Pass
		16QAM	25	12	24.5	0.314	1.000	Pass
			1	1	24.35	0.303	1.000	Pass
			1	49	24.37	0.305	1.000	Pass
		64QAM	25	12	23.06	0.225	1.000	Pass
			1	1	23.07	0.226	1.000	Pass
			1	49	22.95	0.220	1.000	Pass
		256QAM	25	12	20.95	0.139	1.000	Pass
			1	1	21.03	0.141	1.000	Pass
			1	49	20.98	0.140	1.000	Pass
	MCH	PI/2 BPSK	25	12	25.42	0.388	1.000	Pass
			1	1	25.39	0.385	1.000	Pass
			1	49	25.38	0.385	1.000	Pass
		QPSK	25	12	25.43	0.389	1.000	Pass
			1	1	25.49	0.394	1.000	Pass
			1	49	25.52	0.397	1.000	Pass
		16QAM	25	12	24.5	0.314	1.000	Pass
			1	1	24.34	0.303	1.000	Pass
			1	49	24.32	0.301	1.000	Pass
		64QAM	25	12	23.04	0.224	1.000	Pass
			1	1	23	0.222	1.000	Pass
			1	49	22.97	0.221	1.000	Pass
		256QAM	25	12	20.99	0.140	1.000	Pass
			1	1	20.96	0.139	1.000	Pass
			1	49	20.98	0.140	1.000	Pass
	HCH	PI/2 BPSK	25	12	25.37	0.384	1.000	Pass
			1	1	25.34	0.381	1.000	Pass
			1	49	25.25	0.373	1.000	Pass

		QPSK	25	12	25.36	0.383	1.000	Pass
			1	1	25.44	0.390	1.000	Pass
			1	49	25.37	0.384	1.000	Pass
		16QAM	25	12	24.43	0.309	1.000	Pass
			1	1	24.23	0.295	1.000	Pass
			1	49	24.17	0.291	1.000	Pass
		64QAM	25	12	23	0.222	1.000	Pass
			1	1	22.95	0.220	1.000	Pass
			1	49	22.84	0.214	1.000	Pass
		256QAM	25	12	20.95	0.139	1.000	Pass
			1	1	20.93	0.138	1.000	Pass
			1	49	20.84	0.135	1.000	Pass
25	LCH	PI/2 BPSK	32	16	25.41	0.387	1.000	Pass
			1	1	25.46	0.392	1.000	Pass
			1	63	25.51	0.396	1.000	Pass
		QPSK	32	16	25.47	0.393	1.000	Pass
			1	1	25.57	0.402	1.000	Pass
			1	63	25.62	0.406	1.000	Pass
		16QAM	32	16	24.49	0.313	1.000	Pass
			1	1	24.45	0.310	1.000	Pass
			1	63	24.49	0.313	1.000	Pass
		64QAM	32	16	23.16	0.231	1.000	Pass
			1	1	23.14	0.230	1.000	Pass
			1	63	23.16	0.231	1.000	Pass
		256QAM	32	16	21.01	0.141	1.000	Pass
			1	1	21.11	0.144	1.000	Pass
			1	63	21.18	0.146	1.000	Pass
	MCH	PI/2 BPSK	32	16	25.44	0.390	1.000	Pass
			1	1	25.44	0.390	1.000	Pass
			1	63	25.45	0.391	1.000	Pass
		QPSK	32	16	25.41	0.387	1.000	Pass
			1	1	25.54	0.399	1.000	Pass
			1	63	25.55	0.400	1.000	Pass
		16QAM	32	16	24.4	0.307	1.000	Pass
			1	1	24.36	0.304	1.000	Pass
			1	63	24.35	0.303	1.000	Pass
		64QAM	32	16	22.98	0.221	1.000	Pass
			1	1	23.07	0.226	1.000	Pass
			1	63	23.03	0.224	1.000	Pass
		256QAM	32	16	20.97	0.139	1.000	Pass
			1	1	21.08	0.143	1.000	Pass
			1	63	21.06	0.142	1.000	Pass
	HCH	PI/2 BPSK	32	16	25.23	0.372	1.000	Pass

			1	1	25.28	0.376	1.000	Pass
			1	63	25.21	0.370	1.000	Pass
			32	16	25.35	0.382	1.000	Pass
		QPSK	1	1	25.39	0.385	1.000	Pass
			1	63	25.38	0.385	1.000	Pass
			32	16	24.26	0.297	1.000	Pass
		16QAM	1	1	24.23	0.295	1.000	Pass
			1	63	24.15	0.290	1.000	Pass
			32	16	22.96	0.220	1.000	Pass
		64QAM	1	1	22.92	0.218	1.000	Pass
			1	63	22.87	0.216	1.000	Pass
			32	16	20.89	0.137	1.000	Pass
		256QAM	1	1	20.9	0.137	1.000	Pass
			1	63	20.84	0.135	1.000	Pass
			36	18	25.49	0.394	1.000	Pass
30	LCH	PI/2 BPSK	1	1	25.47	0.393	1.000	Pass
			1	76	25.49	0.394	1.000	Pass
			36	18	25.48	0.394	1.000	Pass
		QPSK	1	1	25.61	0.406	1.000	Pass
			1	76	25.61	0.406	1.000	Pass
			36	18	24.52	0.316	1.000	Pass
		16QAM	1	1	24.38	0.305	1.000	Pass
			1	76	24.39	0.306	1.000	Pass
			36	18	23.08	0.226	1.000	Pass
		64QAM	1	1	23.14	0.230	1.000	Pass
			1	76	23.12	0.229	1.000	Pass
			36	18	21.05	0.142	1.000	Pass
		256QAM	1	1	21.08	0.143	1.000	Pass
			1	76	21.09	0.143	1.000	Pass
			36	18	25.48	0.394	1.000	Pass
	MCH	PI/2 BPSK	1	1	25.4	0.386	1.000	Pass
			1	76	25.39	0.385	1.000	Pass
			36	18	25.48	0.394	1.000	Pass
		QPSK	1	1	25.5	0.395	1.000	Pass
			1	76	25.49	0.394	1.000	Pass
			36	18	24.49	0.313	1.000	Pass
		16QAM	1	1	24.32	0.301	1.000	Pass
			1	76	24.31	0.301	1.000	Pass
			36	18	23.05	0.225	1.000	Pass
		64QAM	1	1	22.99	0.222	1.000	Pass
			1	76	23.17	0.231	1.000	Pass
			36	18	21.01	0.141	1.000	Pass
		256QAM	1	1	20.98	0.140	1.000	Pass

	HCH	PI/2 BPSK	1	76	21	0.140	1.000	Pass
			36	18	25.32	0.379	1.000	Pass
			1	1	25.22	0.371	1.000	Pass
		QPSK	1	76	25.19	0.368	1.000	Pass
			36	18	25.32	0.379	1.000	Pass
			1	1	25.35	0.382	1.000	Pass
		16QAM	1	76	25.29	0.377	1.000	Pass
			36	18	24.34	0.303	1.000	Pass
			1	1	24.12	0.288	1.000	Pass
		64QAM	1	76	24.11	0.287	1.000	Pass
			36	18	22.9	0.217	1.000	Pass
			1	1	22.86	0.215	1.000	Pass
		256QAM	1	76	22.82	0.213	1.000	Pass
			36	18	20.85	0.136	1.000	Pass
			1	1	20.82	0.135	1.000	Pass
			1	76	20.75	0.132	1.000	Pass
40	LCH	PI/2 BPSK	50	25	25.57	0.402	1.000	Pass
			1	1	25.55	0.400	1.000	Pass
			1	104	25.56	0.401	1.000	Pass
		QPSK	50	25	25.55	0.400	1.000	Pass
			1	1	25.7	0.414	1.000	Pass
			1	104	25.71	0.415	1.000	Pass
		16QAM	50	25	24.55	0.318	1.000	Pass
			1	1	24.4	0.307	1.000	Pass
			1	104	24.46	0.311	1.000	Pass
		64QAM	50	25	23.14	0.230	1.000	Pass
			1	1	23.2	0.233	1.000	Pass
			1	104	23.27	0.237	1.000	Pass
	MCH	PI/2 BPSK	50	25	21.16	0.146	1.000	Pass
			1	1	21.19	0.147	1.000	Pass
			1	104	21.19	0.147	1.000	Pass
		QPSK	50	25	25.48	0.394	1.000	Pass
			1	1	25.48	0.394	1.000	Pass
			1	104	25.45	0.391	1.000	Pass
		16QAM	50	25	25.44	0.390	1.000	Pass
			1	1	25.57	0.402	1.000	Pass
			1	104	25.56	0.401	1.000	Pass
		64QAM	50	25	24.5	0.314	1.000	Pass
			1	1	24.38	0.305	1.000	Pass
			1	104	24.34	0.303	1.000	Pass

		256QAM	50	25	21.13	0.145	1.000	Pass
			1	1	21.09	0.143	1.000	Pass
			1	104	21.05	0.142	1.000	Pass
	HCH	PI/2 BPSK	50	25	25.35	0.382	1.000	Pass
			1	1	25.33	0.380	1.000	Pass
			1	104	25.28	0.376	1.000	Pass
		QPSK	50	25	25.38	0.385	1.000	Pass
			1	1	25.45	0.391	1.000	Pass
			1	104	25.39	0.385	1.000	Pass
		16QAM	50	25	24.35	0.303	1.000	Pass
			1	1	24.25	0.296	1.000	Pass
			1	104	24.19	0.292	1.000	Pass
		64QAM	50	25	22.91	0.218	1.000	Pass
			1	1	22.96	0.220	1.000	Pass
			1	104	22.93	0.219	1.000	Pass
		256QAM	50	25	20.93	0.138	1.000	Pass
			1	1	20.92	0.138	1.000	Pass
			1	104	20.88	0.136	1.000	Pass
50	LCH	PI/2 BPSK	64	32	25.6	0.405	1.000	Pass
			1	1	25.49	0.394	1.000	Pass
			1	131	25.45	0.391	1.000	Pass
		QPSK	64	32	25.61	0.406	1.000	Pass
			1	1	25.53	0.398	1.000	Pass
			1	131	25.53	0.398	1.000	Pass
		16QAM	64	32	24.6	0.321	1.000	Pass
			1	1	24.36	0.304	1.000	Pass
			1	131	24.37	0.305	1.000	Pass
		64QAM	64	32	23.19	0.232	1.000	Pass
			1	1	23.17	0.231	1.000	Pass
			1	131	23.11	0.228	1.000	Pass
		256QAM	64	32	21.23	0.148	1.000	Pass
			1	1	21.16	0.146	1.000	Pass
			1	131	21.13	0.145	1.000	Pass
	MCH	PI/2 BPSK	64	32	25.47	0.393	1.000	Pass
			1	1	25.43	0.389	1.000	Pass
			1	131	25.37	0.384	1.000	Pass
		QPSK	64	32	25.52	0.397	1.000	Pass
			1	1	25.51	0.396	1.000	Pass
			1	131	25.48	0.394	1.000	Pass
		16QAM	64	32	24.51	0.315	1.000	Pass
			1	1	24.32	0.301	1.000	Pass
			1	131	24.27	0.298	1.000	Pass
		64QAM	64	32	23.09	0.227	1.000	Pass

		256QAM	1	1	23.16	0.231	1.000	Pass
			1	131	23.08	0.226	1.000	Pass
			64	32	21.12	0.144	1.000	Pass
			1	1	21.13	0.145	1.000	Pass
			1	131	21.02	0.141	1.000	Pass
	HCH	PI/2 BPSK	64	32	25.37	0.384	1.000	Pass
			1	1	25.27	0.375	1.000	Pass
			1	131	25.21	0.370	1.000	Pass
		QPSK	64	32	25.39	0.385	1.000	Pass
			1	1	25.36	0.383	1.000	Pass
			1	131	25.34	0.381	1.000	Pass
		16QAM	64	32	24.42	0.308	1.000	Pass
			1	1	24.17	0.291	1.000	Pass
			1	131	24.13	0.288	1.000	Pass
		64QAM	64	32	23	0.222	1.000	Pass
			1	1	23.01	0.223	1.000	Pass
			1	131	22.91	0.218	1.000	Pass
		256QAM	64	32	20.99	0.140	1.000	Pass
			1	1	20.93	0.138	1.000	Pass
			1	131	20.9	0.137	1.000	Pass
	LCH	PI/2 BPSK	81	40	25.46	0.392	1.000	Pass
			1	1	25.48	0.394	1.000	Pass
			1	160	25.47	0.393	1.000	Pass
		QPSK	81	40	25.5	0.395	1.000	Pass
			1	1	25.57	0.402	1.000	Pass
			1	160	25.57	0.402	1.000	Pass
		16QAM	81	40	24.51	0.315	1.000	Pass
			1	1	24.34	0.303	1.000	Pass
			1	160	24.36	0.304	1.000	Pass
		64QAM	81	40	23.03	0.224	1.000	Pass
			1	1	23.07	0.226	1.000	Pass
			1	160	23.12	0.229	1.000	Pass
		256QAM	81	40	21.11	0.144	1.000	Pass
			1	1	21.05	0.142	1.000	Pass
			1	160	21.05	0.142	1.000	Pass
	MCH	PI/2 BPSK	81	40	25.41	0.387	1.000	Pass
			1	1	25.46	0.392	1.000	Pass
			1	160	25.45	0.391	1.000	Pass
		QPSK	81	40	25.42	0.388	1.000	Pass
			1	1	25.55	0.400	1.000	Pass
			1	160	25.51	0.396	1.000	Pass
		16QAM	81	40	24.45	0.310	1.000	Pass
			1	1	24.32	0.301	1.000	Pass

70		64QAM	1	160	24.43	0.309	1.000	Pass
			81	40	22.97	0.221	1.000	Pass
			1	1	23.1	0.228	1.000	Pass
			1	160	23.14	0.230	1.000	Pass
		256QAM	81	40	21.02	0.141	1.000	Pass
			1	1	21.05	0.142	1.000	Pass
			1	160	21	0.140	1.000	Pass
		PI/2 BPSK	81	40	25.27	0.375	1.000	Pass
			1	1	25.34	0.381	1.000	Pass
			1	160	25.27	0.375	1.000	Pass
		QPSK	81	40	25.29	0.377	1.000	Pass
			1	1	25.45	0.391	1.000	Pass
			1	160	25.38	0.385	1.000	Pass
	HCH	16QAM	81	40	24.31	0.301	1.000	Pass
			1	1	24.26	0.297	1.000	Pass
			1	160	24.2	0.293	1.000	Pass
		64QAM	81	40	22.84	0.214	1.000	Pass
			1	1	22.99	0.222	1.000	Pass
			1	160	22.92	0.218	1.000	Pass
		256QAM	81	40	20.88	0.136	1.000	Pass
			1	1	20.94	0.138	1.000	Pass
			1	160	20.85	0.136	1.000	Pass
	LCH	PI/2 BPSK	90	45	25.53	0.398	1.000	Pass
			1	1	25.5	0.395	1.000	Pass
			1	187	25.41	0.387	1.000	Pass
		QPSK	90	45	25.54	0.399	1.000	Pass
			1	1	25.59	0.404	1.000	Pass
			1	187	25.46	0.392	1.000	Pass
		16QAM	90	45	24.59	0.321	1.000	Pass
			1	1	24.33	0.302	1.000	Pass
			1	187	24.25	0.296	1.000	Pass
		64QAM	90	45	23.11	0.228	1.000	Pass
			1	1	23.04	0.224	1.000	Pass
			1	187	22.91	0.218	1.000	Pass
		256QAM	90	45	21.14	0.145	1.000	Pass
			1	1	20.95	0.139	1.000	Pass
			1	187	20.84	0.135	1.000	Pass
	MCH	PI/2 BPSK	90	45	25.49	0.394	1.000	Pass
			1	1	25.48	0.394	1.000	Pass
			1	187	25.39	0.385	1.000	Pass
		QPSK	90	45	25.5	0.395	1.000	Pass
			1	1	25.58	0.403	1.000	Pass
			1	187	25.45	0.391	1.000	Pass

		16QAM	90	45	24.52	0.316	1.000	Pass
			1	1	24.37	0.305	1.000	Pass
			1	187	24.22	0.294	1.000	Pass
		64QAM	90	45	23.06	0.225	1.000	Pass
			1	1	23.03	0.224	1.000	Pass
			1	187	22.93	0.219	1.000	Pass
		256QAM	90	45	21.08	0.143	1.000	Pass
			1	1	20.96	0.139	1.000	Pass
			1	187	20.84	0.135	1.000	Pass
	HCH	PI/2 BPSK	90	45	25.36	0.383	1.000	Pass
			1	1	25.45	0.391	1.000	Pass
			1	187	25.24	0.372	1.000	Pass
		QPSK	90	45	25.4	0.386	1.000	Pass
			1	1	25.5	0.395	1.000	Pass
			1	187	25.34	0.381	1.000	Pass
		16QAM	90	45	24.45	0.310	1.000	Pass
			1	1	24.36	0.304	1.000	Pass
			1	187	24.12	0.288	1.000	Pass
		64QAM	90	45	22.95	0.220	1.000	Pass
			1	1	22.96	0.220	1.000	Pass
			1	187	22.79	0.212	1.000	Pass
		256QAM	90	45	20.96	0.139	1.000	Pass
			1	1	20.92	0.138	1.000	Pass
			1	187	20.7	0.131	1.000	Pass
80	LCH	PI/2 BPSK	108	54	25.54	0.399	1.000	Pass
			1	1	25.53	0.398	1.000	Pass
			1	215	25.41	0.387	1.000	Pass
		QPSK	108	54	25.58	0.403	1.000	Pass
			1	1	25.6	0.405	1.000	Pass
			1	215	25.5	0.395	1.000	Pass
		16QAM	108	54	24.6	0.321	1.000	Pass
			1	1	24.41	0.308	1.000	Pass
			1	215	24.28	0.299	1.000	Pass
		64QAM	108	54	23.15	0.230	1.000	Pass
			1	1	22.98	0.221	1.000	Pass
			1	215	22.9	0.217	1.000	Pass
		256QAM	108	54	21.16	0.146	1.000	Pass
			1	1	21	0.140	1.000	Pass
			1	215	20.89	0.137	1.000	Pass
	MCH	PI/2 BPSK	108	54	25.45	0.391	1.000	Pass
			1	1	25.52	0.397	1.000	Pass
			1	215	25.39	0.385	1.000	Pass
		QPSK	108	54	25.51	0.396	1.000	Pass

			1	1	25.59	0.404	1.000	Pass
			1	215	25.51	0.396	1.000	Pass
		16QAM	108	54	24.51	0.315	1.000	Pass
			1	1	24.42	0.308	1.000	Pass
			1	215	24.26	0.297	1.000	Pass
		64QAM	108	54	23.04	0.224	1.000	Pass
			1	1	23.01	0.223	1.000	Pass
			1	215	22.93	0.219	1.000	Pass
		256QAM	108	54	21.06	0.142	1.000	Pass
			1	1	20.99	0.140	1.000	Pass
			1	215	20.82	0.135	1.000	Pass
	HCH	PI/2 BPSK	108	54	25.47	0.393	1.000	Pass
			1	1	25.47	0.393	1.000	Pass
			1	215	25.26	0.374	1.000	Pass
		QPSK	108	54	25.47	0.393	1.000	Pass
			1	1	25.55	0.400	1.000	Pass
			1	215	25.33	0.380	1.000	Pass
		16QAM	108	54	24.52	0.316	1.000	Pass
			1	1	24.31	0.301	1.000	Pass
			1	215	24.14	0.289	1.000	Pass
		64QAM	108	54	23.05	0.225	1.000	Pass
			1	1	23	0.222	1.000	Pass
			1	215	22.73	0.209	1.000	Pass
		256QAM	108	54	21	0.140	1.000	Pass
			1	1	20.93	0.138	1.000	Pass
			1	215	20.71	0.131	1.000	Pass
90	LCH	PI/2 BPSK	120	60	25.51	0.396	1.000	Pass
			1	1	25.51	0.396	1.000	Pass
			1	243	25.38	0.385	1.000	Pass
		QPSK	120	60	25.57	0.402	1.000	Pass
			1	1	25.61	0.406	1.000	Pass
			1	243	25.48	0.394	1.000	Pass
		16QAM	120	60	24.58	0.320	1.000	Pass
			1	1	24.39	0.306	1.000	Pass
			1	243	24.27	0.298	1.000	Pass
		64QAM	120	60	23.09	0.227	1.000	Pass
			1	1	23	0.222	1.000	Pass
			1	243	22.92	0.218	1.000	Pass
		256QAM	120	60	21.1	0.144	1.000	Pass
			1	1	20.99	0.140	1.000	Pass
			1	243	20.85	0.136	1.000	Pass
	MCH	PI/2 BPSK	120	60	25.46	0.392	1.000	Pass
			1	1	25.55	0.400	1.000	Pass

			1	243	25.4	0.386	1.000	Pass
		QPSK	120	60	25.49	0.394	1.000	Pass
			1	1	25.66	0.410	1.000	Pass
			1	243	25.53	0.398	1.000	Pass
		16QAM	120	60	24.52	0.316	1.000	Pass
			1	1	24.47	0.312	1.000	Pass
			1	243	24.29	0.299	1.000	Pass
		64QAM	120	60	23.04	0.224	1.000	Pass
			1	1	23.1	0.228	1.000	Pass
			1	243	22.91	0.218	1.000	Pass
		256QAM	120	60	21.07	0.143	1.000	Pass
			1	1	21.04	0.142	1.000	Pass
			1	243	20.88	0.136	1.000	Pass
	HCH	PI/2 BPSK	120	60	25.4	0.386	1.000	Pass
			1	1	25.5	0.395	1.000	Pass
			1	243	25.34	0.381	1.000	Pass
		QPSK	120	60	25.48	0.394	1.000	Pass
			1	1	25.6	0.405	1.000	Pass
			1	243	25.44	0.390	1.000	Pass
		16QAM	120	60	24.46	0.311	1.000	Pass
			1	1	24.37	0.305	1.000	Pass
			1	243	24.21	0.294	1.000	Pass
		64QAM	120	60	23.01	0.223	1.000	Pass
			1	1	22.98	0.221	1.000	Pass
			1	243	22.91	0.218	1.000	Pass
		256QAM	120	60	21.08	0.143	1.000	Pass
			1	1	21	0.140	1.000	Pass
			1	243	20.78	0.133	1.000	Pass
100	MCH	PI/2 BPSK	135	67	25.49	0.394	1.000	Pass
			1	1	25.54	0.399	1.000	Pass
			1	271	25.35	0.382	1.000	Pass
		QPSK	135	67	25.51	0.396	1.000	Pass
			1	1	25.62	0.406	1.000	Pass
			1	271	25.46	0.392	1.000	Pass
		16QAM	135	67	24.54	0.317	1.000	Pass
			1	1	24.43	0.309	1.000	Pass
			1	271	24.17	0.291	1.000	Pass
		64QAM	135	67	23.09	0.227	1.000	Pass
			1	1	23.07	0.226	1.000	Pass
			1	271	22.9	0.217	1.000	Pass
		256QAM	135	67	21.09	0.143	1.000	Pass
			1	1	20.98	0.140	1.000	Pass
			1	271	20.82	0.135	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n77 (3700-3980MHz)								
10	LCH	PI/2 BPSK	12	6	25.66	0.480	1.000	Pass
			1	1	25.65	0.479	1.000	Pass
			1	22	25.78	0.493	1.000	Pass
		QPSK	12	6	25.59	0.472	1.000	Pass
			1	1	25.64	0.478	1.000	Pass
			1	22	25.77	0.492	1.000	Pass
		16QAM	12	6	24.58	0.374	1.000	Pass
			1	1	24.49	0.366	1.000	Pass
			1	22	24.53	0.370	1.000	Pass
		64QAM	12	6	23.16	0.270	1.000	Pass
			1	1	23.13	0.268	1.000	Pass
			1	22	23.26	0.276	1.000	Pass
		256QAM	12	6	20.88	0.160	1.000	Pass
			1	1	21.16	0.170	1.000	Pass
			1	22	21.31	0.176	1.000	Pass
	MCH	PI/2 BPSK	12	6	25.81	0.497	1.000	Pass
			1	1	25.84	0.500	1.000	Pass
			1	22	25.89	0.506	1.000	Pass
		QPSK	12	6	25.78	0.493	1.000	Pass
			1	1	25.81	0.497	1.000	Pass
			1	22	25.86	0.502	1.000	Pass
		16QAM	12	6	24.77	0.391	1.000	Pass
			1	1	24.69	0.384	1.000	Pass
			1	22	24.79	0.393	1.000	Pass
		64QAM	12	6	23.32	0.280	1.000	Pass
			1	1	23.27	0.277	1.000	Pass
			1	22	23.34	0.281	1.000	Pass
		256QAM	12	6	21.04	0.166	1.000	Pass
			1	1	21.27	0.175	1.000	Pass
			1	22	21.32	0.177	1.000	Pass
	HCH	PI/2 BPSK	12	6	25.83	0.499	1.000	Pass
			1	1	25.92	0.509	1.000	Pass
			1	22	25.92	0.509	1.000	Pass
		QPSK	12	6	25.84	0.500	1.000	Pass
			1	1	25.88	0.505	1.000	Pass
			1	22	25.9	0.507	1.000	Pass
		16QAM	12	6	24.82	0.395	1.000	Pass

			1	1	24.76	0.390	1.000	Pass
			1	22	24.79	0.393	1.000	Pass
		64QAM	12	6	23.35	0.282	1.000	Pass
			1	1	23.43	0.287	1.000	Pass
			1	22	23.31	0.279	1.000	Pass
		256QAM	12	6	21.16	0.170	1.000	Pass
			1	1	21.33	0.177	1.000	Pass
			1	22	21.37	0.179	1.000	Pass
		PI/2 BPSK	18	9	25.69	0.483	1.000	Pass
			1	1	25.57	0.470	1.000	Pass
			1	36	25.79	0.494	1.000	Pass
15	LCH	QPSK	18	9	25.71	0.485	1.000	Pass
			1	1	25.73	0.488	1.000	Pass
			1	36	25.9	0.507	1.000	Pass
		16QAM	18	9	24.66	0.381	1.000	Pass
			1	1	24.56	0.372	1.000	Pass
			1	36	24.74	0.388	1.000	Pass
		64QAM	18	9	23.31	0.279	1.000	Pass
			1	1	23.13	0.268	1.000	Pass
			1	36	23.29	0.278	1.000	Pass
		256QAM	18	9	21.19	0.171	1.000	Pass
			1	1	21.16	0.170	1.000	Pass
			1	36	21.33	0.177	1.000	Pass
	MCH	PI/2 BPSK	18	9	25.86	0.502	1.000	Pass
			1	1	25.79	0.494	1.000	Pass
			1	36	25.87	0.504	1.000	Pass
		QPSK	18	9	25.86	0.502	1.000	Pass
			1	1	25.93	0.511	1.000	Pass
			1	36	26.04	0.524	1.000	Pass
		16QAM	18	9	24.86	0.399	1.000	Pass
			1	1	24.77	0.391	1.000	Pass
			1	36	24.92	0.405	1.000	Pass
		64QAM	18	9	23.54	0.294	1.000	Pass
			1	1	23.42	0.286	1.000	Pass
			1	36	23.5	0.292	1.000	Pass
		256QAM	18	9	21.31	0.176	1.000	Pass
			1	1	21.26	0.174	1.000	Pass
			1	36	21.35	0.178	1.000	Pass
	HCH	PI/2 BPSK	18	9	25.92	0.509	1.000	Pass
			1	1	25.87	0.504	1.000	Pass
			1	36	25.9	0.507	1.000	Pass
		QPSK	18	9	25.93	0.511	1.000	Pass
			1	1	26.04	0.524	1.000	Pass

			1	36	26.09	0.530	1.000	Pass
		16QAM	18	9	24.92	0.405	1.000	Pass
			1	1	24.84	0.397	1.000	Pass
			1	36	24.96	0.408	1.000	Pass
			1	36	24.96	0.408	1.000	Pass
		64QAM	18	9	23.5	0.292	1.000	Pass
			1	1	23.44	0.288	1.000	Pass
			1	36	23.54	0.294	1.000	Pass
			1	36	23.54	0.294	1.000	Pass
		256QAM	18	9	21.44	0.182	1.000	Pass
			1	1	21.41	0.180	1.000	Pass
			1	36	21.37	0.179	1.000	Pass
			1	36	21.37	0.179	1.000	Pass
20	LCH	PI/2 BPSK	25	12	25.76	0.491	1.000	Pass
			1	1	25.57	0.470	1.000	Pass
			1	49	25.88	0.505	1.000	Pass
		QPSK	25	12	25.78	0.493	1.000	Pass
			1	1	25.79	0.494	1.000	Pass
			1	49	26.08	0.528	1.000	Pass
		16QAM	25	12	24.83	0.396	1.000	Pass
			1	1	24.55	0.372	1.000	Pass
			1	49	24.86	0.399	1.000	Pass
		64QAM	25	12	23.37	0.283	1.000	Pass
			1	1	23.29	0.278	1.000	Pass
			1	49	23.49	0.291	1.000	Pass
		256QAM	25	12	21.28	0.175	1.000	Pass
			1	1	21.18	0.171	1.000	Pass
			1	49	21.42	0.181	1.000	Pass
	MCH	PI/2 BPSK	25	12	25.9	0.507	1.000	Pass
			1	1	25.76	0.491	1.000	Pass
			1	49	25.89	0.506	1.000	Pass
		QPSK	25	12	25.9	0.507	1.000	Pass
			1	1	25.98	0.516	1.000	Pass
			1	49	26.12	0.533	1.000	Pass
		16QAM	25	12	24.92	0.405	1.000	Pass
			1	1	24.66	0.381	1.000	Pass
			1	49	24.81	0.394	1.000	Pass
		64QAM	25	12	23.48	0.290	1.000	Pass
			1	1	23.44	0.288	1.000	Pass
			1	49	23.52	0.293	1.000	Pass
		256QAM	25	12	21.39	0.179	1.000	Pass
			1	1	21.23	0.173	1.000	Pass
			1	49	21.37	0.179	1.000	Pass
	HCH	PI/2 BPSK	25	12	25.95	0.513	1.000	Pass
			1	1	25.84	0.500	1.000	Pass
			1	49	25.82	0.498	1.000	Pass

		QPSK	25	12	25.92	0.509	1.000	Pass
			1	1	25.98	0.516	1.000	Pass
			1	49	25.94	0.512	1.000	Pass
		16QAM	25	12	24.96	0.408	1.000	Pass
			1	1	24.83	0.396	1.000	Pass
			1	49	24.83	0.396	1.000	Pass
		64QAM	25	12	23.49	0.291	1.000	Pass
			1	1	23.46	0.289	1.000	Pass
			1	49	23.45	0.288	1.000	Pass
		256QAM	25	12	21.42	0.181	1.000	Pass
			1	1	21.33	0.177	1.000	Pass
			1	49	21.31	0.176	1.000	Pass
25	LCH	PI/2 BPSK	32	16	25.87	0.504	1.000	Pass
			1	1	25.7	0.484	1.000	Pass
			1	63	26.1	0.531	1.000	Pass
		QPSK	32	16	25.92	0.509	1.000	Pass
			1	1	25.86	0.502	1.000	Pass
			1	63	26.3	0.556	1.000	Pass
		16QAM	32	16	24.87	0.400	1.000	Pass
			1	1	24.66	0.381	1.000	Pass
			1	63	25	0.412	1.000	Pass
		64QAM	32	16	23.52	0.293	1.000	Pass
			1	1	23.34	0.281	1.000	Pass
			1	63	23.67	0.303	1.000	Pass
		256QAM	32	16	21.42	0.181	1.000	Pass
			1	1	21.28	0.175	1.000	Pass
			1	63	21.65	0.191	1.000	Pass
	MCH	PI/2 BPSK	32	16	25.93	0.511	1.000	Pass
			1	1	25.76	0.491	1.000	Pass
			1	63	25.94	0.512	1.000	Pass
		QPSK	32	16	25.98	0.516	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	63	26.12	0.533	1.000	Pass
		16QAM	32	16	24.91	0.404	1.000	Pass
			1	1	24.77	0.391	1.000	Pass
			1	63	24.94	0.406	1.000	Pass
		64QAM	32	16	23.51	0.292	1.000	Pass
			1	1	23.49	0.291	1.000	Pass
			1	63	23.76	0.310	1.000	Pass
		256QAM	32	16	21.38	0.179	1.000	Pass
			1	1	21.3	0.176	1.000	Pass
			1	63	21.47	0.183	1.000	Pass
	HCH	PI/2 BPSK	32	16	25.96	0.514	1.000	Pass

			1	1	25.9	0.507	1.000	Pass
			1	63	25.94	0.512	1.000	Pass
		QPSK	32	16	26	0.519	1.000	Pass
			1	1	26.05	0.525	1.000	Pass
			1	63	26.06	0.526	1.000	Pass
		16QAM	32	16	24.97	0.409	1.000	Pass
			1	1	24.89	0.402	1.000	Pass
			1	63	24.96	0.408	1.000	Pass
		64QAM	32	16	23.57	0.296	1.000	Pass
			1	1	23.47	0.290	1.000	Pass
			1	63	23.57	0.296	1.000	Pass
		256QAM	32	16	21.49	0.184	1.000	Pass
			1	1	21.43	0.181	1.000	Pass
			1	63	21.46	0.182	1.000	Pass
30	LCH	PI/2 BPSK	36	18	25.91	0.508	1.000	Pass
			1	1	25.65	0.479	1.000	Pass
			1	76	26.12	0.533	1.000	Pass
		QPSK	36	18	25.91	0.508	1.000	Pass
			1	1	25.84	0.500	1.000	Pass
			1	76	26.35	0.562	1.000	Pass
		16QAM	36	18	24.93	0.406	1.000	Pass
			1	1	24.45	0.363	1.000	Pass
			1	76	24.87	0.400	1.000	Pass
		64QAM	36	18	23.48	0.290	1.000	Pass
			1	1	23.31	0.279	1.000	Pass
			1	76	23.72	0.307	1.000	Pass
		256QAM	36	18	21.45	0.182	1.000	Pass
			1	1	21.2	0.172	1.000	Pass
			1	76	21.61	0.189	1.000	Pass
	MCH	PI/2 BPSK	36	18	25.93	0.511	1.000	Pass
			1	1	25.71	0.485	1.000	Pass
			1	76	25.95	0.513	1.000	Pass
		QPSK	36	18	25.91	0.508	1.000	Pass
			1	1	25.94	0.512	1.000	Pass
			1	76	26.13	0.535	1.000	Pass
		16QAM	36	18	24.95	0.407	1.000	Pass
			1	1	24.58	0.374	1.000	Pass
			1	76	24.86	0.399	1.000	Pass
		64QAM	36	18	23.49	0.291	1.000	Pass
			1	1	23.54	0.294	1.000	Pass
			1	76	23.65	0.302	1.000	Pass
		256QAM	36	18	21.41	0.180	1.000	Pass
			1	1	21.21	0.172	1.000	Pass

	HCH	PI/2 BPSK	1	76	21.45	0.182	1.000	Pass
			36	18	25.97	0.515	1.000	Pass
			1	1	25.85	0.501	1.000	Pass
		QPSK	1	76	25.92	0.509	1.000	Pass
			36	18	25.98	0.516	1.000	Pass
			1	1	26.03	0.522	1.000	Pass
		16QAM	1	76	26.08	0.528	1.000	Pass
			36	18	24.97	0.409	1.000	Pass
			1	1	24.75	0.389	1.000	Pass
		64QAM	1	76	24.84	0.397	1.000	Pass
			36	18	23.57	0.296	1.000	Pass
			1	1	23.42	0.286	1.000	Pass
		256QAM	1	76	23.42	0.286	1.000	Pass
			36	18	21.48	0.183	1.000	Pass
			1	1	21.36	0.178	1.000	Pass
			1	76	21.42	0.181	1.000	Pass
40	LCH	PI/2 BPSK	50	25	25.94	0.512	1.000	Pass
			1	1	25.67	0.481	1.000	Pass
			1	104	26.3	0.556	1.000	Pass
		QPSK	50	25	25.94	0.512	1.000	Pass
			1	1	25.85	0.501	1.000	Pass
			1	104	26.59	0.594	1.000	Pass
		16QAM	50	25	24.95	0.407	1.000	Pass
			1	1	24.61	0.377	1.000	Pass
			1	104	25.21	0.433	1.000	Pass
		64QAM	50	25	23.5	0.292	1.000	Pass
			1	1	23.3	0.279	1.000	Pass
			1	104	24.12	0.337	1.000	Pass
	MCH	PI/2 BPSK	50	25	21.54	0.186	1.000	Pass
			1	1	21.25	0.174	1.000	Pass
			1	104	21.79	0.197	1.000	Pass
		QPSK	50	25	25.97	0.515	1.000	Pass
			1	1	25.79	0.494	1.000	Pass
			1	104	26.02	0.521	1.000	Pass
		16QAM	50	25	25.91	0.508	1.000	Pass
			1	1	26.05	0.525	1.000	Pass
			1	104	26.33	0.560	1.000	Pass
		64QAM	50	25	24.97	0.409	1.000	Pass
			1	1	24.71	0.385	1.000	Pass
			1	104	24.93	0.406	1.000	Pass
		256QAM	50	25	23.51	0.292	1.000	Pass
			1	1	23.5	0.292	1.000	Pass
			1	104	23.74	0.308	1.000	Pass

		256QAM	50	25	21.56	0.187	1.000	Pass
			1	1	21.28	0.175	1.000	Pass
			1	104	21.54	0.186	1.000	Pass
	HCH	PI/2 BPSK	50	25	26.04	0.524	1.000	Pass
			1	1	25.99	0.518	1.000	Pass
			1	104	25.97	0.515	1.000	Pass
		QPSK	50	25	26.01	0.520	1.000	Pass
			1	1	26.3	0.556	1.000	Pass
			1	104	26.14	0.536	1.000	Pass
		16QAM	50	25	25.06	0.418	1.000	Pass
			1	1	24.93	0.406	1.000	Pass
			1	104	24.91	0.404	1.000	Pass
		64QAM	50	25	23.57	0.296	1.000	Pass
			1	1	23.58	0.297	1.000	Pass
			1	104	23.61	0.299	1.000	Pass
		256QAM	50	25	21.61	0.189	1.000	Pass
			1	1	21.52	0.185	1.000	Pass
			1	104	21.48	0.183	1.000	Pass
50	LCH	PI/2 BPSK	64	32	26.09	0.530	1.000	Pass
			1	1	25.6	0.473	1.000	Pass
			1	131	26.37	0.565	1.000	Pass
		QPSK	64	32	26.14	0.536	1.000	Pass
			1	1	25.72	0.486	1.000	Pass
			1	131	26.69	0.608	1.000	Pass
		16QAM	64	32	25.1	0.422	1.000	Pass
			1	1	24.51	0.368	1.000	Pass
			1	131	25.25	0.437	1.000	Pass
		64QAM	64	32	23.67	0.303	1.000	Pass
			1	1	23.29	0.278	1.000	Pass
			1	131	24.07	0.333	1.000	Pass
		256QAM	64	32	21.67	0.191	1.000	Pass
			1	1	21.21	0.172	1.000	Pass
			1	131	21.89	0.201	1.000	Pass
	MCH	PI/2 BPSK	64	32	25.93	0.511	1.000	Pass
			1	1	25.7	0.484	1.000	Pass
			1	131	25.96	0.514	1.000	Pass
		QPSK	64	32	25.96	0.514	1.000	Pass
			1	1	25.94	0.512	1.000	Pass
			1	131	26.25	0.550	1.000	Pass
		16QAM	64	32	24.98	0.410	1.000	Pass
			1	1	24.52	0.369	1.000	Pass
			1	131	24.83	0.396	1.000	Pass
		64QAM	64	32	23.51	0.292	1.000	Pass

			1	1	23.36	0.282	1.000	Pass
			1	131	23.68	0.304	1.000	Pass
		256QAM	64	32	21.49	0.184	1.000	Pass
			1	1	21.22	0.173	1.000	Pass
			1	131	21.47	0.183	1.000	Pass
	HCH	PI/2 BPSK	64	32	25.98	0.516	1.000	Pass
			1	1	25.78	0.493	1.000	Pass
			1	131	25.79	0.494	1.000	Pass
		QPSK	64	32	26.03	0.522	1.000	Pass
			1	1	26.04	0.524	1.000	Pass
			1	131	26.08	0.528	1.000	Pass
		16QAM	64	32	25.02	0.414	1.000	Pass
			1	1	24.63	0.378	1.000	Pass
			1	131	24.71	0.385	1.000	Pass
		64QAM	64	32	23.53	0.294	1.000	Pass
			1	1	23.43	0.287	1.000	Pass
			1	131	23.42	0.286	1.000	Pass
		256QAM	64	32	21.57	0.187	1.000	Pass
			1	1	21.29	0.175	1.000	Pass
			1	131	21.33	0.177	1.000	Pass
60	LCH	PI/2 BPSK	81	40	26.16	0.538	1.000	Pass
			1	1	25.72	0.486	1.000	Pass
			1	160	26.34	0.561	1.000	Pass
		QPSK	81	40	26.23	0.547	1.000	Pass
			1	1	25.87	0.504	1.000	Pass
			1	160	26.67	0.605	1.000	Pass
		16QAM	81	40	25.23	0.435	1.000	Pass
			1	1	24.68	0.383	1.000	Pass
			1	160	25.2	0.432	1.000	Pass
		64QAM	81	40	23.73	0.308	1.000	Pass
			1	1	23.37	0.283	1.000	Pass
			1	160	23.97	0.325	1.000	Pass
		256QAM	81	40	21.81	0.198	1.000	Pass
			1	1	21.27	0.175	1.000	Pass
			1	160	21.84	0.199	1.000	Pass
	MCH	PI/2 BPSK	81	40	25.87	0.504	1.000	Pass
			1	1	25.75	0.490	1.000	Pass
			1	160	26.05	0.525	1.000	Pass
		QPSK	81	40	25.87	0.504	1.000	Pass
			1	1	26.02	0.521	1.000	Pass
			1	160	26.36	0.564	1.000	Pass
		16QAM	81	40	24.89	0.402	1.000	Pass
			1	1	24.63	0.378	1.000	Pass

			1	160	24.93	0.406	1.000	Pass
			81	40	23.41	0.286	1.000	Pass
			1	1	23.48	0.290	1.000	Pass
			1	160	23.64	0.301	1.000	Pass
		64QAM	81	40	21.43	0.181	1.000	Pass
			1	1	21.29	0.175	1.000	Pass
			1	160	21.5	0.184	1.000	Pass
		256QAM	81	40	25.91	0.508	1.000	Pass
			1	1	25.79	0.494	1.000	Pass
			1	160	25.89	0.506	1.000	Pass
		PI/2 BPSK	81	40	25.93	0.511	1.000	Pass
			1	1	26.08	0.528	1.000	Pass
			1	160	26.18	0.541	1.000	Pass
70	HCH	QPSK	81	40	24.94	0.406	1.000	Pass
			1	1	24.59	0.375	1.000	Pass
			1	160	24.78	0.392	1.000	Pass
		16QAM	81	40	23.42	0.286	1.000	Pass
			1	1	23.36	0.282	1.000	Pass
			1	160	23.54	0.294	1.000	Pass
		64QAM	81	40	21.48	0.183	1.000	Pass
			1	1	21.26	0.174	1.000	Pass
			1	160	21.39	0.179	1.000	Pass
		256QAM	90	45	26.36	0.564	1.000	Pass
			1	1	25.8	0.495	1.000	Pass
			1	187	26.11	0.532	1.000	Pass
		PI/2 BPSK	90	45	26.4	0.569	1.000	Pass
			1	1	25.93	0.511	1.000	Pass
			1	187	26.42	0.571	1.000	Pass
		QPSK	90	45	25.43	0.455	1.000	Pass
			1	1	24.67	0.382	1.000	Pass
			1	187	24.93	0.406	1.000	Pass
		16QAM	90	45	23.94	0.323	1.000	Pass
			1	1	23.28	0.277	1.000	Pass
			1	187	23.72	0.307	1.000	Pass
		64QAM	90	45	21.92	0.203	1.000	Pass
			1	1	21.25	0.174	1.000	Pass
			1	187	21.57	0.187	1.000	Pass
		256QAM	90	45	25.93	0.511	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	187	26.07	0.527	1.000	Pass
	LCH	PI/2 BPSK	90	45	25.96	0.514	1.000	Pass
			1	1	26.16	0.538	1.000	Pass
			1	187	26.36	0.564	1.000	Pass
		QPSK	90	45	25.93	0.511	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	187	26.07	0.527	1.000	Pass
		16QAM	90	45	25.93	0.511	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	187	26.07	0.527	1.000	Pass
		64QAM	90	45	25.93	0.511	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	187	26.07	0.527	1.000	Pass
		256QAM	90	45	25.93	0.511	1.000	Pass
			1	1	25.91	0.508	1.000	Pass
			1	187	26.07	0.527	1.000	Pass

		16QAM	90	45	24.99	0.411	1.000	Pass
			1	1	24.77	0.391	1.000	Pass
			1	187	24.91	0.404	1.000	Pass
		64QAM	90	45	23.46	0.289	1.000	Pass
			1	1	23.43	0.287	1.000	Pass
			1	187	23.67	0.303	1.000	Pass
		256QAM	90	45	21.48	0.183	1.000	Pass
			1	1	21.41	0.180	1.000	Pass
			1	187	21.54	0.186	1.000	Pass
	HCH	PI/2 BPSK	90	45	25.98	0.516	1.000	Pass
			1	1	25.83	0.499	1.000	Pass
			1	187	25.91	0.508	1.000	Pass
		QPSK	90	45	26	0.519	1.000	Pass
			1	1	26.15	0.537	1.000	Pass
			1	187	26.2	0.543	1.000	Pass
		16QAM	90	45	25.1	0.422	1.000	Pass
			1	1	24.67	0.382	1.000	Pass
			1	187	24.8	0.394	1.000	Pass
		64QAM	90	45	23.54	0.294	1.000	Pass
			1	1	23.46	0.289	1.000	Pass
			1	187	23.52	0.293	1.000	Pass
		256QAM	90	45	21.51	0.185	1.000	Pass
			1	1	21.33	0.177	1.000	Pass
			1	187	21.4	0.180	1.000	Pass
80	LCH	PI/2 BPSK	108	54	26.44	0.574	1.000	Pass
			1	1	25.79	0.494	1.000	Pass
			1	215	25.97	0.515	1.000	Pass
		QPSK	108	54	26.51	0.583	1.000	Pass
			1	1	25.87	0.504	1.000	Pass
			1	215	26.25	0.550	1.000	Pass
		16QAM	108	54	25.52	0.465	1.000	Pass
			1	1	24.7	0.385	1.000	Pass
			1	215	24.85	0.398	1.000	Pass
		64QAM	108	54	24.05	0.331	1.000	Pass
			1	1	23.44	0.288	1.000	Pass
			1	215	23.6	0.299	1.000	Pass
		256QAM	108	54	22.05	0.209	1.000	Pass
			1	1	21.19	0.171	1.000	Pass
			1	215	21.43	0.181	1.000	Pass
	MCH	PI/2 BPSK	108	54	25.97	0.515	1.000	Pass
			1	1	26	0.519	1.000	Pass
			1	215	26.08	0.528	1.000	Pass
		QPSK	108	54	26.01	0.520	1.000	Pass

			1	1	26.26	0.551	1.000	Pass
			1	215	26.36	0.564	1.000	Pass
		16QAM	108	54	25.02	0.414	1.000	Pass
			1	1	24.89	0.402	1.000	Pass
			1	215	24.9	0.403	1.000	Pass
		64QAM	108	54	23.5	0.292	1.000	Pass
			1	1	23.6	0.299	1.000	Pass
			1	215	23.48	0.290	1.000	Pass
		256QAM	108	54	21.52	0.185	1.000	Pass
			1	1	21.51	0.185	1.000	Pass
			1	215	21.55	0.186	1.000	Pass
	HCH	PI/2 BPSK	108	54	25.92	0.509	1.000	Pass
			1	1	25.87	0.504	1.000	Pass
			1	215	25.92	0.509	1.000	Pass
		QPSK	108	54	25.97	0.515	1.000	Pass
			1	1	26.14	0.536	1.000	Pass
			1	215	26.21	0.545	1.000	Pass
		16QAM	108	54	24.98	0.410	1.000	Pass
			1	1	24.75	0.389	1.000	Pass
			1	215	24.79	0.393	1.000	Pass
		64QAM	108	54	23.49	0.291	1.000	Pass
			1	1	23.56	0.296	1.000	Pass
			1	215	23.55	0.295	1.000	Pass
		256QAM	108	54	21.55	0.186	1.000	Pass
			1	1	21.35	0.178	1.000	Pass
			1	215	21.4	0.180	1.000	Pass
90	LCH	PI/2 BPSK	120	60	26.48	0.579	1.000	Pass
			1	1	25.92	0.509	1.000	Pass
			1	243	25.9	0.507	1.000	Pass
		QPSK	120	60	26.52	0.585	1.000	Pass
			1	1	26.04	0.524	1.000	Pass
			1	243	26.16	0.538	1.000	Pass
		16QAM	120	60	25.55	0.468	1.000	Pass
			1	1	24.77	0.391	1.000	Pass
			1	243	24.74	0.388	1.000	Pass
		64QAM	120	60	24.07	0.333	1.000	Pass
			1	1	23.41	0.286	1.000	Pass
			1	243	23.46	0.289	1.000	Pass
		256QAM	120	60	22.03	0.208	1.000	Pass
			1	1	21.36	0.178	1.000	Pass
			1	243	21.32	0.177	1.000	Pass
	MCH	PI/2 BPSK	120	60	25.93	0.511	1.000	Pass
			1	1	26.1	0.531	1.000	Pass

			1	243	26.07	0.527	1.000	Pass
		QPSK	120	60	25.97	0.515	1.000	Pass
			1	1	26.35	0.562	1.000	Pass
			1	243	26.35	0.562	1.000	Pass
		16QAM	120	60	25.01	0.413	1.000	Pass
			1	1	24.97	0.409	1.000	Pass
			1	243	24.94	0.406	1.000	Pass
		64QAM	120	60	23.48	0.290	1.000	Pass
			1	1	23.73	0.308	1.000	Pass
			1	243	23.73	0.308	1.000	Pass
		256QAM	120	60	21.52	0.185	1.000	Pass
			1	1	21.59	0.188	1.000	Pass
			1	243	21.55	0.186	1.000	Pass
	HCH	PI/2 BPSK	120	60	25.88	0.505	1.000	Pass
			1	1	25.89	0.506	1.000	Pass
			1	243	25.92	0.509	1.000	Pass
		QPSK	120	60	25.92	0.509	1.000	Pass
			1	1	26.14	0.536	1.000	Pass
			1	243	26.2	0.543	1.000	Pass
		16QAM	120	60	24.95	0.407	1.000	Pass
			1	1	24.74	0.388	1.000	Pass
			1	243	24.77	0.391	1.000	Pass
		64QAM	120	60	23.42	0.286	1.000	Pass
			1	1	23.5	0.292	1.000	Pass
			1	243	23.5	0.292	1.000	Pass
		256QAM	120	60	21.48	0.183	1.000	Pass
			1	1	21.35	0.178	1.000	Pass
			1	243	21.41	0.180	1.000	Pass
100	LCH	PI/2 BPSK	135	67	26.46	0.577	1.000	Pass
			1	1	25.88	0.505	1.000	Pass
			1	271	25.74	0.489	1.000	Pass
		QPSK	135	67	26.5	0.582	1.000	Pass
			1	1	26.07	0.527	1.000	Pass
			1	271	26	0.519	1.000	Pass
		16QAM	135	67	25.53	0.466	1.000	Pass
			1	1	24.76	0.390	1.000	Pass
			1	271	24.61	0.377	1.000	Pass
		64QAM	135	67	24.07	0.333	1.000	Pass
			1	1	23.44	0.288	1.000	Pass
			1	271	23.35	0.282	1.000	Pass
		256QAM	135	67	22.08	0.210	1.000	Pass
			1	1	21.36	0.178	1.000	Pass
			1	271	21.24	0.173	1.000	Pass

	MCH	PI/2 BPSK	135	67	25.9	0.507	1.000	Pass
			1	1	26.15	0.537	1.000	Pass
			1	271	26.09	0.530	1.000	Pass
		QPSK	135	67	25.93	0.511	1.000	Pass
			1	1	26.41	0.570	1.000	Pass
			1	271	26.36	0.564	1.000	Pass
		16QAM	135	67	24.96	0.408	1.000	Pass
			1	1	24.99	0.411	1.000	Pass
			1	271	24.93	0.406	1.000	Pass
		64QAM	135	67	23.48	0.290	1.000	Pass
			1	1	23.77	0.310	1.000	Pass
			1	271	23.81	0.313	1.000	Pass
		256QAM	135	67	21.5	0.184	1.000	Pass
			1	1	21.68	0.192	1.000	Pass
			1	271	21.61	0.189	1.000	Pass
	HCH	PI/2 BPSK	135	67	25.86	0.502	1.000	Pass
			1	1	25.71	0.485	1.000	Pass
			1	271	25.82	0.498	1.000	Pass
		QPSK	135	67	25.9	0.507	1.000	Pass
			1	1	25.99	0.518	1.000	Pass
			1	271	26.1	0.531	1.000	Pass
		16QAM	135	67	24.93	0.406	1.000	Pass
			1	1	24.6	0.376	1.000	Pass
			1	271	24.71	0.385	1.000	Pass
		64QAM	135	67	23.45	0.288	1.000	Pass
			1	1	23.41	0.286	1.000	Pass
			1	271	23.53	0.294	1.000	Pass
		256QAM	135	67	21.53	0.185	1.000	Pass
			1	1	21.21	0.172	1.000	Pass
			1	271	21.32	0.177	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n78 (3450-3550MHz)								
10	LCH	PI/2 BPSK	12	6	26.04	0.448	1.000	Pass
			1	1	26.09	0.453	1.000	Pass
			1	22	26.05	0.449	1.000	Pass
		QPSK	12	6	26	0.444	1.000	Pass
			1	1	26.09	0.453	1.000	Pass
			1	22	26.02	0.446	1.000	Pass
		16QAM	12	6	25.02	0.354	1.000	Pass
			1	1	24.94	0.348	1.000	Pass
			1	22	24.96	0.349	1.000	Pass
		64QAM	12	6	23.59	0.255	1.000	Pass
			1	1	23.53	0.251	1.000	Pass
			1	22	23.43	0.245	1.000	Pass
		256QAM	12	6	21.32	0.151	1.000	Pass
			1	1	21.62	0.162	1.000	Pass
			1	22	21.56	0.160	1.000	Pass
	MCH	PI/2 BPSK	12	6	26	0.444	1.000	Pass
			1	1	26.06	0.450	1.000	Pass
			1	22	26	0.444	1.000	Pass
		QPSK	12	6	25.95	0.439	1.000	Pass
			1	1	26.04	0.448	1.000	Pass
			1	22	26.02	0.446	1.000	Pass
		16QAM	12	6	24.96	0.349	1.000	Pass
			1	1	24.97	0.350	1.000	Pass
			1	22	24.93	0.347	1.000	Pass
		64QAM	12	6	23.55	0.252	1.000	Pass
			1	1	23.51	0.250	1.000	Pass
			1	22	23.42	0.245	1.000	Pass
		256QAM	12	6	21.24	0.148	1.000	Pass
			1	1	21.57	0.160	1.000	Pass
			1	22	21.51	0.158	1.000	Pass
	HCH	PI/2 BPSK	12	6	26.05	0.449	1.000	Pass
			1	1	26.16	0.460	1.000	Pass
			1	22	26.19	0.463	1.000	Pass
		QPSK	12	6	26.03	0.447	1.000	Pass
			1	1	26.16	0.460	1.000	Pass
			1	22	26.2	0.465	1.000	Pass
		16QAM	12	6	25.06	0.357	1.000	Pass

			1	1	25.02	0.354	1.000	Pass
			1	22	25.12	0.362	1.000	Pass
		64QAM	12	6	23.63	0.257	1.000	Pass
			1	1	23.59	0.255	1.000	Pass
			1	22	23.65	0.258	1.000	Pass
		256QAM	12	6	21.4	0.154	1.000	Pass
			1	1	21.66	0.163	1.000	Pass
			1	22	21.71	0.165	1.000	Pass
		PI/2 BPSK	18	9	26.09	0.453	1.000	Pass
			1	1	26.07	0.451	1.000	Pass
			1	36	26.04	0.448	1.000	Pass
15	LCH	QPSK	18	9	26.05	0.449	1.000	Pass
			1	1	26.18	0.462	1.000	Pass
			1	36	26.17	0.461	1.000	Pass
		16QAM	18	9	25.07	0.358	1.000	Pass
			1	1	25.02	0.354	1.000	Pass
			1	36	24.96	0.349	1.000	Pass
		64QAM	18	9	23.78	0.266	1.000	Pass
			1	1	23.61	0.256	1.000	Pass
			1	36	23.56	0.253	1.000	Pass
		256QAM	18	9	21.6	0.161	1.000	Pass
			1	1	21.65	0.163	1.000	Pass
			1	36	21.59	0.161	1.000	Pass
	MCH	PI/2 BPSK	18	9	26.03	0.447	1.000	Pass
			1	1	26.1	0.454	1.000	Pass
			1	36	25.94	0.438	1.000	Pass
		QPSK	18	9	26.05	0.449	1.000	Pass
			1	1	26.23	0.468	1.000	Pass
			1	36	26.13	0.457	1.000	Pass
		16QAM	18	9	25.04	0.356	1.000	Pass
			1	1	25.01	0.353	1.000	Pass
			1	36	24.89	0.344	1.000	Pass
		64QAM	18	9	23.66	0.259	1.000	Pass
			1	1	23.66	0.259	1.000	Pass
			1	36	23.49	0.249	1.000	Pass
		256QAM	18	9	21.58	0.160	1.000	Pass
			1	1	21.65	0.163	1.000	Pass
			1	36	21.51	0.158	1.000	Pass
	HCH	PI/2 BPSK	18	9	26.16	0.460	1.000	Pass
			1	1	26.15	0.459	1.000	Pass
			1	36	26.18	0.462	1.000	Pass
		QPSK	18	9	26.2	0.465	1.000	Pass
			1	1	26.34	0.480	1.000	Pass

			1	36	26.35	0.481	1.000	Pass
		16QAM	18	9	25.15	0.365	1.000	Pass
			1	1	25.18	0.367	1.000	Pass
			1	36	25.07	0.358	1.000	Pass
		64QAM	18	9	23.76	0.265	1.000	Pass
			1	1	23.76	0.265	1.000	Pass
			1	36	23.75	0.264	1.000	Pass
		256QAM	18	9	21.7	0.165	1.000	Pass
			1	1	21.78	0.168	1.000	Pass
			1	36	21.74	0.166	1.000	Pass
20	LCH	PI/2 BPSK	25	12	26.09	0.453	1.000	Pass
			1	1	26.04	0.448	1.000	Pass
			1	49	26.04	0.448	1.000	Pass
		QPSK	25	12	26.11	0.455	1.000	Pass
			1	1	26.21	0.466	1.000	Pass
			1	49	26.15	0.459	1.000	Pass
		16QAM	25	12	25.16	0.366	1.000	Pass
			1	1	24.98	0.351	1.000	Pass
			1	49	24.98	0.351	1.000	Pass
		64QAM	25	12	23.72	0.262	1.000	Pass
			1	1	23.58	0.254	1.000	Pass
			1	49	23.59	0.255	1.000	Pass
		256QAM	25	12	21.6	0.161	1.000	Pass
			1	1	21.65	0.163	1.000	Pass
			1	49	21.64	0.163	1.000	Pass
	MCH	PI/2 BPSK	25	12	26.05	0.449	1.000	Pass
			1	1	26.07	0.451	1.000	Pass
			1	49	25.98	0.442	1.000	Pass
		QPSK	25	12	26.06	0.450	1.000	Pass
			1	1	26.21	0.466	1.000	Pass
			1	49	26.13	0.457	1.000	Pass
		16QAM	25	12	25.11	0.361	1.000	Pass
			1	1	25.06	0.357	1.000	Pass
			1	49	24.9	0.344	1.000	Pass
		64QAM	25	12	23.66	0.259	1.000	Pass
			1	1	23.63	0.257	1.000	Pass
			1	49	23.56	0.253	1.000	Pass
		256QAM	25	12	21.57	0.160	1.000	Pass
			1	1	21.66	0.163	1.000	Pass
			1	49	21.58	0.160	1.000	Pass
	HCH	PI/2 BPSK	25	12	26.2	0.465	1.000	Pass
			1	1	26.19	0.463	1.000	Pass
			1	49	26.21	0.466	1.000	Pass

		QPSK	25	12	26.24	0.469	1.000	Pass
			1	1	26.28	0.473	1.000	Pass
			1	49	26.37	0.483	1.000	Pass
		16QAM	25	12	25.26	0.374	1.000	Pass
			1	1	25.16	0.366	1.000	Pass
			1	49	25.07	0.358	1.000	Pass
		64QAM	25	12	23.85	0.270	1.000	Pass
			1	1	23.8	0.267	1.000	Pass
			1	49	23.77	0.265	1.000	Pass
		256QAM	25	12	21.75	0.167	1.000	Pass
			1	1	21.77	0.167	1.000	Pass
			1	49	21.75	0.167	1.000	Pass
25	LCH	PI/2 BPSK	32	16	26.08	0.452	1.000	Pass
			1	1	26.13	0.457	1.000	Pass
			1	63	26.13	0.457	1.000	Pass
		QPSK	32	16	26.16	0.460	1.000	Pass
			1	1	26.25	0.470	1.000	Pass
			1	63	26.26	0.471	1.000	Pass
		16QAM	32	16	25.13	0.363	1.000	Pass
			1	1	25.03	0.355	1.000	Pass
			1	63	25.11	0.361	1.000	Pass
		64QAM	32	16	23.73	0.263	1.000	Pass
			1	1	23.71	0.262	1.000	Pass
			1	63	23.78	0.266	1.000	Pass
		256QAM	32	16	21.68	0.164	1.000	Pass
			1	1	21.76	0.167	1.000	Pass
			1	63	21.73	0.166	1.000	Pass
	MCH	PI/2 BPSK	32	16	26.08	0.452	1.000	Pass
			1	1	26.19	0.463	1.000	Pass
			1	63	26.05	0.449	1.000	Pass
		QPSK	32	16	26.12	0.456	1.000	Pass
			1	1	26.32	0.478	1.000	Pass
			1	63	26.14	0.458	1.000	Pass
		16QAM	32	16	25.07	0.358	1.000	Pass
			1	1	25.15	0.365	1.000	Pass
			1	63	25	0.352	1.000	Pass
		64QAM	32	16	23.71	0.262	1.000	Pass
			1	1	23.76	0.265	1.000	Pass
			1	63	23.68	0.260	1.000	Pass
		256QAM	32	16	21.64	0.163	1.000	Pass
			1	1	21.82	0.169	1.000	Pass
			1	63	21.67	0.164	1.000	Pass
	HCH	PI/2 BPSK	32	16	26.18	0.462	1.000	Pass

			1	1	26.2	0.465	1.000	Pass
			1	63	26.22	0.467	1.000	Pass
			32	16	26.19	0.463	1.000	Pass
		QPSK	1	1	26.29	0.474	1.000	Pass
			1	63	26.35	0.481	1.000	Pass
			32	16	25.15	0.365	1.000	Pass
		16QAM	1	1	25.16	0.366	1.000	Pass
			1	63	25.14	0.364	1.000	Pass
			32	16	23.79	0.267	1.000	Pass
		64QAM	1	1	23.78	0.266	1.000	Pass
			1	63	23.81	0.268	1.000	Pass
			32	16	21.76	0.167	1.000	Pass
		256QAM	1	1	21.8	0.169	1.000	Pass
			1	63	21.86	0.171	1.000	Pass
			36	18	26.16	0.460	1.000	Pass
30	LCH	PI/2 BPSK	1	1	26.11	0.455	1.000	Pass
			1	76	26.11	0.455	1.000	Pass
			36	18	26.15	0.459	1.000	Pass
		QPSK	1	1	26.28	0.473	1.000	Pass
			1	76	26.29	0.474	1.000	Pass
			36	18	25.18	0.367	1.000	Pass
		16QAM	1	1	25	0.352	1.000	Pass
			1	76	25.03	0.355	1.000	Pass
			36	18	23.76	0.265	1.000	Pass
		64QAM	1	1	23.71	0.262	1.000	Pass
			1	76	23.72	0.262	1.000	Pass
			36	18	21.71	0.165	1.000	Pass
		256QAM	1	1	21.7	0.165	1.000	Pass
			1	76	21.7	0.165	1.000	Pass
			36	18	26.14	0.458	1.000	Pass
	MCH	PI/2 BPSK	1	1	26.21	0.466	1.000	Pass
			1	76	26.05	0.449	1.000	Pass
			36	18	26.13	0.457	1.000	Pass
		QPSK	1	1	26.33	0.479	1.000	Pass
			1	76	26.17	0.461	1.000	Pass
			36	18	25.15	0.365	1.000	Pass
		16QAM	1	1	25.1	0.361	1.000	Pass
			1	76	24.98	0.351	1.000	Pass
			36	18	23.73	0.263	1.000	Pass
		64QAM	1	1	23.8	0.267	1.000	Pass
			1	76	23.64	0.258	1.000	Pass
			36	18	21.68	0.164	1.000	Pass
		256QAM	1	1	21.8	0.169	1.000	Pass
			1	1	21.8	0.169	1.000	Pass

	HCH	PI/2 BPSK	1	76	21.6	0.161	1.000	Pass
			36	18	26.2	0.465	1.000	Pass
			1	1	26.17	0.461	1.000	Pass
		QPSK	1	76	26.21	0.466	1.000	Pass
			36	18	26.2	0.465	1.000	Pass
			1	1	26.35	0.481	1.000	Pass
		16QAM	1	76	26.37	0.483	1.000	Pass
			36	18	25.24	0.372	1.000	Pass
			1	1	25.05	0.356	1.000	Pass
		64QAM	1	76	25.09	0.360	1.000	Pass
			36	18	23.8	0.267	1.000	Pass
			1	1	23.78	0.266	1.000	Pass
		256QAM	1	76	23.81	0.268	1.000	Pass
			36	18	21.75	0.167	1.000	Pass
			1	1	21.75	0.167	1.000	Pass
			1	76	21.78	0.168	1.000	Pass
40	LCH	PI/2 BPSK	50	25	26.19	0.463	1.000	Pass
			1	1	26.16	0.460	1.000	Pass
			1	104	26.16	0.460	1.000	Pass
		QPSK	50	25	26.16	0.460	1.000	Pass
			1	1	26.29	0.474	1.000	Pass
			1	104	26.31	0.476	1.000	Pass
		16QAM	50	25	25.23	0.372	1.000	Pass
			1	1	25.09	0.360	1.000	Pass
			1	104	25.13	0.363	1.000	Pass
		64QAM	50	25	23.77	0.265	1.000	Pass
			1	1	23.73	0.263	1.000	Pass
			1	104	23.78	0.266	1.000	Pass
	MCH	PI/2 BPSK	50	25	21.84	0.170	1.000	Pass
			1	1	21.79	0.168	1.000	Pass
			1	104	21.78	0.168	1.000	Pass
		QPSK	50	25	26.13	0.457	1.000	Pass
			1	1	26.32	0.478	1.000	Pass
			1	104	26.17	0.461	1.000	Pass
		16QAM	50	25	26.12	0.456	1.000	Pass
			1	1	26.48	0.495	1.000	Pass
			1	104	26.32	0.478	1.000	Pass
		64QAM	50	25	25.18	0.367	1.000	Pass
			1	1	25.24	0.372	1.000	Pass
			1	104	25.09	0.360	1.000	Pass

		256QAM	50	25	21.78	0.168	1.000	Pass
			1	1	21.93	0.174	1.000	Pass
			1	104	21.75	0.167	1.000	Pass
	HCH	PI/2 BPSK	50	25	26.22	0.467	1.000	Pass
			1	1	26.19	0.463	1.000	Pass
			1	104	26.27	0.472	1.000	Pass
		QPSK	50	25	26.26	0.471	1.000	Pass
			1	1	26.34	0.480	1.000	Pass
			1	104	26.48	0.495	1.000	Pass
		16QAM	50	25	25.25	0.373	1.000	Pass
			1	1	25.12	0.362	1.000	Pass
			1	104	25.09	0.360	1.000	Pass
		64QAM	50	25	23.81	0.268	1.000	Pass
			1	1	23.85	0.270	1.000	Pass
			1	104	23.96	0.277	1.000	Pass
		256QAM	50	25	21.85	0.171	1.000	Pass
			1	1	21.86	0.171	1.000	Pass
			1	104	21.88	0.172	1.000	Pass
50	LCH	PI/2 BPSK	64	32	26.22	0.467	1.000	Pass
			1	1	26.12	0.456	1.000	Pass
			1	131	26	0.444	1.000	Pass
		QPSK	64	32	26.24	0.469	1.000	Pass
			1	1	26.23	0.468	1.000	Pass
			1	131	26.14	0.458	1.000	Pass
		16QAM	64	32	25.26	0.374	1.000	Pass
			1	1	24.86	0.341	1.000	Pass
			1	131	24.8	0.337	1.000	Pass
		64QAM	64	32	23.83	0.269	1.000	Pass
			1	1	23.71	0.262	1.000	Pass
			1	131	23.7	0.261	1.000	Pass
		256QAM	64	32	21.85	0.171	1.000	Pass
			1	1	21.76	0.167	1.000	Pass
			1	131	21.66	0.163	1.000	Pass
	MCH	PI/2 BPSK	64	32	26.16	0.460	1.000	Pass
			1	1	26.23	0.468	1.000	Pass
			1	131	26.11	0.455	1.000	Pass
		QPSK	64	32	26.21	0.466	1.000	Pass
			1	1	26.37	0.483	1.000	Pass
			1	131	26.25	0.470	1.000	Pass
		16QAM	64	32	25.18	0.367	1.000	Pass
			1	1	25.14	0.364	1.000	Pass
			1	131	25.04	0.356	1.000	Pass
		64QAM	64	32	23.78	0.266	1.000	Pass

60		256QAM	1	1	23.92	0.275	1.000	Pass
			1	131	23.74	0.264	1.000	Pass
			64	32	21.79	0.168	1.000	Pass
			1	1	21.92	0.173	1.000	Pass
			1	131	21.75	0.167	1.000	Pass
	HCH	PI/2 BPSK	64	32	26.26	0.471	1.000	Pass
			1	1	26.13	0.457	1.000	Pass
			1	131	26.23	0.468	1.000	Pass
		QPSK	64	32	26.29	0.474	1.000	Pass
			1	1	26.3	0.475	1.000	Pass
			1	131	26.37	0.483	1.000	Pass
		16QAM	64	32	25.28	0.376	1.000	Pass
			1	1	24.98	0.351	1.000	Pass
			1	131	25.02	0.354	1.000	Pass
		64QAM	64	32	23.87	0.272	1.000	Pass
			1	1	23.78	0.266	1.000	Pass
			1	131	23.91	0.274	1.000	Pass
		256QAM	64	32	21.87	0.171	1.000	Pass
			1	1	21.76	0.167	1.000	Pass
			1	131	21.87	0.171	1.000	Pass
	LCH	PI/2 BPSK	81	40	26.11	0.455	1.000	Pass
			1	1	26.17	0.461	1.000	Pass
			1	160	26.05	0.449	1.000	Pass
		QPSK	81	40	26.16	0.460	1.000	Pass
			1	1	26.2	0.465	1.000	Pass
			1	160	26.18	0.462	1.000	Pass
		16QAM	81	40	25.19	0.368	1.000	Pass
			1	1	25.09	0.360	1.000	Pass
			1	160	24.95	0.348	1.000	Pass
		64QAM	81	40	23.7	0.261	1.000	Pass
			1	1	23.67	0.259	1.000	Pass
			1	160	23.61	0.256	1.000	Pass
		256QAM	81	40	21.77	0.167	1.000	Pass
			1	1	21.75	0.167	1.000	Pass
			1	160	21.64	0.163	1.000	Pass
	MCH	PI/2 BPSK	81	40	26.09	0.453	1.000	Pass
			1	1	26.29	0.474	1.000	Pass
			1	160	26.16	0.460	1.000	Pass
		QPSK	81	40	26.12	0.456	1.000	Pass
			1	1	26.41	0.488	1.000	Pass
			1	160	26.34	0.480	1.000	Pass
		16QAM	81	40	25.15	0.365	1.000	Pass
			1	1	25.11	0.361	1.000	Pass

		64QAM	1	160	24.99	0.352	1.000	Pass
			81	40	23.7	0.261	1.000	Pass
			1	1	23.91	0.274	1.000	Pass
			1	160	23.8	0.267	1.000	Pass
		256QAM	81	40	21.73	0.166	1.000	Pass
			1	1	21.88	0.172	1.000	Pass
			1	160	21.77	0.167	1.000	Pass
		PI/2 BPSK	81	40	26.16	0.460	1.000	Pass
			1	1	26.34	0.480	1.000	Pass
			1	160	26.29	0.474	1.000	Pass
		QPSK	81	40	26.16	0.460	1.000	Pass
			1	1	26.52	0.500	1.000	Pass
			1	160	26.46	0.493	1.000	Pass
	HCH	16QAM	81	40	25.2	0.369	1.000	Pass
			1	1	25.12	0.362	1.000	Pass
			1	160	25.06	0.357	1.000	Pass
		64QAM	81	40	23.72	0.262	1.000	Pass
			1	1	23.94	0.276	1.000	Pass
			1	160	23.92	0.275	1.000	Pass
		256QAM	81	40	21.75	0.167	1.000	Pass
			1	1	21.91	0.173	1.000	Pass
			1	160	21.82	0.169	1.000	Pass
		PI/2 BPSK	90	45	26.17	0.461	1.000	Pass
			1	1	26.11	0.455	1.000	Pass
			1	187	26.04	0.448	1.000	Pass
		QPSK	90	45	26.18	0.462	1.000	Pass
			1	1	26.25	0.470	1.000	Pass
			1	187	26.15	0.459	1.000	Pass
	70	16QAM	90	45	25.26	0.374	1.000	Pass
			1	1	24.86	0.341	1.000	Pass
			1	187	24.8	0.337	1.000	Pass
		64QAM	90	45	23.74	0.264	1.000	Pass
			1	1	23.62	0.256	1.000	Pass
			1	187	23.54	0.252	1.000	Pass
		256QAM	90	45	21.8	0.169	1.000	Pass
			1	1	21.63	0.162	1.000	Pass
			1	187	21.48	0.157	1.000	Pass
	MCH	PI/2 BPSK	90	45	26.15	0.459	1.000	Pass
			1	1	26.22	0.467	1.000	Pass
			1	187	26.09	0.453	1.000	Pass
		QPSK	90	45	26.15	0.459	1.000	Pass
			1	1	26.38	0.484	1.000	Pass
			1	187	26.21	0.466	1.000	Pass

		16QAM	90	45	25.25	0.373	1.000	Pass
			1	1	25.08	0.359	1.000	Pass
			1	187	24.87	0.342	1.000	Pass
		64QAM	90	45	23.73	0.263	1.000	Pass
			1	1	23.76	0.265	1.000	Pass
			1	187	23.57	0.254	1.000	Pass
		256QAM	90	45	21.76	0.167	1.000	Pass
			1	1	21.73	0.166	1.000	Pass
			1	187	21.56	0.160	1.000	Pass
	HCH	PI/2 BPSK	90	45	26.21	0.466	1.000	Pass
			1	1	26.29	0.474	1.000	Pass
			1	187	26.2	0.465	1.000	Pass
		QPSK	90	45	26.2	0.465	1.000	Pass
			1	1	26.45	0.492	1.000	Pass
			1	187	26.35	0.481	1.000	Pass
		16QAM	90	45	25.33	0.380	1.000	Pass
			1	1	25.15	0.365	1.000	Pass
			1	187	24.98	0.351	1.000	Pass
		64QAM	90	45	23.78	0.266	1.000	Pass
			1	1	23.76	0.265	1.000	Pass
			1	187	23.68	0.260	1.000	Pass
		256QAM	90	45	21.83	0.170	1.000	Pass
			1	1	21.79	0.168	1.000	Pass
			1	187	21.64	0.163	1.000	Pass
80	LCH	PI/2 BPSK	108	54	26.14	0.458	1.000	Pass
			1	1	26.11	0.455	1.000	Pass
			1	215	26.09	0.453	1.000	Pass
		QPSK	108	54	26.19	0.463	1.000	Pass
			1	1	26.24	0.469	1.000	Pass
			1	215	26.24	0.469	1.000	Pass
		16QAM	108	54	25.21	0.370	1.000	Pass
			1	1	25	0.352	1.000	Pass
			1	215	24.98	0.351	1.000	Pass
		64QAM	108	54	23.75	0.264	1.000	Pass
			1	1	23.56	0.253	1.000	Pass
			1	215	23.6	0.255	1.000	Pass
		256QAM	108	54	21.75	0.167	1.000	Pass
			1	1	21.59	0.161	1.000	Pass
			1	215	21.57	0.160	1.000	Pass
	MCH	PI/2 BPSK	108	54	26.15	0.459	1.000	Pass
			1	1	26.17	0.461	1.000	Pass
			1	215	26.14	0.458	1.000	Pass
		QPSK	108	54	26.22	0.467	1.000	Pass

			1	1	26.35	0.481	1.000	Pass
			1	215	26.32	0.478	1.000	Pass
		16QAM	108	54	25.24	0.372	1.000	Pass
			1	1	24.88	0.343	1.000	Pass
			1	215	24.78	0.335	1.000	Pass
		64QAM	108	54	23.76	0.265	1.000	Pass
			1	1	23.7	0.261	1.000	Pass
			1	215	23.78	0.266	1.000	Pass
		256QAM	108	54	21.78	0.168	1.000	Pass
			1	1	21.65	0.163	1.000	Pass
			1	215	21.59	0.161	1.000	Pass
	HCH	PI/2 BPSK	108	54	26.25	0.470	1.000	Pass
			1	1	26.19	0.463	1.000	Pass
			1	215	26.2	0.465	1.000	Pass
		QPSK	108	54	26.29	0.474	1.000	Pass
			1	1	26.37	0.483	1.000	Pass
			1	215	26.33	0.479	1.000	Pass
		16QAM	108	54	25.32	0.379	1.000	Pass
			1	1	24.8	0.337	1.000	Pass
			1	215	25.02	0.354	1.000	Pass
		64QAM	108	54	23.81	0.268	1.000	Pass
			1	1	23.77	0.265	1.000	Pass
			1	215	23.88	0.272	1.000	Pass
		256QAM	108	54	21.79	0.168	1.000	Pass
			1	1	21.73	0.166	1.000	Pass
			1	215	21.69	0.164	1.000	Pass
90	LCH	PI/2 BPSK	120	60	26.18	0.462	1.000	Pass
			1	1	26.18	0.462	1.000	Pass
			1	243	26.18	0.462	1.000	Pass
		QPSK	120	60	26.23	0.468	1.000	Pass
			1	1	26.3	0.475	1.000	Pass
			1	243	26.39	0.485	1.000	Pass
		16QAM	120	60	25.26	0.374	1.000	Pass
			1	1	25.13	0.363	1.000	Pass
			1	243	25.15	0.365	1.000	Pass
		64QAM	120	60	23.79	0.267	1.000	Pass
			1	1	23.69	0.261	1.000	Pass
			1	243	23.8	0.267	1.000	Pass
		256QAM	120	60	21.79	0.168	1.000	Pass
			1	1	21.66	0.163	1.000	Pass
			1	243	21.64	0.163	1.000	Pass
	MCH	PI/2 BPSK	120	60	26.19	0.463	1.000	Pass
			1	1	26.22	0.467	1.000	Pass

			1	243	26.19	0.463	1.000	Pass
		QPSK	120	60	26.25	0.470	1.000	Pass
			1	1	26.37	0.483	1.000	Pass
			1	243	26.34	0.480	1.000	Pass
		16QAM	120	60	25.27	0.375	1.000	Pass
			1	1	25.01	0.353	1.000	Pass
			1	243	25.03	0.355	1.000	Pass
		64QAM	120	60	23.79	0.267	1.000	Pass
			1	1	23.81	0.268	1.000	Pass
			1	243	23.8	0.267	1.000	Pass
		256QAM	120	60	21.8	0.169	1.000	Pass
			1	1	21.74	0.166	1.000	Pass
			1	243	21.67	0.164	1.000	Pass
	HCH	PI/2 BPSK	120	60	26.22	0.467	1.000	Pass
			1	1	26.25	0.470	1.000	Pass
			1	243	26.25	0.470	1.000	Pass
		QPSK	120	60	26.28	0.473	1.000	Pass
			1	1	26.36	0.482	1.000	Pass
			1	243	26.39	0.485	1.000	Pass
		16QAM	120	60	25.3	0.378	1.000	Pass
			1	1	25.09	0.360	1.000	Pass
			1	243	25.07	0.358	1.000	Pass
		64QAM	120	60	23.82	0.269	1.000	Pass
			1	1	23.9	0.274	1.000	Pass
			1	243	23.84	0.270	1.000	Pass
		256QAM	120	60	21.87	0.171	1.000	Pass
			1	1	21.73	0.166	1.000	Pass
			1	243	21.72	0.166	1.000	Pass
100	MCH	PI/2 BPSK	135	67	26.21	0.466	1.000	Pass
			1	1	26.2	0.465	1.000	Pass
			1	271	26.21	0.466	1.000	Pass
		QPSK	135	67	26.23	0.468	1.000	Pass
			1	1	26.33	0.479	1.000	Pass
			1	271	26.39	0.485	1.000	Pass
		16QAM	135	67	25.29	0.377	1.000	Pass
			1	1	25.09	0.360	1.000	Pass
			1	271	25.1	0.361	1.000	Pass
		64QAM	135	67	23.8	0.267	1.000	Pass
			1	1	23.73	0.263	1.000	Pass
			1	271	24	0.280	1.000	Pass
		256QAM	135	67	21.81	0.169	1.000	Pass
			1	1	21.66	0.163	1.000	Pass
			1	271	21.67	0.164	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n78 (3700-3800MHz)								
10	LCH	PI/2 BPSK	12	6	26.56	0.447	1.000	Pass
			1	1	26.6	0.451	1.000	Pass
			1	22	26.68	0.459	1.000	Pass
		QPSK	12	6	26.6	0.451	1.000	Pass
			1	1	26.61	0.452	1.000	Pass
			1	22	26.66	0.457	1.000	Pass
		16QAM	12	6	25.57	0.356	1.000	Pass
			1	1	25.31	0.335	1.000	Pass
			1	22	25.4	0.342	1.000	Pass
		64QAM	12	6	24.14	0.256	1.000	Pass
			1	1	24.04	0.250	1.000	Pass
			1	22	24.02	0.249	1.000	Pass
		256QAM	12	6	21.9	0.153	1.000	Pass
			1	1	22.04	0.158	1.000	Pass
			1	22	22.11	0.160	1.000	Pass
	MCH	PI/2 BPSK	12	6	26.94	0.488	1.000	Pass
			1	1	26.98	0.492	1.000	Pass
			1	22	26.89	0.482	1.000	Pass
		QPSK	12	6	26.86	0.479	1.000	Pass
			1	1	26.92	0.485	1.000	Pass
			1	22	26.83	0.475	1.000	Pass
		16QAM	12	6	25.87	0.381	1.000	Pass
			1	1	25.74	0.370	1.000	Pass
			1	22	25.61	0.359	1.000	Pass
		64QAM	12	6	24.4	0.272	1.000	Pass
			1	1	24.37	0.270	1.000	Pass
			1	22	24.33	0.267	1.000	Pass
		256QAM	12	6	22.17	0.163	1.000	Pass
			1	1	22.49	0.175	1.000	Pass
			1	22	22.39	0.171	1.000	Pass
	HCH	PI/2 BPSK	12	6	26.29	0.420	1.000	Pass
			1	1	26.4	0.431	1.000	Pass
			1	22	26.28	0.419	1.000	Pass
		QPSK	12	6	26.28	0.419	1.000	Pass
			1	1	26.35	0.426	1.000	Pass
			1	22	26.21	0.412	1.000	Pass
		16QAM	12	6	25.22	0.328	1.000	Pass

			1	1	25.34	0.337	1.000	Pass
			1	22	25.22	0.328	1.000	Pass
		64QAM	12	6	23.79	0.236	1.000	Pass
			1	1	23.88	0.241	1.000	Pass
			1	22	23.73	0.233	1.000	Pass
		256QAM	12	6	21.52	0.140	1.000	Pass
			1	1	21.89	0.152	1.000	Pass
			1	22	21.73	0.147	1.000	Pass
		PI/2 BPSK	18	9	26.58	0.449	1.000	Pass
			1	1	26.56	0.447	1.000	Pass
			1	36	26.62	0.453	1.000	Pass
15	LCH	QPSK	18	9	26.6	0.451	1.000	Pass
			1	1	26.77	0.469	1.000	Pass
			1	36	26.82	0.474	1.000	Pass
		16QAM	18	9	25.59	0.357	1.000	Pass
			1	1	25.41	0.343	1.000	Pass
			1	36	25.45	0.346	1.000	Pass
		64QAM	18	9	24.19	0.259	1.000	Pass
			1	1	24.13	0.255	1.000	Pass
			1	36	24.2	0.259	1.000	Pass
		256QAM	18	9	22.1	0.160	1.000	Pass
			1	1	22.07	0.159	1.000	Pass
			1	36	22.21	0.164	1.000	Pass
	MCH	PI/2 BPSK	18	9	26.93	0.486	1.000	Pass
			1	1	26.98	0.492	1.000	Pass
			1	36	26.87	0.480	1.000	Pass
		QPSK	18	9	26.92	0.485	1.000	Pass
			1	1	27.06	0.501	1.000	Pass
			1	36	26.98	0.492	1.000	Pass
		16QAM	18	9	25.94	0.387	1.000	Pass
			1	1	25.91	0.385	1.000	Pass
			1	36	25.99	0.392	1.000	Pass
		64QAM	18	9	24.57	0.282	1.000	Pass
			1	1	24.45	0.275	1.000	Pass
			1	36	24.36	0.269	1.000	Pass
		256QAM	18	9	22.49	0.175	1.000	Pass
			1	1	22.55	0.177	1.000	Pass
			1	36	22.41	0.172	1.000	Pass
	HCH	PI/2 BPSK	18	9	26.35	0.426	1.000	Pass
			1	1	26.45	0.436	1.000	Pass
			1	36	26.19	0.410	1.000	Pass
		QPSK	18	9	26.37	0.428	1.000	Pass
			1	1	26.67	0.458	1.000	Pass

			1	36	26.41	0.432	1.000	Pass
		16QAM	18	9	25.37	0.340	1.000	Pass
			1	1	25.33	0.337	1.000	Pass
			1	36	25.12	0.321	1.000	Pass
			1	36	25.12	0.321	1.000	Pass
		64QAM	18	9	23.93	0.244	1.000	Pass
			1	1	24.06	0.251	1.000	Pass
			1	36	23.77	0.235	1.000	Pass
			1	36	23.77	0.235	1.000	Pass
		256QAM	18	9	21.91	0.153	1.000	Pass
			1	1	21.97	0.155	1.000	Pass
			1	36	21.75	0.148	1.000	Pass
			1	36	21.75	0.148	1.000	Pass
20	LCH	PI/2 BPSK	25	12	26.6	0.451	1.000	Pass
			1	1	26.48	0.439	1.000	Pass
			1	49	26.68	0.459	1.000	Pass
		QPSK	25	12	26.62	0.453	1.000	Pass
			1	1	26.6	0.451	1.000	Pass
			1	49	26.81	0.473	1.000	Pass
		16QAM	25	12	25.67	0.364	1.000	Pass
			1	1	25.46	0.347	1.000	Pass
			1	49	25.68	0.365	1.000	Pass
		64QAM	25	12	24.25	0.262	1.000	Pass
			1	1	24.14	0.256	1.000	Pass
			1	49	24.27	0.264	1.000	Pass
		256QAM	25	12	22.13	0.161	1.000	Pass
			1	1	22.04	0.158	1.000	Pass
			1	49	22.24	0.165	1.000	Pass
	MCH	PI/2 BPSK	25	12	26.95	0.489	1.000	Pass
			1	1	26.94	0.488	1.000	Pass
			1	49	26.87	0.480	1.000	Pass
		QPSK	25	12	26.97	0.491	1.000	Pass
			1	1	27.16	0.513	1.000	Pass
			1	49	27.09	0.505	1.000	Pass
		16QAM	25	12	26	0.393	1.000	Pass
			1	1	26.01	0.394	1.000	Pass
			1	49	25.89	0.383	1.000	Pass
		64QAM	25	12	24.56	0.282	1.000	Pass
			1	1	24.55	0.281	1.000	Pass
			1	49	24.43	0.274	1.000	Pass
		256QAM	25	12	22.45	0.173	1.000	Pass
			1	1	22.51	0.176	1.000	Pass
			1	49	22.41	0.172	1.000	Pass
	HCH	PI/2 BPSK	25	12	26.35	0.426	1.000	Pass
			1	1	26.53	0.444	1.000	Pass
			1	49	26.15	0.406	1.000	Pass

		QPSK	25	12	26.37	0.428	1.000	Pass
			1	1	26.76	0.468	1.000	Pass
			1	49	26.39	0.430	1.000	Pass
		16QAM	25	12	25.42	0.344	1.000	Pass
			1	1	25.41	0.343	1.000	Pass
			1	49	25.09	0.318	1.000	Pass
		64QAM	25	12	23.98	0.247	1.000	Pass
			1	1	24.14	0.256	1.000	Pass
			1	49	23.77	0.235	1.000	Pass
		256QAM	25	12	21.87	0.152	1.000	Pass
			1	1	22.06	0.158	1.000	Pass
			1	49	21.7	0.146	1.000	Pass
25	LCH	PI/2 BPSK	32	16	26.64	0.455	1.000	Pass
			1	1	26.54	0.445	1.000	Pass
			1	63	26.76	0.468	1.000	Pass
		QPSK	32	16	26.68	0.459	1.000	Pass
			1	1	26.74	0.466	1.000	Pass
			1	63	26.96	0.490	1.000	Pass
		16QAM	32	16	25.63	0.361	1.000	Pass
			1	1	25.48	0.348	1.000	Pass
			1	63	25.64	0.361	1.000	Pass
		64QAM	32	16	24.26	0.263	1.000	Pass
			1	1	24.2	0.259	1.000	Pass
			1	63	24.36	0.269	1.000	Pass
		256QAM	32	16	22.17	0.163	1.000	Pass
			1	1	22.12	0.161	1.000	Pass
			1	63	22.33	0.169	1.000	Pass
	MCH	PI/2 BPSK	32	16	26.88	0.481	1.000	Pass
			1	1	26.92	0.485	1.000	Pass
			1	63	26.9	0.483	1.000	Pass
		QPSK	32	16	26.96	0.490	1.000	Pass
			1	1	27.15	0.512	1.000	Pass
			1	63	27.12	0.508	1.000	Pass
		16QAM	32	16	25.95	0.388	1.000	Pass
			1	1	25.87	0.381	1.000	Pass
			1	63	25.8	0.375	1.000	Pass
		64QAM	32	16	24.62	0.286	1.000	Pass
			1	1	24.53	0.280	1.000	Pass
			1	63	24.44	0.274	1.000	Pass
		256QAM	32	16	22.47	0.174	1.000	Pass
			1	1	22.52	0.176	1.000	Pass
			1	63	22.49	0.175	1.000	Pass
	HCH	PI/2 BPSK	32	16	26.44	0.435	1.000	Pass

			1	1	26.65	0.456	1.000	Pass
			1	63	26.2	0.411	1.000	Pass
			32	16	26.46	0.437	1.000	Pass
		QPSK	1	1	26.86	0.479	1.000	Pass
			1	63	26.41	0.432	1.000	Pass
		16QAM	32	16	25.41	0.343	1.000	Pass
			1	1	25.55	0.354	1.000	Pass
			1	63	25.11	0.320	1.000	Pass
		64QAM	32	16	23.99	0.247	1.000	Pass
			1	1	24.24	0.262	1.000	Pass
			1	63	23.81	0.237	1.000	Pass
		256QAM	32	16	21.95	0.155	1.000	Pass
			1	1	22.25	0.166	1.000	Pass
			1	63	21.77	0.148	1.000	Pass
30	LCH	PI/2 BPSK	36	18	26.68	0.459	1.000	Pass
			1	1	26.56	0.447	1.000	Pass
			1	76	26.85	0.478	1.000	Pass
		QPSK	36	18	26.67	0.458	1.000	Pass
			1	1	26.85	0.478	1.000	Pass
			1	76	27.22	0.520	1.000	Pass
		16QAM	36	18	25.76	0.372	1.000	Pass
			1	1	25.45	0.346	1.000	Pass
			1	76	25.77	0.372	1.000	Pass
		64QAM	36	18	24.31	0.266	1.000	Pass
			1	1	24.18	0.258	1.000	Pass
			1	76	24.49	0.277	1.000	Pass
		256QAM	36	18	22.26	0.166	1.000	Pass
			1	1	22.12	0.161	1.000	Pass
			1	76	22.41	0.172	1.000	Pass
	MCH	PI/2 BPSK	36	18	26.97	0.491	1.000	Pass
			1	1	26.95	0.489	1.000	Pass
			1	76	26.88	0.481	1.000	Pass
		QPSK	36	18	26.96	0.490	1.000	Pass
			1	1	27.26	0.525	1.000	Pass
			1	76	27.19	0.516	1.000	Pass
		16QAM	36	18	26.04	0.396	1.000	Pass
			1	1	25.85	0.379	1.000	Pass
			1	76	25.86	0.380	1.000	Pass
		64QAM	36	18	24.55	0.281	1.000	Pass
			1	1	24.53	0.280	1.000	Pass
			1	76	24.43	0.274	1.000	Pass
		256QAM	36	18	22.5	0.175	1.000	Pass
			1	1	22.51	0.176	1.000	Pass

	HCH	PI/2 BPSK	1	76	22.43	0.173	1.000	Pass
			36	18	26.46	0.437	1.000	Pass
			1	1	26.73	0.465	1.000	Pass
		QPSK	1	76	26.16	0.407	1.000	Pass
			36	18	26.5	0.441	1.000	Pass
			1	1	27.03	0.498	1.000	Pass
		16QAM	1	76	26.42	0.433	1.000	Pass
			36	18	25.53	0.352	1.000	Pass
			1	1	25.6	0.358	1.000	Pass
		64QAM	1	76	25.04	0.315	1.000	Pass
			36	18	24.13	0.255	1.000	Pass
			1	1	24.31	0.266	1.000	Pass
		256QAM	1	76	23.77	0.235	1.000	Pass
			36	18	22.04	0.158	1.000	Pass
			1	1	22.27	0.166	1.000	Pass
			1	76	21.74	0.147	1.000	Pass
40	LCH	PI/2 BPSK	50	25	26.75	0.467	1.000	Pass
			1	1	26.63	0.454	1.000	Pass
			1	104	27	0.494	1.000	Pass
		QPSK	50	25	26.76	0.468	1.000	Pass
			1	1	26.89	0.482	1.000	Pass
			1	104	27.3	0.530	1.000	Pass
		16QAM	50	25	25.79	0.374	1.000	Pass
			1	1	25.4	0.342	1.000	Pass
			1	104	25.76	0.372	1.000	Pass
		64QAM	50	25	24.37	0.270	1.000	Pass
			1	1	24.26	0.263	1.000	Pass
			1	104	24.58	0.283	1.000	Pass
	MCH	PI/2 BPSK	50	25	22.38	0.171	1.000	Pass
			1	1	22.24	0.165	1.000	Pass
			1	104	22.57	0.178	1.000	Pass
		QPSK	50	25	26.99	0.493	1.000	Pass
			1	1	26.97	0.491	1.000	Pass
			1	104	26.9	0.483	1.000	Pass
		16QAM	50	25	27.01	0.495	1.000	Pass
			1	1	27.24	0.522	1.000	Pass
			1	104	27.2	0.518	1.000	Pass
		64QAM	50	25	26	0.393	1.000	Pass
			1	1	25.95	0.388	1.000	Pass
			1	104	25.89	0.383	1.000	Pass
		256QAM	50	25	24.56	0.282	1.000	Pass
			1	1	24.64	0.287	1.000	Pass
			1	104	24.51	0.279	1.000	Pass

		256QAM	50	25	22.6	0.179	1.000	Pass
			1	1	22.6	0.179	1.000	Pass
			1	104	22.48	0.175	1.000	Pass
	HCH	PI/2 BPSK	50	25	26.63	0.454	1.000	Pass
			1	1	26.91	0.484	1.000	Pass
			1	104	26.21	0.412	1.000	Pass
		QPSK	50	25	26.61	0.452	1.000	Pass
			1	1	27.27	0.526	1.000	Pass
			1	104	26.54	0.445	1.000	Pass
		16QAM	50	25	25.66	0.363	1.000	Pass
			1	1	25.81	0.376	1.000	Pass
			1	104	25.11	0.320	1.000	Pass
		64QAM	50	25	24.21	0.260	1.000	Pass
			1	1	24.61	0.285	1.000	Pass
			1	104	23.98	0.247	1.000	Pass
		256QAM	50	25	24.17	0.258	1.000	Pass
			1	1	24.61	0.285	1.000	Pass
			1	104	24.02	0.249	1.000	Pass
50	LCH	PI/2 BPSK	64	32	26.89	0.482	1.000	Pass
			1	1	26.58	0.449	1.000	Pass
			1	131	26.94	0.488	1.000	Pass
		QPSK	64	32	26.94	0.488	1.000	Pass
			1	1	26.74	0.466	1.000	Pass
			1	131	27.27	0.526	1.000	Pass
		16QAM	64	32	25.89	0.383	1.000	Pass
			1	1	25.53	0.352	1.000	Pass
			1	131	25.87	0.381	1.000	Pass
		64QAM	64	32	24.52	0.279	1.000	Pass
			1	1	24.23	0.261	1.000	Pass
			1	131	24.61	0.285	1.000	Pass
		256QAM	64	32	24.46	0.275	1.000	Pass
			1	1	24.47	0.276	1.000	Pass
			1	131	24.72	0.292	1.000	Pass
	MCH	PI/2 BPSK	64	32	27	0.494	1.000	Pass
			1	1	26.86	0.479	1.000	Pass
			1	131	26.76	0.468	1.000	Pass
		QPSK	64	32	27.06	0.501	1.000	Pass
			1	1	27.1	0.506	1.000	Pass
			1	131	26.99	0.493	1.000	Pass
		16QAM	64	32	26.04	0.396	1.000	Pass
			1	1	25.82	0.377	1.000	Pass
			1	131	25.67	0.364	1.000	Pass
		64QAM	64	32	24.63	0.286	1.000	Pass

60		256QAM	1	1	24.53	0.280	1.000	Pass
			1	131	24.37	0.270	1.000	Pass
			64	32	24.57	0.282	1.000	Pass
			1	1	24.63	0.286	1.000	Pass
			1	131	24.5	0.278	1.000	Pass
	HCH	PI/2 BPSK	64	32	26.73	0.465	1.000	Pass
			1	1	26.86	0.479	1.000	Pass
			1	131	26.18	0.409	1.000	Pass
		QPSK	64	32	26.77	0.469	1.000	Pass
			1	1	27.22	0.520	1.000	Pass
			1	131	26.49	0.440	1.000	Pass
		16QAM	64	32	25.75	0.371	1.000	Pass
			1	1	25.74	0.370	1.000	Pass
			1	131	25.07	0.317	1.000	Pass
		64QAM	64	32	24.31	0.266	1.000	Pass
			1	1	24.6	0.284	1.000	Pass
			1	131	23.98	0.247	1.000	Pass
		256QAM	64	32	24.3	0.265	1.000	Pass
			1	1	24.61	0.285	1.000	Pass
			1	131	23.95	0.245	1.000	Pass
	LCH	PI/2 BPSK	81	40	26.85	0.478	1.000	Pass
			1	1	26.57	0.448	1.000	Pass
			1	160	26.95	0.489	1.000	Pass
		QPSK	81	40	26.86	0.479	1.000	Pass
			1	1	26.77	0.469	1.000	Pass
			1	160	27.29	0.528	1.000	Pass
		16QAM	81	40	25.9	0.384	1.000	Pass
			1	1	25.47	0.348	1.000	Pass
			1	160	25.83	0.378	1.000	Pass
		64QAM	81	40	24.39	0.271	1.000	Pass
			1	1	24.18	0.258	1.000	Pass
			1	160	24.49	0.277	1.000	Pass
		256QAM	81	40	24.38	0.270	1.000	Pass
			1	1	24.33	0.267	1.000	Pass
			1	160	24.65	0.288	1.000	Pass
	MCH	PI/2 BPSK	81	40	26.93	0.486	1.000	Pass
			1	1	26.79	0.471	1.000	Pass
			1	160	26.71	0.462	1.000	Pass
		QPSK	81	40	26.98	0.492	1.000	Pass
			1	1	27.14	0.511	1.000	Pass
			1	160	27.07	0.502	1.000	Pass
		16QAM	81	40	25.99	0.392	1.000	Pass
			1	1	25.76	0.372	1.000	Pass

		64QAM	1	160	25.6	0.358	1.000	Pass
			81	40	24.47	0.276	1.000	Pass
			1	1	24.41	0.272	1.000	Pass
			1	160	24.3	0.265	1.000	Pass
		256QAM	81	40	24.48	0.277	1.000	Pass
			1	1	24.55	0.281	1.000	Pass
			1	160	24.43	0.274	1.000	Pass
	HCH	PI/2 BPSK	81	40	26.71	0.462	1.000	Pass
			1	1	26.95	0.489	1.000	Pass
			1	160	26.22	0.413	1.000	Pass
		QPSK	81	40	26.77	0.469	1.000	Pass
			1	1	27.35	0.536	1.000	Pass
			1	160	26.57	0.448	1.000	Pass
		16QAM	81	40	25.8	0.375	1.000	Pass
			1	1	25.86	0.380	1.000	Pass
			1	160	25.1	0.319	1.000	Pass
		64QAM	81	40	24.28	0.264	1.000	Pass
			1	1	24.6	0.284	1.000	Pass
			1	160	23.88	0.241	1.000	Pass
		256QAM	81	40	24.27	0.264	1.000	Pass
			1	1	24.61	0.285	1.000	Pass
			1	160	23.92	0.243	1.000	Pass
70	LCH	PI/2 BPSK	90	45	26.95	0.489	1.000	Pass
			1	1	26.57	0.448	1.000	Pass
			1	187	26.85	0.478	1.000	Pass
		QPSK	90	45	27.01	0.495	1.000	Pass
			1	1	26.79	0.471	1.000	Pass
			1	187	27.1	0.506	1.000	Pass
		16QAM	90	45	26.07	0.399	1.000	Pass
			1	1	25.47	0.348	1.000	Pass
			1	187	25.77	0.372	1.000	Pass
		64QAM	90	45	24.51	0.279	1.000	Pass
			1	1	24.06	0.251	1.000	Pass
			1	187	24.37	0.270	1.000	Pass
	MCH	256QAM	90	45	24.52	0.279	1.000	Pass
			1	1	24.18	0.258	1.000	Pass
			1	187	24.42	0.273	1.000	Pass
		PI/2 BPSK	90	45	27.04	0.499	1.000	Pass
			1	1	26.72	0.463	1.000	Pass
			1	187	26.49	0.440	1.000	Pass
		QPSK	90	45	27.05	0.500	1.000	Pass
			1	1	27.04	0.499	1.000	Pass
			1	187	26.85	0.478	1.000	Pass

		16QAM	90	45	26.18	0.409	1.000	Pass
			1	1	25.56	0.355	1.000	Pass
			1	187	25.34	0.337	1.000	Pass
		64QAM	90	45	24.59	0.284	1.000	Pass
			1	1	24.26	0.263	1.000	Pass
			1	187	24.08	0.252	1.000	Pass
		256QAM	90	45	24.56	0.282	1.000	Pass
			1	1	24.31	0.266	1.000	Pass
			1	187	24.04	0.250	1.000	Pass
	HCH	PI/2 BPSK	90	45	26.9	0.483	1.000	Pass
			1	1	26.95	0.489	1.000	Pass
			1	187	26.17	0.408	1.000	Pass
		QPSK	90	45	26.92	0.485	1.000	Pass
			1	1	27.34	0.535	1.000	Pass
			1	187	26.48	0.439	1.000	Pass
		16QAM	90	45	25.99	0.392	1.000	Pass
			1	1	25.83	0.378	1.000	Pass
			1	187	25	0.312	1.000	Pass
		64QAM	90	45	24.46	0.275	1.000	Pass
			1	1	24.48	0.277	1.000	Pass
			1	187	23.8	0.237	1.000	Pass
		256QAM	90	45	24.43	0.274	1.000	Pass
			1	1	24.59	0.284	1.000	Pass
			1	187	23.81	0.237	1.000	Pass
80	LCH	PI/2 BPSK	108	54	27	0.494	1.000	Pass
			1	1	26.53	0.444	1.000	Pass
			1	215	26.62	0.453	1.000	Pass
		QPSK	108	54	27.07	0.502	1.000	Pass
			1	1	26.74	0.466	1.000	Pass
			1	215	26.97	0.491	1.000	Pass
		16QAM	108	54	26.06	0.398	1.000	Pass
			1	1	25.42	0.344	1.000	Pass
			1	215	25.47	0.348	1.000	Pass
		64QAM	108	54	24.59	0.284	1.000	Pass
			1	1	24.11	0.254	1.000	Pass
			1	215	24.19	0.259	1.000	Pass
		256QAM	108	54	24.56	0.282	1.000	Pass
			1	1	24.12	0.255	1.000	Pass
			1	215	24.23	0.261	1.000	Pass
	MCH	PI/2 BPSK	108	54	26.98	0.492	1.000	Pass
			1	1	26.64	0.455	1.000	Pass
			1	215	26.43	0.434	1.000	Pass
		QPSK	108	54	27.07	0.502	1.000	Pass

			1	1	26.94	0.488	1.000	Pass
			1	215	26.76	0.468	1.000	Pass
		16QAM	108	54	26.06	0.398	1.000	Pass
			1	1	25.55	0.354	1.000	Pass
			1	215	25.24	0.330	1.000	Pass
		64QAM	108	54	24.59	0.284	1.000	Pass
			1	1	24.2	0.259	1.000	Pass
			1	215	23.98	0.247	1.000	Pass
		256QAM	108	54	24.54	0.281	1.000	Pass
			1	1	24.28	0.264	1.000	Pass
			1	215	24	0.248	1.000	Pass
	HCH	PI/2 BPSK	108	54	26.89	0.482	1.000	Pass
			1	1	26.85	0.478	1.000	Pass
			1	215	26.2	0.411	1.000	Pass
		QPSK	108	54	26.96	0.490	1.000	Pass
			1	1	27.18	0.515	1.000	Pass
			1	215	26.51	0.442	1.000	Pass
		16QAM	108	54	25.97	0.390	1.000	Pass
			1	1	25.73	0.369	1.000	Pass
			1	215	25.09	0.318	1.000	Pass
		64QAM	108	54	24.5	0.278	1.000	Pass
			1	1	24.49	0.277	1.000	Pass
			1	215	23.79	0.236	1.000	Pass
		256QAM	108	54	24.46	0.275	1.000	Pass
			1	1	24.45	0.275	1.000	Pass
			1	215	23.83	0.238	1.000	Pass
90	LCH	PI/2 BPSK	120	60	26.96	0.490	1.000	Pass
			1	1	26.59	0.450	1.000	Pass
			1	243	26.43	0.434	1.000	Pass
		QPSK	120	60	27.02	0.497	1.000	Pass
			1	1	26.71	0.462	1.000	Pass
			1	243	26.71	0.462	1.000	Pass
		16QAM	120	60	26.05	0.397	1.000	Pass
			1	1	25.5	0.350	1.000	Pass
			1	243	25.26	0.331	1.000	Pass
		64QAM	120	60	24.55	0.281	1.000	Pass
			1	1	24.15	0.256	1.000	Pass
			1	243	24.02	0.249	1.000	Pass
		256QAM	120	60	24.55	0.281	1.000	Pass
			1	1	24.15	0.256	1.000	Pass
			1	243	24	0.248	1.000	Pass
	MCH	PI/2 BPSK	120	60	26.98	0.492	1.000	Pass
			1	1	26.59	0.450	1.000	Pass

			1	243	26.35	0.426	1.000	Pass
		QPSK	120	60	27.06	0.501	1.000	Pass
			1	1	26.85	0.478	1.000	Pass
			1	243	26.68	0.459	1.000	Pass
		16QAM	120	60	26.07	0.399	1.000	Pass
			1	1	25.47	0.348	1.000	Pass
			1	243	25.19	0.326	1.000	Pass
		64QAM	120	60	24.55	0.281	1.000	Pass
			1	1	24.17	0.258	1.000	Pass
			1	243	23.91	0.243	1.000	Pass
		256QAM	120	60	24.54	0.281	1.000	Pass
			1	1	24.17	0.258	1.000	Pass
			1	243	23.9	0.242	1.000	Pass
	HCH	PI/2 BPSK	120	60	26.99	0.493	1.000	Pass
			1	1	26.73	0.465	1.000	Pass
			1	243	26.23	0.414	1.000	Pass
		QPSK	120	60	27.04	0.499	1.000	Pass
			1	1	27.02	0.497	1.000	Pass
			1	243	26.53	0.444	1.000	Pass
		16QAM	120	60	26.05	0.397	1.000	Pass
			1	1	25.64	0.361	1.000	Pass
			1	243	25.1	0.319	1.000	Pass
		64QAM	120	60	24.55	0.281	1.000	Pass
			1	1	24.31	0.266	1.000	Pass
			1	243	23.85	0.239	1.000	Pass
		256QAM	120	60	24.53	0.280	1.000	Pass
			1	1	24.32	0.267	1.000	Pass
			1	243	23.82	0.238	1.000	Pass
100	MCH	PI/2 BPSK	135	67	26.95	0.489	1.000	Pass
			1	1	26.51	0.442	1.000	Pass
			1	271	26.23	0.414	1.000	Pass
		QPSK	135	67	27	0.494	1.000	Pass
			1	1	26.78	0.470	1.000	Pass
			1	271	26.55	0.446	1.000	Pass
		16QAM	135	67	26.04	0.396	1.000	Pass
			1	1	25.39	0.341	1.000	Pass
			1	271	25.07	0.317	1.000	Pass
		64QAM	135	67	24.55	0.281	1.000	Pass
			1	1	24.05	0.251	1.000	Pass
			1	271	23.78	0.236	1.000	Pass
		256QAM	135	67	24.57	0.282	1.000	Pass
			1	1	24.07	0.252	1.000	Pass
			1	271	23.83	0.238	1.000	Pass

CP-OFDM:

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n2								
5	LCH	QPSK	12	6	22.7	0.198	2.000	Pass
			1	1	22.58	0.192	2.000	Pass
			1	23	22.62	0.194	2.000	Pass
		16QAM	12	6	22.24	0.178	2.000	Pass
			1	1	22.3	0.180	2.000	Pass
			1	23	22.32	0.181	2.000	Pass
		64QAM	12	6	20.63	0.123	2.000	Pass
			1	1	20.46	0.118	2.000	Pass
			1	23	20.53	0.120	2.000	Pass
		256QAM	12	6	17.74	0.063	2.000	Pass
			1	1	17.74	0.063	2.000	Pass
			1	23	17.78	0.064	2.000	Pass
	MCH	QPSK	12	6	22.74	0.200	2.000	Pass
			1	1	22.71	0.198	2.000	Pass
			1	23	22.73	0.199	2.000	Pass
		16QAM	12	6	22.3	0.180	2.000	Pass
			1	1	22.4	0.185	2.000	Pass
			1	23	22.44	0.186	2.000	Pass
		64QAM	12	6	20.78	0.127	2.000	Pass
			1	1	20.61	0.122	2.000	Pass
			1	23	20.64	0.123	2.000	Pass
		256QAM	12	6	17.79	0.064	2.000	Pass
			1	1	17.82	0.064	2.000	Pass
			1	23	17.88	0.065	2.000	Pass
	HCH	QPSK	12	6	22.66	0.196	2.000	Pass
			1	1	22.53	0.190	2.000	Pass
			1	23	22.62	0.194	2.000	Pass
		16QAM	12	6	22.17	0.175	2.000	Pass
			1	1	22.26	0.179	2.000	Pass
			1	23	22.24	0.178	2.000	Pass
		64QAM	12	6	20.63	0.123	2.000	Pass
			1	1	20.45	0.118	2.000	Pass
			1	23	20.41	0.117	2.000	Pass
		256QAM	12	6	17.71	0.063	2.000	Pass
			1	1	17.69	0.062	2.000	Pass
			1	23	17.68	0.062	2.000	Pass
10	LCH	QPSK	25	12	22.72	0.199	2.000	Pass

			1	1	22.67	0.196	2.000	Pass
			1	50	22.66	0.196	2.000	Pass
		16QAM	25	12	22.36	0.183	2.000	Pass
			1	1	22.33	0.182	2.000	Pass
			1	50	22.37	0.183	2.000	Pass
		64QAM	25	12	20.74	0.126	2.000	Pass
			1	1	20.57	0.121	2.000	Pass
			1	50	20.61	0.122	2.000	Pass
		256QAM	25	12	17.76	0.063	2.000	Pass
			1	1	17.81	0.064	2.000	Pass
			1	50	17.81	0.064	2.000	Pass
	MCH	QPSK	25	12	22.73	0.199	2.000	Pass
			1	1	22.69	0.197	2.000	Pass
			1	50	22.8	0.202	2.000	Pass
		16QAM	25	12	22.38	0.184	2.000	Pass
			1	1	22.39	0.184	2.000	Pass
			1	50	22.51	0.189	2.000	Pass
		64QAM	25	12	20.81	0.128	2.000	Pass
			1	1	20.62	0.122	2.000	Pass
			1	50	20.73	0.126	2.000	Pass
		256QAM	25	12	17.78	0.064	2.000	Pass
			1	1	17.87	0.065	2.000	Pass
			1	50	17.94	0.066	2.000	Pass
	HCH	QPSK	25	12	22.61	0.194	2.000	Pass
			1	1	22.6	0.193	2.000	Pass
			1	50	22.59	0.193	2.000	Pass
		16QAM	25	12	22.25	0.178	2.000	Pass
			1	1	22.28	0.179	2.000	Pass
			1	50	22.28	0.179	2.000	Pass
		64QAM	25	12	20.63	0.123	2.000	Pass
			1	1	20.5	0.119	2.000	Pass
			1	50	20.49	0.119	2.000	Pass
		256QAM	25	12	17.67	0.062	2.000	Pass
			1	1	17.77	0.064	2.000	Pass
			1	50	17.74	0.063	2.000	Pass
15	LCH	QPSK	36	18	22.84	0.204	2.000	Pass
			1	1	22.6	0.193	2.000	Pass
			1	77	22.62	0.194	2.000	Pass
		16QAM	36	18	22.39	0.184	2.000	Pass
			1	1	22.27	0.179	2.000	Pass
			1	77	22.32	0.181	2.000	Pass
		64QAM	36	18	20.83	0.129	2.000	Pass
			1	1	20.57	0.121	2.000	Pass

20		256QAM	1	77	20.6	0.122	2.000	Pass
			36	18	17.81	0.064	2.000	Pass
			1	1	17.85	0.065	2.000	Pass
			1	77	17.84	0.065	2.000	Pass
	MCH	QPSK	36	18	22.89	0.207	2.000	Pass
			1	1	22.68	0.197	2.000	Pass
			1	77	22.75	0.200	2.000	Pass
		16QAM	36	18	22.42	0.185	2.000	Pass
			1	1	22.37	0.183	2.000	Pass
			1	77	22.36	0.183	2.000	Pass
		64QAM	36	18	20.87	0.130	2.000	Pass
			1	1	20.66	0.124	2.000	Pass
			1	77	20.68	0.124	2.000	Pass
		256QAM	36	18	17.86	0.065	2.000	Pass
			1	1	17.89	0.065	2.000	Pass
			1	77	17.94	0.066	2.000	Pass
	HCH	QPSK	36	18	22.72	0.199	2.000	Pass
			1	1	22.57	0.192	2.000	Pass
			1	77	22.49	0.188	2.000	Pass
		16QAM	36	18	22.28	0.179	2.000	Pass
			1	1	22.28	0.179	2.000	Pass
			1	77	22.15	0.174	2.000	Pass
		64QAM	36	18	20.72	0.125	2.000	Pass
			1	1	20.54	0.120	2.000	Pass
			1	77	20.43	0.117	2.000	Pass
		256QAM	36	18	17.7	0.063	2.000	Pass
			1	1	17.82	0.064	2.000	Pass
			1	77	17.75	0.063	2.000	Pass
	LCH	QPSK	50	25	22.79	0.202	2.000	Pass
			1	1	22.61	0.194	2.000	Pass
			1	104	22.59	0.193	2.000	Pass
		16QAM	50	25	22.38	0.184	2.000	Pass
			1	1	22.28	0.179	2.000	Pass
			1	104	22.28	0.179	2.000	Pass
		64QAM	50	25	20.81	0.128	2.000	Pass
			1	1	20.56	0.121	2.000	Pass
			1	104	20.57	0.121	2.000	Pass
		256QAM	50	25	17.8	0.064	2.000	Pass
			1	1	17.84	0.065	2.000	Pass
			1	104	17.79	0.064	2.000	Pass
	MCH	QPSK	50	25	22.87	0.206	2.000	Pass
			1	1	22.69	0.197	2.000	Pass
			1	104	22.7	0.198	2.000	Pass

		16QAM	50	25	22.44	0.186	2.000	Pass
			1	1	22.37	0.183	2.000	Pass
			1	104	22.42	0.185	2.000	Pass
		64QAM	50	25	20.89	0.130	2.000	Pass
			1	1	20.65	0.123	2.000	Pass
			1	104	20.68	0.124	2.000	Pass
		256QAM	50	25	17.87	0.065	2.000	Pass
			1	1	17.86	0.065	2.000	Pass
			1	104	17.94	0.066	2.000	Pass
	HCH	QPSK	50	25	22.75	0.200	2.000	Pass
			1	1	22.63	0.195	2.000	Pass
			1	104	22.56	0.191	2.000	Pass
		16QAM	50	25	22.32	0.181	2.000	Pass
			1	1	22.31	0.181	2.000	Pass
			1	104	22.19	0.176	2.000	Pass
		64QAM	50	25	20.79	0.127	2.000	Pass
			1	1	20.58	0.121	2.000	Pass
			1	104	20.48	0.119	2.000	Pass
		256QAM	50	25	17.73	0.063	2.000	Pass
			1	1	17.83	0.064	2.000	Pass
			1	104	17.77	0.064	2.000	Pass
25	LCH	QPSK	64	32	22.77	0.201	2.000	Pass
			1	1	22.53	0.190	2.000	Pass
			1	131	22.54	0.191	2.000	Pass
		16QAM	64	32	22.29	0.180	2.000	Pass
			1	1	22.15	0.174	2.000	Pass
			1	131	22.21	0.177	2.000	Pass
		64QAM	64	32	20.77	0.127	2.000	Pass
			1	1	20.45	0.118	2.000	Pass
			1	131	20.48	0.119	2.000	Pass
		256QAM	64	32	17.76	0.063	2.000	Pass
			1	1	17.76	0.063	2.000	Pass
			1	131	17.74	0.063	2.000	Pass
	MCH	QPSK	64	32	22.84	0.204	2.000	Pass
			1	1	22.61	0.194	2.000	Pass
			1	131	22.62	0.194	2.000	Pass
		16QAM	64	32	22.36	0.183	2.000	Pass
			1	1	22.35	0.182	2.000	Pass
			1	131	22.32	0.181	2.000	Pass
		64QAM	64	32	20.87	0.130	2.000	Pass
			1	1	20.65	0.123	2.000	Pass
			1	131	20.6	0.122	2.000	Pass
		256QAM	64	32	17.85	0.065	2.000	Pass

			1	1	17.83	0.064	2.000	Pass
			1	131	17.85	0.065	2.000	Pass
	HCH	QPSK	64	32	22.88	0.206	2.000	Pass
			1	1	22.64	0.195	2.000	Pass
			1	131	22.58	0.192	2.000	Pass
		16QAM	64	32	22.4	0.185	2.000	Pass
			1	1	22.37	0.183	2.000	Pass
			1	131	22.27	0.179	2.000	Pass
		64QAM	64	32	20.88	0.130	2.000	Pass
			1	1	20.63	0.123	2.000	Pass
			1	131	20.53	0.120	2.000	Pass
		256QAM	64	32	17.87	0.065	2.000	Pass
			1	1	17.83	0.064	2.000	Pass
			1	131	17.8	0.064	2.000	Pass
30	LCH	QPSK	80	40	22.83	0.204	2.000	Pass
			1	1	22.65	0.195	2.000	Pass
			1	158	22.62	0.194	2.000	Pass
		16QAM	80	40	22.3	0.180	2.000	Pass
			1	1	22.29	0.180	2.000	Pass
			1	158	22.32	0.181	2.000	Pass
		64QAM	80	40	20.83	0.129	2.000	Pass
			1	1	20.6	0.122	2.000	Pass
			1	158	20.61	0.122	2.000	Pass
		256QAM	80	40	17.75	0.063	2.000	Pass
			1	1	17.86	0.065	2.000	Pass
			1	158	17.86	0.065	2.000	Pass
	MCH	QPSK	80	40	22.88	0.206	2.000	Pass
			1	1	22.68	0.197	2.000	Pass
			1	158	22.69	0.197	2.000	Pass
		16QAM	80	40	22.36	0.183	2.000	Pass
			1	1	22.4	0.185	2.000	Pass
			1	158	22.35	0.182	2.000	Pass
		64QAM	80	40	20.9	0.131	2.000	Pass
			1	1	20.64	0.123	2.000	Pass
			1	158	20.65	0.123	2.000	Pass
		256QAM	80	40	17.85	0.065	2.000	Pass
			1	1	17.85	0.065	2.000	Pass
			1	158	17.88	0.065	2.000	Pass
	HCH	QPSK	80	40	22.91	0.207	2.000	Pass
			1	1	22.77	0.201	2.000	Pass
			1	158	22.67	0.196	2.000	Pass
		16QAM	80	40	22.37	0.183	2.000	Pass
			1	1	22.43	0.186	2.000	Pass

35		64QAM	1	158	22.3	0.180	2.000	Pass
			80	40	20.91	0.131	2.000	Pass
			1	1	20.74	0.126	2.000	Pass
			1	158	20.61	0.122	2.000	Pass
		256QAM	80	40	17.86	0.065	2.000	Pass
			1	1	17.98	0.067	2.000	Pass
			1	158	17.9	0.065	2.000	Pass
	LCH	QPSK	90	45	22.79	0.202	2.000	Pass
			1	1	22.59	0.193	2.000	Pass
			1	186	22.56	0.191	2.000	Pass
		16QAM	90	45	22.29	0.180	2.000	Pass
			1	1	22.22	0.177	2.000	Pass
			1	186	22.17	0.175	2.000	Pass
		64QAM	90	45	20.77	0.127	2.000	Pass
			1	1	20.56	0.121	2.000	Pass
			1	186	20.49	0.119	2.000	Pass
		256QAM	90	45	17.77	0.064	2.000	Pass
			1	1	17.79	0.064	2.000	Pass
			1	186	17.76	0.063	2.000	Pass
		QPSK	90	45	22.88	0.206	2.000	Pass
			1	1	22.62	0.194	2.000	Pass
			1	186	22.6	0.193	2.000	Pass
	MCH	16QAM	90	45	22.38	0.184	2.000	Pass
			1	1	22.34	0.182	2.000	Pass
			1	186	22.26	0.179	2.000	Pass
		64QAM	90	45	20.88	0.130	2.000	Pass
			1	1	20.63	0.123	2.000	Pass
			1	186	20.58	0.121	2.000	Pass
		256QAM	90	45	17.87	0.065	2.000	Pass
			1	1	17.86	0.065	2.000	Pass
			1	186	17.84	0.065	2.000	Pass
	HCH	QPSK	90	45	22.9	0.207	2.000	Pass
			1	1	22.61	0.194	2.000	Pass
			1	186	22.67	0.196	2.000	Pass
		16QAM	90	45	22.4	0.185	2.000	Pass
			1	1	22.28	0.179	2.000	Pass
			1	186	22.22	0.177	2.000	Pass
		64QAM	90	45	20.88	0.130	2.000	Pass
			1	1	20.6	0.122	2.000	Pass
			1	186	20.56	0.121	2.000	Pass
		256QAM	90	45	17.86	0.065	2.000	Pass
			1	1	17.83	0.064	2.000	Pass
			1	186	17.84	0.065	2.000	Pass

40	LCH	QPSK	108	54	22.73	0.199	2.000	Pass
			1	1	22.55	0.191	2.000	Pass
			1	214	22.59	0.193	2.000	Pass
		16QAM	108	54	22.23	0.177	2.000	Pass
			1	1	22.21	0.177	2.000	Pass
			1	214	22.26	0.179	2.000	Pass
		64QAM	108	54	20.72	0.125	2.000	Pass
			1	1	20.53	0.120	2.000	Pass
			1	214	20.57	0.121	2.000	Pass
		256QAM	108	54	17.74	0.063	2.000	Pass
			1	1	17.76	0.063	2.000	Pass
			1	214	17.8	0.064	2.000	Pass
	MCH	QPSK	108	54	22.87	0.206	2.000	Pass
			1	1	22.67	0.196	2.000	Pass
			1	214	22.64	0.195	2.000	Pass
		16QAM	108	54	22.38	0.184	2.000	Pass
			1	1	22.34	0.182	2.000	Pass
			1	214	22.29	0.180	2.000	Pass
		64QAM	108	54	20.85	0.129	2.000	Pass
			1	1	20.6	0.122	2.000	Pass
			1	214	20.61	0.122	2.000	Pass
		256QAM	108	54	17.86	0.065	2.000	Pass
			1	1	17.83	0.064	2.000	Pass
			1	214	17.87	0.065	2.000	Pass
	HCH	QPSK	108	54	22.91	0.207	2.000	Pass
			1	1	22.62	0.194	2.000	Pass
			1	214	22.71	0.198	2.000	Pass
		16QAM	108	54	22.41	0.185	2.000	Pass
			1	1	22.33	0.182	2.000	Pass
			1	214	22.23	0.177	2.000	Pass
		64QAM	108	54	20.9	0.131	2.000	Pass
			1	1	20.6	0.122	2.000	Pass
			1	214	20.57	0.121	2.000	Pass
		256QAM	108	54	17.88	0.065	2.000	Pass
			1	1	17.83	0.064	2.000	Pass
			1	214	17.87	0.065	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n5								
5	LCH	QPSK	12	6	21.97	0.074	7.000	Pass
			1	1	21.84	0.072	7.000	Pass
			1	23	21.85	0.072	7.000	Pass
		16QAM	12	6	21.52	0.067	7.000	Pass
			1	1	21.64	0.069	7.000	Pass
			1	23	21.62	0.069	7.000	Pass
		64QAM	12	6	19.96	0.047	7.000	Pass
			1	1	19.79	0.045	7.000	Pass
			1	23	19.79	0.045	7.000	Pass
		256QAM	12	6	17.06	0.024	7.000	Pass
			1	1	17.11	0.024	7.000	Pass
			1	23	17.05	0.024	7.000	Pass
	MCH	QPSK	12	6	21.98	0.074	7.000	Pass
			1	1	21.84	0.072	7.000	Pass
			1	23	21.89	0.073	7.000	Pass
		16QAM	12	6	21.53	0.067	7.000	Pass
			1	1	21.62	0.069	7.000	Pass
			1	23	21.68	0.070	7.000	Pass
		64QAM	12	6	19.96	0.047	7.000	Pass
			1	1	19.78	0.045	7.000	Pass
			1	23	19.84	0.045	7.000	Pass
		256QAM	12	6	17.02	0.024	7.000	Pass
			1	1	17.09	0.024	7.000	Pass
			1	23	17.02	0.024	7.000	Pass
	HCH	QPSK	12	6	21.96	0.074	7.000	Pass
			1	1	21.91	0.073	7.000	Pass
			1	23	21.66	0.069	7.000	Pass
		16QAM	12	6	21.5	0.067	7.000	Pass
			1	1	21.69	0.070	7.000	Pass
			1	23	21.37	0.065	7.000	Pass
		64QAM	12	6	19.93	0.046	7.000	Pass
			1	1	19.89	0.046	7.000	Pass
			1	23	19.62	0.043	7.000	Pass
		256QAM	12	6	17.07	0.024	7.000	Pass
			1	1	17.2	0.025	7.000	Pass
			1	23	16.99	0.024	7.000	Pass
10	LCH	QPSK	25	12	21.93	0.074	7.000	Pass

			1	1	21.84	0.072	7.000	Pass
			1	50	21.86	0.072	7.000	Pass
		16QAM	25	12	21.6	0.068	7.000	Pass
			1	1	21.58	0.068	7.000	Pass
			1	50	21.62	0.069	7.000	Pass
		64QAM	25	12	20	0.047	7.000	Pass
			1	1	19.82	0.045	7.000	Pass
			1	50	19.83	0.045	7.000	Pass
		256QAM	25	12	17.02	0.024	7.000	Pass
			1	1	17.11	0.024	7.000	Pass
			1	50	17.13	0.024	7.000	Pass
	MCH	QPSK	25	12	21.97	0.074	7.000	Pass
			1	1	21.79	0.071	7.000	Pass
			1	50	21.93	0.074	7.000	Pass
		16QAM	25	12	21.62	0.069	7.000	Pass
			1	1	21.5	0.067	7.000	Pass
			1	50	21.75	0.071	7.000	Pass
		64QAM	25	12	20.07	0.048	7.000	Pass
			1	1	19.76	0.045	7.000	Pass
			1	50	19.94	0.047	7.000	Pass
		256QAM	25	12	16.97	0.023	7.000	Pass
			1	1	17.11	0.024	7.000	Pass
			1	50	17.1	0.024	7.000	Pass
	HCH	QPSK	25	12	22.04	0.076	7.000	Pass
			1	1	21.85	0.072	7.000	Pass
			1	50	21.62	0.069	7.000	Pass
		16QAM	25	12	21.66	0.069	7.000	Pass
			1	1	21.63	0.069	7.000	Pass
			1	50	21.35	0.064	7.000	Pass
		64QAM	25	12	20.1	0.048	7.000	Pass
			1	1	19.82	0.045	7.000	Pass
			1	50	19.64	0.043	7.000	Pass
		256QAM	25	12	17.06	0.024	7.000	Pass
			1	1	17.02	0.024	7.000	Pass
			1	50	16.99	0.024	7.000	Pass
15	LCH	QPSK	36	18	21.87	0.073	7.000	Pass
			1	1	21.8	0.071	7.000	Pass
			1	77	21.85	0.072	7.000	Pass
		16QAM	36	18	21.58	0.068	7.000	Pass
			1	1	21.53	0.067	7.000	Pass
			1	77	21.58	0.068	7.000	Pass
		64QAM	36	18	20.04	0.048	7.000	Pass
			1	1	19.8	0.045	7.000	Pass

20		256QAM	1	77	19.85	0.046	7.000	Pass
			36	18	16.99	0.024	7.000	Pass
			1	1	17.09	0.024	7.000	Pass
			1	77	17.02	0.024	7.000	Pass
	MCH	QPSK	36	18	22.16	0.078	7.000	Pass
			1	1	21.85	0.072	7.000	Pass
			1	77	21.96	0.074	7.000	Pass
		16QAM	36	18	21.7	0.070	7.000	Pass
			1	1	21.58	0.068	7.000	Pass
			1	77	21.67	0.069	7.000	Pass
		64QAM	36	18	20.17	0.049	7.000	Pass
			1	1	19.87	0.046	7.000	Pass
			1	77	20	0.047	7.000	Pass
		256QAM	36	18	17	0.024	7.000	Pass
			1	1	17.1	0.024	7.000	Pass
			1	77	17.13	0.024	7.000	Pass
	HCH	QPSK	36	18	22.09	0.076	7.000	Pass
			1	1	21.81	0.072	7.000	Pass
			1	77	21.67	0.069	7.000	Pass
		16QAM	36	18	21.67	0.069	7.000	Pass
			1	1	21.53	0.067	7.000	Pass
			1	77	21.34	0.064	7.000	Pass
		64QAM	36	18	20.12	0.049	7.000	Pass
			1	1	19.82	0.045	7.000	Pass
			1	77	19.72	0.044	7.000	Pass
		256QAM	36	18	17	0.024	7.000	Pass
			1	1	17.08	0.024	7.000	Pass
			1	77	17	0.024	7.000	Pass
	LCH	QPSK	50	25	22.02	0.075	7.000	Pass
			1	1	21.74	0.070	7.000	Pass
			1	104	21.93	0.074	7.000	Pass
		16QAM	50	25	21.6	0.068	7.000	Pass
			1	1	21.5	0.067	7.000	Pass
			1	104	21.68	0.070	7.000	Pass
		64QAM	50	25	20.07	0.048	7.000	Pass
			1	1	19.81	0.045	7.000	Pass
			1	104	19.97	0.047	7.000	Pass
		256QAM	50	25	16.96	0.023	7.000	Pass
			1	1	17.06	0.024	7.000	Pass
			1	104	17.12	0.024	7.000	Pass
	MCH	QPSK	50	25	22.04	0.076	7.000	Pass
			1	1	21.8	0.071	7.000	Pass
			1	104	21.84	0.072	7.000	Pass

		16QAM	50	25	21.64	0.069	7.000	Pass
			1	1	21.53	0.067	7.000	Pass
			1	104	21.55	0.067	7.000	Pass
		64QAM	50	25	20.11	0.048	7.000	Pass
			1	1	19.84	0.045	7.000	Pass
			1	104	19.88	0.046	7.000	Pass
		256QAM	50	25	16.97	0.023	7.000	Pass
			1	1	17.15	0.024	7.000	Pass
			1	104	17.17	0.025	7.000	Pass
	HCH	QPSK	50	25	22.11	0.077	7.000	Pass
			1	1	21.82	0.072	7.000	Pass
			1	104	21.59	0.068	7.000	Pass
		16QAM	50	25	21.7	0.070	7.000	Pass
			1	1	21.57	0.068	7.000	Pass
			1	104	21.26	0.063	7.000	Pass
		64QAM	50	25	20.16	0.049	7.000	Pass
			1	1	19.86	0.046	7.000	Pass
			1	104	19.63	0.043	7.000	Pass
		256QAM	50	25	16.99	0.024	7.000	Pass
			1	1	17.15	0.024	7.000	Pass
			1	104	16.95	0.023	7.000	Pass
25	MCH	QPSK	64	32	21.89	0.073	7.000	Pass
			1	1	21.7	0.070	7.000	Pass
			1	131	21.63	0.069	7.000	Pass
		16QAM	64	32	21.42	0.065	7.000	Pass
			1	1	21.47	0.066	7.000	Pass
			1	131	21.36	0.065	7.000	Pass
		64QAM	64	32	19.93	0.046	7.000	Pass
			1	1	19.74	0.044	7.000	Pass
			1	131	19.69	0.044	7.000	Pass
		256QAM	64	32	16.85	0.023	7.000	Pass
			1	1	17.09	0.024	7.000	Pass
			1	131	17.11	0.024	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n7								
5	LCH	QPSK	12	6	21.1	0.129	2.000	Pass
			1	1	21.1	0.129	2.000	Pass
			1	23	20.98	0.125	2.000	Pass
		16QAM	12	6	20.71	0.118	2.000	Pass
			1	1	20.84	0.121	2.000	Pass
			1	23	20.74	0.119	2.000	Pass
		64QAM	12	6	19.14	0.082	2.000	Pass
			1	1	19.06	0.081	2.000	Pass
			1	23	18.98	0.079	2.000	Pass
		256QAM	12	6	16.15	0.041	2.000	Pass
			1	1	16.23	0.042	2.000	Pass
			1	23	16.12	0.041	2.000	Pass
	MCH	QPSK	12	6	20.92	0.124	2.000	Pass
			1	1	20.82	0.121	2.000	Pass
			1	23	20.91	0.123	2.000	Pass
		16QAM	12	6	20.54	0.113	2.000	Pass
			1	1	20.6	0.115	2.000	Pass
			1	23	20.68	0.117	2.000	Pass
		64QAM	12	6	18.97	0.079	2.000	Pass
			1	1	18.8	0.076	2.000	Pass
			1	23	18.91	0.078	2.000	Pass
		256QAM	12	6	15.97	0.040	2.000	Pass
			1	1	15.99	0.040	2.000	Pass
			1	23	16.11	0.041	2.000	Pass
	HCH	QPSK	12	6	21.59	0.144	2.000	Pass
			1	1	21.52	0.142	2.000	Pass
			1	23	21.37	0.137	2.000	Pass
		16QAM	12	6	21.13	0.130	2.000	Pass
			1	1	21.29	0.135	2.000	Pass
			1	23	21.09	0.129	2.000	Pass
		64QAM	12	6	19.56	0.090	2.000	Pass
			1	1	19.47	0.089	2.000	Pass
			1	23	19.32	0.086	2.000	Pass
		256QAM	12	6	16.61	0.046	2.000	Pass
			1	1	16.69	0.047	2.000	Pass
			1	23	16.55	0.045	2.000	Pass
10	LCH	QPSK	25	12	20.88	0.122	2.000	Pass

			1	1	20.88	0.122	2.000	Pass
			1	50	20.76	0.119	2.000	Pass
		16QAM	25	12	20.47	0.111	2.000	Pass
			1	1	20.61	0.115	2.000	Pass
			1	50	20.56	0.114	2.000	Pass
		64QAM	25	12	18.92	0.078	2.000	Pass
			1	1	18.85	0.077	2.000	Pass
			1	50	18.76	0.075	2.000	Pass
		256QAM	25	12	15.9	0.039	2.000	Pass
			1	1	16.06	0.040	2.000	Pass
			1	50	15.96	0.039	2.000	Pass
	MCH	QPSK	25	12	20.91	0.123	2.000	Pass
			1	1	20.72	0.118	2.000	Pass
			1	50	21	0.126	2.000	Pass
		16QAM	25	12	20.51	0.112	2.000	Pass
			1	1	20.47	0.111	2.000	Pass
			1	50	20.77	0.119	2.000	Pass
		64QAM	25	12	18.97	0.079	2.000	Pass
			1	1	18.68	0.074	2.000	Pass
			1	50	18.99	0.079	2.000	Pass
		256QAM	25	12	15.93	0.039	2.000	Pass
			1	1	15.88	0.039	2.000	Pass
			1	50	16.17	0.041	2.000	Pass
	HCH	QPSK	25	12	21.46	0.140	2.000	Pass
			1	1	21.36	0.137	2.000	Pass
			1	50	21.33	0.136	2.000	Pass
		16QAM	25	12	21.07	0.128	2.000	Pass
			1	1	21.13	0.130	2.000	Pass
			1	50	21.04	0.127	2.000	Pass
		64QAM	25	12	19.51	0.089	2.000	Pass
			1	1	19.38	0.087	2.000	Pass
			1	50	19.25	0.084	2.000	Pass
		256QAM	25	12	16.51	0.045	2.000	Pass
			1	1	16.59	0.046	2.000	Pass
			1	50	16.53	0.045	2.000	Pass
15	LCH	QPSK	36	18	20.95	0.124	2.000	Pass
			1	1	20.91	0.123	2.000	Pass
			1	77	20.73	0.118	2.000	Pass
		16QAM	36	18	20.53	0.113	2.000	Pass
			1	1	20.63	0.116	2.000	Pass
			1	77	20.52	0.113	2.000	Pass
		64QAM	36	18	18.99	0.079	2.000	Pass
			1	1	18.9	0.078	2.000	Pass

20		256QAM	1	77	18.78	0.076	2.000	Pass
			36	18	15.92	0.039	2.000	Pass
			1	1	16.11	0.041	2.000	Pass
			1	77	15.96	0.039	2.000	Pass
	MCH	QPSK	36	18	20.94	0.124	2.000	Pass
			1	1	20.72	0.118	2.000	Pass
			1	77	21.09	0.129	2.000	Pass
		16QAM	36	18	20.53	0.113	2.000	Pass
			1	1	20.49	0.112	2.000	Pass
			1	77	20.85	0.122	2.000	Pass
		64QAM	36	18	18.99	0.079	2.000	Pass
			1	1	18.75	0.075	2.000	Pass
			1	77	19.14	0.082	2.000	Pass
		256QAM	36	18	15.95	0.039	2.000	Pass
			1	1	15.92	0.039	2.000	Pass
			1	77	16.33	0.043	2.000	Pass
	HCH	QPSK	36	18	21.73	0.149	2.000	Pass
			1	1	21.61	0.145	2.000	Pass
			1	77	21.43	0.139	2.000	Pass
		16QAM	36	18	21.28	0.134	2.000	Pass
			1	1	21.27	0.134	2.000	Pass
			1	77	21.12	0.129	2.000	Pass
		64QAM	36	18	19.74	0.094	2.000	Pass
			1	1	19.54	0.090	2.000	Pass
			1	77	19.41	0.087	2.000	Pass
		256QAM	36	18	16.7	0.047	2.000	Pass
			1	1	16.78	0.048	2.000	Pass
			1	77	16.66	0.046	2.000	Pass
	LCH	QPSK	50	25	20.98	0.125	2.000	Pass
			1	1	20.94	0.124	2.000	Pass
			1	104	20.78	0.120	2.000	Pass
		16QAM	50	25	20.53	0.113	2.000	Pass
			1	1	20.73	0.118	2.000	Pass
			1	104	20.59	0.115	2.000	Pass
		64QAM	50	25	18.98	0.079	2.000	Pass
			1	1	18.97	0.079	2.000	Pass
			1	104	18.82	0.076	2.000	Pass
		256QAM	50	25	15.95	0.039	2.000	Pass
			1	1	16.16	0.041	2.000	Pass
			1	104	16	0.040	2.000	Pass
	MCH	QPSK	50	25	20.97	0.125	2.000	Pass
			1	1	20.71	0.118	2.000	Pass
			1	104	21.27	0.134	2.000	Pass

		16QAM	50	25	20.52	0.113	2.000	Pass
			1	1	20.42	0.110	2.000	Pass
			1	104	20.98	0.125	2.000	Pass
		64QAM	50	25	18.98	0.079	2.000	Pass
			1	1	18.7	0.074	2.000	Pass
			1	104	19.28	0.085	2.000	Pass
		256QAM	50	25	15.94	0.039	2.000	Pass
			1	1	15.9	0.039	2.000	Pass
			1	104	16.49	0.045	2.000	Pass
	HCH	QPSK	50	25	21.66	0.147	2.000	Pass
			1	1	21.5	0.141	2.000	Pass
			1	104	21.44	0.139	2.000	Pass
		16QAM	50	25	21.23	0.133	2.000	Pass
			1	1	21.19	0.132	2.000	Pass
			1	104	21.15	0.130	2.000	Pass
		64QAM	50	25	19.68	0.093	2.000	Pass
			1	1	19.46	0.088	2.000	Pass
			1	104	19.45	0.088	2.000	Pass
		256QAM	50	25	16.63	0.046	2.000	Pass
			1	1	16.72	0.047	2.000	Pass
			1	104	16.72	0.047	2.000	Pass
25	LCH	QPSK	64	32	21.01	0.126	2.000	Pass
			1	1	20.98	0.125	2.000	Pass
			1	131	20.72	0.118	2.000	Pass
		16QAM	64	32	20.5	0.112	2.000	Pass
			1	1	20.79	0.120	2.000	Pass
			1	131	20.55	0.114	2.000	Pass
		64QAM	64	32	19.01	0.080	2.000	Pass
			1	1	19	0.079	2.000	Pass
			1	131	18.75	0.075	2.000	Pass
		256QAM	64	32	16	0.040	2.000	Pass
			1	1	16.22	0.042	2.000	Pass
			1	131	15.96	0.039	2.000	Pass
	MCH	QPSK	64	32	21.1	0.129	2.000	Pass
			1	1	20.63	0.116	2.000	Pass
			1	131	21.26	0.134	2.000	Pass
		16QAM	64	32	20.58	0.114	2.000	Pass
			1	1	20.42	0.110	2.000	Pass
			1	131	21.08	0.128	2.000	Pass
		64QAM	64	32	19.08	0.081	2.000	Pass
			1	1	18.65	0.073	2.000	Pass
			1	131	19.28	0.085	2.000	Pass
		256QAM	64	32	16.03	0.040	2.000	Pass

			1	1	15.79	0.038	2.000	Pass
			1	131	16.48	0.044	2.000	Pass
	HCH	QPSK	64	32	21.71	0.148	2.000	Pass
			1	1	21.22	0.132	2.000	Pass
			1	131	21.31	0.135	2.000	Pass
		16QAM	64	32	21.21	0.132	2.000	Pass
			1	1	21.03	0.127	2.000	Pass
			1	131	21.05	0.127	2.000	Pass
		64QAM	64	32	19.7	0.093	2.000	Pass
			1	1	19.24	0.084	2.000	Pass
			1	131	19.33	0.086	2.000	Pass
		256QAM	64	32	16.68	0.047	2.000	Pass
			1	1	16.46	0.044	2.000	Pass
			1	131	16.58	0.045	2.000	Pass
30	LCH	QPSK	80	40	20.93	0.124	2.000	Pass
			1	1	20.93	0.124	2.000	Pass
			1	158	20.92	0.124	2.000	Pass
		16QAM	80	40	20.42	0.110	2.000	Pass
			1	1	20.73	0.118	2.000	Pass
			1	158	20.66	0.116	2.000	Pass
		64QAM	80	40	18.96	0.079	2.000	Pass
			1	1	18.96	0.079	2.000	Pass
			1	158	18.9	0.078	2.000	Pass
		256QAM	80	40	15.87	0.039	2.000	Pass
			1	1	16.16	0.041	2.000	Pass
			1	158	16.11	0.041	2.000	Pass
	MCH	QPSK	80	40	21.13	0.130	2.000	Pass
			1	1	20.76	0.119	2.000	Pass
			1	158	21.4	0.138	2.000	Pass
		16QAM	80	40	20.65	0.116	2.000	Pass
			1	1	20.5	0.112	2.000	Pass
			1	158	21.17	0.131	2.000	Pass
		64QAM	80	40	19.16	0.082	2.000	Pass
			1	1	18.74	0.075	2.000	Pass
			1	158	19.47	0.089	2.000	Pass
		256QAM	80	40	16.1	0.041	2.000	Pass
			1	1	15.89	0.039	2.000	Pass
			1	158	16.66	0.046	2.000	Pass
	HCH	QPSK	80	40	21.65	0.146	2.000	Pass
			1	1	21.16	0.131	2.000	Pass
			1	158	21.34	0.136	2.000	Pass
		16QAM	80	40	21.09	0.129	2.000	Pass
			1	1	20.89	0.123	2.000	Pass

			1	158	21.08	0.128	2.000	Pass		
		64QAM	80	40	19.64	0.092	2.000	Pass		
			1	1	19.19	0.083	2.000	Pass		
			1	158	19.38	0.087	2.000	Pass		
		256QAM	80	40	16.59	0.046	2.000	Pass		
			1	1	16.39	0.044	2.000	Pass		
			1	158	16.63	0.046	2.000	Pass		
		35	LCH	QPSK	90	45	20.96	0.125	2.000	Pass
					1	1	20.97	0.125	2.000	Pass
					1	186	20.95	0.124	2.000	Pass
16QAM	90			45	20.45	0.111	2.000	Pass		
	1			1	20.67	0.117	2.000	Pass		
	1			186	20.71	0.118	2.000	Pass		
64QAM	90			45	18.94	0.078	2.000	Pass		
	1			1	18.95	0.079	2.000	Pass		
	1			186	18.96	0.079	2.000	Pass		
256QAM	90			45	15.91	0.039	2.000	Pass		
	1			1	16.14	0.041	2.000	Pass		
	1			186	16.14	0.041	2.000	Pass		
MCH	QPSK			90	45	21.13	0.130	2.000	Pass	
				1	1	20.66	0.116	2.000	Pass	
				1	186	21.46	0.140	2.000	Pass	
	16QAM			90	45	20.65	0.116	2.000	Pass	
				1	1	20.31	0.107	2.000	Pass	
				1	186	21.11	0.129	2.000	Pass	
	64QAM		90	45	19.13	0.082	2.000	Pass		
			1	1	18.8	0.076	2.000	Pass		
			1	186	19.58	0.091	2.000	Pass		
	256QAM		90	45	19.61	0.091	2.000	Pass		
			1	1	15.84	0.038	2.000	Pass		
			1	186	16.64	0.046	2.000	Pass		
HCH	QPSK	90	45	21.77	0.150	2.000	Pass			
		1	1	21.06	0.128	2.000	Pass			
		1	186	21.39	0.138	2.000	Pass			
	16QAM	90	45	21.24	0.133	2.000	Pass			
		1	1	20.79	0.120	2.000	Pass			
		1	186	21.15	0.130	2.000	Pass			
	64QAM	90	45	19.75	0.094	2.000	Pass			
		1	1	19.07	0.081	2.000	Pass			
		1	186	19.45	0.088	2.000	Pass			
	256QAM	90	45	16.72	0.047	2.000	Pass			
		1	1	16.28	0.042	2.000	Pass			
		1	186	16.68	0.047	2.000	Pass			

40	LCH	QPSK	108	54	20.98	0.125	2.000	Pass
			1	1	21.05	0.127	2.000	Pass
			1	214	21.25	0.133	2.000	Pass
		16QAM	108	54	20.48	0.112	2.000	Pass
			1	1	20.79	0.120	2.000	Pass
			1	214	21	0.126	2.000	Pass
		64QAM	108	54	19	0.079	2.000	Pass
			1	1	19.04	0.080	2.000	Pass
			1	214	19.27	0.085	2.000	Pass
		256QAM	108	54	15.99	0.040	2.000	Pass
			1	1	16.27	0.042	2.000	Pass
			1	214	16.46	0.044	2.000	Pass
	MCH	QPSK	108	54	21.18	0.131	2.000	Pass
			1	1	20.66	0.116	2.000	Pass
			1	214	21.48	0.141	2.000	Pass
		16QAM	108	54	20.64	0.116	2.000	Pass
			1	1	20.45	0.111	2.000	Pass
			1	214	21.22	0.132	2.000	Pass
		64QAM	108	54	19.15	0.082	2.000	Pass
			1	1	18.71	0.074	2.000	Pass
			1	214	19.52	0.090	2.000	Pass
		256QAM	108	54	16.14	0.041	2.000	Pass
			1	1	15.89	0.039	2.000	Pass
			1	214	16.73	0.047	2.000	Pass
	HCH	QPSK	108	54	21.76	0.150	2.000	Pass
			1	1	20.99	0.126	2.000	Pass
			1	214	21.53	0.142	2.000	Pass
		16QAM	108	54	21.24	0.133	2.000	Pass
			1	1	20.8	0.120	2.000	Pass
			1	214	21.29	0.135	2.000	Pass
		64QAM	108	54	19.73	0.094	2.000	Pass
			1	1	19.03	0.080	2.000	Pass
			1	214	19.58	0.091	2.000	Pass
		256QAM	108	54	16.76	0.047	2.000	Pass
			1	1	16.24	0.042	2.000	Pass
			1	214	16.8	0.048	2.000	Pass
50	LCH	QPSK	135	67	20.94	0.124	2.000	Pass
			1	1	20.88	0.122	2.000	Pass
			1	268	21.4	0.138	2.000	Pass
		16QAM	135	67	20.48	0.112	2.000	Pass
			1	1	20.69	0.117	2.000	Pass
			1	268	21.2	0.132	2.000	Pass
		64QAM	135	67	18.94	0.078	2.000	Pass
			135	67	18.94	0.078	2.000	Pass

			1	1	18.92	0.078	2.000	Pass
			1	268	19.49	0.089	2.000	Pass
		256QAM	135	67	15.95	0.039	2.000	Pass
			1	1	16.1	0.041	2.000	Pass
			1	268	16.69	0.047	2.000	Pass
	MCH	QPSK	135	67	21.09	0.129	2.000	Pass
			1	1	20.74	0.119	2.000	Pass
			1	268	21.52	0.142	2.000	Pass
		16QAM	135	67	20.67	0.117	2.000	Pass
			1	1	20.51	0.112	2.000	Pass
			1	268	21.3	0.135	2.000	Pass
		64QAM	135	67	19.12	0.082	2.000	Pass
			1	1	18.75	0.075	2.000	Pass
			1	268	19.57	0.091	2.000	Pass
		256QAM	135	67	16.12	0.041	2.000	Pass
			1	1	15.91	0.039	2.000	Pass
			1	268	16.8	0.048	2.000	Pass
	HCH	QPSK	135	67	21.51	0.142	2.000	Pass
			1	1	20.78	0.120	2.000	Pass
			1	268	21.48	0.141	2.000	Pass
		16QAM	135	67	21.03	0.127	2.000	Pass
			1	1	20.57	0.114	2.000	Pass
			1	268	21.25	0.133	2.000	Pass
		64QAM	135	67	19.5	0.089	2.000	Pass
			1	1	18.81	0.076	2.000	Pass
			1	268	19.53	0.090	2.000	Pass
		256QAM	135	67	16.51	0.045	2.000	Pass
			1	1	15.94	0.039	2.000	Pass
			1	268	16.75	0.047	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n26 (824-849)								
5	LCH	QPSK	12	6	21.96	0.157	7.000	Pass
			1	1	21.8	0.151	7.000	Pass
			1	23	21.74	0.149	7.000	Pass
		16QAM	12	6	21.46	0.140	7.000	Pass
			1	1	21.56	0.143	7.000	Pass
			1	23	21.52	0.142	7.000	Pass
		64QAM	12	6	19.9	0.098	7.000	Pass
			1	1	19.76	0.095	7.000	Pass
			1	23	19.7	0.093	7.000	Pass
		256QAM	12	6	17.04	0.051	7.000	Pass
			1	1	17.05	0.051	7.000	Pass
			1	23	17	0.050	7.000	Pass
	MCH	QPSK	12	6	21.84	0.153	7.000	Pass
			1	1	21.76	0.150	7.000	Pass
			1	23	21.78	0.151	7.000	Pass
		16QAM	12	6	21.44	0.139	7.000	Pass
			1	1	21.48	0.141	7.000	Pass
			1	23	21.54	0.143	7.000	Pass
		64QAM	12	6	19.87	0.097	7.000	Pass
			1	1	19.68	0.093	7.000	Pass
			1	23	19.77	0.095	7.000	Pass
		256QAM	12	6	16.96	0.050	7.000	Pass
			1	1	16.96	0.050	7.000	Pass
			1	23	17.06	0.051	7.000	Pass
	HCH	QPSK	12	6	22.05	0.160	7.000	Pass
			1	1	21.84	0.153	7.000	Pass
			1	23	21.53	0.142	7.000	Pass
		16QAM	12	6	21.57	0.144	7.000	Pass
			1	1	21.57	0.144	7.000	Pass
			1	23	21.13	0.130	7.000	Pass
		64QAM	12	6	20.03	0.101	7.000	Pass
			1	1	19.82	0.096	7.000	Pass
			1	23	19.52	0.090	7.000	Pass
		256QAM	12	6	17.19	0.052	7.000	Pass
			1	1	17.15	0.052	7.000	Pass
			1	23	16.93	0.049	7.000	Pass
10	LCH	QPSK	25	12	21.88	0.154	7.000	Pass

			1	1	21.84	0.153	7.000	Pass
			1	50	21.78	0.151	7.000	Pass
		16QAM	25	12	21.56	0.143	7.000	Pass
			1	1	21.52	0.142	7.000	Pass
			1	50	21.52	0.142	7.000	Pass
		64QAM	25	12	19.93	0.098	7.000	Pass
			1	1	19.76	0.095	7.000	Pass
			1	50	19.74	0.094	7.000	Pass
		256QAM	25	12	16.95	0.050	7.000	Pass
			1	1	17.06	0.051	7.000	Pass
			1	50	17.04	0.051	7.000	Pass
	MCH	QPSK	25	12	21.88	0.154	7.000	Pass
			1	1	21.82	0.152	7.000	Pass
			1	50	21.9	0.155	7.000	Pass
		16QAM	25	12	21.56	0.143	7.000	Pass
			1	1	21.56	0.143	7.000	Pass
			1	50	21.7	0.148	7.000	Pass
		64QAM	25	12	19.98	0.100	7.000	Pass
			1	1	19.77	0.095	7.000	Pass
			1	50	19.88	0.097	7.000	Pass
		256QAM	25	12	16.95	0.050	7.000	Pass
			1	1	17.1	0.051	7.000	Pass
			1	50	17.15	0.052	7.000	Pass
	HCH	QPSK	25	12	22	0.158	7.000	Pass
			1	1	21.82	0.152	7.000	Pass
			1	50	21.57	0.144	7.000	Pass
		16QAM	25	12	21.6	0.145	7.000	Pass
			1	1	21.58	0.144	7.000	Pass
			1	50	21.19	0.132	7.000	Pass
		64QAM	25	12	20.01	0.100	7.000	Pass
			1	1	19.81	0.096	7.000	Pass
			1	50	19.52	0.090	7.000	Pass
		256QAM	25	12	17.07	0.051	7.000	Pass
			1	1	17.04	0.051	7.000	Pass
			1	50	16.89	0.049	7.000	Pass
15	LCH	QPSK	36	18	21.99	0.158	7.000	Pass
			1	1	21.75	0.150	7.000	Pass
			1	77	21.82	0.152	7.000	Pass
		16QAM	36	18	21.54	0.143	7.000	Pass
			1	1	21.53	0.142	7.000	Pass
			1	77	21.59	0.144	7.000	Pass
		64QAM	36	18	19.99	0.100	7.000	Pass
			1	1	19.77	0.095	7.000	Pass

		256QAM	1	77	19.83	0.096	7.000	Pass
			36	18	16.97	0.050	7.000	Pass
			1	1	17.07	0.051	7.000	Pass
			1	77	17.08	0.051	7.000	Pass
	MCH	QPSK	36	18	21.99	0.158	7.000	Pass
			1	1	21.76	0.150	7.000	Pass
			1	77	21.89	0.155	7.000	Pass
		16QAM	36	18	21.56	0.143	7.000	Pass
			1	1	21.51	0.142	7.000	Pass
			1	77	21.6	0.145	7.000	Pass
		64QAM	36	18	20	0.100	7.000	Pass
			1	1	19.77	0.095	7.000	Pass
			1	77	19.92	0.098	7.000	Pass
		256QAM	36	18	16.93	0.049	7.000	Pass
			1	1	17.03	0.050	7.000	Pass
			1	77	17.18	0.052	7.000	Pass
	HCH	QPSK	36	18	22.03	0.160	7.000	Pass
			1	1	21.7	0.148	7.000	Pass
			1	77	21.53	0.142	7.000	Pass
		16QAM	36	18	21.6	0.145	7.000	Pass
			1	1	21.46	0.140	7.000	Pass
			1	77	21.24	0.133	7.000	Pass
		64QAM	36	18	20.08	0.102	7.000	Pass
			1	1	19.72	0.094	7.000	Pass
			1	77	19.63	0.092	7.000	Pass
		256QAM	36	18	17	0.050	7.000	Pass
			1	1	16.93	0.049	7.000	Pass
			1	77	16.96	0.050	7.000	Pass
20	LCH	QPSK	50	25	21.97	0.157	7.000	Pass
			1	1	21.75	0.150	7.000	Pass
			1	104	21.85	0.153	7.000	Pass
		16QAM	50	25	21.59	0.144	7.000	Pass
			1	1	21.46	0.140	7.000	Pass
			1	104	21.6	0.145	7.000	Pass
		64QAM	50	25	20.03	0.101	7.000	Pass
			1	1	19.73	0.094	7.000	Pass
			1	104	19.86	0.097	7.000	Pass
		256QAM	50	25	16.91	0.049	7.000	Pass
			1	1	17.05	0.051	7.000	Pass
			1	104	17.13	0.052	7.000	Pass
	MCH	QPSK	50	25	22	0.158	7.000	Pass
			1	1	21.79	0.151	7.000	Pass
			1	104	21.83	0.152	7.000	Pass

		16QAM	50	25	21.61	0.145	7.000	Pass
			1	1	21.51	0.142	7.000	Pass
			1	104	21.53	0.142	7.000	Pass
		64QAM	50	25	20.06	0.101	7.000	Pass
			1	1	19.77	0.095	7.000	Pass
			1	104	19.85	0.097	7.000	Pass
		256QAM	50	25	16.94	0.049	7.000	Pass
			1	1	17.12	0.052	7.000	Pass
			1	104	17.22	0.053	7.000	Pass
	HCH	QPSK	50	25	22.04	0.160	7.000	Pass
			1	1	21.74	0.149	7.000	Pass
			1	104	21.53	0.142	7.000	Pass
		16QAM	50	25	21.63	0.146	7.000	Pass
			1	1	21.45	0.140	7.000	Pass
			1	104	21.17	0.131	7.000	Pass
		64QAM	50	25	20.09	0.102	7.000	Pass
			1	1	19.74	0.094	7.000	Pass
			1	104	19.54	0.090	7.000	Pass
		256QAM	50	25	16.96	0.050	7.000	Pass
			1	1	17.06	0.051	7.000	Pass
			1	104	16.93	0.049	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n38								
10	LCH	QPSK	12	6	22.25	0.168	2.000	Pass
			1	1	22.31	0.170	2.000	Pass
			1	22	22.3	0.170	2.000	Pass
		16QAM	12	6	21.91	0.155	2.000	Pass
			1	1	21.49	0.141	2.000	Pass
			1	22	21.37	0.137	2.000	Pass
		64QAM	12	6	20.34	0.108	2.000	Pass
			1	1	20.37	0.109	2.000	Pass
			1	22	20.31	0.107	2.000	Pass
		256QAM	12	6	17.71	0.059	2.000	Pass
			1	1	17.72	0.059	2.000	Pass
			1	22	17.68	0.059	2.000	Pass
	MCH	QPSK	12	6	22.06	0.161	2.000	Pass
			1	1	21.94	0.156	2.000	Pass
			1	22	21.94	0.156	2.000	Pass
		16QAM	12	6	21.78	0.151	2.000	Pass
			1	1	21.75	0.150	2.000	Pass
			1	22	21.72	0.149	2.000	Pass
		64QAM	12	6	20.34	0.108	2.000	Pass
			1	1	20.02	0.100	2.000	Pass
			1	22	20	0.100	2.000	Pass
		256QAM	12	6	17.65	0.058	2.000	Pass
			1	1	17.61	0.058	2.000	Pass
			1	22	17.56	0.057	2.000	Pass
	HCH	QPSK	12	6	21.97	0.157	2.000	Pass
			1	1	21.87	0.154	2.000	Pass
			1	22	21.83	0.152	2.000	Pass
		16QAM	12	6	21.74	0.149	2.000	Pass
			1	1	21.7	0.148	2.000	Pass
			1	22	21.63	0.146	2.000	Pass
		64QAM	12	6	20.13	0.103	2.000	Pass
			1	1	19.88	0.097	2.000	Pass
			1	22	19.82	0.096	2.000	Pass
		256QAM	12	6	17.51	0.056	2.000	Pass
			1	1	17.42	0.055	2.000	Pass
			1	22	17.3	0.054	2.000	Pass
15	LCH	QPSK	18	9	22.22	0.167	2.000	Pass

			1	1	22.21	0.166	2.000	Pass
			1	36	22.14	0.164	2.000	Pass
		16QAM	18	9	21.63	0.146	2.000	Pass
			1	1	21.85	0.153	2.000	Pass
			1	36	21.82	0.152	2.000	Pass
		64QAM	18	9	20.39	0.109	2.000	Pass
			1	1	20.2	0.105	2.000	Pass
			1	36	20.11	0.103	2.000	Pass
		256QAM	18	9	17.92	0.062	2.000	Pass
			1	1	17.74	0.059	2.000	Pass
			1	36	17.67	0.058	2.000	Pass
	MCH	QPSK	18	9	22.05	0.160	2.000	Pass
			1	1	21.96	0.157	2.000	Pass
			1	36	21.99	0.158	2.000	Pass
		16QAM	18	9	21.59	0.144	2.000	Pass
			1	1	21.53	0.142	2.000	Pass
			1	36	21.62	0.145	2.000	Pass
		64QAM	18	9	20.26	0.106	2.000	Pass
			1	1	19.96	0.099	2.000	Pass
			1	36	19.94	0.099	2.000	Pass
		256QAM	18	9	17.73	0.059	2.000	Pass
			1	1	17.64	0.058	2.000	Pass
			1	36	17.6	0.058	2.000	Pass
	HCH	QPSK	18	9	22.07	0.161	2.000	Pass
			1	1	22.08	0.161	2.000	Pass
			1	36	22.04	0.160	2.000	Pass
		16QAM	18	9	21.52	0.142	2.000	Pass
			1	1	21.55	0.143	2.000	Pass
			1	36	21.5	0.141	2.000	Pass
		64QAM	18	9	20.33	0.108	2.000	Pass
			1	1	20.09	0.102	2.000	Pass
			1	36	19.97	0.099	2.000	Pass
		256QAM	18	9	17.68	0.059	2.000	Pass
			1	1	17.63	0.058	2.000	Pass
			1	36	17.45	0.056	2.000	Pass
20	LCH	QPSK	25	12	22.25	0.168	2.000	Pass
			1	1	22.19	0.166	2.000	Pass
			1	49	22.13	0.163	2.000	Pass
		16QAM	25	12	21.89	0.155	2.000	Pass
			1	1	21.95	0.157	2.000	Pass
			1	49	21.86	0.153	2.000	Pass
		64QAM	25	12	20.55	0.114	2.000	Pass
			1	1	20.18	0.104	2.000	Pass

		256QAM	1	49	20.13	0.103	2.000	Pass
			25	12	17.88	0.061	2.000	Pass
			1	1	17.83	0.061	2.000	Pass
			1	49	17.8	0.060	2.000	Pass
	MCH	QPSK	25	12	22.19	0.166	2.000	Pass
			1	1	22.02	0.159	2.000	Pass
			1	49	21.99	0.158	2.000	Pass
		16QAM	25	12	21.67	0.147	2.000	Pass
			1	1	21.48	0.141	2.000	Pass
			1	49	21.45	0.140	2.000	Pass
		64QAM	25	12	20.4	0.110	2.000	Pass
			1	1	20.04	0.101	2.000	Pass
			1	49	19.91	0.098	2.000	Pass
		256QAM	25	12	17.68	0.059	2.000	Pass
			1	1	17.65	0.058	2.000	Pass
			1	49	17.57	0.057	2.000	Pass
	HCH	QPSK	25	12	22.15	0.164	2.000	Pass
			1	1	22.1	0.162	2.000	Pass
			1	49	21.99	0.158	2.000	Pass
		16QAM	25	12	21.72	0.149	2.000	Pass
			1	1	21.62	0.145	2.000	Pass
			1	49	21.54	0.143	2.000	Pass
		64QAM	25	12	20.27	0.106	2.000	Pass
			1	1	20.06	0.101	2.000	Pass
			1	49	20.02	0.100	2.000	Pass
		256QAM	25	12	17.67	0.058	2.000	Pass
			1	1	17.62	0.058	2.000	Pass
			1	49	17.46	0.056	2.000	Pass
25	LCH	QPSK	32	16	22.42	0.175	2.000	Pass
			1	1	22.38	0.173	2.000	Pass
			1	63	22.23	0.167	2.000	Pass
		16QAM	32	16	22.04	0.160	2.000	Pass
			1	1	21.76	0.150	2.000	Pass
			1	63	21.67	0.147	2.000	Pass
		64QAM	32	16	20.6	0.115	2.000	Pass
			1	1	20.33	0.108	2.000	Pass
			1	63	20.2	0.105	2.000	Pass
		256QAM	32	16	18	0.063	2.000	Pass
			1	1	17.93	0.062	2.000	Pass
			1	63	17.83	0.061	2.000	Pass
	MCH	QPSK	32	16	22.1	0.162	2.000	Pass
			1	1	22.03	0.160	2.000	Pass
			1	63	22.06	0.161	2.000	Pass

		16QAM	32	16	21.79	0.151	2.000	Pass
			1	1	21.84	0.153	2.000	Pass
			1	63	21.81	0.152	2.000	Pass
		64QAM	32	16	20.38	0.109	2.000	Pass
			1	1	20.13	0.103	2.000	Pass
			1	63	20.1	0.102	2.000	Pass
		256QAM	32	16	17.85	0.061	2.000	Pass
			1	1	17.7	0.059	2.000	Pass
			1	63	17.6	0.058	2.000	Pass
	HCH	QPSK	32	16	22.21	0.166	2.000	Pass
			1	1	22.15	0.164	2.000	Pass
			1	63	21.96	0.157	2.000	Pass
		16QAM	32	16	21.75	0.150	2.000	Pass
			1	1	21.8	0.151	2.000	Pass
			1	63	21.62	0.145	2.000	Pass
		64QAM	32	16	20.44	0.111	2.000	Pass
			1	1	20.16	0.104	2.000	Pass
			1	63	20.08	0.102	2.000	Pass
		256QAM	32	16	17.83	0.061	2.000	Pass
			1	1	17.8	0.060	2.000	Pass
			1	63	17.59	0.057	2.000	Pass
30	LCH	QPSK	36	18	22.29	0.169	2.000	Pass
			1	1	22.08	0.161	2.000	Pass
			1	76	22.11	0.163	2.000	Pass
		16QAM	36	18	21.91	0.155	2.000	Pass
			1	1	21.65	0.146	2.000	Pass
			1	76	21.71	0.148	2.000	Pass
		64QAM	36	18	20.47	0.111	2.000	Pass
			1	1	20.25	0.106	2.000	Pass
			1	76	20.25	0.106	2.000	Pass
		256QAM	36	18	17.89	0.062	2.000	Pass
			1	1	17.93	0.062	2.000	Pass
			1	76	17.89	0.062	2.000	Pass
	MCH	QPSK	36	18	22.27	0.169	2.000	Pass
			1	1	22.09	0.162	2.000	Pass
			1	76	22.05	0.160	2.000	Pass
		16QAM	36	18	21.85	0.153	2.000	Pass
			1	1	21.78	0.151	2.000	Pass
			1	76	21.71	0.148	2.000	Pass
		64QAM	36	18	20.49	0.112	2.000	Pass
			1	1	20.17	0.104	2.000	Pass
			1	76	20.15	0.104	2.000	Pass
		256QAM	36	18	17.88	0.061	2.000	Pass

			1	1	17.85	0.061	2.000	Pass
			1	76	17.75	0.060	2.000	Pass
	HCH	QPSK	36	18	22.24	0.167	2.000	Pass
			1	1	22.08	0.161	2.000	Pass
			1	76	22	0.158	2.000	Pass
		16QAM	36	18	21.79	0.151	2.000	Pass
			1	1	21.9	0.155	2.000	Pass
			1	76	21.72	0.149	2.000	Pass
		64QAM	36	18	20.46	0.111	2.000	Pass
			1	1	20.11	0.103	2.000	Pass
			1	76	20.11	0.103	2.000	Pass
		256QAM	36	18	17.83	0.061	2.000	Pass
			1	1	17.78	0.060	2.000	Pass
			1	76	17.56	0.057	2.000	Pass
40	LCH	QPSK	50	25	22.4	0.174	2.000	Pass
			1	1	22.23	0.167	2.000	Pass
			1	104	22.18	0.165	2.000	Pass
		16QAM	50	25	21.97	0.157	2.000	Pass
			1	1	22.21	0.166	2.000	Pass
			1	104	21.93	0.156	2.000	Pass
		64QAM	50	25	20.6	0.115	2.000	Pass
			1	1	20.34	0.108	2.000	Pass
			1	104	20.23	0.105	2.000	Pass
		256QAM	50	25	18.08	0.064	2.000	Pass
			1	1	18.02	0.063	2.000	Pass
			1	104	17.8	0.060	2.000	Pass
	MCH	QPSK	50	25	22.2	0.166	2.000	Pass
			1	1	22.24	0.167	2.000	Pass
			1	104	22.13	0.163	2.000	Pass
		16QAM	50	25	21.84	0.153	2.000	Pass
			1	1	21.65	0.146	2.000	Pass
			1	104	21.62	0.145	2.000	Pass
		64QAM	50	25	20.5	0.112	2.000	Pass
			1	1	20.21	0.105	2.000	Pass
			1	104	20.18	0.104	2.000	Pass
		256QAM	50	25	17.91	0.062	2.000	Pass
			1	1	17.88	0.061	2.000	Pass
			1	104	17.65	0.058	2.000	Pass
	HCH	QPSK	50	25	22.38	0.173	2.000	Pass
			1	1	22.2	0.166	2.000	Pass
			1	104	22.12	0.163	2.000	Pass
		16QAM	50	25	21.97	0.157	2.000	Pass
			1	1	22.08	0.161	2.000	Pass

			1	104	21.87	0.154	2.000	Pass
		64QAM	50	25	20.54	0.113	2.000	Pass
			1	1	20.25	0.106	2.000	Pass
			1	104	20.2	0.105	2.000	Pass
		256QAM	50	25	17.98	0.063	2.000	Pass
			1	1	17.92	0.062	2.000	Pass
			1	104	17.6	0.058	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n26 (824-849)								
5	LCH	QPSK	12	6	21.95	0.157	100.000	Pass
			1	1	21.83	0.152	100.000	Pass
			1	23	21.84	0.153	100.000	Pass
		16QAM	12	6	21.5	0.141	100.000	Pass
			1	1	21.39	0.138	100.000	Pass
			1	23	21.41	0.138	100.000	Pass
		64QAM	12	6	19.92	0.098	100.000	Pass
			1	1	19.88	0.097	100.000	Pass
			1	23	19.91	0.098	100.000	Pass
		256QAM	12	6	16.97	0.050	100.000	Pass
			1	1	17.05	0.051	100.000	Pass
			1	23	17.08	0.051	100.000	Pass
	MCH	QPSK	12	6	21.85	0.153	100.000	Pass
			1	1	21.68	0.147	100.000	Pass
			1	23	21.64	0.146	100.000	Pass
		16QAM	12	6	21.41	0.138	100.000	Pass
			1	1	21.47	0.140	100.000	Pass
			1	23	21.4	0.138	100.000	Pass
		64QAM	12	6	19.82	0.096	100.000	Pass
			1	1	19.65	0.092	100.000	Pass
			1	23	19.63	0.092	100.000	Pass
		256QAM	12	6	16.94	0.049	100.000	Pass
			1	1	17.03	0.050	100.000	Pass
			1	23	16.99	0.050	100.000	Pass
	HCH	QPSK	12	6	21.89	0.155	100.000	Pass
			1	1	21.73	0.149	100.000	Pass
			1	23	21.76	0.150	100.000	Pass
		16QAM	12	6	21.5	0.141	100.000	Pass
			1	1	21.55	0.143	100.000	Pass
			1	23	21.54	0.143	100.000	Pass
		64QAM	12	6	19.9	0.098	100.000	Pass
			1	1	19.69	0.093	100.000	Pass
			1	23	19.74	0.094	100.000	Pass
		256QAM	12	6	16.99	0.050	100.000	Pass
			1	1	17.09	0.051	100.000	Pass
			1	23	17.09	0.051	100.000	Pass

10	MCH	QPSK	25	12	21.76	0.150	100.000	Pass
			1	1	21.57	0.144	100.000	Pass
			1	50	21.66	0.147	100.000	Pass
		16QAM	25	12	21.4	0.138	100.000	Pass
			1	1	21.35	0.136	100.000	Pass
			1	50	21.43	0.139	100.000	Pass
		64QAM	25	12	19.81	0.096	100.000	Pass
			1	1	19.61	0.091	100.000	Pass
			1	50	19.68	0.093	100.000	Pass
		256QAM	25	12	16.91	0.049	100.000	Pass
			1	1	17	0.050	100.000	Pass
			1	50	16.95	0.050	100.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n41								
10	LCH	QPSK	12	6	24.32	0.270	2.000	Pass
			1	1	24.11	0.258	2.000	Pass
			1	22	24.3	0.269	2.000	Pass
		16QAM	12	6	23.45	0.221	2.000	Pass
			1	1	23.16	0.207	2.000	Pass
			1	22	23.32	0.215	2.000	Pass
		64QAM	12	6	21.9	0.155	2.000	Pass
			1	1	21.8	0.151	2.000	Pass
			1	22	22.01	0.159	2.000	Pass
		256QAM	12	6	20.05	0.101	2.000	Pass
			1	1	19.72	0.094	2.000	Pass
			1	22	19.89	0.097	2.000	Pass
	MCH	QPSK	12	6	24.6	0.288	2.000	Pass
			1	1	24.55	0.285	2.000	Pass
			1	22	24.49	0.281	2.000	Pass
		16QAM	12	6	23.69	0.234	2.000	Pass
			1	1	23.63	0.231	2.000	Pass
			1	22	23.55	0.226	2.000	Pass
		64QAM	12	6	22.19	0.166	2.000	Pass
			1	1	22.13	0.163	2.000	Pass
			1	22	22.06	0.161	2.000	Pass
		256QAM	12	6	20.68	0.117	2.000	Pass
			1	1	20.5	0.112	2.000	Pass
			1	22	20.45	0.111	2.000	Pass
	HCH	QPSK	12	6	24.01	0.252	2.000	Pass
			1	1	23.9	0.245	2.000	Pass
			1	22	24.01	0.252	2.000	Pass
		16QAM	12	6	23.27	0.212	2.000	Pass
			1	1	22.95	0.197	2.000	Pass
			1	22	23.06	0.202	2.000	Pass
		64QAM	12	6	21.73	0.149	2.000	Pass
			1	1	21.65	0.146	2.000	Pass
			1	22	21.56	0.143	2.000	Pass
		256QAM	12	6	19.83	0.096	2.000	Pass
			1	1	19.57	0.091	2.000	Pass
			1	22	19.6	0.091	2.000	Pass
15	LCH	QPSK	18	9	24.42	0.277	2.000	Pass

			1	1	24.19	0.262	2.000	Pass
			1	36	24.48	0.281	2.000	Pass
		16QAM	18	9	23.52	0.225	2.000	Pass
			1	1	23.27	0.212	2.000	Pass
			1	36	23.46	0.222	2.000	Pass
		64QAM	18	9	22.18	0.165	2.000	Pass
			1	1	21.83	0.152	2.000	Pass
			1	36	22.1	0.162	2.000	Pass
		256QAM	18	9	19.96	0.099	2.000	Pass
			1	1	19.81	0.096	2.000	Pass
			1	36	20	0.100	2.000	Pass
	MCH	QPSK	18	9	24.68	0.294	2.000	Pass
			1	1	24.58	0.287	2.000	Pass
			1	36	24.46	0.279	2.000	Pass
		16QAM	18	9	23.7	0.234	2.000	Pass
			1	1	23.55	0.226	2.000	Pass
			1	36	23.5	0.224	2.000	Pass
		64QAM	18	9	22.39	0.173	2.000	Pass
			1	1	22.19	0.166	2.000	Pass
			1	36	22.17	0.165	2.000	Pass
		256QAM	18	9	20.6	0.115	2.000	Pass
			1	1	20.58	0.114	2.000	Pass
			1	36	20.46	0.111	2.000	Pass
	HCH	QPSK	18	9	24.12	0.258	2.000	Pass
			1	1	24.05	0.254	2.000	Pass
			1	36	24.22	0.264	2.000	Pass
		16QAM	18	9	23.25	0.211	2.000	Pass
			1	1	23	0.200	2.000	Pass
			1	36	23.22	0.210	2.000	Pass
		64QAM	18	9	21.94	0.156	2.000	Pass
			1	1	21.58	0.144	2.000	Pass
			1	36	21.77	0.150	2.000	Pass
		256QAM	18	9	19.78	0.095	2.000	Pass
			1	1	19.64	0.092	2.000	Pass
			1	36	19.77	0.095	2.000	Pass
20	LCH	QPSK	25	12	24.36	0.273	2.000	Pass
			1	1	24.12	0.258	2.000	Pass
			1	49	24.35	0.272	2.000	Pass
		16QAM	25	12	23.49	0.223	2.000	Pass
			1	1	23.17	0.207	2.000	Pass
			1	49	23.38	0.218	2.000	Pass
		64QAM	25	12	22	0.158	2.000	Pass
			1	1	21.8	0.151	2.000	Pass

		256QAM	1	49	22	0.158	2.000	Pass
			25	12	19.86	0.097	2.000	Pass
			1	1	19.69	0.093	2.000	Pass
			1	49	19.99	0.100	2.000	Pass
	MCH	QPSK	25	12	24.65	0.292	2.000	Pass
			1	1	24.64	0.291	2.000	Pass
			1	49	24.49	0.281	2.000	Pass
		16QAM	25	12	23.73	0.236	2.000	Pass
			1	1	23.68	0.233	2.000	Pass
			1	49	23.55	0.226	2.000	Pass
		64QAM	25	12	22.35	0.172	2.000	Pass
			1	1	22.23	0.167	2.000	Pass
			1	49	22.14	0.164	2.000	Pass
		256QAM	25	12	20.65	0.116	2.000	Pass
			1	1	20.6	0.115	2.000	Pass
			1	49	20.47	0.111	2.000	Pass
	HCH	QPSK	25	12	24.14	0.259	2.000	Pass
			1	1	23.97	0.249	2.000	Pass
			1	49	24.19	0.262	2.000	Pass
		16QAM	25	12	23.31	0.214	2.000	Pass
			1	1	22.97	0.198	2.000	Pass
			1	49	23.18	0.208	2.000	Pass
		64QAM	25	12	21.86	0.153	2.000	Pass
			1	1	21.65	0.146	2.000	Pass
			1	49	21.78	0.151	2.000	Pass
		256QAM	25	12	19.77	0.095	2.000	Pass
			1	1	19.63	0.092	2.000	Pass
			1	49	19.78	0.095	2.000	Pass
25	LCH	QPSK	32	16	24.01	0.252	2.000	Pass
			1	1	23.78	0.239	2.000	Pass
			1	63	24	0.251	2.000	Pass
		16QAM	32	16	23.06	0.202	2.000	Pass
			1	1	22.77	0.189	2.000	Pass
			1	63	23.02	0.200	2.000	Pass
		64QAM	32	16	21.71	0.148	2.000	Pass
			1	1	21.6	0.145	2.000	Pass
			1	63	21.79	0.151	2.000	Pass
		256QAM	32	16	19.56	0.090	2.000	Pass
			1	1	19.22	0.084	2.000	Pass
			1	63	19.62	0.092	2.000	Pass
	MCH	QPSK	32	16	24.28	0.268	2.000	Pass
			1	1	24.21	0.264	2.000	Pass
			1	63	24.11	0.258	2.000	Pass

		16QAM	32	16	23.37	0.217	2.000	Pass
			1	1	23.3	0.214	2.000	Pass
			1	63	23.14	0.206	2.000	Pass
		64QAM	32	16	21.98	0.158	2.000	Pass
			1	1	21.94	0.156	2.000	Pass
			1	63	21.85	0.153	2.000	Pass
		256QAM	32	16	20.23	0.105	2.000	Pass
			1	1	20.15	0.104	2.000	Pass
			1	63	19.98	0.100	2.000	Pass
	HCH	QPSK	32	16	23.68	0.233	2.000	Pass
			1	1	23.51	0.224	2.000	Pass
			1	63	23.76	0.238	2.000	Pass
		16QAM	32	16	22.81	0.191	2.000	Pass
			1	1	22.58	0.181	2.000	Pass
			1	63	22.83	0.192	2.000	Pass
		64QAM	32	16	21.45	0.140	2.000	Pass
			1	1	21.32	0.136	2.000	Pass
			1	63	21.53	0.142	2.000	Pass
		256QAM	32	16	19.2	0.083	2.000	Pass
			1	1	19.1	0.081	2.000	Pass
			1	63	19.28	0.085	2.000	Pass
30	LCH	QPSK	36	18	24.12	0.258	2.000	Pass
			1	1	23.82	0.241	2.000	Pass
			1	76	24.01	0.252	2.000	Pass
		16QAM	36	18	23.18	0.208	2.000	Pass
			1	1	22.82	0.191	2.000	Pass
			1	76	23.07	0.203	2.000	Pass
		64QAM	36	18	21.75	0.150	2.000	Pass
			1	1	21.58	0.144	2.000	Pass
			1	76	21.73	0.149	2.000	Pass
		256QAM	36	18	19.67	0.093	2.000	Pass
			1	1	19.34	0.086	2.000	Pass
			1	76	19.77	0.095	2.000	Pass
	MCH	QPSK	36	18	24.34	0.272	2.000	Pass
			1	1	24.28	0.268	2.000	Pass
			1	76	24.12	0.258	2.000	Pass
		16QAM	36	18	23.4	0.219	2.000	Pass
			1	1	23.32	0.215	2.000	Pass
			1	76	23.15	0.207	2.000	Pass
		64QAM	36	18	22	0.158	2.000	Pass
			1	1	21.92	0.156	2.000	Pass
			1	76	21.84	0.153	2.000	Pass
		256QAM	36	18	20.29	0.107	2.000	Pass

			1	1	20.25	0.106	2.000	Pass
			1	76	20.01	0.100	2.000	Pass
	HCH	QPSK	36	18	23.97	0.249	2.000	Pass
			1	1	23.79	0.239	2.000	Pass
			1	76	24.05	0.254	2.000	Pass
		16QAM	36	18	23.03	0.201	2.000	Pass
			1	1	22.77	0.189	2.000	Pass
			1	76	22.93	0.196	2.000	Pass
		64QAM	36	18	21.68	0.147	2.000	Pass
			1	1	21.33	0.136	2.000	Pass
			1	76	21.56	0.143	2.000	Pass
		256QAM	36	18	19.45	0.088	2.000	Pass
			1	1	19.32	0.086	2.000	Pass
			1	76	19.44	0.088	2.000	Pass
35	LCH	QPSK	45	22	24.22	0.264	2.000	Pass
			1	1	24.01	0.252	2.000	Pass
			1	90	24.19	0.262	2.000	Pass
		16QAM	45	22	23.35	0.216	2.000	Pass
			1	1	22.99	0.199	2.000	Pass
			1	90	23.18	0.208	2.000	Pass
		64QAM	45	22	21.89	0.155	2.000	Pass
			1	1	21.6	0.145	2.000	Pass
			1	90	21.77	0.150	2.000	Pass
		256QAM	45	22	19.77	0.095	2.000	Pass
			1	1	19.41	0.087	2.000	Pass
			1	90	19.85	0.097	2.000	Pass
	MCH	QPSK	45	22	24.28	0.268	2.000	Pass
			1	1	24.34	0.272	2.000	Pass
			1	90	24.1	0.257	2.000	Pass
		16QAM	45	22	23.43	0.220	2.000	Pass
			1	1	23.3	0.214	2.000	Pass
			1	90	23.13	0.206	2.000	Pass
		64QAM	45	22	22	0.158	2.000	Pass
			1	1	21.92	0.156	2.000	Pass
			1	90	21.79	0.151	2.000	Pass
		256QAM	45	22	20.31	0.107	2.000	Pass
			1	1	20.27	0.106	2.000	Pass
			1	90	19.94	0.099	2.000	Pass
	HCH	QPSK	45	22	23.84	0.242	2.000	Pass
			1	1	23.73	0.236	2.000	Pass
			1	90	24	0.251	2.000	Pass
		16QAM	45	22	22.94	0.197	2.000	Pass
			1	1	22.8	0.191	2.000	Pass

			1	90	22.98	0.199	2.000	Pass		
		64QAM	45	22	21.58	0.144	2.000	Pass		
			1	1	21.34	0.136	2.000	Pass		
			1	90	21.5	0.141	2.000	Pass		
		256QAM	45	22	19.35	0.086	2.000	Pass		
			1	1	19.27	0.085	2.000	Pass		
			1	90	19.38	0.087	2.000	Pass		
		40	LCH	QPSK	50	25	24.04	0.254	2.000	Pass
					1	1	23.74	0.237	2.000	Pass
1	104				24.08	0.256	2.000	Pass		
16QAM	50			25	23.15	0.207	2.000	Pass		
	1			1	22.84	0.192	2.000	Pass		
	1			104	23.11	0.205	2.000	Pass		
64QAM	50			25	21.76	0.150	2.000	Pass		
	1			1	21.5	0.141	2.000	Pass		
	1			104	21.75	0.150	2.000	Pass		
256QAM	50			25	19.61	0.091	2.000	Pass		
	1			1	19.21	0.083	2.000	Pass		
	1			104	19.82	0.096	2.000	Pass		
MCH	QPSK		50	25	24.31	0.270	2.000	Pass		
			1	1	24.37	0.274	2.000	Pass		
			1	104	24.09	0.256	2.000	Pass		
	16QAM		50	25	23.4	0.219	2.000	Pass		
			1	1	23.35	0.216	2.000	Pass		
			1	104	23.09	0.204	2.000	Pass		
	64QAM		50	25	22.01	0.159	2.000	Pass		
			1	1	22.05	0.160	2.000	Pass		
			1	104	21.85	0.153	2.000	Pass		
	256QAM		50	25	20.3	0.107	2.000	Pass		
			1	1	20.25	0.106	2.000	Pass		
			1	104	19.91	0.098	2.000	Pass		
HCH	QPSK	50	25	23.73	0.236	2.000	Pass			
		1	1	23.66	0.232	2.000	Pass			
		1	104	23.89	0.245	2.000	Pass			
	16QAM	50	25	22.82	0.191	2.000	Pass			
		1	1	22.67	0.185	2.000	Pass			
		1	104	22.94	0.197	2.000	Pass			
	64QAM	50	25	21.42	0.139	2.000	Pass			
		1	1	21.36	0.137	2.000	Pass			
		1	104	21.5	0.141	2.000	Pass			
	256QAM	50	25	19.31	0.085	2.000	Pass			
		1	1	19.27	0.085	2.000	Pass			
		1	104	19.31	0.085	2.000	Pass			

45	LCH	QPSK	54	27	24.13	0.259	2.000	Pass
			1	1	23.79	0.239	2.000	Pass
			1	117	24.21	0.264	2.000	Pass
		16QAM	54	27	23.22	0.210	2.000	Pass
			1	1	22.94	0.197	2.000	Pass
			1	117	23.28	0.213	2.000	Pass
		64QAM	54	27	21.75	0.150	2.000	Pass
			1	1	21.54	0.143	2.000	Pass
			1	117	21.78	0.151	2.000	Pass
		256QAM	54	27	19.78	0.095	2.000	Pass
			1	1	19.29	0.085	2.000	Pass
			1	117	19.97	0.099	2.000	Pass
	MCH	QPSK	54	27	24.35	0.272	2.000	Pass
			1	1	24.44	0.278	2.000	Pass
			1	117	24.08	0.256	2.000	Pass
		16QAM	54	27	23.41	0.219	2.000	Pass
			1	1	23.46	0.222	2.000	Pass
			1	117	23.08	0.203	2.000	Pass
		64QAM	54	27	22.05	0.160	2.000	Pass
			1	1	21.98	0.158	2.000	Pass
			1	117	21.77	0.150	2.000	Pass
		256QAM	54	27	20.32	0.108	2.000	Pass
			1	1	20.26	0.106	2.000	Pass
			1	117	19.84	0.096	2.000	Pass
	HCH	QPSK	54	27	23.73	0.236	2.000	Pass
			1	1	23.64	0.231	2.000	Pass
			1	117	23.84	0.242	2.000	Pass
		16QAM	54	27	22.76	0.189	2.000	Pass
			1	1	22.72	0.187	2.000	Pass
			1	117	22.87	0.194	2.000	Pass
		64QAM	54	27	21.46	0.140	2.000	Pass
			1	1	21.38	0.137	2.000	Pass
			1	117	21.54	0.143	2.000	Pass
		256QAM	54	27	19.31	0.085	2.000	Pass
			1	1	19.26	0.084	2.000	Pass
			1	117	19.34	0.086	2.000	Pass
50	LCH	QPSK	64	32	-29.95	0.000	2.000	Pass
			1	1	23.85	0.243	2.000	Pass
			1	131	24.28	0.268	2.000	Pass
		16QAM	64	32	23.27	0.212	2.000	Pass
			1	1	22.93	0.196	2.000	Pass
			1	131	23.29	0.213	2.000	Pass
		64QAM	64	32	21.86	0.153	2.000	Pass
			64	32	21.86	0.153	2.000	Pass

60			1	1	21.72	0.149	2.000	Pass
			1	131	22.01	0.159	2.000	Pass
		256QAM	64	32	19.86	0.097	2.000	Pass
			1	1	19.32	0.086	2.000	Pass
			1	131	20.1	0.102	2.000	Pass
	MCH	QPSK	64	32	24.38	0.274	2.000	Pass
			1	1	24.35	0.272	2.000	Pass
			1	131	23.95	0.248	2.000	Pass
		16QAM	64	32	23.39	0.218	2.000	Pass
			1	1	23.41	0.219	2.000	Pass
			1	131	23.05	0.202	2.000	Pass
		64QAM	64	32	21.97	0.157	2.000	Pass
			1	1	22.11	0.163	2.000	Pass
			1	131	21.74	0.149	2.000	Pass
		256QAM	64	32	20.29	0.107	2.000	Pass
			1	1	20.25	0.106	2.000	Pass
			1	131	19.83	0.096	2.000	Pass
	HCH	QPSK	64	32	23.82	0.241	2.000	Pass
			1	1	23.78	0.239	2.000	Pass
			1	131	23.77	0.238	2.000	Pass
		16QAM	64	32	22.96	0.198	2.000	Pass
			1	1	22.91	0.195	2.000	Pass
			1	131	22.86	0.193	2.000	Pass
		64QAM	64	32	21.57	0.144	2.000	Pass
			1	1	21.67	0.147	2.000	Pass
			1	131	21.5	0.141	2.000	Pass
		256QAM	64	32	19.47	0.089	2.000	Pass
			1	1	19.47	0.089	2.000	Pass
			1	131	19.32	0.086	2.000	Pass
	LCH	QPSK	81	40	24.11	0.258	2.000	Pass
			1	1	23.72	0.236	2.000	Pass
			1	160	24.34	0.272	2.000	Pass
		16QAM	81	40	23.19	0.208	2.000	Pass
			1	1	22.8	0.191	2.000	Pass
			1	160	23.33	0.215	2.000	Pass
		64QAM	81	40	21.8	0.151	2.000	Pass
			1	1	21.5	0.141	2.000	Pass
			1	160	21.99	0.158	2.000	Pass
		256QAM	81	40	19.74	0.094	2.000	Pass
			1	1	19.22	0.084	2.000	Pass
			1	160	20.23	0.105	2.000	Pass
	MCH	QPSK	81	40	24.26	0.267	2.000	Pass
			1	1	24.35	0.272	2.000	Pass

		16QAM	1	160	23.88	0.244	2.000	Pass
			81	40	23.35	0.216	2.000	Pass
			1	1	23.36	0.217	2.000	Pass
			1	160	22.92	0.196	2.000	Pass
		64QAM	81	40	21.92	0.156	2.000	Pass
			1	1	22.01	0.159	2.000	Pass
			1	160	21.6	0.145	2.000	Pass
		256QAM	81	40	20.24	0.106	2.000	Pass
			1	1	20.3	0.107	2.000	Pass
			1	160	19.74	0.094	2.000	Pass
	HCH	QPSK	81	40	23.81	0.240	2.000	Pass
			1	1	23.93	0.247	2.000	Pass
			1	160	24.01	0.252	2.000	Pass
		16QAM	81	40	22.9	0.195	2.000	Pass
			1	1	22.96	0.198	2.000	Pass
			1	160	22.96	0.198	2.000	Pass
		64QAM	81	40	21.53	0.142	2.000	Pass
			1	1	21.56	0.143	2.000	Pass
			1	160	21.54	0.143	2.000	Pass
		256QAM	81	40	19.41	0.087	2.000	Pass
			1	1	19.6	0.091	2.000	Pass
			1	160	19.41	0.087	2.000	Pass
70	LCH	QPSK	90	45	24.21	0.264	2.000	Pass
			1	1	24.21	0.264	2.000	Pass
			1	187	24.38	0.274	2.000	Pass
		16QAM	90	45	23.26	0.212	2.000	Pass
			1	1	22.89	0.195	2.000	Pass
			1	187	23.42	0.220	2.000	Pass
		64QAM	90	45	21.84	0.153	2.000	Pass
			1	1	21.51	0.142	2.000	Pass
			1	187	21.95	0.157	2.000	Pass
		256QAM	90	45	19.86	0.097	2.000	Pass
			1	1	19.26	0.084	2.000	Pass
			1	187	20.18	0.104	2.000	Pass
	MCH	QPSK	90	45	24.26	0.267	2.000	Pass
			1	1	24.33	0.271	2.000	Pass
			1	187	23.81	0.240	2.000	Pass
		16QAM	90	45	23.34	0.216	2.000	Pass
			1	1	23.46	0.222	2.000	Pass
			1	187	22.96	0.198	2.000	Pass
		64QAM	90	45	21.96	0.157	2.000	Pass
			1	1	22.05	0.160	2.000	Pass
			1	187	21.67	0.147	2.000	Pass

		256QAM	90	45	20.26	0.106	2.000	Pass
			1	1	20.15	0.104	2.000	Pass
			1	187	19.52	0.090	2.000	Pass
	HCH	QPSK	90	45	23.66	0.232	2.000	Pass
			1	1	23.87	0.244	2.000	Pass
			1	187	23.86	0.243	2.000	Pass
		16QAM	90	45	22.81	0.191	2.000	Pass
			1	1	23.01	0.200	2.000	Pass
			1	187	22.98	0.199	2.000	Pass
		64QAM	90	45	21.43	0.139	2.000	Pass
			1	1	21.79	0.151	2.000	Pass
			1	187	21.73	0.149	2.000	Pass
		256QAM	90	45	19.36	0.086	2.000	Pass
			1	1	19.64	0.092	2.000	Pass
			1	187	19.37	0.086	2.000	Pass
80	LCH	QPSK	108	54	24.31	0.270	2.000	Pass
			1	1	23.85	0.243	2.000	Pass
			1	215	24.34	0.272	2.000	Pass
		16QAM	108	54	23.37	0.217	2.000	Pass
			1	1	22.92	0.196	2.000	Pass
			1	215	23.41	0.219	2.000	Pass
		64QAM	108	54	21.96	0.157	2.000	Pass
			1	1	21.73	0.149	2.000	Pass
			1	215	22.16	0.164	2.000	Pass
		256QAM	108	54	20.01	0.100	2.000	Pass
			1	1	19.31	0.085	2.000	Pass
			1	215	20.22	0.105	2.000	Pass
	MCH	QPSK	108	54	24.23	0.265	2.000	Pass
			1	1	24.34	0.272	2.000	Pass
			1	215	23.74	0.237	2.000	Pass
		16QAM	108	54	23.34	0.216	2.000	Pass
			1	1	23.41	0.219	2.000	Pass
			1	215	22.84	0.192	2.000	Pass
		64QAM	108	54	21.91	0.155	2.000	Pass
			1	1	22.19	0.166	2.000	Pass
			1	215	21.72	0.149	2.000	Pass
		256QAM	108	54	20.2	0.105	2.000	Pass
			1	1	20.19	0.104	2.000	Pass
			1	215	19.49	0.089	2.000	Pass
	HCH	QPSK	108	54	23.82	0.241	2.000	Pass
			1	1	24.06	0.255	2.000	Pass
			1	215	23.96	0.249	2.000	Pass
		16QAM	108	54	22.97	0.198	2.000	Pass

			1	1	23.11	0.205	2.000	Pass	
			1	215	22.98	0.199	2.000	Pass	
			64QAM	108	54	21.53	0.142	2.000	Pass
		1		1	21.81	0.152	2.000	Pass	
		1		215	21.63	0.146	2.000	Pass	
		256QAM	108	54	19.53	0.090	2.000	Pass	
			1	1	19.92	0.098	2.000	Pass	
			1	215	19.37	0.086	2.000	Pass	
		90	LCH	QPSK	120	60	24.41	0.276	2.000
1	1				23.89	0.245	2.000	Pass	
1	243				24.18	0.262	2.000	Pass	
16QAM	120			60	23.49	0.223	2.000	Pass	
	1			1	22.99	0.199	2.000	Pass	
	1			243	23.3	0.214	2.000	Pass	
64QAM	120			60	22.05	0.160	2.000	Pass	
	1			1	21.89	0.155	2.000	Pass	
	1			243	22	0.158	2.000	Pass	
256QAM	120			60	20.14	0.103	2.000	Pass	
	1			1	19.34	0.086	2.000	Pass	
	1			243	20.16	0.104	2.000	Pass	
MCH	QPSK			120	60	24.24	0.265	2.000	Pass
				1	1	24.41	0.276	2.000	Pass
				1	243	23.71	0.235	2.000	Pass
	16QAM			120	60	23.32	0.215	2.000	Pass
				1	1	23.51	0.224	2.000	Pass
				1	243	22.84	0.192	2.000	Pass
	64QAM		120	60	21.96	0.157	2.000	Pass	
			1	1	22.18	0.165	2.000	Pass	
			1	243	21.63	0.146	2.000	Pass	
	256QAM		120	60	20.21	0.105	2.000	Pass	
			1	1	20.13	0.103	2.000	Pass	
			1	243	19.37	0.086	2.000	Pass	
	HCH		QPSK	120	60	23.82	0.241	2.000	Pass
				1	1	24.12	0.258	2.000	Pass
				1	243	23.75	0.237	2.000	Pass
			16QAM	120	60	22.93	0.196	2.000	Pass
				1	1	23.22	0.210	2.000	Pass
				1	243	22.8	0.191	2.000	Pass
64QAM			120	60	21.57	0.144	2.000	Pass	
			1	1	22.08	0.161	2.000	Pass	
		1	243	21.65	0.146	2.000	Pass		
256QAM		120	60	19.57	0.091	2.000	Pass		
		1	1	20.02	0.100	2.000	Pass		

			1	243	19.18	0.083	2.000	Pass
100	LCH	QPSK	135	67	24.37	0.274	2.000	Pass
			1	1	23.97	0.249	2.000	Pass
			1	271	24.27	0.267	2.000	Pass
		16QAM	135	67	23.41	0.219	2.000	Pass
			1	1	23.08	0.203	2.000	Pass
			1	271	23.36	0.217	2.000	Pass
		64QAM	135	67	21.92	0.156	2.000	Pass
			1	1	22.02	0.159	2.000	Pass
			1	271	22.19	0.166	2.000	Pass
		256QAM	135	67	20.13	0.103	2.000	Pass
			1	1	19.31	0.085	2.000	Pass
			1	271	20.17	0.104	2.000	Pass
	MCH	QPSK	135	67	24.23	0.265	2.000	Pass
			1	1	24.33	0.271	2.000	Pass
			1	271	23.62	0.230	2.000	Pass
		16QAM	135	67	23.31	0.214	2.000	Pass
			1	1	23.42	0.220	2.000	Pass
			1	271	22.84	0.192	2.000	Pass
		64QAM	135	67	21.88	0.154	2.000	Pass
			1	1	22.21	0.166	2.000	Pass
			1	271	21.69	0.148	2.000	Pass
		256QAM	135	67	20.22	0.105	2.000	Pass
			1	1	20.05	0.101	2.000	Pass
			1	271	19.28	0.085	2.000	Pass
	HCH	QPSK	135	67	23.76	0.238	2.000	Pass
			1	1	24.09	0.256	2.000	Pass
			1	271	23.78	0.239	2.000	Pass
		16QAM	135	67	22.85	0.193	2.000	Pass
			1	1	23.1	0.204	2.000	Pass
			1	271	22.8	0.191	2.000	Pass
		64QAM	135	67	21.47	0.140	2.000	Pass
			1	1	21.96	0.157	2.000	Pass
			1	271	21.75	0.150	2.000	Pass
		256QAM	135	67	19.48	0.089	2.000	Pass
			1	1	20.04	0.101	2.000	Pass
			1	271	19.2	0.083	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n66								
5	LCH	QPSK	12	6	22.7	0.186	1.000	Pass
			1	1	22.62	0.183	1.000	Pass
			1	23	22.61	0.182	1.000	Pass
		16QAM	12	6	22.31	0.170	1.000	Pass
			1	1	22.29	0.169	1.000	Pass
			1	23	22.21	0.166	1.000	Pass
		64QAM	12	6	20.77	0.119	1.000	Pass
			1	1	20.79	0.120	1.000	Pass
			1	23	20.72	0.118	1.000	Pass
		256QAM	12	6	17.76	0.060	1.000	Pass
			1	1	17.79	0.060	1.000	Pass
			1	23	17.71	0.059	1.000	Pass
	MCH	QPSK	12	6	22.69	0.186	1.000	Pass
			1	1	22.56	0.180	1.000	Pass
			1	23	22.58	0.181	1.000	Pass
		16QAM	12	6	22.25	0.168	1.000	Pass
			1	1	22.32	0.171	1.000	Pass
			1	23	22.31	0.170	1.000	Pass
		64QAM	12	6	20.72	0.118	1.000	Pass
			1	1	20.54	0.113	1.000	Pass
			1	23	20.54	0.113	1.000	Pass
		256QAM	12	6	17.73	0.059	1.000	Pass
			1	1	17.75	0.060	1.000	Pass
			1	23	17.75	0.060	1.000	Pass
	HCH	QPSK	12	6	22.7	0.186	1.000	Pass
			1	1	22.61	0.182	1.000	Pass
			1	23	22.6	0.182	1.000	Pass
		16QAM	12	6	22.25	0.168	1.000	Pass
			1	1	22.33	0.171	1.000	Pass
			1	23	22.31	0.170	1.000	Pass
		64QAM	12	6	20.68	0.117	1.000	Pass
			1	1	20.59	0.115	1.000	Pass
			1	23	20.52	0.113	1.000	Pass
		256QAM	12	6	17.75	0.060	1.000	Pass
			1	1	17.75	0.060	1.000	Pass
			1	23	17.74	0.059	1.000	Pass
10	LCH	QPSK	25	12	22.75	0.188	1.000	Pass

			1	1	22.74	0.188	1.000	Pass
			1	50	22.55	0.180	1.000	Pass
		16QAM	25	12	22.34	0.171	1.000	Pass
			1	1	22.48	0.177	1.000	Pass
			1	50	22.26	0.168	1.000	Pass
		64QAM	25	12	20.77	0.119	1.000	Pass
			1	1	20.73	0.118	1.000	Pass
			1	50	20.5	0.112	1.000	Pass
		256QAM	25	12	17.75	0.060	1.000	Pass
			1	1	17.91	0.062	1.000	Pass
			1	50	17.75	0.060	1.000	Pass
	MCH	QPSK	25	12	22.67	0.185	1.000	Pass
			1	1	22.6	0.182	1.000	Pass
			1	50	22.61	0.182	1.000	Pass
		16QAM	25	12	22.29	0.169	1.000	Pass
			1	1	22.36	0.172	1.000	Pass
			1	50	22.31	0.170	1.000	Pass
		64QAM	25	12	20.73	0.118	1.000	Pass
			1	1	20.56	0.114	1.000	Pass
			1	50	20.57	0.114	1.000	Pass
		256QAM	25	12	17.72	0.059	1.000	Pass
			1	1	17.81	0.060	1.000	Pass
			1	50	17.82	0.061	1.000	Pass
	HCH	QPSK	25	12	22.71	0.187	1.000	Pass
			1	1	22.65	0.184	1.000	Pass
			1	50	22.63	0.183	1.000	Pass
		16QAM	25	12	22.35	0.172	1.000	Pass
			1	1	22.39	0.173	1.000	Pass
			1	50	22.35	0.172	1.000	Pass
		64QAM	25	12	20.77	0.119	1.000	Pass
			1	1	20.61	0.115	1.000	Pass
			1	50	20.63	0.116	1.000	Pass
		256QAM	25	12	17.76	0.060	1.000	Pass
			1	1	17.83	0.061	1.000	Pass
			1	50	17.83	0.061	1.000	Pass
15	LCH	QPSK	36	18	22.8	0.191	1.000	Pass
			1	1	22.69	0.186	1.000	Pass
			1	77	22.51	0.178	1.000	Pass
		16QAM	36	18	22.34	0.171	1.000	Pass
			1	1	22.39	0.173	1.000	Pass
			1	77	22.2	0.166	1.000	Pass
		64QAM	36	18	20.8	0.120	1.000	Pass
			1	1	20.7	0.117	1.000	Pass

20		256QAM	1	77	20.54	0.113	1.000	Pass
			36	18	17.75	0.060	1.000	Pass
			1	1	17.92	0.062	1.000	Pass
			1	77	17.78	0.060	1.000	Pass
	MCH	QPSK	36	18	22.78	0.190	1.000	Pass
			1	1	22.54	0.179	1.000	Pass
			1	77	22.56	0.180	1.000	Pass
		16QAM	36	18	22.34	0.171	1.000	Pass
			1	1	22.26	0.168	1.000	Pass
			1	77	22.25	0.168	1.000	Pass
		64QAM	36	18	20.76	0.119	1.000	Pass
			1	1	20.57	0.114	1.000	Pass
			1	77	20.54	0.113	1.000	Pass
		256QAM	36	18	17.78	0.060	1.000	Pass
			1	1	17.76	0.060	1.000	Pass
			1	77	17.78	0.060	1.000	Pass
	HCH	QPSK	36	18	22.78	0.190	1.000	Pass
			1	1	22.52	0.179	1.000	Pass
			1	77	22.6	0.182	1.000	Pass
		16QAM	36	18	22.34	0.171	1.000	Pass
			1	1	22.18	0.165	1.000	Pass
			1	77	22.3	0.170	1.000	Pass
		64QAM	36	18	20.82	0.121	1.000	Pass
			1	1	20.5	0.112	1.000	Pass
			1	77	20.59	0.115	1.000	Pass
		256QAM	36	18	17.76	0.060	1.000	Pass
			1	1	17.76	0.060	1.000	Pass
			1	77	17.85	0.061	1.000	Pass
	LCH	QPSK	50	25	22.77	0.189	1.000	Pass
			1	1	22.68	0.185	1.000	Pass
			1	104	22.55	0.180	1.000	Pass
		16QAM	50	25	22.32	0.171	1.000	Pass
			1	1	22.41	0.174	1.000	Pass
			1	104	22.22	0.167	1.000	Pass
		64QAM	50	25	20.75	0.119	1.000	Pass
			1	1	20.68	0.117	1.000	Pass
			1	104	20.54	0.113	1.000	Pass
		256QAM	50	25	17.74	0.059	1.000	Pass
			1	1	17.86	0.061	1.000	Pass
			1	104	17.72	0.059	1.000	Pass
	MCH	QPSK	50	25	22.8	0.191	1.000	Pass
			1	1	22.58	0.181	1.000	Pass
			1	104	22.56	0.180	1.000	Pass

		16QAM	50	25	22.35	0.172	1.000	Pass
			1	1	22.27	0.169	1.000	Pass
			1	104	22.26	0.168	1.000	Pass
		64QAM	50	25	20.79	0.120	1.000	Pass
			1	1	20.56	0.114	1.000	Pass
			1	104	20.55	0.114	1.000	Pass
		256QAM	50	25	17.78	0.060	1.000	Pass
			1	1	17.82	0.061	1.000	Pass
			1	104	17.79	0.060	1.000	Pass
	HCH	QPSK	50	25	22.78	0.190	1.000	Pass
			1	1	22.58	0.181	1.000	Pass
			1	104	22.57	0.181	1.000	Pass
		16QAM	50	25	22.39	0.173	1.000	Pass
			1	1	22.24	0.167	1.000	Pass
			1	104	22.25	0.168	1.000	Pass
		64QAM	50	25	20.8	0.120	1.000	Pass
			1	1	20.56	0.114	1.000	Pass
			1	104	20.55	0.114	1.000	Pass
		256QAM	50	25	17.8	0.060	1.000	Pass
			1	1	17.81	0.060	1.000	Pass
			1	104	17.8	0.060	1.000	Pass
25	LCH	QPSK	64	32	22.8	0.191	1.000	Pass
			1	1	22.64	0.184	1.000	Pass
			1	131	22.54	0.179	1.000	Pass
		16QAM	64	32	22.29	0.169	1.000	Pass
			1	1	22.37	0.173	1.000	Pass
			1	131	22.25	0.168	1.000	Pass
		64QAM	64	32	20.79	0.120	1.000	Pass
			1	1	20.63	0.116	1.000	Pass
			1	131	20.53	0.113	1.000	Pass
		256QAM	64	32	17.81	0.060	1.000	Pass
			1	1	17.84	0.061	1.000	Pass
			1	131	17.8	0.060	1.000	Pass
	MCH	QPSK	64	32	22.82	0.191	1.000	Pass
			1	1	22.57	0.181	1.000	Pass
			1	131	22.55	0.180	1.000	Pass
		16QAM	64	32	22.36	0.172	1.000	Pass
			1	1	22.29	0.169	1.000	Pass
			1	131	22.25	0.168	1.000	Pass
		64QAM	64	32	20.85	0.122	1.000	Pass
			1	1	20.58	0.114	1.000	Pass
			1	131	20.56	0.114	1.000	Pass
		256QAM	64	32	17.86	0.061	1.000	Pass

			1	1	17.79	0.060	1.000	Pass
			1	131	17.83	0.061	1.000	Pass
			64	32	22.8	0.191	1.000	Pass
	HCH	QPSK	1	1	22.56	0.180	1.000	Pass
			1	131	22.57	0.181	1.000	Pass
			64	32	22.31	0.170	1.000	Pass
		16QAM	1	1	22.26	0.168	1.000	Pass
			1	131	22.27	0.169	1.000	Pass
			64	32	20.8	0.120	1.000	Pass
		64QAM	1	1	20.57	0.114	1.000	Pass
			1	131	20.59	0.115	1.000	Pass
			64	32	17.81	0.060	1.000	Pass
		256QAM	1	1	17.8	0.060	1.000	Pass
			1	131	17.84	0.061	1.000	Pass
			80	40	22.88	0.194	1.000	Pass
30	LCH	QPSK	1	1	22.72	0.187	1.000	Pass
			1	158	22.61	0.182	1.000	Pass
			80	40	22.35	0.172	1.000	Pass
		16QAM	1	1	22.49	0.177	1.000	Pass
			1	158	22.31	0.170	1.000	Pass
			80	40	20.93	0.124	1.000	Pass
		64QAM	1	1	20.77	0.119	1.000	Pass
			1	158	20.63	0.116	1.000	Pass
			80	40	17.85	0.061	1.000	Pass
		256QAM	1	1	17.96	0.063	1.000	Pass
			1	158	17.9	0.062	1.000	Pass
			80	40	22.83	0.192	1.000	Pass
	MCH	QPSK	1	1	22.65	0.184	1.000	Pass
			1	158	22.56	0.180	1.000	Pass
			80	40	22.33	0.171	1.000	Pass
		16QAM	1	1	22.33	0.171	1.000	Pass
			1	158	22.22	0.167	1.000	Pass
			80	40	20.84	0.121	1.000	Pass
		64QAM	1	1	20.66	0.116	1.000	Pass
			1	158	20.61	0.115	1.000	Pass
			80	40	17.81	0.060	1.000	Pass
		256QAM	1	1	17.94	0.062	1.000	Pass
			1	158	17.91	0.062	1.000	Pass
			80	40	22.89	0.195	1.000	Pass
	HCH	QPSK	1	1	22.6	0.182	1.000	Pass
			1	158	22.61	0.182	1.000	Pass
			80	40	22.37	0.173	1.000	Pass
		16QAM	1	1	22.33	0.171	1.000	Pass
			1	1	22.33	0.171	1.000	Pass

35		64QAM	1	158	22.32	0.171	1.000	Pass
			80	40	20.9	0.123	1.000	Pass
			1	1	20.65	0.116	1.000	Pass
			1	158	20.64	0.116	1.000	Pass
		256QAM	80	40	17.88	0.061	1.000	Pass
			1	1	17.85	0.061	1.000	Pass
			1	158	17.9	0.062	1.000	Pass
	LCH	QPSK	90	45	22.77	0.189	1.000	Pass
			1	1	22.59	0.182	1.000	Pass
			1	186	22.53	0.179	1.000	Pass
		16QAM	90	45	22.28	0.169	1.000	Pass
			1	1	22.4	0.174	1.000	Pass
			1	186	22.31	0.170	1.000	Pass
		64QAM	90	45	20.77	0.119	1.000	Pass
			1	1	20.66	0.116	1.000	Pass
			1	186	20.58	0.114	1.000	Pass
		256QAM	90	45	17.82	0.061	1.000	Pass
			1	1	17.84	0.061	1.000	Pass
			1	186	17.81	0.060	1.000	Pass
		QPSK	90	45	22.81	0.191	1.000	Pass
			1	1	22.67	0.185	1.000	Pass
			1	186	22.46	0.176	1.000	Pass
		16QAM	90	45	22.32	0.171	1.000	Pass
			1	1	22.24	0.167	1.000	Pass
			1	186	22.11	0.163	1.000	Pass
		64QAM	90	45	20.84	0.121	1.000	Pass
			1	1	20.55	0.114	1.000	Pass
			1	186	20.49	0.112	1.000	Pass
		256QAM	90	45	17.74	0.059	1.000	Pass
			1	1	17.82	0.061	1.000	Pass
			1	186	17.78	0.060	1.000	Pass
	HCH	QPSK	90	45	22.75	0.188	1.000	Pass
			1	1	22.5	0.178	1.000	Pass
			1	186	22.57	0.181	1.000	Pass
		16QAM	90	45	22.31	0.170	1.000	Pass
			1	1	22.23	0.167	1.000	Pass
			1	186	22.28	0.169	1.000	Pass
		64QAM	90	45	20.81	0.121	1.000	Pass
			1	1	20.53	0.113	1.000	Pass
			1	186	20.49	0.112	1.000	Pass
		256QAM	90	45	17.78	0.060	1.000	Pass
			1	1	17.77	0.060	1.000	Pass
			1	186	17.8	0.060	1.000	Pass

40	LCH	QPSK	108	54	22.84	0.192	1.000	Pass
			1	1	22.68	0.185	1.000	Pass
			1	214	22.59	0.182	1.000	Pass
		16QAM	108	54	22.35	0.172	1.000	Pass
			1	1	22.43	0.175	1.000	Pass
			1	214	22.3	0.170	1.000	Pass
		64QAM	108	54	20.85	0.122	1.000	Pass
			1	1	20.7	0.117	1.000	Pass
			1	214	20.61	0.115	1.000	Pass
		256QAM	108	54	17.89	0.062	1.000	Pass
			1	1	17.92	0.062	1.000	Pass
			1	214	17.88	0.061	1.000	Pass
	MCH	QPSK	108	54	22.87	0.194	1.000	Pass
			1	1	22.61	0.182	1.000	Pass
			1	214	22.58	0.181	1.000	Pass
		16QAM	108	54	22.36	0.172	1.000	Pass
			1	1	22.28	0.169	1.000	Pass
			1	214	22.19	0.166	1.000	Pass
		64QAM	108	54	20.85	0.122	1.000	Pass
			1	1	20.61	0.115	1.000	Pass
			1	214	20.59	0.115	1.000	Pass
		256QAM	108	54	17.88	0.061	1.000	Pass
			1	1	17.85	0.061	1.000	Pass
			1	214	17.89	0.062	1.000	Pass
	HCH	QPSK	108	54	22.81	0.191	1.000	Pass
			1	1	22.6	0.182	1.000	Pass
			1	214	22.62	0.183	1.000	Pass
		16QAM	108	54	22.34	0.171	1.000	Pass
			1	1	22.24	0.167	1.000	Pass
			1	214	22.27	0.169	1.000	Pass
		64QAM	108	54	20.86	0.122	1.000	Pass
			1	1	20.53	0.113	1.000	Pass
			1	214	20.65	0.116	1.000	Pass
		256QAM	108	54	17.85	0.061	1.000	Pass
			1	1	17.81	0.060	1.000	Pass
			1	214	17.89	0.062	1.000	Pass
45	LCH	QPSK	120	60	22.75	0.188	1.000	Pass
			1	1	22.58	0.181	1.000	Pass
			1	240	22.49	0.177	1.000	Pass
		16QAM	120	60	22.28	0.169	1.000	Pass
			1	1	22.35	0.172	1.000	Pass
			1	240	22.21	0.166	1.000	Pass
		64QAM	120	60	20.74	0.119	1.000	Pass

			1	1	20.55	0.114	1.000	Pass
			1	240	20.52	0.113	1.000	Pass
		256QAM	120	60	17.79	0.060	1.000	Pass
			1	1	17.77	0.060	1.000	Pass
			1	240	17.74	0.059	1.000	Pass
	MCH	QPSK	120	60	22.8	0.191	1.000	Pass
			1	1	22.6	0.182	1.000	Pass
			1	240	22.6	0.182	1.000	Pass
		16QAM	120	60	22.3	0.170	1.000	Pass
			1	1	22.26	0.168	1.000	Pass
			1	240	22.15	0.164	1.000	Pass
		64QAM	120	60	20.81	0.121	1.000	Pass
			1	1	20.55	0.114	1.000	Pass
			1	240	20.5	0.112	1.000	Pass
		256QAM	120	60	17.84	0.061	1.000	Pass
			1	1	17.78	0.060	1.000	Pass
			1	240	17.78	0.060	1.000	Pass
	HCH	QPSK	120	60	22.63	0.183	1.000	Pass
			1	1	22.42	0.175	1.000	Pass
			1	240	22.43	0.175	1.000	Pass
		16QAM	120	60	22.15	0.164	1.000	Pass
			1	1	22.05	0.160	1.000	Pass
			1	240	22.08	0.161	1.000	Pass
		64QAM	120	60	20.64	0.116	1.000	Pass
			1	1	20.3	0.107	1.000	Pass
			1	240	20.38	0.109	1.000	Pass
		256QAM	120	60	17.78	0.060	1.000	Pass
			1	1	17.69	0.059	1.000	Pass
			1	240	17.64	0.058	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n71								
5	LCH	QPSK	12	6	22.01	0.159	3.000	Pass
			1	1	21.88	0.154	3.000	Pass
			1	23	21.96	0.157	3.000	Pass
		16QAM	12	6	21.65	0.146	3.000	Pass
			1	1	21.66	0.147	3.000	Pass
			1	23	21.83	0.152	3.000	Pass
		64QAM	12	6	20.07	0.102	3.000	Pass
			1	1	19.99	0.100	3.000	Pass
			1	23	19.98	0.100	3.000	Pass
		256QAM	12	6	17.05	0.051	3.000	Pass
			1	1	17.26	0.053	3.000	Pass
			1	23	17.23	0.053	3.000	Pass
	MCH	QPSK	12	6	22.43	0.175	3.000	Pass
			1	1	22.32	0.171	3.000	Pass
			1	23	22.31	0.170	3.000	Pass
		16QAM	12	6	22.05	0.160	3.000	Pass
			1	1	22.13	0.163	3.000	Pass
			1	23	22.13	0.163	3.000	Pass
		64QAM	12	6	20.34	0.108	3.000	Pass
			1	1	20.2	0.105	3.000	Pass
			1	23	20.22	0.105	3.000	Pass
		256QAM	12	6	17.34	0.054	3.000	Pass
			1	1	17.49	0.056	3.000	Pass
			1	23	17.54	0.057	3.000	Pass
	HCH	QPSK	12	6	22.09	0.162	3.000	Pass
			1	1	22.12	0.163	3.000	Pass
			1	23	22	0.158	3.000	Pass
		16QAM	12	6	21.71	0.148	3.000	Pass
			1	1	21.93	0.156	3.000	Pass
			1	23	21.88	0.154	3.000	Pass
		64QAM	12	6	20.21	0.105	3.000	Pass
			1	1	20.15	0.104	3.000	Pass
			1	23	20.13	0.103	3.000	Pass
		256QAM	12	6	17.2	0.052	3.000	Pass
			1	1	17.36	0.054	3.000	Pass
			1	23	17.38	0.055	3.000	Pass
10	LCH	QPSK	25	12	22.16	0.164	3.000	Pass

			1	1	21.88	0.154	3.000	Pass
			1	50	22.19	0.166	3.000	Pass
		16QAM	25	12	21.69	0.148	3.000	Pass
			1	1	21.68	0.147	3.000	Pass
			1	50	21.95	0.157	3.000	Pass
		64QAM	25	12	20.09	0.102	3.000	Pass
			1	1	20	0.100	3.000	Pass
			1	50	20.12	0.103	3.000	Pass
		256QAM	25	12	17.11	0.051	3.000	Pass
			1	1	17.31	0.054	3.000	Pass
			1	50	17.42	0.055	3.000	Pass
	MCH	QPSK	25	12	22.44	0.175	3.000	Pass
			1	1	22.31	0.170	3.000	Pass
			1	50	22.21	0.166	3.000	Pass
		16QAM	25	12	21.98	0.158	3.000	Pass
			1	1	22.12	0.163	3.000	Pass
			1	50	22	0.158	3.000	Pass
		64QAM	25	12	20.35	0.108	3.000	Pass
			1	1	20.22	0.105	3.000	Pass
			1	50	20.16	0.104	3.000	Pass
		256QAM	25	12	17.34	0.054	3.000	Pass
			1	1	17.51	0.056	3.000	Pass
			1	50	17.49	0.056	3.000	Pass
	HCH	QPSK	25	12	22.15	0.164	3.000	Pass
			1	1	22.15	0.164	3.000	Pass
			1	50	21.99	0.158	3.000	Pass
		16QAM	25	12	21.72	0.149	3.000	Pass
			1	1	21.94	0.156	3.000	Pass
			1	50	21.77	0.150	3.000	Pass
		64QAM	25	12	20.27	0.106	3.000	Pass
			1	1	20.19	0.104	3.000	Pass
			1	50	20.12	0.103	3.000	Pass
		256QAM	25	12	17.24	0.053	3.000	Pass
			1	1	17.43	0.055	3.000	Pass
			1	50	17.32	0.054	3.000	Pass
15	LCH	QPSK	36	18	22.27	0.169	3.000	Pass
			1	1	21.88	0.154	3.000	Pass
			1	77	22.29	0.169	3.000	Pass
		16QAM	36	18	21.79	0.151	3.000	Pass
			1	1	21.74	0.149	3.000	Pass
			1	77	22.17	0.165	3.000	Pass
		64QAM	36	18	20.23	0.105	3.000	Pass
			1	1	20.02	0.100	3.000	Pass

20		256QAM	1	77	20.19	0.104	3.000	Pass
			36	18	17.19	0.052	3.000	Pass
			1	1	17.28	0.053	3.000	Pass
			1	77	17.47	0.056	3.000	Pass
	MCH	QPSK	36	18	22.48	0.177	3.000	Pass
			1	1	22.23	0.167	3.000	Pass
			1	77	22.17	0.165	3.000	Pass
		16QAM	36	18	22.03	0.160	3.000	Pass
			1	1	22.09	0.162	3.000	Pass
			1	77	22	0.158	3.000	Pass
		64QAM	36	18	20.41	0.110	3.000	Pass
			1	1	20.19	0.104	3.000	Pass
			1	77	20.22	0.105	3.000	Pass
		256QAM	36	18	17.33	0.054	3.000	Pass
			1	1	17.43	0.055	3.000	Pass
			1	77	17.45	0.056	3.000	Pass
	HCH	QPSK	36	18	22.25	0.168	3.000	Pass
			1	1	22.26	0.168	3.000	Pass
			1	77	22.01	0.159	3.000	Pass
		16QAM	36	18	21.79	0.151	3.000	Pass
			1	1	22.03	0.160	3.000	Pass
			1	77	21.84	0.153	3.000	Pass
		64QAM	36	18	20.34	0.108	3.000	Pass
			1	1	20.19	0.104	3.000	Pass
			1	77	20.12	0.103	3.000	Pass
		256QAM	36	18	17.29	0.054	3.000	Pass
			1	1	17.48	0.056	3.000	Pass
			1	77	17.37	0.055	3.000	Pass
	LCH	QPSK	50	25	22.34	0.171	3.000	Pass
			1	1	21.85	0.153	3.000	Pass
			1	104	22.3	0.170	3.000	Pass
		16QAM	50	25	21.88	0.154	3.000	Pass
			1	1	21.64	0.146	3.000	Pass
			1	104	22.1	0.162	3.000	Pass
		64QAM	50	25	20.22	0.105	3.000	Pass
			1	1	20	0.100	3.000	Pass
			1	104	20.27	0.106	3.000	Pass
		256QAM	50	25	17.18	0.052	3.000	Pass
			1	1	17.25	0.053	3.000	Pass
			1	104	17.5	0.056	3.000	Pass
	MCH	QPSK	50	25	22.48	0.177	3.000	Pass
			1	1	22.2	0.166	3.000	Pass
			1	104	22.14	0.164	3.000	Pass

		16QAM	50	25	22	0.158	3.000	Pass
			1	1	21.98	0.158	3.000	Pass
			1	104	21.89	0.155	3.000	Pass
		64QAM	50	25	20.37	0.109	3.000	Pass
			1	1	20.09	0.102	3.000	Pass
			1	104	20.21	0.105	3.000	Pass
		256QAM	50	25	17.32	0.054	3.000	Pass
			1	1	17.34	0.054	3.000	Pass
			1	104	17.45	0.056	3.000	Pass
	HCH	QPSK	50	25	22.29	0.169	3.000	Pass
			1	1	22.34	0.171	3.000	Pass
			1	104	22	0.158	3.000	Pass
		16QAM	50	25	21.82	0.152	3.000	Pass
			1	1	22.15	0.164	3.000	Pass
			1	104	21.84	0.153	3.000	Pass
		64QAM	50	25	20.32	0.108	3.000	Pass
			1	1	20.25	0.106	3.000	Pass
			1	104	20.17	0.104	3.000	Pass
		256QAM	50	25	17.31	0.054	3.000	Pass
			1	1	17.5	0.056	3.000	Pass
			1	104	17.41	0.055	3.000	Pass
25	LCH	QPSK	64	32	22.4	0.174	3.000	Pass
			1	1	21.91	0.155	3.000	Pass
			1	131	22.12	0.163	3.000	Pass
		16QAM	64	32	21.88	0.154	3.000	Pass
			1	1	21.75	0.150	3.000	Pass
			1	131	21.92	0.156	3.000	Pass
		64QAM	64	32	20.31	0.107	3.000	Pass
			1	1	20	0.100	3.000	Pass
			1	131	20.15	0.104	3.000	Pass
		256QAM	64	32	17.26	0.053	3.000	Pass
			1	1	17.3	0.054	3.000	Pass
			1	131	17.39	0.055	3.000	Pass
	MCH	QPSK	64	32	22.4	0.174	3.000	Pass
			1	1	21.93	0.156	3.000	Pass
			1	131	21.94	0.156	3.000	Pass
		16QAM	64	32	21.91	0.155	3.000	Pass
			1	1	21.76	0.150	3.000	Pass
			1	131	21.82	0.152	3.000	Pass
		64QAM	64	32	20.35	0.108	3.000	Pass
			1	1	19.92	0.098	3.000	Pass
			1	131	20.08	0.102	3.000	Pass
		256QAM	64	32	17.33	0.054	3.000	Pass

			1	1	17.19	0.052	3.000	Pass
			1	131	17.32	0.054	3.000	Pass
			64	32	22.31	0.170	3.000	Pass
	HCH	QPSK	1	1	22.18	0.165	3.000	Pass
			1	131	21.9	0.155	3.000	Pass
			64	32	21.8	0.151	3.000	Pass
		16QAM	1	1	22.01	0.159	3.000	Pass
			1	131	21.75	0.150	3.000	Pass
			64	32	20.31	0.107	3.000	Pass
		64QAM	1	1	20.11	0.103	3.000	Pass
			1	131	19.93	0.098	3.000	Pass
			64	32	17.33	0.054	3.000	Pass
		256QAM	1	1	17.33	0.054	3.000	Pass
			1	131	17.13	0.052	3.000	Pass
			80	40	22.41	0.174	3.000	Pass
30	LCH	QPSK	1	1	21.84	0.153	3.000	Pass
			1	158	22.03	0.160	3.000	Pass
			80	40	21.88	0.154	3.000	Pass
		16QAM	1	1	21.74	0.149	3.000	Pass
			1	158	21.84	0.153	3.000	Pass
			80	40	20.35	0.108	3.000	Pass
		64QAM	1	1	20.02	0.100	3.000	Pass
			1	158	20.14	0.103	3.000	Pass
			80	40	17.3	0.054	3.000	Pass
		256QAM	1	1	17.25	0.053	3.000	Pass
			1	158	17.34	0.054	3.000	Pass
			80	40	22.37	0.173	3.000	Pass
	MCH	QPSK	1	1	21.86	0.153	3.000	Pass
			1	158	21.97	0.157	3.000	Pass
			80	40	21.84	0.153	3.000	Pass
		16QAM	1	1	21.71	0.148	3.000	Pass
			1	158	21.83	0.152	3.000	Pass
			80	40	20.37	0.109	3.000	Pass
		64QAM	1	1	19.91	0.098	3.000	Pass
			1	158	20.12	0.103	3.000	Pass
			80	40	17.32	0.054	3.000	Pass
		256QAM	1	1	17.13	0.052	3.000	Pass
			1	158	17.31	0.054	3.000	Pass
			80	40	22.34	0.171	3.000	Pass
	HCH	QPSK	1	1	21.95	0.157	3.000	Pass
			1	158	21.96	0.157	3.000	Pass
			80	40	21.83	0.152	3.000	Pass
		16QAM	1	1	21.76	0.150	3.000	Pass
			1	1	21.76	0.150	3.000	Pass

			1	158	21.77	0.150	3.000	Pass
		64QAM	80	40	20.37	0.109	3.000	Pass
			1	1	19.95	0.099	3.000	Pass
			1	158	20.01	0.100	3.000	Pass
		256QAM	80	40	17.31	0.054	3.000	Pass
			1	1	17.21	0.053	3.000	Pass
			1	158	17.23	0.053	3.000	Pass
35	MCH	QPSK	90	45	22.4	0.174	3.000	Pass
			1	1	21.87	0.154	3.000	Pass
			1	186	21.9	0.155	3.000	Pass
		16QAM	90	45	21.89	0.155	3.000	Pass
			1	1	21.68	0.147	3.000	Pass
			1	186	21.8	0.151	3.000	Pass
		64QAM	90	45	20.35	0.108	3.000	Pass
			1	1	20	0.100	3.000	Pass
			1	186	19.96	0.099	3.000	Pass
		256QAM	90	45	17.35	0.054	3.000	Pass
			1	1	17.22	0.053	3.000	Pass
			1	186	17.16	0.052	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n77(3450-3550)								
10	LCH	QPSK	12	6	22.96	0.198	1.000	Pass
			1	1	22.88	0.194	1.000	Pass
			1	22	22.89	0.195	1.000	Pass
		16QAM	12	6	22.55	0.180	1.000	Pass
			1	1	22.77	0.189	1.000	Pass
			1	22	22.69	0.186	1.000	Pass
		64QAM	12	6	21.15	0.130	1.000	Pass
			1	1	20.84	0.121	1.000	Pass
			1	22	20.78	0.120	1.000	Pass
		256QAM	12	6	18.22	0.066	1.000	Pass
			1	1	17.93	0.062	1.000	Pass
			1	22	18.09	0.064	1.000	Pass
	MCH	QPSK	12	6	23.01	0.200	1.000	Pass
			1	1	22.93	0.196	1.000	Pass
			1	22	23.01	0.200	1.000	Pass
		16QAM	12	6	22.66	0.185	1.000	Pass
			1	1	22.76	0.189	1.000	Pass
			1	22	22.71	0.187	1.000	Pass
		64QAM	12	6	21.09	0.129	1.000	Pass
			1	1	20.72	0.118	1.000	Pass
			1	22	20.9	0.123	1.000	Pass
		256QAM	12	6	18.16	0.065	1.000	Pass
			1	1	18.07	0.064	1.000	Pass
			1	22	18.15	0.065	1.000	Pass
	HCH	QPSK	12	6	23.34	0.216	1.000	Pass
			1	1	23.26	0.212	1.000	Pass
			1	22	23.21	0.209	1.000	Pass
		16QAM	12	6	22.94	0.197	1.000	Pass
			1	1	23.05	0.202	1.000	Pass
			1	22	22.96	0.198	1.000	Pass
		64QAM	12	6	21.28	0.134	1.000	Pass
			1	1	21.23	0.133	1.000	Pass
			1	22	21.05	0.127	1.000	Pass
		256QAM	12	6	18.45	0.070	1.000	Pass
			1	1	18.44	0.070	1.000	Pass
			1	22	18.36	0.069	1.000	Pass

15	LCH	QPSK	18	9	23.08	0.203	1.000	Pass
			1	1	23.02	0.200	1.000	Pass
			1	36	23.02	0.200	1.000	Pass
		16QAM	18	9	22.38	0.173	1.000	Pass
			1	1	22.63	0.183	1.000	Pass
			1	36	22.58	0.181	1.000	Pass
		64QAM	18	9	21.16	0.131	1.000	Pass
			1	1	20.82	0.121	1.000	Pass
			1	36	20.85	0.122	1.000	Pass
		256QAM	18	9	18.24	0.067	1.000	Pass
			1	1	18.06	0.064	1.000	Pass
			1	36	18.24	0.067	1.000	Pass
	MCH	QPSK	18	9	23.02	0.200	1.000	Pass
			1	1	22.92	0.196	1.000	Pass
			1	36	23.02	0.200	1.000	Pass
		16QAM	18	9	22.48	0.177	1.000	Pass
			1	1	22.57	0.181	1.000	Pass
			1	36	22.69	0.186	1.000	Pass
		64QAM	18	9	21.05	0.127	1.000	Pass
			1	1	20.89	0.123	1.000	Pass
			1	36	20.99	0.126	1.000	Pass
		256QAM	18	9	18.23	0.067	1.000	Pass
			1	1	18.08	0.064	1.000	Pass
			1	36	18.13	0.065	1.000	Pass
	HCH	QPSK	18	9	23.23	0.210	1.000	Pass
			1	1	23.11	0.205	1.000	Pass
			1	36	23.06	0.202	1.000	Pass
		16QAM	18	9	22.62	0.183	1.000	Pass
			1	1	22.91	0.195	1.000	Pass
			1	36	22.8	0.191	1.000	Pass
		64QAM	18	9	21.25	0.133	1.000	Pass
			1	1	20.94	0.124	1.000	Pass
			1	36	20.97	0.125	1.000	Pass
		256QAM	18	9	18.45	0.070	1.000	Pass
			1	1	18.23	0.067	1.000	Pass
			1	36	18.25	0.067	1.000	Pass
20	LCH	QPSK	25	12	23.13	0.206	1.000	Pass
			1	1	23.15	0.207	1.000	Pass
			1	49	23.22	0.210	1.000	Pass
		16QAM	25	12	22.66	0.185	1.000	Pass
			1	1	22.77	0.189	1.000	Pass
			1	49	22.89	0.195	1.000	Pass
		64QAM	25	12	21.26	0.134	1.000	Pass

25		256QAM	1	1	20.86	0.122	1.000	Pass
			1	49	20.84	0.121	1.000	Pass
			25	12	18.32	0.068	1.000	Pass
			1	1	18.18	0.066	1.000	Pass
			1	49	18.29	0.067	1.000	Pass
	MCH	QPSK	25	12	22.98	0.199	1.000	Pass
			1	1	23.09	0.204	1.000	Pass
			1	49	23.1	0.204	1.000	Pass
		16QAM	25	12	22.56	0.180	1.000	Pass
			1	1	22.69	0.186	1.000	Pass
			1	49	22.78	0.190	1.000	Pass
		64QAM	25	12	21.12	0.129	1.000	Pass
			1	1	20.91	0.123	1.000	Pass
			1	49	20.77	0.119	1.000	Pass
		256QAM	25	12	18.18	0.066	1.000	Pass
			1	1	18.22	0.066	1.000	Pass
			1	49	18.18	0.066	1.000	Pass
	HCH	QPSK	25	12	23.16	0.207	1.000	Pass
			1	1	23.13	0.206	1.000	Pass
			1	49	23.19	0.208	1.000	Pass
		16QAM	25	12	22.72	0.187	1.000	Pass
			1	1	22.8	0.191	1.000	Pass
			1	49	22.86	0.193	1.000	Pass
		64QAM	25	12	21.34	0.136	1.000	Pass
			1	1	20.94	0.124	1.000	Pass
			1	49	20.87	0.122	1.000	Pass
		256QAM	25	12	18.33	0.068	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	49	18.15	0.065	1.000	Pass
	LCH	QPSK	32	16	23.2	0.209	1.000	Pass
			1	1	23.21	0.209	1.000	Pass
			1	63	23.23	0.210	1.000	Pass
		16QAM	32	16	22.67	0.185	1.000	Pass
			1	1	22.9	0.195	1.000	Pass
			1	63	22.9	0.195	1.000	Pass
		64QAM	32	16	21.18	0.131	1.000	Pass
			1	1	20.96	0.125	1.000	Pass
			1	63	20.97	0.125	1.000	Pass
		256QAM	32	16	18.23	0.067	1.000	Pass
			1	1	18.17	0.066	1.000	Pass
			1	63	18.22	0.066	1.000	Pass
	MCH	QPSK	32	16	23.06	0.202	1.000	Pass
			1	1	23.15	0.207	1.000	Pass

30		16QAM	1	63	23.14	0.206	1.000	Pass
			32	16	22.55	0.180	1.000	Pass
			1	1	22.79	0.190	1.000	Pass
			1	63	22.72	0.187	1.000	Pass
		64QAM	32	16	21.17	0.131	1.000	Pass
			1	1	20.94	0.124	1.000	Pass
			1	63	20.86	0.122	1.000	Pass
		256QAM	32	16	18.15	0.065	1.000	Pass
			1	1	18.16	0.065	1.000	Pass
			1	63	18.11	0.065	1.000	Pass
	HCH	QPSK	32	16	23.15	0.207	1.000	Pass
			1	1	23.07	0.203	1.000	Pass
			1	63	23.11	0.205	1.000	Pass
		16QAM	32	16	22.7	0.186	1.000	Pass
			1	1	22.78	0.190	1.000	Pass
			1	63	22.87	0.194	1.000	Pass
		64QAM	32	16	21.3	0.135	1.000	Pass
			1	1	20.97	0.125	1.000	Pass
			1	63	21.03	0.127	1.000	Pass
		256QAM	32	16	18.24	0.067	1.000	Pass
			1	1	17.94	0.062	1.000	Pass
			1	63	18.13	0.065	1.000	Pass
	LCH	QPSK	36	18	23.13	0.206	1.000	Pass
			1	1	22.99	0.199	1.000	Pass
			1	76	23.06	0.202	1.000	Pass
		16QAM	36	18	22.64	0.184	1.000	Pass
			1	1	22.61	0.182	1.000	Pass
			1	76	22.78	0.190	1.000	Pass
		64QAM	36	18	21.11	0.129	1.000	Pass
			1	1	20.79	0.120	1.000	Pass
			1	76	20.99	0.126	1.000	Pass
		256QAM	36	18	18.21	0.066	1.000	Pass
			1	1	18.09	0.064	1.000	Pass
			1	76	18.19	0.066	1.000	Pass
	MCH	QPSK	36	18	23.12	0.205	1.000	Pass
			1	1	23.14	0.206	1.000	Pass
			1	76	23.12	0.205	1.000	Pass
		16QAM	36	18	22.72	0.187	1.000	Pass
			1	1	22.74	0.188	1.000	Pass
			1	76	22.68	0.185	1.000	Pass
		64QAM	36	18	21.27	0.134	1.000	Pass
			1	1	20.99	0.126	1.000	Pass
			1	76	20.89	0.123	1.000	Pass

		256QAM	36	18	18.2	0.066	1.000	Pass
			1	1	18.09	0.064	1.000	Pass
			1	76	18.13	0.065	1.000	Pass
	HCH	QPSK	36	18	23.39	0.218	1.000	Pass
			1	1	23.31	0.214	1.000	Pass
			1	76	23.27	0.212	1.000	Pass
		16QAM	36	18	23.02	0.200	1.000	Pass
			1	1	22.87	0.194	1.000	Pass
			1	76	22.91	0.195	1.000	Pass
		64QAM	36	18	21.42	0.139	1.000	Pass
			1	1	21.1	0.129	1.000	Pass
			1	76	21.1	0.129	1.000	Pass
		256QAM	36	18	18.45	0.070	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	76	18.13	0.065	1.000	Pass
40	LCH	QPSK	50	25	23.24	0.211	1.000	Pass
			1	1	23.07	0.203	1.000	Pass
			1	104	23.02	0.200	1.000	Pass
		16QAM	50	25	22.78	0.190	1.000	Pass
			1	1	22.81	0.191	1.000	Pass
			1	104	22.86	0.193	1.000	Pass
		64QAM	50	25	21.27	0.134	1.000	Pass
			1	1	20.92	0.124	1.000	Pass
			1	104	20.82	0.121	1.000	Pass
		256QAM	50	25	18.34	0.068	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	104	18.11	0.065	1.000	Pass
	MCH	QPSK	50	25	23.11	0.205	1.000	Pass
			1	1	23.17	0.207	1.000	Pass
			1	104	23.27	0.212	1.000	Pass
		16QAM	50	25	22.61	0.182	1.000	Pass
			1	1	22.83	0.192	1.000	Pass
			1	104	22.77	0.189	1.000	Pass
		64QAM	50	25	21.21	0.132	1.000	Pass
			1	1	20.83	0.121	1.000	Pass
			1	104	20.99	0.126	1.000	Pass
		256QAM	50	25	18.22	0.066	1.000	Pass
			1	1	18.09	0.064	1.000	Pass
			1	104	18.13	0.065	1.000	Pass
	HCH	QPSK	50	25	23.23	0.210	1.000	Pass
			1	1	23.18	0.208	1.000	Pass
			1	104	23.26	0.212	1.000	Pass
		16QAM	50	25	22.8	0.191	1.000	Pass

			1	1	22.77	0.189	1.000	Pass
			1	104	22.94	0.197	1.000	Pass
		64QAM	50	25	21.34	0.136	1.000	Pass
			1	1	20.9	0.123	1.000	Pass
			1	104	21.13	0.130	1.000	Pass
		256QAM	50	25	18.3	0.068	1.000	Pass
			1	1	18.18	0.066	1.000	Pass
			1	104	18.22	0.066	1.000	Pass
		QPSK	64	32	23.1	0.204	1.000	Pass
			1	1	23.04	0.201	1.000	Pass
			1	131	23	0.200	1.000	Pass
50	LCH	16QAM	64	32	22.61	0.182	1.000	Pass
			1	1	22.8	0.191	1.000	Pass
			1	131	22.6	0.182	1.000	Pass
		64QAM	64	32	21.22	0.132	1.000	Pass
			1	1	20.89	0.123	1.000	Pass
			1	131	20.84	0.121	1.000	Pass
		256QAM	64	32	18.22	0.066	1.000	Pass
			1	1	17.99	0.063	1.000	Pass
			1	131	17.97	0.063	1.000	Pass
	MCH	QPSK	64	32	23.14	0.206	1.000	Pass
			1	1	23.13	0.206	1.000	Pass
			1	131	23.2	0.209	1.000	Pass
		16QAM	64	32	22.65	0.184	1.000	Pass
			1	1	22.9	0.195	1.000	Pass
			1	131	22.78	0.190	1.000	Pass
		64QAM	64	32	21.25	0.133	1.000	Pass
			1	1	21	0.126	1.000	Pass
			1	131	21	0.126	1.000	Pass
		256QAM	64	32	18.24	0.067	1.000	Pass
			1	1	18.13	0.065	1.000	Pass
			1	131	18.16	0.065	1.000	Pass
	HCH	QPSK	64	32	23.11	0.205	1.000	Pass
			1	1	22.93	0.196	1.000	Pass
			1	131	23.16	0.207	1.000	Pass
		16QAM	64	32	22.65	0.184	1.000	Pass
			1	1	22.67	0.185	1.000	Pass
			1	131	22.76	0.189	1.000	Pass
		64QAM	64	32	21.23	0.133	1.000	Pass
			1	1	20.74	0.119	1.000	Pass
			1	131	20.96	0.125	1.000	Pass
		256QAM	64	32	18.16	0.065	1.000	Pass
			1	1	17.81	0.060	1.000	Pass

			1	131	17.97	0.063	1.000	Pass
60	LCH	QPSK	81	40	23.07	0.203	1.000	Pass
			1	1	23.04	0.201	1.000	Pass
			1	160	23.09	0.204	1.000	Pass
		16QAM	81	40	22.62	0.183	1.000	Pass
			1	1	22.64	0.184	1.000	Pass
			1	160	22.8	0.191	1.000	Pass
		64QAM	81	40	21.18	0.131	1.000	Pass
			1	1	20.87	0.122	1.000	Pass
			1	160	21	0.126	1.000	Pass
		256QAM	81	40	18.24	0.067	1.000	Pass
			1	1	18.1	0.065	1.000	Pass
			1	160	18.07	0.064	1.000	Pass
	MCH	QPSK	81	40	23.06	0.202	1.000	Pass
			1	1	23.04	0.201	1.000	Pass
			1	160	23.19	0.208	1.000	Pass
		16QAM	81	40	22.58	0.181	1.000	Pass
			1	1	22.6	0.182	1.000	Pass
			1	160	22.91	0.195	1.000	Pass
		64QAM	81	40	21.12	0.129	1.000	Pass
			1	1	20.92	0.124	1.000	Pass
			1	160	20.91	0.123	1.000	Pass
		256QAM	81	40	18.15	0.065	1.000	Pass
			1	1	18.13	0.065	1.000	Pass
			1	160	18.22	0.066	1.000	Pass
	HCH	QPSK	81	40	23.16	0.207	1.000	Pass
			1	1	22.95	0.197	1.000	Pass
			1	160	23.15	0.207	1.000	Pass
		16QAM	81	40	22.7	0.186	1.000	Pass
			1	1	22.56	0.180	1.000	Pass
			1	160	22.82	0.191	1.000	Pass
		64QAM	81	40	21.23	0.133	1.000	Pass
			1	1	20.9	0.123	1.000	Pass
			1	160	21.02	0.126	1.000	Pass
		256QAM	81	40	18.2	0.066	1.000	Pass
			1	1	17.95	0.062	1.000	Pass
			1	160	18.23	0.067	1.000	Pass
70	LCH	QPSK	90	45	23.05	0.202	1.000	Pass
			1	1	23.02	0.200	1.000	Pass
			1	187	23.22	0.210	1.000	Pass
		16QAM	90	45	22.64	0.184	1.000	Pass
			1	1	22.64	0.184	1.000	Pass
			1	187	22.77	0.189	1.000	Pass

		64QAM	90	45	21.16	0.131	1.000	Pass
			1	1	20.86	0.122	1.000	Pass
			1	187	21.02	0.126	1.000	Pass
		256QAM	90	45	18.2	0.066	1.000	Pass
			1	1	18.09	0.064	1.000	Pass
			1	187	18.22	0.066	1.000	Pass
	MCH	QPSK	90	45	23.16	0.207	1.000	Pass
			1	1	23.12	0.205	1.000	Pass
			1	187	23.21	0.209	1.000	Pass
		16QAM	90	45	22.68	0.185	1.000	Pass
			1	1	22.72	0.187	1.000	Pass
			1	187	22.84	0.192	1.000	Pass
		64QAM	90	45	21.12	0.129	1.000	Pass
			1	1	20.9	0.123	1.000	Pass
			1	187	21.03	0.127	1.000	Pass
		256QAM	90	45	18.29	0.067	1.000	Pass
			1	1	18.18	0.066	1.000	Pass
			1	187	18.27	0.067	1.000	Pass
	HCH	QPSK	90	45	23.3	0.214	1.000	Pass
			1	1	23.29	0.213	1.000	Pass
			1	187	23.18	0.208	1.000	Pass
		16QAM	90	45	22.82	0.191	1.000	Pass
			1	1	22.86	0.193	1.000	Pass
			1	187	22.84	0.192	1.000	Pass
		64QAM	90	45	21.31	0.135	1.000	Pass
			1	1	21.08	0.128	1.000	Pass
			1	187	21.04	0.127	1.000	Pass
		256QAM	90	45	18.39	0.069	1.000	Pass
			1	1	18.28	0.067	1.000	Pass
			1	187	18.19	0.066	1.000	Pass
80	LCH	QPSK	108	54	23.15	0.207	1.000	Pass
			1	1	23.13	0.206	1.000	Pass
			1	215	23.19	0.208	1.000	Pass
		16QAM	108	54	22.7	0.186	1.000	Pass
			1	1	22.71	0.187	1.000	Pass
			1	215	22.85	0.193	1.000	Pass
		64QAM	108	54	21.23	0.133	1.000	Pass
			1	1	20.92	0.124	1.000	Pass
			1	215	20.99	0.126	1.000	Pass
		256QAM	108	54	18.27	0.067	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	215	18.24	0.067	1.000	Pass
	MCH	QPSK	108	54	23.14	0.206	1.000	Pass

90			1	1	23.24	0.211	1.000	Pass
			1	215	23.36	0.217	1.000	Pass
		16QAM	108	54	22.71	0.187	1.000	Pass
			1	1	22.74	0.188	1.000	Pass
			1	215	22.95	0.197	1.000	Pass
		64QAM	108	54	21.26	0.134	1.000	Pass
			1	1	20.97	0.125	1.000	Pass
			1	215	21.08	0.128	1.000	Pass
		256QAM	108	54	18.32	0.068	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	215	18.36	0.069	1.000	Pass
	HCH	QPSK	108	54	23.19	0.208	1.000	Pass
			1	1	23.16	0.207	1.000	Pass
			1	215	23.33	0.215	1.000	Pass
		16QAM	108	54	22.72	0.187	1.000	Pass
			1	1	22.81	0.191	1.000	Pass
			1	215	22.86	0.193	1.000	Pass
		64QAM	108	54	21.23	0.133	1.000	Pass
			1	1	20.87	0.122	1.000	Pass
			1	215	21.03	0.127	1.000	Pass
		256QAM	108	54	18.27	0.067	1.000	Pass
			1	1	18.22	0.066	1.000	Pass
			1	215	18.25	0.067	1.000	Pass
	LCH	QPSK	120	60	23.09	0.204	1.000	Pass
			1	1	23.28	0.213	1.000	Pass
			1	243	23.53	0.225	1.000	Pass
		16QAM	120	60	22.61	0.182	1.000	Pass
			1	1	22.61	0.182	1.000	Pass
			1	243	22.93	0.196	1.000	Pass
		64QAM	120	60	21.16	0.131	1.000	Pass
			1	1	20.86	0.122	1.000	Pass
			1	243	21.07	0.128	1.000	Pass
		256QAM	120	60	18.24	0.067	1.000	Pass
			1	1	18.12	0.065	1.000	Pass
			1	243	18.34	0.068	1.000	Pass
	MCH	QPSK	120	60	23.19	0.208	1.000	Pass
			1	1	23.17	0.207	1.000	Pass
			1	243	23.3	0.214	1.000	Pass
		16QAM	120	60	22.71	0.187	1.000	Pass
			1	1	22.71	0.187	1.000	Pass
			1	243	22.83	0.192	1.000	Pass
		64QAM	120	60	21.23	0.133	1.000	Pass
			1	1	20.96	0.125	1.000	Pass

		256QAM	1	243	21.01	0.126	1.000	Pass
			120	60	18.31	0.068	1.000	Pass
			1	1	18.24	0.067	1.000	Pass
			1	243	18.32	0.068	1.000	Pass
	HCH	QPSK	120	60	23.27	0.212	1.000	Pass
			1	1	23.44	0.221	1.000	Pass
			1	243	23.16	0.207	1.000	Pass
		16QAM	120	60	22.78	0.190	1.000	Pass
			1	1	22.84	0.192	1.000	Pass
			1	243	22.8	0.191	1.000	Pass
		64QAM	120	60	21.34	0.136	1.000	Pass
			1	1	21.02	0.126	1.000	Pass
			1	243	20.91	0.123	1.000	Pass
		256QAM	120	60	18.36	0.069	1.000	Pass
			1	1	18.23	0.067	1.000	Pass
			1	243	18.16	0.065	1.000	Pass
100	MCH	QPSK	135	67	23.16	0.207	1.000	Pass
			1	1	23.34	0.216	1.000	Pass
			1	271	23.22	0.210	1.000	Pass
		16QAM	135	67	22.72	0.187	1.000	Pass
			1	1	22.77	0.189	1.000	Pass
			1	271	22.78	0.190	1.000	Pass
		64QAM	135	67	21.27	0.134	1.000	Pass
			1	1	20.93	0.124	1.000	Pass
			1	271	21	0.126	1.000	Pass
		256QAM	135	67	18.28	0.067	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	271	18.16	0.065	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power (dBm)	EIRP (W)	Limit (W)	Verdict
NR n77(3700-3980)								
10	LCH	QPSK	12	6	23.73	0.236	1.000	Pass
			1	1	23.4	0.219	1.000	Pass
			1	22	23.62	0.230	1.000	Pass
		16QAM	12	6	23.32	0.215	1.000	Pass
			1	1	23.33	0.215	1.000	Pass
			1	22	23.34	0.216	1.000	Pass
		64QAM	12	6	21.63	0.146	1.000	Pass
			1	1	21.36	0.137	1.000	Pass
			1	22	21.58	0.144	1.000	Pass
		256QAM	12	6	18.64	0.073	1.000	Pass
			1	1	18.48	0.070	1.000	Pass
			1	22	18.52	0.071	1.000	Pass
	MCH	QPSK	12	6	23.4	0.219	1.000	Pass
			1	1	23.21	0.209	1.000	Pass
			1	22	23.09	0.204	1.000	Pass
		16QAM	12	6	22.94	0.197	1.000	Pass
			1	1	22.87	0.194	1.000	Pass
			1	22	22.88	0.194	1.000	Pass
		64QAM	12	6	21.45	0.140	1.000	Pass
			1	1	21.07	0.128	1.000	Pass
			1	22	21.08	0.128	1.000	Pass
		256QAM	12	6	18.34	0.068	1.000	Pass
			1	1	18.19	0.066	1.000	Pass
			1	22	18.35	0.068	1.000	Pass
	HCH	QPSK	12	6	23.68	0.233	1.000	Pass
			1	1	23.45	0.221	1.000	Pass
			1	22	23.42	0.220	1.000	Pass
		16QAM	12	6	23.22	0.210	1.000	Pass
			1	1	23.26	0.212	1.000	Pass
			1	22	23.33	0.215	1.000	Pass
		64QAM	12	6	21.75	0.150	1.000	Pass
			1	1	21.36	0.137	1.000	Pass
			1	22	21.33	0.136	1.000	Pass
		256QAM	12	6	18.97	0.079	1.000	Pass
			1	1	18.83	0.076	1.000	Pass
			1	22	18.85	0.077	1.000	Pass
15	LCH	QPSK	18	9	23.7	0.234	1.000	Pass

			1	1	23.61	0.230	1.000	Pass
			1	36	23.81	0.240	1.000	Pass
		16QAM	18	9	23.16	0.207	1.000	Pass
			1	1	23.21	0.209	1.000	Pass
			1	36	23.44	0.221	1.000	Pass
		64QAM	18	9	21.77	0.150	1.000	Pass
			1	1	21.31	0.135	1.000	Pass
			1	36	21.64	0.146	1.000	Pass
		256QAM	18	9	18.67	0.074	1.000	Pass
			1	1	18.3	0.068	1.000	Pass
			1	36	18.63	0.073	1.000	Pass
	MCH	QPSK	18	9	23.33	0.215	1.000	Pass
			1	1	23.26	0.212	1.000	Pass
			1	36	23.25	0.211	1.000	Pass
		16QAM	18	9	22.8	0.191	1.000	Pass
			1	1	22.75	0.188	1.000	Pass
			1	36	22.98	0.199	1.000	Pass
		64QAM	18	9	21.38	0.137	1.000	Pass
			1	1	21.02	0.126	1.000	Pass
			1	36	21.19	0.132	1.000	Pass
		256QAM	18	9	18.48	0.070	1.000	Pass
			1	1	18.31	0.068	1.000	Pass
			1	36	18.25	0.067	1.000	Pass
	HCH	QPSK	18	9	23.66	0.232	1.000	Pass
			1	1	23.43	0.220	1.000	Pass
			1	36	23.6	0.229	1.000	Pass
		16QAM	18	9	23.03	0.201	1.000	Pass
			1	1	23.44	0.221	1.000	Pass
			1	36	23.19	0.208	1.000	Pass
		64QAM	18	9	21.65	0.146	1.000	Pass
			1	1	21.36	0.137	1.000	Pass
			1	36	21.33	0.136	1.000	Pass
		256QAM	18	9	19.01	0.080	1.000	Pass
			1	1	18.91	0.078	1.000	Pass
			1	36	18.86	0.077	1.000	Pass
20	LCH	QPSK	25	12	23.75	0.237	1.000	Pass
			1	1	23.53	0.225	1.000	Pass
			1	49	23.93	0.247	1.000	Pass
		16QAM	25	12	23.29	0.213	1.000	Pass
			1	1	23.31	0.214	1.000	Pass
			1	49	23.65	0.232	1.000	Pass
		64QAM	25	12	21.88	0.154	1.000	Pass
			1	1	21.34	0.136	1.000	Pass

25		256QAM	1	49	21.74	0.149	1.000	Pass
			25	12	18.69	0.074	1.000	Pass
			1	1	18.38	0.069	1.000	Pass
			1	49	18.79	0.076	1.000	Pass
	MCH	QPSK	25	12	23.21	0.209	1.000	Pass
			1	1	23.25	0.211	1.000	Pass
			1	49	23.32	0.215	1.000	Pass
		16QAM	25	12	22.75	0.188	1.000	Pass
			1	1	23.01	0.200	1.000	Pass
			1	49	23.06	0.202	1.000	Pass
		64QAM	25	12	21.41	0.138	1.000	Pass
			1	1	21	0.126	1.000	Pass
			1	49	21.14	0.130	1.000	Pass
		256QAM	25	12	18.41	0.069	1.000	Pass
			1	1	18.21	0.066	1.000	Pass
			1	49	18.28	0.067	1.000	Pass
	HCH	QPSK	25	12	23.57	0.228	1.000	Pass
			1	1	23.54	0.226	1.000	Pass
			1	49	23.54	0.226	1.000	Pass
		16QAM	25	12	23.17	0.207	1.000	Pass
			1	1	23.11	0.205	1.000	Pass
			1	49	23.21	0.209	1.000	Pass
		64QAM	25	12	21.78	0.151	1.000	Pass
			1	1	21.28	0.134	1.000	Pass
			1	49	21.32	0.136	1.000	Pass
		256QAM	25	12	18.96	0.079	1.000	Pass
			1	1	18.83	0.076	1.000	Pass
			1	49	18.87	0.077	1.000	Pass
25	LCH	QPSK	32	16	23.87	0.244	1.000	Pass
			1	1	23.61	0.230	1.000	Pass
			1	63	23.88	0.244	1.000	Pass
		16QAM	32	16	23.44	0.221	1.000	Pass
			1	1	23.31	0.214	1.000	Pass
			1	63	23.52	0.225	1.000	Pass
		64QAM	32	16	21.92	0.156	1.000	Pass
			1	1	21.94	0.156	1.000	Pass
			1	63	22.36	0.172	1.000	Pass
		256QAM	32	16	18.82	0.076	1.000	Pass
			1	1	18.67	0.074	1.000	Pass
			1	63	18.96	0.079	1.000	Pass
	MCH	QPSK	32	16	23.27	0.212	1.000	Pass
			1	1	23.21	0.209	1.000	Pass
			1	63	23.24	0.211	1.000	Pass

		16QAM	32	16	22.73	0.187	1.000	Pass
			1	1	22.89	0.195	1.000	Pass
			1	63	22.94	0.197	1.000	Pass
		64QAM	32	16	21.21	0.132	1.000	Pass
			1	1	21.06	0.128	1.000	Pass
			1	63	21.07	0.128	1.000	Pass
		256QAM	32	16	18.33	0.068	1.000	Pass
			1	1	18.16	0.065	1.000	Pass
			1	63	18.28	0.067	1.000	Pass
	HCH	QPSK	32	16	23.62	0.230	1.000	Pass
			1	1	23.54	0.226	1.000	Pass
			1	63	23.56	0.227	1.000	Pass
		16QAM	32	16	23.12	0.205	1.000	Pass
			1	1	23.12	0.205	1.000	Pass
			1	63	23.07	0.203	1.000	Pass
		64QAM	32	16	21.56	0.143	1.000	Pass
			1	1	21.42	0.139	1.000	Pass
			1	63	21.42	0.139	1.000	Pass
		256QAM	32	16	18.79	0.076	1.000	Pass
			1	1	18.72	0.074	1.000	Pass
			1	63	18.89	0.077	1.000	Pass
30	LCH	QPSK	36	18	23.96	0.249	1.000	Pass
			1	1	23.61	0.230	1.000	Pass
			1	76	24.11	0.258	1.000	Pass
		16QAM	36	18	23.55	0.226	1.000	Pass
			1	1	23.2	0.209	1.000	Pass
			1	76	23.68	0.233	1.000	Pass
		64QAM	36	18	22.03	0.160	1.000	Pass
			1	1	21.35	0.136	1.000	Pass
			1	76	21.98	0.158	1.000	Pass
		256QAM	36	18	18.88	0.077	1.000	Pass
			1	1	18.52	0.071	1.000	Pass
			1	76	19.09	0.081	1.000	Pass
	MCH	QPSK	36	18	23.32	0.215	1.000	Pass
			1	1	23.11	0.205	1.000	Pass
			1	76	23.21	0.209	1.000	Pass
		16QAM	36	18	22.91	0.195	1.000	Pass
			1	1	22.94	0.197	1.000	Pass
			1	76	23	0.200	1.000	Pass
		64QAM	36	18	21.29	0.135	1.000	Pass
			1	1	20.91	0.123	1.000	Pass
			1	76	21.06	0.128	1.000	Pass
		256QAM	36	18	18.41	0.069	1.000	Pass

			1	1	18.17	0.066	1.000	Pass
			1	76	18.31	0.068	1.000	Pass
			36	18	23.74	0.237	1.000	Pass
	HCH	QPSK	1	1	23.62	0.230	1.000	Pass
			1	76	23.53	0.225	1.000	Pass
			36	18	23.33	0.215	1.000	Pass
		16QAM	1	1	23.3	0.214	1.000	Pass
			1	76	23.12	0.205	1.000	Pass
			36	18	21.67	0.147	1.000	Pass
		64QAM	1	1	21.29	0.135	1.000	Pass
			1	76	21.34	0.136	1.000	Pass
			36	18	18.94	0.078	1.000	Pass
		256QAM	1	1	18.88	0.077	1.000	Pass
			1	76	18.7	0.074	1.000	Pass
			50	25	24.17	0.261	1.000	Pass
40	LCH	QPSK	1	1	23.68	0.233	1.000	Pass
			1	104	24.34	0.272	1.000	Pass
			50	25	23.68	0.233	1.000	Pass
		16QAM	1	1	23.4	0.219	1.000	Pass
			1	104	23.85	0.243	1.000	Pass
			50	25	22.17	0.165	1.000	Pass
		64QAM	1	1	21.6	0.145	1.000	Pass
			1	104	22.06	0.161	1.000	Pass
			50	25	19.01	0.080	1.000	Pass
		256QAM	1	1	18.58	0.072	1.000	Pass
			1	104	19.17	0.083	1.000	Pass
			50	25	23.3	0.214	1.000	Pass
	MCH	QPSK	1	1	23.07	0.203	1.000	Pass
			1	104	23.17	0.207	1.000	Pass
			50	25	22.86	0.193	1.000	Pass
		16QAM	1	1	22.93	0.196	1.000	Pass
			1	104	22.97	0.198	1.000	Pass
			50	25	21.42	0.139	1.000	Pass
		64QAM	1	1	20.85	0.122	1.000	Pass
			1	104	21.06	0.128	1.000	Pass
			50	25	18.42	0.070	1.000	Pass
		256QAM	1	1	18.18	0.066	1.000	Pass
			1	104	18.33	0.068	1.000	Pass
			50	25	23.7	0.234	1.000	Pass
	HCH	QPSK	1	1	23.52	0.225	1.000	Pass
			1	104	23.58	0.228	1.000	Pass
			50	25	23.22	0.210	1.000	Pass
		16QAM	1	1	23.15	0.207	1.000	Pass

			1	104	23.23	0.210	1.000	Pass	
		64QAM	50	25	21.77	0.150	1.000	Pass	
			1	1	21.37	0.137	1.000	Pass	
			1	104	21.39	0.138	1.000	Pass	
		256QAM	50	25	18.91	0.078	1.000	Pass	
			1	1	18.69	0.074	1.000	Pass	
			1	104	18.71	0.074	1.000	Pass	
50	LCH	QPSK	64	32	24.11	0.258	1.000	Pass	
			1	1	23.7	0.234	1.000	Pass	
			1	131	24.51	0.282	1.000	Pass	
		16QAM	64	32	23.67	0.233	1.000	Pass	
			1	1	23.17	0.207	1.000	Pass	
			1	131	24.23	0.265	1.000	Pass	
		64QAM	64	32	22.21	0.166	1.000	Pass	
			1	1	21.52	0.142	1.000	Pass	
			1	131	22.28	0.169	1.000	Pass	
		256QAM	64	32	19.07	0.081	1.000	Pass	
			1	1	18.39	0.069	1.000	Pass	
			1	131	19.36	0.086	1.000	Pass	
		MCH	QPSK	64	32	23.25	0.211	1.000	Pass
				1	1	23.11	0.205	1.000	Pass
				1	131	23.25	0.211	1.000	Pass
	16QAM		64	32	22.78	0.190	1.000	Pass	
			1	1	22.87	0.194	1.000	Pass	
			1	131	22.94	0.197	1.000	Pass	
	64QAM		64	32	21.31	0.135	1.000	Pass	
			1	1	20.97	0.125	1.000	Pass	
			1	131	21.08	0.128	1.000	Pass	
	256QAM		64	32	18.41	0.069	1.000	Pass	
			1	1	18.22	0.066	1.000	Pass	
			1	131	18.32	0.068	1.000	Pass	
	HCH	QPSK	64	32	23.69	0.234	1.000	Pass	
			1	1	23.54	0.226	1.000	Pass	
			1	131	23.62	0.230	1.000	Pass	
		16QAM	64	32	23.28	0.213	1.000	Pass	
			1	1	23.26	0.212	1.000	Pass	
			1	131	23.02	0.200	1.000	Pass	
		64QAM	64	32	21.79	0.151	1.000	Pass	
			1	1	21.39	0.138	1.000	Pass	
			1	131	21.29	0.135	1.000	Pass	
256QAM		64	32	18.95	0.079	1.000	Pass		
		1	1	18.68	0.074	1.000	Pass		
		1	131	18.73	0.075	1.000	Pass		

60	LCH	QPSK	81	40	24.09	0.256	1.000	Pass
			1	1	23.57	0.228	1.000	Pass
			1	160	24.09	0.256	1.000	Pass
		16QAM	81	40	23.6	0.229	1.000	Pass
			1	1	23.13	0.206	1.000	Pass
			1	160	23.78	0.239	1.000	Pass
		64QAM	81	40	22.17	0.165	1.000	Pass
			1	1	21.45	0.140	1.000	Pass
			1	160	21.92	0.156	1.000	Pass
		256QAM	81	40	18.99	0.079	1.000	Pass
			1	1	18.39	0.069	1.000	Pass
			1	160	19.09	0.081	1.000	Pass
	MCH	QPSK	81	40	23.22	0.210	1.000	Pass
			1	1	23.1	0.204	1.000	Pass
			1	160	23.31	0.214	1.000	Pass
		16QAM	81	40	22.75	0.188	1.000	Pass
			1	1	22.87	0.194	1.000	Pass
			1	160	22.83	0.192	1.000	Pass
		64QAM	81	40	21.36	0.137	1.000	Pass
			1	1	20.94	0.124	1.000	Pass
			1	160	21.18	0.131	1.000	Pass
		256QAM	81	40	18.33	0.068	1.000	Pass
			1	1	18.21	0.066	1.000	Pass
			1	160	18.32	0.068	1.000	Pass
	HCH	QPSK	81	40	23.64	0.231	1.000	Pass
			1	1	23.44	0.221	1.000	Pass
			1	160	23.56	0.227	1.000	Pass
		16QAM	81	40	23.13	0.206	1.000	Pass
			1	1	23.15	0.207	1.000	Pass
			1	160	23.17	0.207	1.000	Pass
		64QAM	81	40	21.7	0.148	1.000	Pass
			1	1	21.25	0.133	1.000	Pass
			1	160	21.33	0.136	1.000	Pass
		256QAM	81	40	18.82	0.076	1.000	Pass
			1	1	18.62	0.073	1.000	Pass
			1	160	18.69	0.074	1.000	Pass
70	LCH	QPSK	90	45	24.19	0.262	1.000	Pass
			1	1	23.39	0.218	1.000	Pass
			1	187	24.12	0.258	1.000	Pass
		16QAM	90	45	23.73	0.236	1.000	Pass
			1	1	23.13	0.206	1.000	Pass
			1	187	23.89	0.245	1.000	Pass
		64QAM	90	45	22.24	0.167	1.000	Pass