





















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	0.86	0	0.86	9.7	Pass
NVNT	a	5200	Ant1	1	0	1	9.7	Pass
NVNT	a	5240	Ant1	0.62	0	0.62	9.7	Pass
NVNT	a	5180	Ant2	3.51	0	3.51	10	Pass
NVNT	a	5200	Ant2	1.7	0	1.7	10	Pass
NVNT	a	5240	Ant2	1.87	0	1.87	10	Pass
NVNT	n20	5180	Ant1	0.45	0	0.45	9.7	Pass
NVNT	n20	5200	Ant1	0.79	0	0.79	9.7	Pass
NVNT	n20	5240	Ant1	0.25	0	0.25	9.7	Pass
NVNT	n20	5180	Ant2	0.16	0	0.16	10	Pass
NVNT	n20	5200	Ant2	0.18	0	0.18	10	Pass
NVNT	n20	5240	Ant2	0.58	0	0.58	10	Pass
NVNT	n20	5180	Ant1	-3.36	0	-3.36	6.84	Pass
NVNT	n20	5180	Ant2	-2.51	0	-2.51	6.84	Pass
NVNT	n20	5180	MIMO	0.1	0	0.1	6.84	Pass
NVNT	n20	5200	Ant1	-1.11	0	-1.11	6.84	Pass
NVNT	n20	5200	Ant2	-3.06	0	-3.06	6.84	Pass
NVNT	n20	5200	MIMO	1.03	0	1.03	6.84	Pass
NVNT	n20	5240	Ant1	0.11	0	0.11	6.84	Pass
NVNT	n20	5240	Ant2	-2.73	0	-2.73	6.84	Pass
NVNT	n20	5240	MIMO	1.93	0	1.93	6.84	Pass
NVNT	n40	5190	Ant1	-2.3	0	-2.3	9.7	Pass
NVNT	n40	5230	Ant1	-2.95	0	-2.95	9.7	Pass
NVNT	n40	5190	Ant2	-2	0	-2	10	Pass
NVNT	n40	5230	Ant2	-1.34	0	-1.34	10	Pass
NVNT	n40	5190	Ant1	-4.71	0	-4.71	6.84	Pass
NVNT	n40	5190	Ant2	-5.41	0	-5.41	6.84	Pass
NVNT	n40	5190	MIMO	-2.04	0	-2.04	6.84	Pass
NVNT	n40	5230	Ant1	-2.14	0	-2.14	6.84	Pass
NVNT	n40	5230	Ant2	-5	0	-5	6.84	Pass
NVNT	n40	5230	MIMO	-0.33	0	-0.33	6.84	Pass
NVNT	ac20	5180	Ant1	-0.42	0	-0.42	9.7	Pass
NVNT	ac20	5200	Ant1	-0.59	0	-0.59	9.7	Pass
NVNT	ac20	5240	Ant1	-0.96	0	-0.96	9.7	Pass
NVNT	ac20	5180	Ant2	0.12	0	0.12	10	Pass
NVNT	ac20	5200	Ant2	0.45	0	0.45	10	Pass
NVNT	ac20	5240	Ant2	0.56	0	0.56	10	Pass
NVNT	ac20	5180	Ant1	-3.96	0	-3.96	6.84	Pass
NVNT	ac20	5180	Ant2	-2.91	0	-2.91	6.84	Pass
NVNT	ac20	5180	MIMO	-0.39	0	-0.39	6.84	Pass
NVNT	ac20	5200	Ant1	-1.11	0	-1.11	6.84	Pass
NVNT	ac20	5200	Ant2	-1.85	0	-1.85	6.84	Pass
NVNT	ac20	5200	MIMO	1.55	0	1.55	6.84	Pass
NVNT	ac20	5240	Ant1	-0.03	0	-0.03	6.84	Pass
NVNT	ac20	5240	Ant2	-2.41	0	-2.41	6.84	Pass
NVNT	ac20	5240	MIMO	1.95	0	1.95	6.84	Pass
NVNT	ac40	5190	Ant1	-2.02	0	-2.02	9.7	Pass
NVNT	ac40	5230	Ant1	-3.17	0	-3.17	9.7	Pass
NVNT	ac40	5190	Ant2	-1.37	0	-1.37	10	Pass
NVNT	ac40	5230	Ant2	-1.89	0	-1.89	10	Pass



NVNT	ac40	5190	Ant1	-2.92	0	-2.92	6.84	Pass
NVNT	ac40	5190	Ant2	-3.93	0	-3.93	6.84	Pass
NVNT	ac40	5190	MIMO	-0.39	0	-0.39	6.84	Pass
NVNT	ac40	5230	Ant1	-1.89	0	-1.89	6.84	Pass
NVNT	ac40	5230	Ant2	-5.03	0	-5.03	6.84	Pass
NVNT	ac40	5230	MIMO	-0.17	0	-0.17	6.84	Pass
NVNT	ac80	5210	Ant1	-8.13	0	-8.13	9.7	Pass
NVNT	ac80	5210	Ant2	-6.65	0	-6.65	10	Pass
NVNT	ac80	5210	Ant1	-6.92	0	-6.92	6.84	Pass
NVNT	ac80	5210	Ant2	-9.1	0	-9.1	6.84	Pass
NVNT	ac80	5210	MIMO	-4.86	0	-4.86	6.84	Pass
NVNT	ac160	5250	Ant1	-8.27	0	-8.27	9.7	Pass
NVNT	ac160	5250	Ant2	-10.56	0	-10.56	10	Pass
NVNT	ac160	5250	Ant1	-12.31	0	-12.31	6.84	Pass
NVNT	ac160	5250	Ant2	-11.04	0	-11.04	6.84	Pass
NVNT	ac160	5250	MIMO	-8.62	0	-8.62	6.84	Pass
NVNT	ax20	5180	Ant1	-0.7	0	-0.7	9.7	Pass
NVNT	ax20	5200	Ant1	-0.52	0	-0.52	9.7	Pass
NVNT	ax20	5240	Ant1	-1.28	0	-1.28	9.7	Pass
NVNT	ax20	5180	Ant2	-0.03	0	-0.03	10	Pass
NVNT	ax20	5200	Ant2	0.16	0	0.16	10	Pass
NVNT	ax20	5240	Ant2	0.52	0	0.52	10	Pass
NVNT	ax20	5180	Ant1	-4.09	0	-4.09	6.84	Pass
NVNT	ax20	5180	Ant2	-3.27	0	-3.27	6.84	Pass
NVNT	ax20	5180	MIMO	-0.65	0	-0.65	6.84	Pass
NVNT	ax20	5200	Ant1	-1.14	0	-1.14	6.84	Pass
NVNT	ax20	5200	Ant2	-2.92	0	-2.92	6.84	Pass
NVNT	ax20	5200	MIMO	1.07	0	1.07	6.84	Pass
NVNT	ax20	5240	Ant1	-0.15	0	-0.15	6.84	Pass
NVNT	ax20	5240	Ant2	-2.69	0	-2.69	6.84	Pass
NVNT	ax20	5240	MIMO	1.77	0	1.77	6.84	Pass
NVNT	ax40	5190	Ant1	-1.95	0	-1.95	9.7	Pass
NVNT	ax40	5230	Ant1	-3.09	0	-3.09	9.7	Pass
NVNT	ax40	5190	Ant2	-1.37	0	-1.37	10	Pass
NVNT	ax40	5230	Ant2	-1.53	0	-1.53	10	Pass
NVNT	ax40	5190	Ant1	-3.89	0	-3.89	6.84	Pass
NVNT	ax40	5190	Ant2	-4.36	0	-4.36	6.84	Pass
NVNT	ax40	5190	MIMO	-1.11	0	-1.11	6.84	Pass
NVNT	ax40	5230	Ant1	-1.64	0	-1.64	6.84	Pass
NVNT	ax40	5230	Ant2	-4.97	0	-4.97	6.84	Pass
NVNT	ax40	5230	MIMO	0.02	0	0.02	6.84	Pass
NVNT	ax80	5210	Ant1	-7.96	0	-7.96	9.7	Pass
NVNT	ax80	5210	Ant2	-6.22	0	-6.22	10	Pass
NVNT	ax80	5210	Ant1	-6.59	0	-6.59	6.84	Pass
NVNT	ax80	5210	Ant2	-8.51	0	-8.51	6.84	Pass
NVNT	ax80	5210	MIMO	-4.43	0	-4.43	6.84	Pass
NVNT	ax160	5250	Ant1	-11.06	0	-11.06	9.7	Pass
NVNT	ax160	5250	Ant2	-10.47	0	-10.47	10	Pass
NVNT	ax160	5250	Ant1	-11.69	0	-11.69	6.84	Pass
NVNT	ax160	5250	Ant2	-10.86	0	-10.86	6.84	Pass
NVNT	ax160	5250	MIMO	-8.24	0	-8.24	6.84	Pass

Condi tion	Mode	Frequ ency (MHz)	Anten na	Conducted PSD (dBm /510kHz)	Conduct ed PSD (dBm/50 0kHz)	Duty Fact or (dB)	Total PSD (dBm /500kH	Limit (dBm/500k Hz)	Verdi ct
---------------	------	------------------------	-------------	-----------------------------------	---------------------------------------	----------------------------	--------------------------------	---------------------------	-------------



							z)		
NVNT	a	5745	Ant1	2.55	2.46	0	2.46	28.7	Pass
NVNT	a	5785	Ant1	0.02	-0.07	0	-0.07	28.7	Pass
NVNT	a	5825	Ant1	-0.11	-0.20	0	-0.20	28.7	Pass
NVNT	a	5745	Ant2	-0.63	-0.72	0	-0.72	29	Pass
NVNT	a	5785	Ant2	0.44	0.35	0	0.35	29	Pass
NVNT	a	5825	Ant2	-0.28	-0.37	0	-0.37	29	Pass
NVNT	n20	5745	Ant1	-1.43	-1.52	0	-1.52	28.7	Pass
NVNT	n20	5785	Ant1	-1.16	-1.25	0	-1.25	28.7	Pass
NVNT	n20	5825	Ant1	-1.52	-1.61	0	-1.61	28.7	Pass
NVNT	n20	5745	Ant2	-2.66	-2.75	0	-2.75	29	Pass
NVNT	n20	5785	Ant2	-2.52	-2.61	0	-2.61	29	Pass
NVNT	n20	5825	Ant2	-2.5	-2.59	0	-2.59	29	Pass
NVNT	n20	5745	Ant1	-7.03	-7.12	0	-7.12	25.84	Pass
NVNT	n20	5745	Ant2	-6.48	-6.57	0	-6.57	25.84	Pass
NVNT	n20	5745	MIMO	-3.74	-3.83	0	-3.83	25.84	Pass
NVNT	n20	5785	Ant1	-6.2	-6.29	0	-6.29	25.84	Pass
NVNT	n20	5785	Ant2	-6	-6.09	0	-6.09	25.84	Pass
NVNT	n20	5785	MIMO	-3.09	-3.18	0	-3.18	25.84	Pass
NVNT	n20	5825	Ant1	-3.14	-3.23	0	-3.23	25.84	Pass
NVNT	n20	5825	Ant2	-5.61	-5.70	0	-5.70	25.84	Pass
NVNT	n20	5825	MIMO	-1.19	-1.28	0	-1.28	25.84	Pass
NVNT	n40	5755	Ant1	-5.88	-5.97	0	-5.97	28.7	Pass
NVNT	n40	5795	Ant1	-4.65	-4.74	0	-4.74	28.7	Pass
NVNT	n40	5755	Ant2	-5.11	-5.20	0	-5.20	29	Pass
NVNT	n40	5795	Ant2	-5.01	-5.10	0	-5.10	29	Pass
NVNT	n40	5755	Ant1	-10.58	-10.67	0	-10.67	25.84	Pass
NVNT	n40	5755	Ant2	-7.79	-7.88	0	-7.88	25.84	Pass
NVNT	n40	5755	MIMO	-5.95	-6.04	0	-6.04	25.84	Pass
NVNT	n40	5795	Ant1	-6.49	-6.58	0	-6.58	25.84	Pass
NVNT	n40	5795	Ant2	-7.33	-7.42	0	-7.42	25.84	Pass
NVNT	n40	5795	MIMO	-3.88	-3.97	0	-3.97	25.84	Pass
NVNT	ac20	5745	Ant1	-3.36	-3.45	0	-3.45	28.7	Pass
NVNT	ac20	5785	Ant1	-3.39	-3.48	0	-3.48	28.7	Pass
NVNT	ac20	5825	Ant1	-3.86	-3.95	0	-3.95	28.7	Pass
NVNT	ac20	5745	Ant2	-3.02	-3.11	0	-3.11	29	Pass
NVNT	ac20	5785	Ant2	-2.67	-2.76	0	-2.76	29	Pass
NVNT	ac20	5825	Ant2	-2.84	-2.93	0	-2.93	29	Pass
NVNT	ac20	5745	Ant1	-7	-7.09	0	-7.09	25.84	Pass
NVNT	ac20	5745	Ant2	-6.02	-6.11	0	-6.11	25.84	Pass
NVNT	ac20	5745	MIMO	-3.47	-3.56	0	-3.56	25.84	Pass
NVNT	ac20	5785	Ant1	-8.32	-8.41	0	-8.41	25.84	Pass
NVNT	ac20	5785	Ant2	-7.48	-7.57	0	-7.57	25.84	Pass
NVNT	ac20	5785	MIMO	-4.87	-4.96	0	-4.96	25.84	Pass
NVNT	ac20	5825	Ant1	-3.15	-3.24	0	-3.24	25.84	Pass
NVNT	ac20	5825	Ant2	-5.6	-5.69	0	-5.69	25.84	Pass
NVNT	ac20	5825	MIMO	-1.19	-1.28	0	-1.28	25.84	Pass
NVNT	ac40	5755	Ant1	-5.33	-5.42	0	-5.42	28.7	Pass
NVNT	ac40	5795	Ant1	-5.83	-5.92	0	-5.92	28.7	Pass
NVNT	ac40	5755	Ant2	-5.28	-5.37	0	-5.37	29	Pass
NVNT	ac40	5795	Ant2	-4.48	-4.57	0	-4.57	29	Pass
NVNT	ac40	5755	Ant1	-11.46	-11.55	0	-11.55	25.84	Pass
NVNT	ac40	5755	Ant2	-8.7	-8.79	0	-8.79	25.84	Pass
NVNT	ac40	5755	MIMO	-6.85	-6.94	0	-6.94	25.84	Pass
NVNT	ac40	5795	Ant1	-7.51	-7.60	0	-7.60	25.84	Pass
NVNT	ac40	5795	Ant2	-8.3	-8.39	0	-8.39	25.84	Pass



NVNT	ac40	5795	MIMO	-4.88	-4.97	0	-4.97	25.84	Pass
NVNT	ac80	5775	Ant1	-10.34	-10.43	0	-10.43	28.7	Pass
NVNT	ac80	5775	Ant2	-9.49	-9.58	0	-9.58	29	Pass
NVNT	ac80	5775	Ant1	-10	-10.09	0	-10.09	25.84	Pass
NVNT	ac80	5775	Ant2	-11.91	-12.00	0	-12.00	25.84	Pass
NVNT	ac80	5775	MIMO	-7.84	-7.93	0	-7.93	25.84	Pass
NVNT	ax20	5745	Ant1	-4.13	-4.22	0	-4.22	28.7	Pass
NVNT	ax20	5785	Ant1	-4.38	-4.47	0	-4.47	28.7	Pass
NVNT	ax20	5825	Ant1	-3.96	-4.05	0	-4.05	28.7	Pass
NVNT	ax20	5745	Ant2	-2.95	-3.04	0	-3.04	29	Pass
NVNT	ax20	5785	Ant2	-2.74	-2.83	0	-2.83	29	Pass
NVNT	ax20	5825	Ant2	-2.38	-2.47	0	-2.47	29	Pass
NVNT	ax20	5745	Ant1	-7.24	-7.33	0	-7.33	25.84	Pass
NVNT	ax20	5745	Ant2	-5.86	-5.95	0	-5.95	25.84	Pass
NVNT	ax20	5745	MIMO	-3.49	-3.58	0	-3.58	25.84	Pass
NVNT	ax20	5785	Ant1	-6.58	-6.67	0	-6.67	25.84	Pass
NVNT	ax20	5785	Ant2	-5.58	-5.67	0	-5.67	25.84	Pass
NVNT	ax20	5785	MIMO	-3.04	-3.13	0	-3.13	25.84	Pass
NVNT	ax20	5825	Ant1	-3.26	-3.35	0	-3.35	25.84	Pass
NVNT	ax20	5825	Ant2	-6.09	-6.18	0	-6.18	25.84	Pass
NVNT	ax20	5825	MIMO	-1.44	-1.53	0	-1.53	25.84	Pass
NVNT	ax40	5755	Ant1	-5.49	-5.58	0	-5.58	28.7	Pass
NVNT	ax40	5795	Ant1	-5.7	-5.79	0	-5.79	28.7	Pass
NVNT	ax40	5755	Ant2	-4.87	-4.96	0	-4.96	29	Pass
NVNT	ax40	5795	Ant2	-4.75	-4.84	0	-4.84	29	Pass
NVNT	ax40	5755	Ant1	-11.07	-11.16	0	-11.16	25.84	Pass
NVNT	ax40	5755	Ant2	-8.36	-8.45	0	-8.45	25.84	Pass
NVNT	ax40	5755	MIMO	-6.5	-6.59	0	-6.59	25.84	Pass
NVNT	ax40	5795	Ant1	-7.23	-7.32	0	-7.32	25.84	Pass
NVNT	ax40	5795	Ant2	-7.88	-7.97	0	-7.97	25.84	Pass
NVNT	ax40	5795	MIMO	-4.53	-4.62	0	-4.62	25.84	Pass
NVNT	ax80	5775	Ant1	-9.86	-9.95	0	-9.95	28.7	Pass
NVNT	ax80	5775	Ant2	-10.74	-10.83	0	-10.83	29	Pass
NVNT	ax80	5775	Ant1	-9.61	-9.70	0	-9.70	25.84	Pass
NVNT	ax80	5775	Ant2	-11.61	-11.70	0	-11.70	25.84	Pass
NVNT	ax80	5775	MIMO	-7.49	-7.58	0	-7.58	25.84	Pass

