














































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	-8.43	0.17	-8.26	-1.5	Pass
NVNT	a	5200	Ant1	-8.16	0.17	-7.99	-1.5	Pass
NVNT	a	5240	Ant1	-7.8	0.17	-7.63	-1.5	Pass
NVNT	a	5180	Ant2	-7.95	0.17	-7.78	-1.5	Pass
NVNT	a	5200	Ant2	-8.01	0.17	-7.84	-1.5	Pass
NVNT	a	5240	Ant2	-7.48	0.17	-7.31	-1.5	Pass
NVNT	n20	5180	Ant1	-7.52	0.18	-7.34	-1.5	Pass
NVNT	n20	5200	Ant1	-7.01	0.19	-6.82	-1.5	Pass
NVNT	n20	5240	Ant1	-7.28	0.19	-7.09	-1.5	Pass
NVNT	n20	5180	Ant2	-7.96	0.19	-7.77	-1.5	Pass
NVNT	n20	5200	Ant2	-7.75	0.19	-7.56	-1.5	Pass
NVNT	n20	5240	Ant2	-7.32	0.18	-7.14	-1.5	Pass
NVNT	n20	5180	Ant1	-14.78	0.19	-14.59	-4.51	Pass
NVNT	n20	5180	Ant2	-13.64	0.19	-13.45	-4.51	Pass
NVNT	n20	5180	MIMO	-11.16	0.19	-10.97	-4.51	Pass
NVNT	n20	5200	Ant1	-14.04	0.19	-13.85	-4.51	Pass
NVNT	n20	5200	Ant2	-13.52	0.19	-13.33	-4.51	Pass
NVNT	n20	5200	MIMO	-10.76	0.19	-10.57	-4.51	Pass
NVNT	n20	5240	Ant1	-14.15	0.19	-13.96	-4.51	Pass
NVNT	n20	5240	Ant2	-13.15	0.19	-12.96	-4.51	Pass
NVNT	n20	5240	MIMO	-10.61	0.19	-10.42	-4.51	Pass
NVNT	n40	5190	Ant1	-8.09	0.36	-7.73	-1.5	Pass
NVNT	n40	5230	Ant1	-9.07	0.36	-8.71	-1.5	Pass
NVNT	n40	5190	Ant2	-8.65	0.37	-8.28	-1.5	Pass
NVNT	n40	5230	Ant2	-8.55	0.37	-8.18	-1.5	Pass
NVNT	n40	5190	Ant1	-16.57	0.36	-16.21	-4.51	Pass
NVNT	n40	5190	Ant2	-15.61	0.36	-15.25	-4.51	Pass
NVNT	n40	5190	MIMO	-13.05	0.36	-12.69	-4.51	Pass
NVNT	n40	5230	Ant1	-16.19	0.37	-15.82	-4.51	Pass
NVNT	n40	5230	Ant2	-15.19	0.37	-14.82	-4.51	Pass
NVNT	n40	5230	MIMO	-12.65	0.37	-12.28	-4.51	Pass
NVNT	ac20	5180	Ant1	-6.84	0.62	-6.22	-1.5	Pass
NVNT	ac20	5200	Ant1	-7.03	0.61	-6.42	-1.5	Pass
NVNT	ac20	5240	Ant1	-8.04	0.62	-7.42	-1.5	Pass
NVNT	ac20	5180	Ant2	-7.05	0.62	-6.43	-1.5	Pass
NVNT	ac20	5200	Ant2	-6.81	0.61	-6.2	-1.5	Pass
NVNT	ac20	5240	Ant2	-6.64	0.62	-6.02	-1.5	Pass
NVNT	ac20	5180	Ant1	-14.79	0.62	-14.17	-4.51	Pass
NVNT	ac20	5180	Ant2	-13.73	0.62	-13.11	-4.51	Pass
NVNT	ac20	5180	MIMO	-11.22	0.62	-10.6	-4.51	Pass
NVNT	ac20	5200	Ant1	-14.53	0.61	-13.92	-4.51	Pass
NVNT	ac20	5200	Ant2	-13.5	0.61	-12.89	-4.51	Pass
NVNT	ac20	5200	MIMO	-10.97	0.61	-10.36	-4.51	Pass
NVNT	ac20	5240	Ant1	-14.55	0.63	-13.92	-4.51	Pass
NVNT	ac20	5240	Ant2	-13.91	0.63	-13.28	-4.51	Pass
NVNT	ac20	5240	MIMO	-11.21	0.63	-10.58	-4.51	Pass
NVNT	ac40	5190	Ant1	-9.53	1.03	-8.5	-1.5	Pass
NVNT	ac40	5230	Ant1	-10.22	1.05	-9.17	-1.5	Pass
NVNT	ac40	5190	Ant2	-9.27	1.03	-8.24	-1.5	Pass
NVNT	ac40	5230	Ant2	-9.02	1.05	-7.97	-1.5	Pass
NVNT	ac40	5190	Ant1	-15.13	1.03	-14.1	-4.51	Pass
NVNT	ac40	5190	Ant2	-14.54	1.03	-13.51	-4.51	Pass
NVNT	ac40	5190	MIMO	-11.81	1.03	-10.78	-4.51	Pass
NVNT	ac40	5230	Ant1	-16.04	1.05	-14.99	-4.51	Pass
NVNT	ac40	5230	Ant2	-15.41	1.05	-14.36	-4.51	Pass
NVNT	ac40	5230	MIMO	-12.7	1.05	-11.65	-4.51	Pass
NVNT	ac80	5210	Ant1	-12.39	1.64	-10.75	-1.5	Pass
NVNT	ac80	5210	Ant2	-12.09	1.64	-10.45	-1.5	Pass



NVNT	ac80	5210	Ant1	-19.37	1.64	-17.73	-4.51	Pass
NVNT	ac80	5210	Ant2	-19.2	1.64	-17.56	-4.51	Pass
NVNT	ac80	5210	MIMO	-16.27	1.64	-14.63	-4.51	Pass
NVNT	ac160	5250	Ant1	-15.89	1.99	-13.9	-1.5	Pass
NVNT	ac160	5250	Ant2	-14.73	1.95	-12.78	-1.5	Pass
NVNT	ac160	5250	Ant1	-20.55	1.99	-18.56	-4.51	Pass
NVNT	ac160	5250	Ant2	-19.75	1.99	-17.76	-4.51	Pass
NVNT	ac160	5250	MIMO	-17.12	1.99	-15.13	-4.51	Pass
NVNT	ax20	5180	Ant1	-6.4	0.66	-5.74	-1.5	Pass
NVNT	ax20	5200	Ant1	-6.26	0.66	-5.6	-1.5	Pass
NVNT	ax20	5240	Ant1	-7.18	0.65	-6.53	-1.5	Pass
NVNT	ax20	5180	Ant2	-9.43	0.65	-8.78	-1.5	Pass
NVNT	ax20	5200	Ant2	-8.95	0.65	-8.3	-1.5	Pass
NVNT	ax20	5240	Ant2	-8.41	0.66	-7.75	-1.5	Pass
NVNT	ax20	5180	Ant1	-15.23	0.66	-14.57	-4.51	Pass
NVNT	ax20	5180	Ant2	-14.71	0.66	-14.05	-4.51	Pass
NVNT	ax20	5180	MIMO	-11.95	0.66	-11.29	-4.51	Pass
NVNT	ax20	5200	Ant1	-14.99	0.66	-14.33	-4.51	Pass
NVNT	ax20	5200	Ant2	-14.34	0.66	-13.68	-4.51	Pass
NVNT	ax20	5200	MIMO	-11.64	0.66	-10.98	-4.51	Pass
NVNT	ax20	5240	Ant1	-14.89	0.66	-14.23	-4.51	Pass
NVNT	ax20	5240	Ant2	-14.48	0.66	-13.82	-4.51	Pass
NVNT	ax20	5240	MIMO	-11.67	0.66	-11.01	-4.51	Pass
NVNT	ax40	5190	Ant1	-9.4	0.66	-8.74	-1.5	Pass
NVNT	ax40	5230	Ant1	-10.43	0.65	-9.78	-1.5	Pass
NVNT	ax40	5190	Ant2	-8.58	0.66	-7.92	-1.5	Pass
NVNT	ax40	5230	Ant2	-12.42	0.66	-11.76	-1.5	Pass
NVNT	ax40	5190	Ant1	-16.49	0.66	-15.83	-4.51	Pass
NVNT	ax40	5190	Ant2	-15.48	0.66	-14.82	-4.51	Pass
NVNT	ax40	5190	MIMO	-12.95	0.66	-12.29	-4.51	Pass
NVNT	ax40	5230	Ant1	-15.65	0.66	-14.99	-4.51	Pass
NVNT	ax40	5230	Ant2	-14.74	0.66	-14.08	-4.51	Pass
NVNT	ax40	5230	MIMO	-12.16	0.66	-11.5	-4.51	Pass
NVNT	ax80	5210	Ant1	-8.03	0.67	-7.36	-1.5	Pass
NVNT	ax80	5210	Ant2	-11.65	0.68	-10.97	-1.5	Pass
NVNT	ax80	5210	Ant1	-19.53	0.68	-18.85	-4.51	Pass
NVNT	ax80	5210	Ant2	-18.45	0.68	-17.77	-4.51	Pass
NVNT	ax80	5210	MIMO	-15.95	0.68	-15.27	-4.51	Pass
NVNT	ax160	5250	Ant1	-14.82	0.61	-14.21	-1.5	Pass
NVNT	ax160	5250	Ant2	-13.94	0.62	-13.32	-1.5	Pass
NVNT	ax160	5250	Ant1	-23.25	0.62	-22.63	-4.51	Pass
NVNT	ax160	5250	Ant2	-25.53	0.62	-24.91	-4.51	Pass
NVNT	ax160	5250	MIMO	-21.23	0.62	-20.61	-4.51	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/510kHz)	Conducted PSD (dBm/500kHz)	Duty Factor (dB)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	Ant1	-4.64	-4.73	0.17	-4.56	11.5	Pass
NVNT	a	5785	Ant1	-4.63	-4.72	0.17	-4.55	11.5	Pass
NVNT	a	5825	Ant1	-4.68	-4.77	0.17	-4.60	11.5	Pass
NVNT	a	5745	Ant2	-0.13	-0.22	0.17	-0.05	11.5	Pass
NVNT	a	5785	Ant2	-0.27	-0.36	0.17	-0.19	11.5	Pass
NVNT	a	5825	Ant2	-0.02	-0.11	0.17	0.06	11.5	Pass
NVNT	n20	5745	Ant1	-4.55	-4.64	0.19	-4.45	11.5	Pass
NVNT	n20	5785	Ant1	-4.11	-4.20	0.18	-4.02	11.5	Pass
NVNT	n20	5825	Ant1	-4.87	-4.96	0.19	-4.77	11.5	Pass
NVNT	n20	5745	Ant2	-4.63	-4.72	0.18	-4.54	11.5	Pass
NVNT	n20	5785	Ant2	-4.37	-4.46	0.18	-4.28	11.5	Pass
NVNT	n20	5825	Ant2	-3.73	-3.82	0.18	-3.64	11.5	Pass
NVNT	n20	5745	Ant1	-14.14	-14.23	0.19	-14.04	8.49	Pass
NVNT	n20	5745	Ant2	-10.42	-10.51	0.19	-10.32	8.49	Pass



NVNT	n20	5745	MIMO	-8.88	-8.97	0.19	-8.78	8.49	Pass
NVNT	n20	5785	Ant1	-14.6	-14.69	0.18	-14.51	8.49	Pass
NVNT	n20	5785	Ant2	-10.22	-10.31	0.18	-10.13	8.49	Pass
NVNT	n20	5785	MIMO	-8.87	-8.96	0.18	-8.78	8.49	Pass
NVNT	n20	5825	Ant1	-14.64	-14.73	0.19	-14.54	8.49	Pass
NVNT	n20	5825	Ant2	-9.99	-10.08	0.19	-9.89	8.49	Pass
NVNT	n20	5825	MIMO	-8.71	-8.80	0.19	-8.61	8.49	Pass
NVNT	n40	5755	Ant1	-10.38	-10.47	0.36	-10.11	11.5	Pass
NVNT	n40	5795	Ant1	-6.7	-6.79	0.37	-6.42	11.5	Pass
NVNT	n40	5755	Ant2	-4.82	-4.91	0.37	-4.54	11.5	Pass
NVNT	n40	5795	Ant2	-5.64	-5.73	0.37	-5.36	11.5	Pass
NVNT	n40	5755	Ant1	-16.43	-16.52	0.36	-16.16	8.49	Pass
NVNT	n40	5755	Ant2	-12.4	-12.49	0.36	-12.13	8.49	Pass
NVNT	n40	5755	MIMO	-10.95	-11.04	0.36	-10.68	8.49	Pass
NVNT	n40	5795	Ant1	-16.48	-16.57	0.36	-16.21	8.49	Pass
NVNT	n40	5795	Ant2	-12.69	-12.78	0.36	-12.42	8.49	Pass
NVNT	n40	5795	MIMO	-11.17	-11.26	0.36	-10.90	8.49	Pass
NVNT	ac20	5745	Ant1	-4.55	-4.64	0.62	-4.02	11.5	Pass
NVNT	ac20	5785	Ant1	-4.55	-4.64	0.61	-4.03	11.5	Pass
NVNT	ac20	5825	Ant1	-4.8	-4.89	0.61	-4.28	11.5	Pass
NVNT	ac20	5745	Ant2	-3.39	-3.48	0.62	-2.86	11.5	Pass
NVNT	ac20	5785	Ant2	-3.2	-3.29	0.61	-2.68	11.5	Pass
NVNT	ac20	5825	Ant2	-2.6	-2.69	0.61	-2.08	11.5	Pass
NVNT	ac20	5745	Ant1	-14.52	-14.61	0.62	-13.99	8.49	Pass
NVNT	ac20	5745	Ant2	-11	-11.09	0.62	-10.47	8.49	Pass
NVNT	ac20	5745	MIMO	-9.4	-9.49	0.62	-8.87	8.49	Pass
NVNT	ac20	5785	Ant1	-15.34	-15.43	0.62	-14.81	8.49	Pass
NVNT	ac20	5785	Ant2	-10.75	-10.84	0.62	-10.22	8.49	Pass
NVNT	ac20	5785	MIMO	-9.45	-9.54	0.62	-8.92	8.49	Pass
NVNT	ac20	5825	Ant1	-15.37	-15.46	0.62	-14.84	8.49	Pass
NVNT	ac20	5825	Ant2	-10.53	-10.62	0.62	-10.00	8.49	Pass
NVNT	ac20	5825	MIMO	-9.3	-9.39	0.62	-8.77	8.49	Pass
NVNT	ac40	5755	Ant1	-7.57	-7.66	1.05	-6.61	11.5	Pass
NVNT	ac40	5795	Ant1	-6.83	-6.92	1.03	-5.89	11.5	Pass
NVNT	ac40	5755	Ant2	-5.41	-5.50	1.03	-4.47	11.5	Pass
NVNT	ac40	5795	Ant2	-3.57	-3.66	1.05	-2.61	11.5	Pass
NVNT	ac40	5755	Ant1	-18.21	-18.30	1.05	-17.25	8.49	Pass
NVNT	ac40	5755	Ant2	-14.25	-14.34	1.05	-13.29	8.49	Pass
NVNT	ac40	5755	MIMO	-12.78	-12.87	1.05	-11.82	8.49	Pass
NVNT	ac40	5795	Ant1	-18.05	-18.14	1.03	-17.11	8.49	Pass
NVNT	ac40	5795	Ant2	-13.57	-13.66	1.03	-12.63	8.49	Pass
NVNT	ac40	5795	MIMO	-12.25	-12.34	1.03	-11.31	8.49	Pass
NVNT	ac80	5775	Ant1	-9.64	-9.73	1.61	-8.12	8.49	Pass
NVNT	ac80	5775	Ant2	-6.46	-6.55	1.64	-4.91	8.49	Pass
NVNT	ac80	5775	Ant1	-19.78	-19.87	1.62	-18.25	8.49	Pass
NVNT	ac80	5775	Ant2	-15.66	-15.75	1.62	-14.13	8.49	Pass
NVNT	ac80	5775	MIMO	-14.24	-14.33	1.62	-12.71	8.49	Pass
NVNT	ax20	5745	Ant1	-5	-5.09	0.66	-4.43	11.5	Pass
NVNT	ax20	5785	Ant1	-4.68	-4.77	0.66	-4.11	11.5	Pass
NVNT	ax20	5825	Ant1	-5.21	-5.30	0.65	-4.65	11.5	Pass
NVNT	ax20	5745	Ant2	-2.69	-2.78	0.65	-2.13	11.5	Pass
NVNT	ax20	5785	Ant2	-2.8	-2.89	0.66	-2.23	11.5	Pass
NVNT	ax20	5825	Ant2	-3.92	-4.01	0.65	-3.36	11.5	Pass
NVNT	ax20	5745	Ant1	-15.09	-15.18	0.66	-14.52	8.49	Pass
NVNT	ax20	5745	Ant2	-11.43	-11.52	0.66	-10.86	8.49	Pass
NVNT	ax20	5745	MIMO	-9.88	-9.97	0.66	-9.31	8.49	Pass
NVNT	ax20	5785	Ant1	-15.96	-16.05	0.66	-15.39	8.49	Pass
NVNT	ax20	5785	Ant2	-11.45	-11.54	0.66	-10.88	8.49	Pass
NVNT	ax20	5785	MIMO	-10.13	-10.22	0.66	-9.56	8.49	Pass
NVNT	ax20	5825	Ant1	-15.95	-16.04	0.66	-15.38	8.49	Pass
NVNT	ax20	5825	Ant2	-10.97	-11.06	0.66	-10.40	8.49	Pass



NVNT	ax20	5825	MIMO	-9.77	-9.86	0.66	-9.20	8.49	Pass
NVNT	ax40	5755	Ant1	-7.26	-7.35	0.66	-6.69	11.5	Pass
NVNT	ax40	5795	Ant1	-6.84	-6.93	0.65	-6.28	11.5	Pass
NVNT	ax40	5755	Ant2	-6.19	-6.28	0.66	-5.62	11.5	Pass
NVNT	ax40	5795	Ant2	-5.85	-5.94	0.65	-5.29	11.5	Pass
NVNT	ax40	5755	Ant1	-17.03	-17.12	0.66	-16.46	8.49	Pass
NVNT	ax40	5755	Ant2	-13.51	-13.60	0.66	-12.94	8.49	Pass
NVNT	ax40	5755	MIMO	-11.91	-12.00	0.66	-11.34	8.49	Pass
NVNT	ax40	5795	Ant1	-17.73	-17.82	0.66	-17.16	8.49	Pass
NVNT	ax40	5795	Ant2	-12.81	-12.90	0.66	-12.24	8.49	Pass
NVNT	ax40	5795	MIMO	-11.6	-11.69	0.66	-11.03	8.49	Pass
NVNT	ax80	5775	Ant1	-9.41	-9.50	0.68	-8.82	8.49	Pass
NVNT	ax80	5775	Ant2	-8.55	-8.64	0.68	-7.96	8.49	Pass
NVNT	ax80	5775	Ant1	-19.19	-19.28	0.68	-18.60	8.49	Pass
NVNT	ax80	5775	Ant2	-15.56	-15.65	0.68	-14.97	8.49	Pass
NVNT	ax80	5775	MIMO	-14	-14.09	0.68	-13.41	8.49	Pass

