






Test plots for Bandedge:
5150-5250MHz:
Chain 0


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal



802.11a, High Channel, Bandedge, Vertical




Chain 1

802.11a, Low Channel, Bandedge, Horizontal																																															
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-1 low channel 5180MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5141.52</td><td>50.97</td><td>7.42</td><td>58.39</td><td>74.00</td><td>15.61</td><td>Peak</td></tr><tr><td>2</td><td>5141.52</td><td>37.98</td><td>7.42</td><td>45.40</td><td>54.00</td><td>8.60</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>49.66</td><td>7.47</td><td>57.13</td><td>74.00</td><td>16.87</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>37.91</td><td>7.47</td><td>45.38</td><td>54.00</td><td>8.62</td><td>Average</td></tr></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5141.52	50.97	7.42	58.39	74.00	15.61	Peak	2	5141.52	37.98	7.42	45.40	54.00	8.60	Average	3	5150.00	49.66	7.47	57.13	74.00	16.87	Peak	4	5150.00	37.91	7.47	45.38	54.00	8.62	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																								
1	5141.52	50.97	7.42	58.39	74.00	15.61	Peak																																								
2	5141.52	37.98	7.42	45.40	54.00	8.60	Average																																								
3	5150.00	49.66	7.47	57.13	74.00	16.87	Peak																																								
4	5150.00	37.91	7.47	45.38	54.00	8.62	Average																																								
802.11a, Low Channel, Bandedge, Vertical																																															
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-1 low channel 5180MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5139.64</td><td>51.71</td><td>7.39</td><td>59.10</td><td>74.00</td><td>14.90</td><td>Peak</td></tr><tr><td>2</td><td>5139.64</td><td>38.41</td><td>7.39</td><td>45.80</td><td>54.00</td><td>8.20</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>48.54</td><td>7.47</td><td>56.01</td><td>74.00</td><td>17.99</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>38.11</td><td>7.47</td><td>45.58</td><td>54.00</td><td>8.42</td><td>Average</td></tr></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5139.64	51.71	7.39	59.10	74.00	14.90	Peak	2	5139.64	38.41	7.39	45.80	54.00	8.20	Average	3	5150.00	48.54	7.47	56.01	74.00	17.99	Peak	4	5150.00	38.11	7.47	45.58	54.00	8.42	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																								
1	5139.64	51.71	7.39	59.10	74.00	14.90	Peak																																								
2	5139.64	38.41	7.39	45.80	54.00	8.20	Average																																								
3	5150.00	48.54	7.47	56.01	74.00	17.99	Peak																																								
4	5150.00	38.11	7.47	45.58	54.00	8.42	Average																																								


802.11a, High Channel, Bandedge, Horizontal																																															
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-1 high channel 5240MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.27</td><td>8.01</td><td>57.28</td><td>74.00</td><td>16.72</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.62</td><td>8.01</td><td>45.63</td><td>54.00</td><td>8.37</td><td>Average</td></tr><tr><td>3</td><td>5393.92</td><td>50.95</td><td>7.97</td><td>58.92</td><td>74.00</td><td>15.08</td><td>Peak</td></tr><tr><td>4</td><td>5393.92</td><td>37.97</td><td>7.97</td><td>45.94</td><td>54.00</td><td>8.06</td><td>Average</td></tr></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.27	8.01	57.28	74.00	16.72	Peak	2	5350.00	37.62	8.01	45.63	54.00	8.37	Average	3	5393.92	50.95	7.97	58.92	74.00	15.08	Peak	4	5393.92	37.97	7.97	45.94	54.00	8.06	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																								
1	5350.00	49.27	8.01	57.28	74.00	16.72	Peak																																								
2	5350.00	37.62	8.01	45.63	54.00	8.37	Average																																								
3	5393.92	50.95	7.97	58.92	74.00	15.08	Peak																																								
4	5393.92	37.97	7.97	45.94	54.00	8.06	Average																																								
802.11a, High Channel, Bandedge, Vertical																																															
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-1 high channel 5240MHz Chain1 Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.72</td><td>8.01</td><td>57.73</td><td>74.00</td><td>16.27</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.65</td><td>8.01</td><td>45.66</td><td>54.00</td><td>8.34</td><td>Average</td></tr><tr><td>3</td><td>5376.20</td><td>51.43</td><td>7.99</td><td>59.42</td><td>74.00</td><td>14.58</td><td>Peak</td></tr><tr><td>4</td><td>5376.20</td><td>37.80</td><td>7.99</td><td>45.79</td><td>54.00</td><td>8.21</td><td>Average</td></tr></table>								No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.72	8.01	57.73	74.00	16.27	Peak	2	5350.00	37.65	8.01	45.66	54.00	8.34	Average	3	5376.20	51.43	7.99	59.42	74.00	14.58	Peak	4	5376.20	37.80	7.99	45.79	54.00	8.21	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																								
1	5350.00	49.72	8.01	57.73	74.00	16.27	Peak																																								
2	5350.00	37.65	8.01	45.66	54.00	8.34	Average																																								
3	5376.20	51.43	7.99	59.42	74.00	14.58	Peak																																								
4	5376.20	37.80	7.99	45.79	54.00	8.21	Average																																								

Chain 0+Chain 1:


802.11n20, Low Channel, Bandedge, Horizontal




802.11n20, Low Channel, Bandedge, Vertical




802.11n20,High Channel, Bandedge, Horizontal




802.11n20,High Channel, Bandedge, Vertical




802.11n40,Low Channel, Bandedge, Horizontal




802.11n40, Low Channel, Bandedge, Vertical




802.11n40, High Channel, Bandedge, Horizontal




802.11n40, High Channel, Bandedge, Vertical









802.11ac80,Middle Channel, Bandedge,
Horizontal






802.11ac80, Middle Channel, Bandedge,
Vertical



802.11be20, Low Channel, Bandedge, Horizontal**802.11be20, Low Channel, Bandedge, Vertical****802.11be20, High Channel, Bandedge, Horizontal****802.11be20, High Channel, Bandedge, Vertical**

802.11be40,Low Channel, Bandedge, Horizontal				802.11be40,Low Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-1 low channel 5190MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-1 low channel 5190MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5137.99	51.25	7.38	58.63	74.00	15.37	Peak	1	5146.90	51.54	7.46	59.00	74.00	15.00	Peak
2	5137.99	38.06	7.38	45.44	54.00	8.56	Average	2	5146.90	37.91	7.46	45.37	54.00	8.63	Average
3	5150.00	49.30	7.47	56.77	74.00	17.23	Peak	3	5150.00	49.12	7.47	56.59	74.00	17.41	Peak
4	5150.00	38.34	7.47	45.81	54.00	8.19	Average	4	5150.00	37.97	7.47	45.44	54.00	8.56	Average

802.11be40, High Channel, Bandedge, Horizontal				802.11be40, High Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-1 high channel 5230MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-1 high channel 5230MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-11-28 											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	47.92	8.01	55.93	74.00	18.07	Peak	1	5350.00	49.57	8.01	57.58	74.00	16.42	Peak
2	5350.00	37.65	8.01	45.66	54.00	8.34	Average	2	5350.00	37.83	8.01	45.84	54.00	8.16	Average
3	5396.92	51.25	7.97	59.22	74.00	14.78	Peak	3	5378.76	50.86	7.98	58.84	74.00	15.16	Peak
4	5396.92	37.78	7.97	45.75	54.00	8.25	Average	4	5378.76	38.06	7.98	46.04	54.00	7.96	Average





5250-5350MHz:
Chain 0





Chain 1

802.11a,Low Channel, Bandedge, Horizontal Project No.: 2502W25149E-RFSerial No.: 3858-1 Polarization: HorizontalTester: Alan Xie Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5200MHz Chain1 Peak:RBW:1MHz,VBW:30HzAve:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) Date: 2025-10-11 1 5150.00 47.57 7.47 55.04 74.00 18.96 Peak 2 5150.00 36.72 7.47 44.19 54.00 9.81 Average	802.11a, Low Channel, Bandedge, Vertical Project No.: 2502W25149E-RFSerial No.: 3858-1 Polarization: VerticalTester: Alan Xie Test Mode: Transmitting Note: 802.11a_U-NII-2A low channel 5200MHz Chain1 Peak:RBW:1MHz,VBW:30HzAve:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5136 5172 5208 5244 5280 Frequency (MHz) Date: 2025-10-11 1 5150.00 47.57 7.47 55.04 74.00 18.96 Peak 2 5150.00 36.61 7.47 44.08 54.00 9.92 Average
802.11a, High Channel, Bandedge, Horizontal Project No.: 2502W25149E-RFSerial No.: 3858-1 Polarization: HorizontalTester: Alan Xie Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30HzAve:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) Date: 2025-10-11 1 5350.00 48.56 8.01 56.57 74.00 17.43 Peak 2 5350.00 37.41 8.01 45.42 54.00 8.58 Average	802.11a, High Channel, Bandedge, Vertical Project No.: 2502W25149E-RFSerial No.: 3858-1 Polarization: VerticalTester: Alan Xie Test Mode: Transmitting Note: 802.11a_U-NII-2A high channel 5320MHz Chain1 Peak:RBW:1MHz,VBW:30HzAve:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5300 5320 5340 5360 5380 5400 Frequency (MHz) Date: 2025-10-11 1 5350.00 50.33 8.01 58.34 74.00 15.66 Peak 2 5350.00 39.36 8.01 47.37 54.00 6.63 Average

Chain 0+Chain 1:


802.11n20, Low Channel, Bandedge, Horizontal				802.11n20,Low Channel, Bandedge, Vertical			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-2A low channel 5260MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-2A low channel 5260MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5117.10	50.12	7.20	57.32	74.00	16.68	Peak
2	5117.10	36.02	7.20	43.22	54.00	10.78	Average
3	5150.00	47.73	7.47	55.20	74.00	18.80	Peak
4	5150.00	36.44	7.47	43.91	54.00	10.09	Average

802.11n20,High Channel, Bandedge, Horizontal				802.11n20,High Channel, Bandedge, Vertical			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20_U-NII-2A high channel 5320MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20_U-NII-2A high channel 5320MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5350.00	48.17	8.01	56.18	74.00	17.82	Peak
2	5350.00	36.59	8.01	44.60	54.00	9.40	Average
3	5350.84	49.88	8.00	57.88	74.00	16.12	Peak
4	5350.84	36.45	8.00	44.45	54.00	9.55	Average

802.11n40,Low Channel, Bandedge, Horizontal Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2A low channel 5270MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5140 5180 5220 5260 5300 Frequency (MHz) Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5116.08</td><td>49.90</td><td>7.20</td><td>57.10</td><td>74.00</td><td>16.90</td><td>Peak</td></tr><tr><td>2</td><td>5116.08</td><td>36.41</td><td>7.20</td><td>43.61</td><td>54.00</td><td>10.39</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>47.22</td><td>7.47</td><td>54.69</td><td>74.00</td><td>19.31</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>37.06</td><td>7.47</td><td>44.53</td><td>54.00</td><td>9.47</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5116.08	49.90	7.20	57.10	74.00	16.90	Peak	2	5116.08	36.41	7.20	43.61	54.00	10.39	Average	3	5150.00	47.22	7.47	54.69	74.00	19.31	Peak	4	5150.00	37.06	7.47	44.53	54.00	9.47	Average	802.11n40,Low Channel, Bandedge, Vertical Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2A low channel 5270MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5100 5140 5180 5220 5260 5300 Frequency (MHz) Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5142.04</td><td>49.88</td><td>7.42</td><td>57.30</td><td>74.00</td><td>16.70</td><td>Peak</td></tr><tr><td>2</td><td>5142.04</td><td>36.40</td><td>7.42</td><td>43.82</td><td>54.00</td><td>10.18</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>47.36</td><td>7.47</td><td>54.83</td><td>74.00</td><td>19.17</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>36.90</td><td>7.47</td><td>44.37</td><td>54.00</td><td>9.63</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5142.04	49.88	7.42	57.30	74.00	16.70	Peak	2	5142.04	36.40	7.42	43.82	54.00	10.18	Average	3	5150.00	47.36	7.47	54.83	74.00	19.17	Peak	4	5150.00	36.90	7.47	44.37	54.00	9.63	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5116.08	49.90	7.20	57.10	74.00	16.90	Peak																																																																										
2	5116.08	36.41	7.20	43.61	54.00	10.39	Average																																																																										
3	5150.00	47.22	7.47	54.69	74.00	19.31	Peak																																																																										
4	5150.00	37.06	7.47	44.53	54.00	9.47	Average																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5142.04	49.88	7.42	57.30	74.00	16.70	Peak																																																																										
2	5142.04	36.40	7.42	43.82	54.00	10.18	Average																																																																										
3	5150.00	47.36	7.47	54.83	74.00	19.17	Peak																																																																										
4	5150.00	36.90	7.47	44.37	54.00	9.63	Average																																																																										
802.11n40,High Channel, Bandedge, Horizontal Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Horizontal Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2A high channel 5310MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5280 5304 5328 5352 5376 5400 Frequency (MHz) Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>47.55</td><td>8.01</td><td>55.56</td><td>74.00</td><td>18.44</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.18</td><td>8.01</td><td>45.19</td><td>54.00</td><td>8.81</td><td>Average</td></tr><tr><td>3</td><td>5371.06</td><td>49.88</td><td>7.99</td><td>57.87</td><td>74.00</td><td>16.13</td><td>Peak</td></tr><tr><td>4</td><td>5371.06</td><td>36.67</td><td>7.99</td><td>44.66</td><td>54.00</td><td>9.34</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	47.55	8.01	55.56	74.00	18.44	Peak	2	5350.00	37.18	8.01	45.19	54.00	8.81	Average	3	5371.06	49.88	7.99	57.87	74.00	16.13	Peak	4	5371.06	36.67	7.99	44.66	54.00	9.34	Average	802.11n40,High Channel, Bandedge, Vertical Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Vertical Tester: Willem Qiu Test Mode: Transmitting Note: 802.11n40_U-NII-2A high channel 5310MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5280 5304 5328 5352 5376 5400 Frequency (MHz) Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>49.70</td><td>8.01</td><td>57.71</td><td>74.00</td><td>16.29</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>38.21</td><td>8.01</td><td>46.22</td><td>54.00</td><td>7.78</td><td>Average</td></tr><tr><td>3</td><td>5352.00</td><td>51.77</td><td>8.00</td><td>59.77</td><td>74.00</td><td>14.23</td><td>Peak</td></tr><tr><td>4</td><td>5352.00</td><td>38.06</td><td>8.00</td><td>46.06</td><td>54.00</td><td>7.94</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	49.70	8.01	57.71	74.00	16.29	Peak	2	5350.00	38.21	8.01	46.22	54.00	7.78	Average	3	5352.00	51.77	8.00	59.77	74.00	14.23	Peak	4	5352.00	38.06	8.00	46.06	54.00	7.94	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5350.00	47.55	8.01	55.56	74.00	18.44	Peak																																																																										
2	5350.00	37.18	8.01	45.19	54.00	8.81	Average																																																																										
3	5371.06	49.88	7.99	57.87	74.00	16.13	Peak																																																																										
4	5371.06	36.67	7.99	44.66	54.00	9.34	Average																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5350.00	49.70	8.01	57.71	74.00	16.29	Peak																																																																										
2	5350.00	38.21	8.01	46.22	54.00	7.78	Average																																																																										
3	5352.00	51.77	8.00	59.77	74.00	14.23	Peak																																																																										
4	5352.00	38.06	8.00	46.06	54.00	7.94	Average																																																																										


802.11ac80, Middle Channel, Bandedge, Horizontal

Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Horizontal Tester: Willem Qiu
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2A middle channel 5280MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz




802.11ac80, Middle Channel, Bandedge, Vertical

Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Vertical Tester: Willem Qiu
Test Mode: Transmitting
Note: 802.11ac80_U-NII-2A middle channel 5280MHz
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz



802.11ac160, Middle Channel, Bandedge, Horizontal


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Horizontal Tester: Willem Qiu
Test Mode: Transmitting
Note: 802.11ac160_U-NII-2A middle channel 5250MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz







No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5125.32	50.12	7.28	57.40	74.00	16.60	Peak
2	5125.32	36.56	7.28	43.84	54.00	10.16	Average
3	5150.00	48.46	7.47	55.93	74.00	18.07	Peak
4	5150.00	37.01	7.47	44.48	54.00	9.52	Average
5	5350.00	48.49	8.01	56.50	74.00	17.50	Peak
6	5350.00	37.25	8.01	45.26	54.00	8.74	Average
7	5363.22	50.62	8.00	58.62	74.00	15.38	Peak
8	5363.22	36.85	8.00	44.85	54.00	9.15	Average





802.11ac160, Middle Channel, Bandedge, Vertical


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Vertical Tester: Willem Qiu
Test Mode: Transmitting
Note: 802.11ac160_U-NII-2A middle channel 5250MHz
Peak:RBW:1MHz,VBW:3MHz Ave:RBW:1MHz,VBW:5kHz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5132.52	52.58	7.34	59.92	74.00	14.08	Peak
2	5132.52	39.10	7.34	46.44	54.00	7.56	Average
3	5150.00	50.34	7.47	57.81	74.00	16.19	Peak
4	5150.00	39.63	7.47	47.10	54.00	6.90	Average
5	5350.00	54.02	8.01	62.03	74.00	11.97	Peak
6	5350.00	42.73	8.01	50.74	54.00	3.26	Average
7	5354.94	55.06	8.00	63.06	74.00	10.94	Peak
8	5354.94	42.87	8.00	50.87	54.00	3.13	Average

802.11be20,Low Channel, Bandedge, Horizontal				802.11be20,Low Channel, Bandedge, Vertical																																																																																			
Project No.: 2502w25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be20_U-NII-2A low channel 5260MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5131.32</td><td>50.17</td><td>7.32</td><td>57.49</td><td>74.00</td><td>16.51</td><td>Peak</td></tr><tr><td>2</td><td>5131.32</td><td>36.32</td><td>7.32</td><td>43.64</td><td>54.00</td><td>10.36</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>48.05</td><td>7.47</td><td>55.52</td><td>74.00</td><td>18.48</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>36.72</td><td>7.47</td><td>44.19</td><td>54.00</td><td>9.81</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5131.32	50.17	7.32	57.49	74.00	16.51	Peak	2	5131.32	36.32	7.32	43.64	54.00	10.36	Average	3	5150.00	48.05	7.47	55.52	74.00	18.48	Peak	4	5150.00	36.72	7.47	44.19	54.00	9.81	Average	Project No.: 2502w25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be20_U-NII-2A low channel 5260MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5129.99</td><td>49.54</td><td>7.31</td><td>56.85</td><td>74.00</td><td>17.15</td><td>Peak</td></tr><tr><td>2</td><td>5129.99</td><td>36.74</td><td>7.31</td><td>44.05</td><td>54.00</td><td>9.95</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>47.74</td><td>7.47</td><td>55.21</td><td>74.00</td><td>18.79</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>37.06</td><td>7.47</td><td>44.53</td><td>54.00</td><td>9.47</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5129.99	49.54	7.31	56.85	74.00	17.15	Peak	2	5129.99	36.74	7.31	44.05	54.00	9.95	Average	3	5150.00	47.74	7.47	55.21	74.00	18.79	Peak	4	5150.00	37.06	7.47	44.53	54.00	9.47	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5131.32	50.17	7.32	57.49	74.00	16.51	Peak																																																																																
2	5131.32	36.32	7.32	43.64	54.00	10.36	Average																																																																																
3	5150.00	48.05	7.47	55.52	74.00	18.48	Peak																																																																																
4	5150.00	36.72	7.47	44.19	54.00	9.81	Average																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5129.99	49.54	7.31	56.85	74.00	17.15	Peak																																																																																
2	5129.99	36.74	7.31	44.05	54.00	9.95	Average																																																																																
3	5150.00	47.74	7.47	55.21	74.00	18.79	Peak																																																																																
4	5150.00	37.06	7.47	44.53	54.00	9.47	Average																																																																																
802.11be20, High Channel, Bandedge, Horizontal				802.11be20, High Channel, Bandedge, Vertical																																																																																			
Project No.: 2502w25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be20_U-NII-2A high channel 5320MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>47.62</td><td>8.01</td><td>55.63</td><td>74.00</td><td>18.37</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>36.74</td><td>8.01</td><td>44.75</td><td>54.00</td><td>9.25</td><td>Average</td></tr><tr><td>3</td><td>5365.58</td><td>49.95</td><td>7.99</td><td>57.94</td><td>74.00</td><td>16.06</td><td>Peak</td></tr><tr><td>4</td><td>5365.58</td><td>36.54</td><td>7.99</td><td>44.53</td><td>54.00</td><td>9.47</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	47.62	8.01	55.63	74.00	18.37	Peak	2	5350.00	36.74	8.01	44.75	54.00	9.25	Average	3	5365.58	49.95	7.99	57.94	74.00	16.06	Peak	4	5365.58	36.54	7.99	44.53	54.00	9.47	Average	Project No.: 2502w25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be20_U-NII-2A high channel 5320MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>48.33</td><td>8.01</td><td>56.34</td><td>74.00</td><td>17.66</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>37.24</td><td>8.01</td><td>45.25</td><td>54.00</td><td>8.75</td><td>Average</td></tr><tr><td>3</td><td>5373.76</td><td>50.46</td><td>7.99</td><td>58.45</td><td>74.00</td><td>15.55</td><td>Peak</td></tr><tr><td>4</td><td>5373.76</td><td>36.73</td><td>7.99</td><td>44.72</td><td>54.00</td><td>9.28</td><td>Average</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	48.33	8.01	56.34	74.00	17.66	Peak	2	5350.00	37.24	8.01	45.25	54.00	8.75	Average	3	5373.76	50.46	7.99	58.45	74.00	15.55	Peak	4	5373.76	36.73	7.99	44.72	54.00	9.28	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5350.00	47.62	8.01	55.63	74.00	18.37	Peak																																																																																
2	5350.00	36.74	8.01	44.75	54.00	9.25	Average																																																																																
3	5365.58	49.95	7.99	57.94	74.00	16.06	Peak																																																																																
4	5365.58	36.54	7.99	44.53	54.00	9.47	Average																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																
1	5350.00	48.33	8.01	56.34	74.00	17.66	Peak																																																																																
2	5350.00	37.24	8.01	45.25	54.00	8.75	Average																																																																																
3	5373.76	50.46	7.99	58.45	74.00	15.55	Peak																																																																																
4	5373.76	36.73	7.99	44.72	54.00	9.28	Average																																																																																


802.11be40, Low Channel, Bandedge, Horizontal Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-2A low channel 5270MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5121.12</td><td>49.73</td><td>7.25</td><td>56.98</td><td>74.00</td><td>17.02</td><td>Peak</td></tr><tr><td>2</td><td>5121.12</td><td>36.50</td><td>7.25</td><td>43.75</td><td>54.00</td><td>10.25</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>46.93</td><td>7.47</td><td>54.40</td><td>74.00</td><td>19.60</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>37.00</td><td>7.47</td><td>44.53</td><td>54.00</td><td>9.47</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5121.12	49.73	7.25	56.98	74.00	17.02	Peak	2	5121.12	36.50	7.25	43.75	54.00	10.25	Average	3	5150.00	46.93	7.47	54.40	74.00	19.60	Peak	4	5150.00	37.00	7.47	44.53	54.00	9.47	Average	802.11be40, Low Channel, Bandedge, Vertical Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-2A low channel 5270MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5130.68</td><td>50.00</td><td>7.32</td><td>57.32</td><td>74.00</td><td>16.68</td><td>Peak</td></tr><tr><td>2</td><td>5130.68</td><td>36.62</td><td>7.32</td><td>43.94</td><td>54.00</td><td>10.06</td><td>Average</td></tr><tr><td>3</td><td>5150.00</td><td>48.81</td><td>7.47</td><td>56.28</td><td>74.00</td><td>17.72</td><td>Peak</td></tr><tr><td>4</td><td>5150.00</td><td>36.97</td><td>7.47</td><td>44.44</td><td>54.00</td><td>9.56</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5130.68	50.00	7.32	57.32	74.00	16.68	Peak	2	5130.68	36.62	7.32	43.94	54.00	10.06	Average	3	5150.00	48.81	7.47	56.28	74.00	17.72	Peak	4	5150.00	36.97	7.47	44.44	54.00	9.56	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5121.12	49.73	7.25	56.98	74.00	17.02	Peak																																																																										
2	5121.12	36.50	7.25	43.75	54.00	10.25	Average																																																																										
3	5150.00	46.93	7.47	54.40	74.00	19.60	Peak																																																																										
4	5150.00	37.00	7.47	44.53	54.00	9.47	Average																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5130.68	50.00	7.32	57.32	74.00	16.68	Peak																																																																										
2	5130.68	36.62	7.32	43.94	54.00	10.06	Average																																																																										
3	5150.00	48.81	7.47	56.28	74.00	17.72	Peak																																																																										
4	5150.00	36.97	7.47	44.44	54.00	9.56	Average																																																																										
802.11be40,High Channel, Bandedge, Horizontal Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-2A high channel 5310MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>48.61</td><td>8.01</td><td>56.62</td><td>74.00</td><td>17.38</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>36.84</td><td>8.01</td><td>44.85</td><td>54.00</td><td>9.15</td><td>Average</td></tr><tr><td>3</td><td>5351.88</td><td>50.02</td><td>8.00</td><td>58.02</td><td>74.00</td><td>15.98</td><td>Peak</td></tr><tr><td>4</td><td>5351.88</td><td>36.54</td><td>8.00</td><td>44.54</td><td>54.00</td><td>9.46</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	48.61	8.01	56.62	74.00	17.38	Peak	2	5350.00	36.84	8.01	44.85	54.00	9.15	Average	3	5351.88	50.02	8.00	58.02	74.00	15.98	Peak	4	5351.88	36.54	8.00	44.54	54.00	9.46	Average	802.11be40,High Channel, Bandedge, Vertical Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-2A high channel 5310MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-13 <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5350.00</td><td>50.04</td><td>8.01</td><td>58.05</td><td>74.00</td><td>15.95</td><td>Peak</td></tr><tr><td>2</td><td>5350.00</td><td>39.20</td><td>8.01</td><td>47.21</td><td>54.00</td><td>6.79</td><td>Average</td></tr><tr><td>3</td><td>5354.71</td><td>52.85</td><td>8.00</td><td>60.85</td><td>74.00</td><td>13.15</td><td>Peak</td></tr><tr><td>4</td><td>5354.71</td><td>38.47</td><td>8.00</td><td>46.47</td><td>54.00</td><td>7.53</td><td>Average</td></tr></table>	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5350.00	50.04	8.01	58.05	74.00	15.95	Peak	2	5350.00	39.20	8.01	47.21	54.00	6.79	Average	3	5354.71	52.85	8.00	60.85	74.00	13.15	Peak	4	5354.71	38.47	8.00	46.47	54.00	7.53	Average
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5350.00	48.61	8.01	56.62	74.00	17.38	Peak																																																																										
2	5350.00	36.84	8.01	44.85	54.00	9.15	Average																																																																										
3	5351.88	50.02	8.00	58.02	74.00	15.98	Peak																																																																										
4	5351.88	36.54	8.00	44.54	54.00	9.46	Average																																																																										
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																										
1	5350.00	50.04	8.01	58.05	74.00	15.95	Peak																																																																										
2	5350.00	39.20	8.01	47.21	54.00	6.79	Average																																																																										
3	5354.71	52.85	8.00	60.85	74.00	13.15	Peak																																																																										
4	5354.71	38.47	8.00	46.47	54.00	7.53	Average																																																																										





**5470-5725MHz:
Chain 0****802.11a,Low Channel, Bandedge, Horizontal**


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain0
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5418.84	50.73	8.08	58.81	74.00	15.19	Peak
2	5418.84	37.46	8.08	45.54	54.00	8.46	Average
3	5460.00	48.27	8.29	56.56	74.00	17.44	Peak
4	5460.00	37.73	8.29	46.02	54.00	7.98	Average
5	5469.10	50.41	8.35	58.76	68.20	9.44	Peak
6	5470.00	48.46	8.35	56.81	68.20	11.39	Peak

802.11a,Low Channel, Bandedge, Vertical


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11a_U-NII-2C low channel 5500MHz Chain0
Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5449.08	50.99	8.24	59.23	74.00	14.77	Peak
2	5449.08	37.64	8.24	45.88	54.00	8.12	Average
3	5460.00	48.83	8.29	57.12	74.00	16.88	Peak
4	5460.00	37.91	8.29	46.20	54.00	7.80	Average
5	5469.46	50.78	8.35	59.13	68.20	9.07	Peak
6	5470.00	49.25	8.35	57.60	68.20	10.60	Peak

802.11a, High Channel, Bandedge, Horizontal


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Horizontal Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain0
Peak:RBW:1MHz,VBW:30Hz



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	48.32	8.93	57.25	68.20	10.95	Peak
2	5786.08	51.30	9.06	60.36	68.20	7.84	Peak

802.11a,High Channel, Bandedge, Vertical


Project No.: 2502W25149E-RF Serial No.: 3858-1
Polarization: Vertical Tester: Alan Xie
Test Mode: Transmitting
Note: 802.11a_U-NII-2C high channel 5700MHz Chain0
Peak:RBW:1MHz,VBW:30Hz




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	50.11	8.93	59.04	68.20	9.16	Peak
2	5725.31	51.85	8.92	60.77	68.20	7.43	Peak

Chain 1


802.11a, Low Channel, Bandedge, Horizontal




802.11a, Low Channel, Bandedge, Vertical



802.11a, High Channel, Bandedge, Horizontal




802.11a, High Channel, Bandedge, Vertical




Chain 0+Chain 1:


802.11n20, Low Channel, Bandedge, Horizontal




802.11n20, Low Channel, Bandedge, Vertical



802.11n20, High Channel, Bandedge, Horizontal




802.11n20, High Channel, Bandedge, Vertical




802.11n40,Low Channel, Bandedge, Horizontal				802.11n40,Low Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-2C low channel 5510MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-2C low channel 5510MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5441.86	50.01	8.20	58.21	74.00	15.79	Peak	1	5408.37	51.14	8.03	59.17	74.00	14.83	Peak
2	5441.86	37.40	8.20	45.60	54.00	8.40	Average	2	5408.37	37.78	8.03	45.81	54.00	8.19	Average
3	5460.00	48.59	8.29	56.88	74.00	17.12	Peak	3	5460.00	48.17	8.29	56.46	74.00	17.54	Peak
4	5460.00	37.21	8.29	45.50	54.00	8.50	Average	4	5460.00	37.79	8.29	46.08	54.00	7.92	Average
5	5466.67	50.02	8.33	58.35	68.20	9.85	Peak	5	5469.27	50.47	8.35	58.82	68.20	9.38	Peak
6	5470.00	48.90	8.35	57.25	68.20	10.95	Peak	6	5470.00	49.22	8.35	57.57	68.20	10.63	Peak

802.11n40, High Channel, Bandedge, Horizontal				802.11n40,High Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-2C high channel 5670MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-2C high channel 5670MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	48.77	8.93	57.70	68.20	10.50	Peak	1	5725.00	48.46	8.93	57.39	68.20	10.81	Peak
2	5763.81	50.71	9.04	59.75	68.20	8.45	Peak	2	5785.12	51.55	9.06	60.61	68.20	7.59	Peak


802.11ac80, Low Channel, Bandedge, Horizontal				802.11ac80, Low Channel, Bandedge, Vertical																																																																																																																			
Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Horizontal Tester: Alan Xie Test Mode: Transmitting Note: 802.11ac80_U-NII-2C low channel 5530MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz				Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Vertical Tester: Alan Xie Test Mode: Transmitting Note: 802.11ac80_U-NII-2C low channel 5530MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz																																																																																																																			
Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5436 5472 5508 5544 5580 Frequency (MHz) Date: 2025-10-13				Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5400 5436 5472 5508 5544 5580 Frequency (MHz) Date: 2025-10-13																																																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5438.99</td><td>50.25</td><td>8.18</td><td>58.43</td><td>74.00</td><td>15.57</td><td>Peak</td></tr><tr><td>2</td><td>5438.99</td><td>37.27</td><td>8.18</td><td>45.45</td><td>54.00</td><td>8.55</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>48.66</td><td>8.29</td><td>56.95</td><td>74.00</td><td>17.05</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>37.31</td><td>8.29</td><td>45.60</td><td>54.00</td><td>8.40</td><td>Average</td></tr><tr><td>5</td><td>5464.69</td><td>50.57</td><td>8.31</td><td>58.88</td><td>68.20</td><td>9.32</td><td>Peak</td></tr><tr><td>6</td><td>5470.00</td><td>48.70</td><td>8.35</td><td>57.05</td><td>68.20</td><td>11.15</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5438.99	50.25	8.18	58.43	74.00	15.57	Peak	2	5438.99	37.27	8.18	45.45	54.00	8.55	Average	3	5460.00	48.66	8.29	56.95	74.00	17.05	Peak	4	5460.00	37.31	8.29	45.60	54.00	8.40	Average	5	5464.69	50.57	8.31	58.88	68.20	9.32	Peak	6	5470.00	48.70	8.35	57.05	68.20	11.15	Peak	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5456.05</td><td>51.33</td><td>8.27</td><td>59.60</td><td>74.00</td><td>14.40</td><td>Peak</td></tr><tr><td>2</td><td>5456.05</td><td>37.70</td><td>8.27</td><td>45.97</td><td>54.00</td><td>8.03</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>48.76</td><td>8.29</td><td>57.05</td><td>74.00</td><td>16.95</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>38.42</td><td>8.29</td><td>46.71</td><td>54.00</td><td>7.29</td><td>Average</td></tr><tr><td>5</td><td>5460.52</td><td>51.52</td><td>8.29</td><td>59.81</td><td>68.20</td><td>8.39</td><td>Peak</td></tr><tr><td>6</td><td>5470.00</td><td>49.29</td><td>8.35</td><td>57.64</td><td>68.20</td><td>10.56</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5456.05	51.33	8.27	59.60	74.00	14.40	Peak	2	5456.05	37.70	8.27	45.97	54.00	8.03	Average	3	5460.00	48.76	8.29	57.05	74.00	16.95	Peak	4	5460.00	38.42	8.29	46.71	54.00	7.29	Average	5	5460.52	51.52	8.29	59.81	68.20	8.39	Peak	6	5470.00	49.29	8.35	57.64	68.20	10.56	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5438.99	50.25	8.18	58.43	74.00	15.57	Peak																																																																																																																
2	5438.99	37.27	8.18	45.45	54.00	8.55	Average																																																																																																																
3	5460.00	48.66	8.29	56.95	74.00	17.05	Peak																																																																																																																
4	5460.00	37.31	8.29	45.60	54.00	8.40	Average																																																																																																																
5	5464.69	50.57	8.31	58.88	68.20	9.32	Peak																																																																																																																
6	5470.00	48.70	8.35	57.05	68.20	11.15	Peak																																																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5456.05	51.33	8.27	59.60	74.00	14.40	Peak																																																																																																																
2	5456.05	37.70	8.27	45.97	54.00	8.03	Average																																																																																																																
3	5460.00	48.76	8.29	57.05	74.00	16.95	Peak																																																																																																																
4	5460.00	38.42	8.29	46.71	54.00	7.29	Average																																																																																																																
5	5460.52	51.52	8.29	59.81	68.20	8.39	Peak																																																																																																																
6	5470.00	49.29	8.35	57.64	68.20	10.56	Peak																																																																																																																
802.11ac80,High Channel, Bandedge, Horizontal				802.11ac80,High Channel, Bandedge, Vertical																																																																																																																			
Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Horizontal Tester: Alan Xie Test Mode: Transmitting Note: 802.11ac80_U-NII-2C high channel 5610MHz Peak:RBW:1MHz,VBW:30Hz				Project No.: 2502W25149E-RF Serial No.: 3858-1 Polarization: Vertical Tester: Alan Xie Test Mode: Transmitting Note: 802.11ac80_U-NII-2C high channel 5610MHz Peak:RBW:1MHz,VBW:30Hz																																																																																																																			
Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5560 5608 5656 5704 5752 5800 Frequency (MHz) Date: 2025-10-13				Level (dBuV/m) 120 108.8 97.5 86.3 75.0 63.8 52.5 41.3 30 5560 5608 5656 5704 5752 5800 Frequency (MHz) Date: 2025-10-13																																																																																																																			
<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>48.14</td><td>8.93</td><td>57.07</td><td>68.20</td><td>11.13</td><td>Peak</td></tr><tr><td>2</td><td>5785.79</td><td>50.42</td><td>9.06</td><td>59.48</td><td>68.20</td><td>8.72</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	48.14	8.93	57.07	68.20	11.13	Peak	2	5785.79	50.42	9.06	59.48	68.20	8.72	Peak	<table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>48.09</td><td>8.93</td><td>57.02</td><td>68.20</td><td>11.18</td><td>Peak</td></tr><tr><td>2</td><td>5785.79</td><td>50.86</td><td>9.06</td><td>59.92</td><td>68.20</td><td>8.28</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	48.09	8.93	57.02	68.20	11.18	Peak	2	5785.79	50.86	9.06	59.92	68.20	8.28	Peak																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5725.00	48.14	8.93	57.07	68.20	11.13	Peak																																																																																																																
2	5785.79	50.42	9.06	59.48	68.20	8.72	Peak																																																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5725.00	48.09	8.93	57.02	68.20	11.18	Peak																																																																																																																
2	5785.79	50.86	9.06	59.92	68.20	8.28	Peak																																																																																																																




802.11be20, Low Channel, Bandedge, Horizontal




802.11be20,Low Channel, Bandedge, Vertical





802.11be20,High Channel, Bandedge, Horizontal








802.11be20,High Channel, Bandedge, Vertical



802.11be40,Low Channel, Bandedge, Horizontal				802.11be40,Low Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-2C low channel 5510MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-14 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-2C low channel 5510MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-14 											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5448.08	51.18	8.24	59.42	74.00	14.58	Peak	1	5429.76	50.63	8.14	58.77	74.00	15.23	Peak
2	5448.08	36.78	8.24	45.02	54.00	8.98	Average	2	5429.76	37.01	8.14	45.15	54.00	8.85	Average
3	5460.00	48.09	8.29	56.38	74.00	17.62	Peak	3	5460.00	48.71	8.29	57.00	74.00	17.00	Peak
4	5460.00	37.06	8.29	45.35	54.00	8.65	Average	4	5460.00	37.47	8.29	45.76	54.00	8.24	Average
5	5464.48	50.27	8.31	58.58	68.20	9.62	Peak	5	5467.96	50.76	8.34	59.10	68.20	9.10	Peak
6	5470.00	48.18	8.35	56.53	68.20	11.67	Peak	6	5470.00	49.03	8.35	57.38	68.20	10.82	Peak


802.11be40, High Channel, Bandedge, Horizontal				802.11be40, High Channel, Bandedge, Vertical											
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be40_U-NII-2C high channel 5670MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-14				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be40_U-NII-2C high channel 5670MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Willem Qiu Date: 2025-10-14											
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5725.00	47.94	8.93	56.87	68.20	11.33	Peak	1	5725.00	48.32	8.93	57.25	68.20	10.95	Peak
2	5794.46	50.81	9.06	59.87	68.20	8.33	Peak	2	5780.99	51.67	9.06	60.73	68.20	7.47	Peak

802.11be80,Low Channel, Bandedge, Horizontal				802.11be80,Low Channel, Bandedge, Vertical																																																																																																																			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be80_U-NII-2C low channel 5530MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5453.24</td><td>50.28</td><td>8.25</td><td>58.53</td><td>74.00</td><td>15.47</td><td>Peak</td></tr><tr><td>2</td><td>5453.24</td><td>36.98</td><td>8.25</td><td>45.23</td><td>54.00</td><td>8.77</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>48.18</td><td>8.29</td><td>56.47</td><td>74.00</td><td>17.53</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>37.37</td><td>8.29</td><td>45.66</td><td>54.00</td><td>8.34</td><td>Average</td></tr><tr><td>5</td><td>5468.08</td><td>50.35</td><td>8.34</td><td>58.69</td><td>68.20</td><td>9.51</td><td>Peak</td></tr><tr><td>6</td><td>5470.00</td><td>48.12</td><td>8.35</td><td>56.47</td><td>68.20</td><td>11.73</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5453.24	50.28	8.25	58.53	74.00	15.47	Peak	2	5453.24	36.98	8.25	45.23	54.00	8.77	Average	3	5460.00	48.18	8.29	56.47	74.00	17.53	Peak	4	5460.00	37.37	8.29	45.66	54.00	8.34	Average	5	5468.08	50.35	8.34	58.69	68.20	9.51	Peak	6	5470.00	48.12	8.35	56.47	68.20	11.73	Peak	Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be80_U-NII-2C low channel 5530MHz Peak:RBW:1MHz,VBW:30Hz Ave:RBW:1MHz,VBW:5kHz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5458.93</td><td>51.91</td><td>8.28</td><td>60.19</td><td>74.00</td><td>13.81</td><td>Peak</td></tr><tr><td>2</td><td>5458.93</td><td>38.35</td><td>8.28</td><td>46.63</td><td>54.00</td><td>7.37</td><td>Average</td></tr><tr><td>3</td><td>5460.00</td><td>49.52</td><td>8.29</td><td>57.81</td><td>74.00</td><td>16.19</td><td>Peak</td></tr><tr><td>4</td><td>5460.00</td><td>38.00</td><td>8.29</td><td>46.29</td><td>54.00</td><td>7.71</td><td>Average</td></tr><tr><td>5</td><td>5468.72</td><td>51.29</td><td>8.35</td><td>59.64</td><td>68.20</td><td>8.56</td><td>Peak</td></tr><tr><td>6</td><td>5470.00</td><td>50.26</td><td>8.35</td><td>58.61</td><td>68.20</td><td>9.59</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5458.93	51.91	8.28	60.19	74.00	13.81	Peak	2	5458.93	38.35	8.28	46.63	54.00	7.37	Average	3	5460.00	49.52	8.29	57.81	74.00	16.19	Peak	4	5460.00	38.00	8.29	46.29	54.00	7.71	Average	5	5468.72	51.29	8.35	59.64	68.20	8.56	Peak	6	5470.00	50.26	8.35	58.61	68.20	9.59	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5453.24	50.28	8.25	58.53	74.00	15.47	Peak																																																																																																																
2	5453.24	36.98	8.25	45.23	54.00	8.77	Average																																																																																																																
3	5460.00	48.18	8.29	56.47	74.00	17.53	Peak																																																																																																																
4	5460.00	37.37	8.29	45.66	54.00	8.34	Average																																																																																																																
5	5468.08	50.35	8.34	58.69	68.20	9.51	Peak																																																																																																																
6	5470.00	48.12	8.35	56.47	68.20	11.73	Peak																																																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5458.93	51.91	8.28	60.19	74.00	13.81	Peak																																																																																																																
2	5458.93	38.35	8.28	46.63	54.00	7.37	Average																																																																																																																
3	5460.00	49.52	8.29	57.81	74.00	16.19	Peak																																																																																																																
4	5460.00	38.00	8.29	46.29	54.00	7.71	Average																																																																																																																
5	5468.72	51.29	8.35	59.64	68.20	8.56	Peak																																																																																																																
6	5470.00	50.26	8.35	58.61	68.20	9.59	Peak																																																																																																																
802.11be80, High Channel, Bandedge, Horizontal				802.11be80, High Channel, Bandedge, Vertical																																																																																																																			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11be80_U-NII-2C high channel 5610MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>47.92</td><td>8.93</td><td>56.85</td><td>68.20</td><td>11.35</td><td>Peak</td></tr><tr><td>2</td><td>5783.82</td><td>50.65</td><td>9.06</td><td>59.71</td><td>68.20</td><td>8.49</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	47.92	8.93	56.85	68.20	11.35	Peak	2	5783.82	50.65	9.06	59.71	68.20	8.49	Peak	Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11be80_U-NII-2C high channel 5610MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-13  <table><tr><th>No.</th><th>Frequency (MHz)</th><th>Reading (dBuV)</th><th>Factor (dB/m)</th><th>Result (dBuV/m)</th><th>Limit (dBuV/m)</th><th>Margin (dB)</th><th>Measurement</th></tr><tr><td>1</td><td>5725.00</td><td>48.42</td><td>8.93</td><td>57.35</td><td>68.20</td><td>10.85</td><td>Peak</td></tr><tr><td>2</td><td>5752.53</td><td>51.47</td><td>9.00</td><td>60.47</td><td>68.20</td><td>7.73</td><td>Peak</td></tr></table>				No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement	1	5725.00	48.42	8.93	57.35	68.20	10.85	Peak	2	5752.53	51.47	9.00	60.47	68.20	7.73	Peak																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5725.00	47.92	8.93	56.85	68.20	11.35	Peak																																																																																																																
2	5783.82	50.65	9.06	59.71	68.20	8.49	Peak																																																																																																																
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement																																																																																																																
1	5725.00	48.42	8.93	57.35	68.20	10.85	Peak																																																																																																																
2	5752.53	51.47	9.00	60.47	68.20	7.73	Peak																																																																																																																




5725-5850MHz:
Chain 0


802.11a,Low Channel, Bandedge, Horizontal




802.11a,Low Channel, Bandedge, Vertical



802.11a,High Channel, Bandedge, Horizontal



802.11a,High Channel, Bandedge, Vertical



Chain 1



802.11a,Low Channel, Bandedge, Horizontal							
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-3 low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3858-1 Tester: Alan Xie		Date: 2025-10-11	
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	47.67	8.82	56.49	68.20	11.71	Peak
2	5700.00	48.21	8.85	57.06	105.20	48.14	Peak
3	5720.00	58.10	8.91	67.01	110.80	43.79	Peak
4	5725.00	59.37	8.93	68.30	122.20	53.90	Peak

802.11a,Low Channel, Bandedge, Vertical							
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-3 low channel 5745MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3858-1 Tester: Alan Xie		Date: 2025-10-11	
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.44	8.82	57.26	68.20	10.94	Peak
2	5700.00	49.71	8.85	58.56	105.20	46.64	Peak
3	5720.00	64.16	8.91	73.07	110.80	37.73	Peak
4	5725.00	66.30	8.93	75.23	122.20	46.97	Peak

802.11a,High Channel, Bandedge, Horizontal							
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11a_U-NII-3 high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3858-1 Tester: Alan Xie		Date: 2025-10-11	
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	61.82	9.10	70.92	122.20	51.28	Peak
2	5855.00	60.18	9.12	69.30	110.80	41.50	Peak
3	5875.00	48.46	9.16	57.62	105.20	47.58	Peak
4	5925.00	47.61	9.24	56.85	68.20	11.35	Peak

802.11a,High Channel, Bandedge, Vertical							
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11a_U-NII-3 high channel 5825MHz Chain1 Peak:RBW:1MHz,VBW:3MHz				Serial No.: 3858-1 Tester: Alan Xie		Date: 2025-10-11	
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	66.77	9.10	75.87	122.20	46.33	Peak
2	5855.00	64.57	9.12	73.69	110.80	37.11	Peak
3	5875.00	51.32	9.16	60.48	105.20	44.72	Peak
4	5925.00	47.41	9.24	56.65	68.20	11.55	Peak

Chain 0+Chain 1:

802.11n20,Low Channel, Bandedge, Horizontal				802.11n20,Low Channel, Bandedge, Vertical			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20 U-NII-3 low channel 5745MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-11 				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20 U-NII-3 low channel 5745MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-11 			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.39	8.82	57.21	68.20	10.99	Peak
2	5700.00	48.16	8.85	57.01	105.20	48.19	Peak
3	5720.00	47.81	8.91	56.72	110.80	54.08	Peak
4	5725.00	47.81	8.93	56.74	122.20	65.46	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.36	8.82	57.18	68.20	11.02	Peak
2	5700.00	49.11	8.85	57.96	105.20	47.24	Peak
3	5720.00	48.48	8.91	57.39	110.80	53.41	Peak
4	5725.00	48.91	8.93	57.84	122.20	64.36	Peak


802.11n20,High Channel, Bandedge, Horizontal				802.11n20, High Channel, Bandedge, Vertical			
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n20 U-NII-3 high channel 5825MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-11				Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n20 U-NII-3 high channel 5825MHz Peak:RBW:1MHz,VBW:30Hz Serial No.: 3858-1 Tester: Alan Xie Date: 2025-10-11			
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	48.22	9.10	57.32	122.20	64.88	Peak
2	5855.00	48.71	9.12	57.83	110.80	52.97	Peak
3	5875.00	47.83	9.16	56.99	105.20	48.21	Peak
4	5925.00	47.97	9.24	57.21	68.20	10.99	Peak
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	48.88	9.10	57.98	122.20	64.22	Peak
2	5855.00	49.26	9.12	58.38	110.80	52.42	Peak
3	5875.00	48.68	9.16	57.84	105.20	47.36	Peak
4	5925.00	48.19	9.24	57.43	68.20	10.77	Peak

802.11n40,Low Channel, Bandedge, Horizontal							
Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-3 low channel 5755MHz Peak:RBW:1MHz,VBW:30Hz				Serial No.: 3858-1 Tester: Alan Xie			
Date: 2025-10-11							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	47.68	8.82	56.50	68.20	11.70	Peak
2	5700.00	47.15	8.85	56.00	105.20	49.20	Peak
3	5720.00	48.67	8.91	57.58	110.80	53.22	Peak
4	5725.00	48.51	8.93	57.44	122.20	64.76	Peak


802.11n40,Low Channel, Bandedge, Vertical							
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-3 low channel 5755MHz Peak:RBW:1MHz,VBW:30Hz				Serial No.: 3858-1 Tester: Alan Xie			
Date: 2025-10-11							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	47.81	8.82	56.63	68.20	11.57	Peak
2	5700.00	48.48	8.85	57.33	105.20	47.87	Peak
3	5720.00	48.85	8.91	57.76	110.80	53.04	Peak
4	5725.00	49.76	8.93	58.69	122.20	63.51	Peak

 802.11n40,High Channel, Bandedge, Horizontal | | | | | | | || Project No.: 2502W25149E-RF Polarization: Horizontal Test Mode: Transmitting Note: 802.11n40_U-NII-3 high channel 5795MHz Peak:RBW:1MHz,VBW:30Hz | | | | Serial No.: 3858-1 Tester: Alan Xie | | | |
Date: 2025-10-11							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	48.93	9.10	58.03	122.20	64.17	Peak
2	5855.00	48.26	9.12	57.38	110.80	53.42	Peak
3	5875.00	48.35	9.16	57.51	105.20	47.69	Peak
4	5925.00	47.90	9.24	57.14	68.20	11.06	Peak


802.11n40,High Channel, Bandedge, Vertical							
Project No.: 2502W25149E-RF Polarization: Vertical Test Mode: Transmitting Note: 802.11n40_U-NII-3 high channel 5795MHz Peak:RBW:1MHz,VBW:30Hz				Serial No.: 3858-1 Tester: Alan Xie			
Date: 2025-10-11							
No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	48.68	9.10	57.78	122.20	64.42	Peak
2	5855.00	48.45	9.12	57.57	110.80	53.23	Peak
3	5875.00	49.04	9.16	58.20	105.20	47.00	Peak
4	5925.00	47.24	9.24	56.48	68.20	11.72	Peak




802.11be20, Low Channel, Bandedge, Horizontal




802.11be20, Low Channel, Bandedge, Vertical







802.11be20,High Channel, Bandedge, Horizontal



802.11be20,High Channel, Bandedge, Vertical




802.11be40, Low Channel, Bandedge, Horizontal**802.11be40, Low Channel, Bandedge, Vertical****802.11be40, High Channel, Bandedge, Horizontal****802.11be40, High Channel, Bandedge, Vertical**

802.11be80, Middle Channel, Bandedge,
Horizontal

Project No.: 2502W25149E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3858-1
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	47.79	8.82	56.61	68.20	11.59	Peak
2	5700.00	48.18	8.85	57.03	105.20	48.17	Peak
3	5720.00	48.72	8.91	57.63	110.80	53.17	Peak
4	5725.00	50.59	8.93	59.52	122.20	62.68	Peak
5	5850.00	48.85	9.10	57.95	122.20	64.25	Peak
6	5855.00	49.33	9.12	58.45	110.80	52.35	Peak
7	5875.00	49.18	9.16	58.34	105.20	46.86	Peak
8	5925.00	48.52	9.24	57.76	68.20	10.44	Peak

802.11be80, Middle Channel, Bandedge,
Vertical

Project No.: 2502W25149E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11be80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3858-1
Tester: Alan Xie



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5650.00	48.49	8.82	57.31	68.20	10.89	Peak
2	5700.00	48.26	8.85	57.11	105.20	48.09	Peak
3	5720.00	51.75	8.91	60.66	110.80	50.14	Peak
4	5725.00	60.27	8.93	69.20	122.20	53.00	Peak
5	5850.00	48.79	9.10	57.89	122.20	64.31	Peak
6	5855.00	48.87	9.12	57.99	110.80	52.81	Peak
7	5875.00	49.07	9.16	58.23	105.20	46.97	Peak
8	5925.00	49.04	9.24	58.28	68.20	9.92	Peak

5.3 Emission Bandwidth

Test Information:

Serial No.:	38S8-2	Test Date:	2025/09/09~2025/11/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.0-27.6	Relative Humidity: (%)	29-65	ATM Pressure: (kPa)	100.2-101.6
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Note: Test only was performed at Chain 0.

**26dB Emission Bandwidth
5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5180	22.557
		5200	22.613
		5240	22.501
802.11n20	Chain 0	5180	23.413
		5200	23.378
		5240	23.046
802.11n40	Chain 0	5190	46.146
		5230	45.946
802.11ac80	Chain 0	5210	90.691
802.11be20	Chain 0	5180	22.450
		5200	22.094
		5240	22.705
802.11be40	Chain 0	5190	43.944
		5230	43.744
802.11be80	Chain 0	5210	88.088

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5260	22.903
		5280	22.664
		5320	22.462
802.11n20	Chain 0	5260	23.583
		5280	23.806
		5320	23.463
802.11n40	Chain 0	5270	45.045
		5310	45.946
802.11ac80	Chain 0	5290	89.690
802.11ac160	Chain 0	5250	173.774
802.11be20	Chain 0	5260	22.144
		5280	22.300
		5320	22.430
802.11be40	Chain 0	5270	44.645
		5310	43.644
802.11be80	Chain 0	5290	89.690
802.11be160	Chain 0	5250	176.176

5470-5725MHz


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Chain 0	5500	22.658
		5580	22.675
		5700	22.664
		5720	22.889
802.11n20	Chain 0	5500	23.388
		5580	23.571
		5700	23.172
		5720	23.095
802.11n40	Chain 0	5510	45.045
		5550	45.546
		5670	45.646
		5710	46.246
802.11ac80	Chain 0	5530	89.690
		5610	90.090
		5690	89.489
802.11ac160	Chain 0	5570	176.176
802.11be20	Chain 0	5500	22.472
		5580	22.335
		5700	22.320
		5720	22.532
802.11be40	Chain 0	5510	44.144
		5550	44.244
		5670	43.844
		5710	44.745
802.11be80	Chain 0	5530	89.289
		5610	88.889
		5690	89.089
802.11be160	Chain 0	5570	174.975

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Chain 0	5745	16.416	0.5	Pass
		5785	16.416	0.5	Pass
		5825	16.467	0.5	Pass
802.11n20	Chain 0	5745	17.718	0.5	Pass
		5785	17.718	0.5	Pass
		5825	17.668	0.5	Pass
802.11n40	Chain 0	5755	36.537	0.5	Pass
		5795	36.537	0.5	Pass
802.11ac80	Chain 0	5775	76.877	0.5	Pass
802.11be20	Chain 0	5745	19.219	0.5	Pass
		5785	19.219	0.5	Pass
		5825	19.269	0.5	Pass
802.11be40	Chain 0	5755	38.338	0.5	Pass
		5795	38.438	0.5	Pass
802.11be80	Chain 0	5775	78.478	0.5	Pass


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:23:45

802.11a_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:23:37

802.11a_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:19:00

802.11n20_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:32:32

802.11n20_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:34:26

802.11n20_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:24:15

802.11n40_5190MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:38:26

802.11n40_5230MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:41:06

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:45:36

802.11be20_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:48:57

802.11be20_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:51:17

802.11be20_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:53:50

802.11be40_5190MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:57:39


802.11be40_5230MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:59:39


5250-5350MHz

802.11be80_5210MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:02:19

802.11a_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:19:00

802.11a_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:20:36

802.11a_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:22:12

802.11n20_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:09:35

802.11n20_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:12:25

802.11n20_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:14:09

802.11n40_5270MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:23:44

802.11n40_5310MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:24:33

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:28:05

802.11ac160_5250MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:04:57

802.11be20_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:33:44

802.11be20_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:34:59

802.11be20_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:36:13

802.11be40_5270MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:40:16

802.11be40_5310MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:41:03

802.11be80_5290MHz_Chain 0




802.11be160_5250MHz_Chain 0




5470-5725MHz


802.11a_5500MHz_Chain 0




802.11a_5580MHz_Chain 0




802.11a_5700MHz_Chain 0



802.11a_5720MHz_Chain 0




802.11n20_5500MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:44:29

802.11n20_5580MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:46:02

802.11n20_5700MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:47:38

802.11n20_5720MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:49:19

802.11n40_5510MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:51:26

802.11n40_5550MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:52:41

802.11n40_5670MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:54:07

802.11n40_5710MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:56:01

802.11ac80_5530MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:58:12

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:59:33

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:00:52

802.11ac160_5570MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:02:44

802.11be20_5500MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:04:59

802.11be20_5580MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:06:34

802.11be20_5700MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:08:14

802.11be20_5720MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:09:56

802.11be40_5510MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:12:44

802.11be40_5550MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:13:57

802.11be40_5670MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:15:04

802.11be40_5710MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:16:10

802.11be80_5530MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:18:16

802.11be80_5610MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:19:30

802.11be80_5690MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:20:46


802.11be160_5570MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:27:40


5725-5850MHz

802.11a_5745MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:12:35

802.11a_5785MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:14:26

802.11a_5825MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:19:00

802.11n20_5745MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:21:08

802.11n20_5785MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:22:45

802.11n20_5825MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:24:18

802.11n40_5755MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:26:06

802.11n40_5795MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:27:29

802.11ac80_5775MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:31:17

802.11be20_5745MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 20:33:02

802.11be20_5785MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 21:05:49

802.11be20_5825MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 21:07:45

802.11be40_5755MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 21:09:05

802.11be40_5795MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 21:10:11

802.11be80_5775MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 21:11:16

5.4 99% Occupied Bandwidth

Test Information:

Serial No.:	38S8-2	Test Date:	2025/09/09~2025/11/27
Test Site:	RF	Test Mode:	Transmitting
Tester:	Conor Fu	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	25.0-27.6	Relative Humidity: (%)	29-65	ATM Pressure: (kPa)	100.2-101.6
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM503	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
R&S	Spectrum Analyzer	FSV40	101461	2025/08/03	2026/08/02

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

Note: Test only was performed at Chain 0.

5150-5250MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5180	16.800
		5200	16.850
		5240	16.900
802.11n20	Chain 0	5180	17.900
		5200	17.950
		5240	17.950
802.11n40	Chain 0	5190	36.800
		5230	36.900
802.11ac80	Chain 0	5210	76.200
802.11be20	Chain 0	5180	19.050
		5200	19.050
		5240	19.050
802.11be40	Chain 0	5190	38.100
		5230	38.100
802.11be80	Chain 0	5210	77.800

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5260	16.850
		5280	16.850
		5320	16.850
802.11n20	Chain 0	5260	17.900
		5280	17.950
		5320	17.950
802.11n40	Chain 0	5270	36.800
		5310	36.900
802.11ac80	Chain 0	5290	76.400
802.11ac160	Chain 0	5250	155.200
802.11be20	Chain 0	5260	19.050
		5280	19.100
		5320	19.100
802.11be40	Chain 0	5270	38.100
		5310	38
802.11be80	Chain 0	5290	77.800
802.11be160	Chain 0	5250	156.800

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5500	16.850
		5580	16.850
		5700	16.850
		5720	16.850
802.11n20	Chain 0	5500	17.900
		5580	17.950
		5700	17.950
		5720	18
802.11n40	Chain 0	5510	37
		5550	36.900
		5670	36.900
		5710	36.900
802.11ac80	Chain 0	5530	76.400
		5610	76.400
		5690	76.200
802.11ac160	Chain 0	5570	155.600
802.11be20	Chain 0	5500	19.100
		5580	19.100
		5700	19.100
		5720	19.100
802.11be40	Chain 0	5510	38.100
		5550	38
		5670	38
		5710	38
802.11be80	Chain 0	5530	77.800
		5610	77.800
		5690	77.600
802.11be160	Chain 0	5570	157.200

5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	99% OBW (MHz)
802.11a	Chain 0	5745	16.900
		5785	17.250
		5825	17.500
802.11n20	Chain 0	5745	17.950
		5785	17.950
		5825	17.900
802.11n40	Chain 0	5755	36.900
		5795	36.900
802.11ac80	Chain 0	5775	76.200
802.11be20	Chain 0	5745	19.100
		5785	19.100
		5825	19.050
802.11be40	Chain 0	5755	38
		5795	38.100
802.11be80	Chain 0	5775	77.800

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:24:14

802.11a_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:25:59

802.11a_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:19:25

802.11n20_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:32:59

802.11n20_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:34:48

802.11n20_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:24:40

802.11n40_5190MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:38:41

802.11n40_5230MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:41:22

802.11ac80_5210MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:45:54

802.11be20_5180MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:49:23

802.11be20_5200MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:51:40

802.11be20_5240MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:54:18

802.11be40_5190MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:57:54


802.11be40_5230MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 15:59:53


5250-5350MHz

802.11be80_5210MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:02:37

802.11a_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:19:23

802.11a_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:21:01

802.11a_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 13:22:36

802.11n20_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:10:00

802.11n20_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:12:51

802.11n20_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:14:33

802.11n40_5270MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:23:55

802.11n40_5310MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:24:45

802.11ac80_5290MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:28:22

802.11ac160_5250MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:05:17

802.11be20_5260MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:34:07

802.11be20_5280MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:35:24

802.11be20_5320MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:36:36

802.11be40_5270MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:40:29

802.11be40_5310MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:41:16

802.11be80_5290MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 10.SEP.2025 10:44:03


802.11be160_5250MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 27.NOV.2025 16:07:03


5470-5725MHz

802.11a_5500MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:35:22

802.11a_5580MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:36:56

802.11a_5700MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:38:46

802.11a_5720MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:40:27

802.11n20_5500MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:44:55

802.11n20_5580MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:46:26

802.11n20_5700MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:48:05

802.11n20_5720MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:49:43

802.11n40_5510MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:51:42

802.11n40_5550MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:52:57

802.11n40_5670MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:54:21

802.11n40_5710MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:56:15

802.11ac80_5530MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:58:28

802.11ac80_5610MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 15:59:49

802.11ac80_5690MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:01:07

802.11ac160_5570MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:03:01

802.11be20_5500MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:05:24

802.11be20_5580MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:06:59

802.11be20_5700MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:08:42

802.11be20_5720MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:10:21

802.11be40_5510MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:13:00

802.11be40_5550MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:14:13

802.11be40_5670MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:15:17

802.11be40_5710MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:16:23

802.11be80_5530MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:18:31

802.11be80_5610MHz_Chain 0




ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:19:48

802.11be80_5690MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:21:02

802.11be160_5570MHz_Chain 0



ProjectNo.:2502W25149E-RF Tester:Conor Fu
Date: 9.SEP.2025 16:25:57