







Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.153	51.74	-14.08	65.82	41.20	0.12	10.42	QP
2	0.153	36.14	-19.68	55.82	25.60	0.12	10.42	Average
3	0.198	51.09	-12.62	63.71	40.60	0.08	10.41	QP
4	0.198	36.09	-17.62	53.71	25.60	0.08	10.41	Average
5	0.280	47.33	-13.48	60.81	36.89	0.09	10.35	QP
6	0.280	30.53	-20.28	50.81	20.09	0.09	10.35	Average
7 *	0.489	45.73	-10.46	56.19	35.60	-0.10	10.23	QP
8	0.489	28.73	-17.46	46.19	18.60	-0.10	10.23	Average
9	2.854	42.20	-13.80	56.00	32.30	-0.17	10.07	QP
10	2.854	23.20	-22.80	46.00	13.30	-0.17	10.07	Average
11	3.528	36.49	-19.51	56.00	26.60	-0.18	10.07	QP
12	3.528	23.19	-22.81	46.00	13.30	-0.18	10.07	Average
13	15.885	36.60	-23.40	60.00	25.59	-0.23	11.24	QP
14	15.885	29.50	-20.50	50.00	18.49	-0.23	11.24	Average



Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.178	50.84	-13.75	64.59	40.30	0.13	10.41	QP
2	0.178	33.17	-21.42	54.59	22.63	0.13	10.41	Average
3	0.354	47.07	-11.80	58.87	36.90	-0.13	10.30	QP
4	0.354	30.47	-18.40	48.87	20.30	-0.13	10.30	Average
5 *	0.479	46.38	-9.98	56.36	36.30	-0.15	10.23	QP
6	0.479	27.58	-18.78	46.36	17.50	-0.15	10.23	Average
7	2.854	38.46	-17.54	56.00	28.60	-0.21	10.07	QP
8	2.854	22.16	-23.84	46.00	12.30	-0.21	10.07	Average
9	3.623	36.46	-19.54	56.00	26.60	-0.21	10.07	QP
10	3.623	23.46	-22.54	46.00	13.60	-0.21	10.07	Average
11	16.055	33.22	-26.78	60.00	22.20	-0.22	11.24	QP
12	16.055	25.32	-24.68	50.00	14.30	-0.22	11.24	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Koi Ji	Relative Humidity :	51~53%
		Temperature :	21.2~22.5°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	802.11ax HE20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	802.11ax HE20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	802.11ax HE20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	802.11ax HE20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	802.11ax HE20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	802.11ax HE20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	802.11ax HE20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	802.11ax HE20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	802.11ax HE20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-3	5.725-5.85	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	802.11ax HE20	149	5745	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	802.11ax HE20	157	5785	MCS0	-	-
Mode 31	U-NII-3	5.725-5.85	802.11ax HE20	165	5825	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	802.11n HT40	151	5755	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	802.11n HT40	159	5795	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.85	802.11a	144	5720	6Mbps	-	-
Mode 35	U-NII-2C	5.47-5.85	802.11ax HE20	144	5720	MCS0	-	-
Mode 36	U-NII-2C	5.47-5.85	802.11n HT40	142	5710	MCS0	-	-
Mode 37	U-NII-1	5.15-5.25	802.11n HT20	36	5180	MCS0	-	-
Mode 38	U-NII-1	5.15-5.25	802.11n HT20	44	5220	MCS0	-	-
Mode 39	U-NII-1	5.15-5.25	802.11n HT20	48	5240	MCS0	-	-



Mode 40	U-NII-2A	5.25-5.35	802.11n HT20	52	5260	MCS0	-	-
Mode 41	U-NII-2A	5.25-5.35	802.11n HT20	60	5300	MCS0	-	-
Mode 42	U-NII-2A	5.25-5.35	802.11n HT20	64	5320	MCS0	-	-
Mode 43	U-NII-2C	5.47-5.725	802.11n HT20	100	5500	MCS0	-	-
Mode 44	U-NII-2C	5.47-5.725	802.11n HT20	116	5580	MCS0	-	-
Mode 45	U-NII-2C	5.47-5.725	802.11n HT20	140	5700	MCS0	-	-
Mode 46	U-NII-3	5.725-5.85	802.11n HT20	149	5745	MCS0	-	-
Mode 47	U-NII-3	5.725-5.85	802.11n HT20	157	5785	MCS0	-	-
Mode 48	U-NII-3	5.725-5.85	802.11n HT20	165	5825	MCS0	-	-
Mode 49	U-NII-2C	5.47-5.85	802.11n HT20	144	5720	MCS0	-	-

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.99	52.33	54.00	-1.67	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	59.47	68.20	-8.73	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	60.21	68.20	-7.99	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	59.92	68.20	-8.28	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	59.58	68.20	-8.62	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.30	54.00	-7.70	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	52.49	54.00	-1.51	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	46.51	54.00	-7.49	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5468.01	67.06	68.20	-1.14	H	PEAK	Pass	Band Edge
7	802.11a	100	16500.00	65.10	68.20	-3.10	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	61.84	68.20	-6.36	H	PEAK	Pass	Harmonic
9	802.11a	140	5726.48	64.08	68.20	-4.12	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	64.27	68.20	-3.93	H	PEAK	Pass	Harmonic
10	802.11ax HE20	36	5149.99	52.48	54.00	-1.52	H	AVERAGE	Pass	Band Edge
10	802.11ax HE20	36	10360.00	59.63	68.20	-8.57	V	PEAK	Pass	Harmonic
11	802.11ax HE20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ax HE20	44	15660.00	43.57	54.00	-10.43	H	AVERAGE	Pass	Harmonic
12	802.11ax HE20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ax HE20	48	15720.00	44.98	54.00	-9.02	H	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ax HE20	52	15780.00	45.23	54.00	-8.77	H	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	60	10600.00	46.09	54.00	-7.91	V	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.05	52.06	54.00	-1.94	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	45.50	54.00	-8.50	H	AVERAGE	Pass	Harmonic
16	802.11ax HE20	100	5469.45	65.47	68.20	-2.73	H	PEAK	Pass	Band Edge







16	802.11ax HE20	100	16500.00	60.73	68.20	-7.47	H	PEAK	Pass	Harmonic
17	802.11ax HE20	116	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	116	16740.00	62.02	68.20	-6.18	H	PEAK	Pass	Harmonic
18	802.11ax HE20	140	5725.20	66.56	68.20	-1.64	H	PEAK	Pass	Band Edge
18	802.11ax HE20	140	17100.00	63.39	68.20	-4.81	H	PEAK	Pass	Harmonic
19	802.11n HT40	38	5149.98	52.42	54.00	-1.58	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	41.68	54.00	-12.32	H	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	5149.98	48.63	54.00	-5.37	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	15690.00	42.21	54.00	-11.79	H	AVERAGE	Pass	Harmonic
21	802.11n HT40	54	5087.62	47.80	54.00	-6.20	H	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	15810.00	42.39	54.00	-11.61	H	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5350.00	52.24	54.00	-1.76	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	15930.00	42.66	54.00	-11.34	H	AVERAGE	Pass	Harmonic
23	802.11n HT40	102	5469.13	66.32	68.20	-1.88	H	PEAK	Pass	Band Edge
23	802.11n HT40	102	16530.00	56.07	68.20	-12.13	H	PEAK	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	16650.00	57.72	68.20	-10.48	H	PEAK	Pass	Harmonic
25	802.11n HT40	134	5725.04	64.96	68.20	-3.24	H	PEAK	Pass	Band Edge
25	802.11n HT40	134	17010.00	59.98	68.20	-8.22	H	PEAK	Pass	Harmonic
26	802.11a	149	5639.20	57.09	68.20	-11.11	V	PEAK	Pass	Band Edge
26	802.11a	149	17235.00	62.99	68.20	-5.21	V	PEAK	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	17355.00	63.13	68.20	-5.07	H	PEAK	Pass	Harmonic
28	802.11a	165	5956.80	60.00	68.20	-8.20	H	PEAK	Pass	Band Edge
28	802.11a	165	17475.00	60.77	68.20	-7.43	H	PEAK	Pass	Harmonic
29	802.11ax HE20	149	5609.60	57.86	68.20	-10.34	H	PEAK	Pass	Band Edge
29	802.11ax HE20	149	17235.00	60.79	68.20	-7.41	H	PEAK	Pass	Harmonic
30	802.11ax HE20	157	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	157	17355.00	60.89	68.20	-7.31	H	PEAK	Pass	Harmonic
31	802.11ax HE20	165	5937.20	57.71	68.20	-10.49	H	PEAK	Pass	Band Edge
31	802.11ax HE20	165	17475.00	60.46	68.20	-7.74	H	PEAK	Pass	Harmonic
32	802.11n HT40	151	5638.60	58.89	68.20	-9.31	H	PEAK	Pass	Band Edge
32	802.11n HT40	151	17265.00	55.87	68.20	-12.33	H	PEAK	Pass	Harmonic
33	802.11n HT40	159	5967.20	57.64	68.20	-10.56	H	PEAK	Pass	Band Edge
33	802.11n HT40	159	17385.00	55.98	68.20	-12.22	H	PEAK	Pass	Harmonic
34	802.11a	144	-	-	-	-	-	-	-	Band Edge
34	802.11a	144	17160.00	62.90	68.20	-5.30	H	PEAK	Pass	Harmonic
35	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE20	144	17160.00	64.72	68.20	-3.48	V	PEAK	Pass	Harmonic
36	802.11n HT40	142	-	-	-	-	-	-	-	Band Edge
36	802.11n HT40	142	17130.00	57.58	68.20	-10.62	V	PEAK	Pass	Harmonic
37	802.11n HT20	36	5150.00	52.65	54.00	-1.35	H	AVERAGE	Pass	Band Edge
37	802.11n HT20	36	15540.00	42.73	54.00	-11.27	H	AVERAGE	Pass	Harmonic
38	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
38	802.11n HT20	44	15660.00	44.55	54.00	-9.45	H	AVERAGE	Pass	Harmonic
39	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge








39	802.11n HT20	48	15720.00	46.95	54.00	-7.05	H	AVERAGE	Pass	Harmonic
40	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
40	802.11n HT20	52	15780.00	47.47	54.00	-6.53	H	AVERAGE	Pass	Harmonic
41	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
41	802.11n HT20	60	15900.00	48.45	54.00	-5.55	H	AVERAGE	Pass	Harmonic
42	802.11n HT20	64	5350.00	52.20	54.00	-1.80	H	AVERAGE	Pass	Band Edge
42	802.11n HT20	64	15960.00	49.35	54.00	-4.65	H	AVERAGE	Pass	Harmonic
43	802.11n HT20	100	5466.89	65.08	68.20	-3.12	H	PEAK	Pass	Band Edge
43	802.11n HT20	100	16500.00	62.09	68.20	-6.11	H	PEAK	Pass	Harmonic
44	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
44	802.11n HT20	116	16740.00	63.60	68.20	-4.60	H	PEAK	Pass	Harmonic
45	802.11n HT20	140	5725.44	65.38	68.20	-2.82	H	PEAK	Pass	Band Edge
45	802.11n HT20	140	17100.00	63.30	68.20	-4.90	H	PEAK	Pass	Harmonic
46	802.11n HT20	149	5606.40	57.79	68.20	-10.41	H	PEAK	Pass	Band Edge
46	802.11n HT20	149	17235.00	64.28	68.20	-3.92	H	PEAK	Pass	Harmonic
47	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
47	802.11n HT20	157	17355.00	64.22	68.20	-3.98	H	PEAK	Pass	Harmonic
48	802.11n HT20	165	5954.61	58.15	68.20	-10.05	V	PEAK	Pass	Band Edge
48	802.11n HT20	165	17475.00	64.10	68.20	-4.10	H	PEAK	Pass	Harmonic
49	802.11n HT20	144	-	-	-	-	-	-	-	Band Edge
49	802.11n HT20	144	17160.00	64.20	68.20	-4.00	H	PEAK	Pass	Harmonic





Mode	1																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.85</td><td>65.92</td><td>74.00</td><td>-8.08</td><td>49.66</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.85	65.92	74.00	-8.08	49.66	34.10	12.03	29.87	0.00	100	286 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>111.68</td><td>-----</td><td>-----</td><td>95.28</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	111.68	-----	-----	95.28	34.22	12.06	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5149.85	65.92	74.00	-8.08	49.66	34.10	12.03	29.87	0.00	100	286 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5180.00	111.68	-----	-----	95.28	34.22	12.06	29.88	0.00	100	286 PEAK																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5149.99</td><td>52.33</td><td>54.00</td><td>-1.67</td><td>36.07</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>286 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5149.99	52.33	54.00	-1.67	36.07	34.10	12.03	29.87	0.00	100	286 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.54</td><td>-----</td><td>-----</td><td>86.12</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>286 AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5180.00	102.54	-----	-----	86.12	34.24	12.06	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5149.99	52.33	54.00	-1.67	36.07	34.10	12.03	29.87	0.00	100	286 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																													
1	5180.00	102.54	-----	-----	86.12	34.24	12.06	29.88	0.00	100	286 AVERAGE																																																																																																												



		1																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.75</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>43.87</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>342</td><td>14</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.75	60.13	74.00	-13.87	43.87	34.10	12.03	29.87	0.00	342	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.75	60.13	74.00	-13.87	43.87	34.10	12.03	29.87	0.00	342	14	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>104.04</td><td>-----</td><td>-----</td><td>87.62</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>342</td><td>14</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	104.04	-----	-----	87.62	34.24	12.06	29.88	0.00	342	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	104.04	-----	-----	87.62	34.24	12.06	29.88	0.00	342	14	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.95</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>30.61</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>342</td><td>14</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.95	46.87	54.00	-7.13	30.61	34.10	12.03	29.87	0.00	342	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.95	46.87	54.00	-7.13	30.61	34.10	12.03	29.87	0.00	342	14	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>94.72</td><td>-----</td><td>-----</td><td>78.30</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>342</td><td>14</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	94.72	-----	-----	78.30	34.24	12.06	29.88	0.00	342	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	94.72	-----	-----	78.30	34.24	12.06	29.88	0.00	342	14	AVERAGE																																											





Mode	2																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>53.96</td><td>68.20</td><td>-14.24</td><td>65.85</td><td>37.58</td><td>14.18</td><td>63.65</td><td>0.00</td><td>100</td><td>216 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.94</td><td>74.00</td><td>-19.06</td><td>61.05</td><td>40.32</td><td>17.58</td><td>64.01</td><td>0.00</td><td>100</td><td>107 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>50.10</td><td>40.32</td><td>17.58</td><td>64.01</td><td>0.00</td><td>100</td><td>107 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	53.96	68.20	-14.24	65.85	37.58	14.18	63.65	0.00	100	216 PEAK	2	15660.00	54.94	74.00	-19.06	61.05	40.32	17.58	64.01	0.00	100	107 PEAK	3	15660.00	43.99	54.00	-10.01	50.10	40.32	17.58	64.01	0.00	100	107 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	10440.00	53.96	68.20	-14.24	65.85	37.58	14.18	63.65	0.00	100	216 PEAK																																																																						
2	15660.00	54.94	74.00	-19.06	61.05	40.32	17.58	64.01	0.00	100	107 PEAK																																																																						
3	15660.00	43.99	54.00	-10.01	50.10	40.32	17.58	64.01	0.00	100	107 AVERAGE																																																																						
Vertical																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>60.21</td><td>68.20</td><td>-7.99</td><td>72.10</td><td>37.58</td><td>14.18</td><td>63.65</td><td>0.00</td><td>100</td><td>88 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.02</td><td>74.00</td><td>-19.98</td><td>60.13</td><td>40.32</td><td>17.58</td><td>64.01</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>49.27</td><td>40.32</td><td>17.58</td><td>64.01</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	60.21	68.20	-7.99	72.10	37.58	14.18	63.65	0.00	100	88 PEAK	2	15660.00	54.02	74.00	-19.98	60.13	40.32	17.58	64.01	0.00	100	239 PEAK	3	15660.00	43.16	54.00	-10.84	49.27	40.32	17.58	64.01	0.00	100	239 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	10440.00	60.21	68.20	-7.99	72.10	37.58	14.18	63.65	0.00	100	88 PEAK																																																																						
2	15660.00	54.02	74.00	-19.98	60.13	40.32	17.58	64.01	0.00	100	239 PEAK																																																																						
3	15660.00	43.16	54.00	-10.84	49.27	40.32	17.58	64.01	0.00	100	239 AVERAGE																																																																						



		3																																																																																																																																																																	
Mode		Harmonic																																																																																																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10400.00</td><td>57.55</td><td>68.20</td><td>-10.65</td><td>70.99</td><td>37.66</td><td>14.21</td><td>65.31</td><td>0.00</td><td>100</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>54.90</td><td>74.00</td><td>-19.10</td><td>61.21</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>149</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.38</td><td>54.00</td><td>-10.62</td><td>49.69</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>149</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10400.00	57.55	68.20	-10.65	70.99	37.66	14.21	65.31	0.00	100	140	PEAK	2	15720.00	54.90	74.00	-19.10	61.21	40.44	17.61	64.36	0.00	100	149	PEAK	3	15720.00	43.38	54.00	-10.62	49.69	40.44	17.61	64.36	0.00	100	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10400.00</td><td>59.92</td><td>68.20</td><td>-8.28</td><td>73.36</td><td>37.66</td><td>14.21</td><td>65.31</td><td>0.00</td><td>109</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>54.84</td><td>74.00</td><td>-19.16</td><td>61.15</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>74</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>43.90</td><td>54.00</td><td>-10.10</td><td>50.21</td><td>40.44</td><td>17.61</td><td>64.36</td><td>0.00</td><td>100</td><td>74</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	10400.00	59.92	68.20	-8.28	73.36	37.66	14.21	65.31	0.00	109	88	PEAK	2	15720.00	54.84	74.00	-19.16	61.15	40.44	17.61	64.36	0.00	100	74	PEAK	3	15720.00	43.90	54.00	-10.10	50.21	40.44	17.61	64.36	0.00	100	74
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																										
1	10400.00	57.55	68.20	-10.65	70.99	37.66	14.21	65.31	0.00	100	140	PEAK																																																																																																																																																							
2	15720.00	54.90	74.00	-19.10	61.21	40.44	17.61	64.36	0.00	100	149	PEAK																																																																																																																																																							
3	15720.00	43.38	54.00	-10.62	49.69	40.44	17.61	64.36	0.00	100	149	AVERAGE																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																																										
1	10400.00	59.92	68.20	-8.28	73.36	37.66	14.21	65.31	0.00	109	88	PEAK																																																																																																																																																							
2	15720.00	54.84	74.00	-19.16	61.15	40.44	17.61	64.36	0.00	100	74	PEAK																																																																																																																																																							
3	15720.00	43.90	54.00	-10.10	50.21	40.44	17.61	64.36	0.00	100	74	AVERAGE																																																																																																																																																							



4

Mode


Harmonic

U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz


Pol.

Horizontal

Vertical



Peak
Avg

		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10520.00	56.91	68.20	-11.29	70.19	37.74	14.24	65.26	0.00	100	141 PEAK
2	15780.00	55.43	74.00	-18.57	61.61	40.56	17.64	64.38	0.00	100	145 PEAK
3	15780.00	45.34	54.00	-8.66	51.51	40.57	17.64	64.38	0.00	100	145 AVERAGE



		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10520.00	59.58	68.20	-8.62	72.86	37.74	14.24	65.26	0.00	105	88 PEAK
2	15780.00	53.89	74.00	-20.11	60.07	40.56	17.64	64.38	0.00	100	252 PEAK
3	15780.00	43.17	54.00	-10.83	49.34	40.57	17.64	64.38	0.00	100	252 AVERAGE



Mode	5																																																																																													
	Harmonic																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>56.19</td><td>74.00</td><td>-17.81</td><td>69.17</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>174</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.27</td><td>54.00</td><td>-7.73</td><td>59.25</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>174</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>55.83</td><td>74.00</td><td>-18.17</td><td>61.65</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>50.61</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	56.19	74.00	-17.81	69.17	37.90	14.29	65.17	0.00	100	174	PEAK	2	10600.00	46.27	54.00	-7.73	59.25	37.90	14.29	65.17	0.00	100	174	AVERAGE	3	15900.00	55.83	74.00	-18.17	61.65	40.90	17.70	64.42	0.00	100	109	PEAK	4	15900.00	44.80	54.00	-9.20	50.61	40.91	17.70	64.42	0.00	100	109	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	10600.00	56.19	74.00	-17.81	69.17	37.90	14.29	65.17	0.00	100	174	PEAK																																																																																		
2	10600.00	46.27	54.00	-7.73	59.25	37.90	14.29	65.17	0.00	100	174	AVERAGE																																																																																		
3	15900.00	55.83	74.00	-18.17	61.65	40.90	17.70	64.42	0.00	100	109	PEAK																																																																																		
4	15900.00	44.80	54.00	-9.20	50.61	40.91	17.70	64.42	0.00	100	109	AVERAGE																																																																																		
																																																																																														
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>57.56</td><td>74.00</td><td>-16.44</td><td>70.54</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>46.30</td><td>54.00</td><td>-7.70</td><td>59.28</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>91</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>57.13</td><td>74.00</td><td>-16.87</td><td>62.95</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>251</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>51.83</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>251</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	57.56	74.00	-16.44	70.54	37.90	14.29	65.17	0.00	100	91	PEAK	2	10600.00	46.30	54.00	-7.70	59.28	37.90	14.29	65.17	0.00	100	91	AVERAGE	3	15900.00	57.13	74.00	-16.87	62.95	40.90	17.70	64.42	0.00	100	251	PEAK	4	15900.00	46.02	54.00	-7.98	51.83	40.91	17.70	64.42	0.00	100	251	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	10600.00	57.56	74.00	-16.44	70.54	37.90	14.29	65.17	0.00	100	91	PEAK																																																																																		
2	10600.00	46.30	54.00	-7.70	59.28	37.90	14.29	65.17	0.00	100	91	AVERAGE																																																																																		
3	15900.00	57.13	74.00	-16.87	62.95	40.90	17.70	64.42	0.00	100	251	PEAK																																																																																		
4	15900.00	46.02	54.00	-7.98	51.83	40.91	17.70	64.42	0.00	100	251	AVERAGE																																																																																		



6

Mode

Band Edge


U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz

Pol.


Horizontal

Fundamental

Peak




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 5350.15	66.05	74.00	-7.95	49.28	34.40	12.21	29.84	0.00
								100
								296
								PEAK




Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 5320.00	113.84	-----	-----	97.15	34.40	12.18	29.89	0.00
								100
								296
								PEAK

Avg



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 5350.00	52.49	54.00	-1.51	35.73	34.40	12.20	29.84	0.00
								100
								296
								AVERAGE



Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB
1 5320.00	105.00	-----	-----	88.31	34.40	12.18	29.89	0.00
								100
								296
								AVERAGE



6

Mode

Band Edge


U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz

Pol.


Vertical

Fundamental

Peak




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5350.05	56.05	74.00	-17.95	39.28	34.40	12.21	29.84	0.00	366
										16 PEAK




Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5320.00	105.89	-----	-----	89.22	34.40	12.17	29.90	0.00	366
										16 PEAK

Avg



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5350.00	45.65	54.00	-8.35	28.89	34.40	12.20	29.84	0.00	366
										16 AVERAGE



Freq	Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
	Level	Line Margin	Level	Factor	Loss	Factor	Factor			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg
1	5320.00	97.52	-----	-----	80.85	34.40	12.17	29.90	0.00	366
										16 AVERAGE



6

Mode


Harmonic

U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz


Pol.

Horizontal

Vertical

Peak
Avg

		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	7093.16	43.04	68.20	-25.16	60.26	35.60	11.56	64.38	0.00	---	---	PEAK
2	10640.00	52.58	74.00	-21.42	63.56	37.86	14.32	63.16	0.00	100	211	PEAK
3	10640.00	41.61	54.00	-12.39	52.59	37.86	14.32	63.16	0.00	100	211	AVERAGE
4	15960.00	56.95	74.00	-17.05	62.43	41.02	17.73	64.23	0.00	100	210	PEAK
5	15960.00	45.71	54.00	-8.29	51.19	41.02	17.73	64.23	0.00	100	210	AVERAGE



		Limit		Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		
1	7093.16	41.65	68.20	-26.55	58.87	35.60	11.56	64.38	0.00	---	---	PEAK
2	10640.00	57.28	74.00	-16.72	68.26	37.86	14.32	63.16	0.00	100	93	PEAK
3	10640.00	46.51	54.00	-7.49	57.49	37.86	14.32	63.16	0.00	100	93	AVERAGE
4	15960.00	52.56	74.00	-21.44	58.04	41.02	17.73	64.23	0.00	100	119	PEAK
5	15960.00	41.09	54.00	-12.91	46.57	41.02	17.73	64.23	0.00	100	119	AVERAGE



7

Mode

Band Edge


U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz

Pol.


Horizontal

Fundamental

Peak




Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 5443.53	59.88	74.00	-14.12	42.82	34.60	12.31	29.85	0.00	100	291 PEAK
2 5468.01	67.06	68.20	-1.14	50.05	34.56	12.34	29.89	0.00	100	291 PEAK




Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 5500.00	112.54	-----	95.58	34.52	12.37	29.93	0.00	100	291	PEAK

Avg



Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 5459.69	48.33	54.00	-5.67	31.30	34.58	12.33	29.88	0.00	100	291 AVERAGE



Freq	Level	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark
		Line Margin								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 5500.00	103.10	-----	86.14	34.52	12.37	29.93	0.00	100	291	AVERAGE



7

Mode

Band Edge


U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz

Pol.


Vertical

Fundamental

Peak




		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5450.70	55.95	74.00	-18.05	38.89	34.60	12.32	29.86	0.00	399	18 PEAK
2	5469.77	58.42	68.20	-9.78	41.41	34.56	12.34	29.89	0.00	399	18 PEAK




	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5500.00	106.56	-----	-----	89.60	34.50	12.39	29.93	0.00	399	18 PEAK

Avg



		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5459.53	45.88	54.00	-8.12	28.85	34.58	12.33	29.88	0.00	399	18 AVERAGE



	Limit			Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	5500.00	97.77	-----	-----	80.81	34.50	12.39	29.93	0.00	399	18 AVERAGE



7

Mode


Harmonic

U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz


Pol.

Horizontal


Vertical

Peak
Avg

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 7333.15	46.49	74.00	-27.51	59.87	35.70	11.70	60.78	0.00	---	--- PEAK
2 11000.00	53.91	74.00	-20.09	62.57	38.00	14.56	61.22	0.00	100	121 PEAK
3 11000.00	42.03	54.00	-11.97	50.69	38.00	14.56	61.22	0.00	100	121 AVERAGE
4 16500.00	65.10	68.20	-3.10	65.10	41.30	17.98	59.28	0.00	100	116 PEAK



	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1 7333.15	44.20	74.00	-29.80	57.58	35.70	11.70	60.78	0.00	---	--- PEAK
2 11000.00	56.53	74.00	-17.47	65.19	38.00	14.56	61.22	0.00	102	88 PEAK
3 11000.00	45.34	54.00	-8.66	54.00	38.00	14.56	61.22	0.00	102	88 AVERAGE
4 16500.00	63.75	68.20	-4.45	63.73	41.31	17.99	59.28	0.00	100	234 PEAK





8

Mode


Harmonic

U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz


Pol.

Horizontal

Vertical




Peak
Avg

	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	7440.00	47.32	74.00	-26.68	65.42	35.70	11.77	65.57	0.00	---
2	11160.00	53.69	74.00	-20.31	65.52	38.00	14.68	64.51	0.00	100
3	11160.00	43.30	54.00	-10.70	55.13	38.00	14.68	64.51	0.00	100
4	16740.00	61.84	68.20	-6.36	66.84	41.34	18.09	64.43	0.00	100






	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg
1	11160.00	57.45	74.00	-16.55	69.28	38.00	14.68	64.51	0.00	119
2	11160.00	47.55	54.00	-6.45	59.38	38.00	14.68	64.51	0.00	119
3	16740.00	60.89	68.20	-7.31	65.89	41.34	18.09	64.43	0.00	100




Mode	9																																																							
	Band Edge																																																							
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.48</td><td>64.08</td><td>68.20</td><td>-4.12</td><td>46.68</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>112</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.48	64.08	68.20	-4.12	46.68	34.65	12.68	29.93	0.00	112	294	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>111.65</td><td>-----</td><td>-----</td><td>94.40</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>112</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	111.65	-----	-----	94.40	34.60	12.64	29.99	0.00	112	294	PEAK																																												
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>102.82</td><td>-----</td><td>-----</td><td>85.56</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>112</td><td>294</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5700.00	102.82	-----	-----	85.56	34.60	12.63	29.97	0.00	112	294	AVERAGE																																												







Mode	9																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.44</td><td>57.86</td><td>68.20</td><td>-10.34</td><td>40.46</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>105.31</td><td>-----</td><td>-----</td><td>88.06</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>393</td><td>20</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5727.44	57.86	68.20	-10.34	40.46	34.65	12.68	29.93	0.00	393	20	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	105.31	-----	-----	88.06	34.60	12.64	29.99	0.00	393	20	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.44</td><td>-----</td><td>-----</td><td>79.18</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>393</td><td>20</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	96.44	-----	-----	79.18	34.60	12.63	29.97	0.00	393	20	AVERAGE																																																																																							







Mode	9																																																																																																
	Harmonic																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																
Pol.	Horizontal																																																																																																
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>63.09</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>53.00</td><td>74.00</td><td>-21.00</td><td>64.28</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>43.33</td><td>54.00</td><td>-10.67</td><td>54.61</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>100</td><td>107</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>64.27</td><td>68.20</td><td>-3.93</td><td>69.32</td><td>41.00</td><td>18.28</td><td>64.33</td><td>0.00</td><td>100</td><td>105</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK	3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE	4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	7599.81	44.82	74.00	-29.18	63.09	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																					
2	11400.00	53.00	74.00	-21.00	64.28	38.10	14.85	64.23	0.00	100	107	PEAK																																																																																					
3	11400.00	43.33	54.00	-10.67	54.61	38.10	14.85	64.23	0.00	100	107	AVERAGE																																																																																					
4	17100.00	64.27	68.20	-3.93	69.32	41.00	18.28	64.33	0.00	100	105	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>60.25</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>70.05</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>58.08</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>68.33</td><td>41.01</td><td>18.27</td><td>64.33</td><td>0.00</td><td>100</td><td>32</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK	3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE	4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																					
2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK																																																																																					
3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE																																																																																					
4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK																																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7599.81</td><td>41.98</td><td>74.00</td><td>-32.02</td><td>60.25</td><td>35.70</td><td>11.95</td><td>65.92</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>58.77</td><td>74.00</td><td>-15.23</td><td>70.05</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>11400.00</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>58.08</td><td>38.10</td><td>14.85</td><td>64.23</td><td>0.00</td><td>120</td><td>87</td><td>AVERAGE</td></tr><tr><td>4</td><td>17100.00</td><td>63.28</td><td>68.20</td><td>-4.92</td><td>68.33</td><td>41.01</td><td>18.27</td><td>64.33</td><td>0.00</td><td>100</td><td>32</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK	2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK	3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE	4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	7599.81	41.98	74.00	-32.02	60.25	35.70	11.95	65.92	0.00	---	---	PEAK																																																																																					
2	11400.00	58.77	74.00	-15.23	70.05	38.10	14.85	64.23	0.00	120	87	PEAK																																																																																					
3	11400.00	46.80	54.00	-7.20	58.08	38.10	14.85	64.23	0.00	120	87	AVERAGE																																																																																					
4	17100.00	63.28	68.20	-4.92	68.33	41.01	18.27	64.33	0.00	100	32	PEAK																																																																																					





Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.85</td><td>64.66</td><td>74.00</td><td>-9.34</td><td>48.40</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.85	64.66	74.00	-9.34	48.40	34.10	12.03	29.87	0.00	106	292	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>112.06</td><td>-----</td><td>-----</td><td>95.64</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	112.06	-----	-----	95.64	34.24	12.06	29.88	0.00	106	292	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.99</td><td>52.48</td><td>54.00</td><td>-1.52</td><td>36.22</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.99	52.48	54.00	-1.52	36.22	34.10	12.03	29.87	0.00	106	292	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.85</td><td>-----</td><td>-----</td><td>85.43</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>106</td><td>292</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	101.85	-----	-----	85.43	34.24	12.06	29.88	0.00	106	292	AVERAGE																																											



Mode	10																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5122.45</td><td>58.61</td><td>74.00</td><td>-15.39</td><td>42.24</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5122.45	58.61	74.00	-15.39	42.24	34.21	12.02	29.86	0.00	385	15	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>102.47</td><td>-----</td><td>-----</td><td>86.05</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	102.47	-----	-----	86.05	34.24	12.06	29.88	0.00	385	15	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.75</td><td>46.97</td><td>54.00</td><td>-7.03</td><td>30.71</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.75	46.97	54.00	-7.03	30.71	34.10	12.03	29.87	0.00	385	15	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.32</td><td>-----</td><td>-----</td><td>76.90</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>385</td><td>15</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	93.32	-----	-----	76.90	34.24	12.06	29.88	0.00	385	15	AVERAGE																																											





Mode	10																																																																																			
	Harmonic																																																																																			
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																			
Pol.	Horizontal																																																																																			
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>55.92</td><td>68.20</td><td>-12.28</td><td>69.82</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>100</td><td>168</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>60.71</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.58</td><td>54.00</td><td>-10.42</td><td>50.29</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>100</td><td>148</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK	2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK	3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10360.00	55.92	68.20	-12.28	69.82	37.42	14.13	65.45	0.00	100	168	PEAK																																																																								
2	15540.00	54.01	74.00	-19.99	60.71	40.08	17.52	64.30	0.00	100	148	PEAK																																																																								
3	15540.00	43.58	54.00	-10.42	50.29	40.08	17.51	64.30	0.00	100	148	AVERAGE																																																																								
Vertical																																																																																				
																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>59.63</td><td>68.20</td><td>-8.57</td><td>73.53</td><td>37.42</td><td>14.13</td><td>65.45</td><td>0.00</td><td>109</td><td>88</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>53.97</td><td>74.00</td><td>-20.03</td><td>60.67</td><td>40.08</td><td>17.52</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>43.80</td><td>54.00</td><td>-10.20</td><td>50.51</td><td>40.08</td><td>17.51</td><td>64.30</td><td>0.00</td><td>104</td><td>251</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK	2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK	3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																									
1	10360.00	59.63	68.20	-8.57	73.53	37.42	14.13	65.45	0.00	109	88	PEAK																																																																								
2	15540.00	53.97	74.00	-20.03	60.67	40.08	17.52	64.30	0.00	104	251	PEAK																																																																								
3	15540.00	43.80	54.00	-10.20	50.51	40.08	17.51	64.30	0.00	104	251	AVERAGE																																																																								



		11																																																																																																																																																																		
Mode		Harmonic																																																																																																																																																																		
		U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																																																		
Pol.		Horizontal											Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																				
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10441.53</td><td>50.95</td><td>68.20</td><td>-17.25</td><td>59.46</td><td>37.54</td><td>17.61</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>54.16</td><td>74.00</td><td>-19.84</td><td>56.27</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>43.57</td><td>54.00</td><td>-10.43</td><td>45.68</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	--	PEAK	2	15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244	PEAK	3	15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10443.73</td><td>47.07</td><td>68.20</td><td>-21.13</td><td>55.57</td><td>37.54</td><td>17.62</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>45.96</td><td>74.00</td><td>-28.04</td><td>48.07</td><td>40.16</td><td>21.74</td><td>64.01</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	--	PEAK	2	15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	--	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																									
1	10441.53	50.95	68.20	-17.25	59.46	37.54	17.61	63.66	0.00	--	--	PEAK																																																																																																																																																								
2	15660.00	54.16	74.00	-19.84	56.27	40.16	21.74	64.01	0.00	100	244	PEAK																																																																																																																																																								
3	15660.00	43.57	54.00	-10.43	45.68	40.16	21.74	64.01	0.00	100	244	AVERAGE																																																																																																																																																								
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																									
1	10443.73	47.07	68.20	-21.13	55.57	37.54	17.62	63.66	0.00	--	--	PEAK																																																																																																																																																								
2	15660.00	45.96	74.00	-28.04	48.07	40.16	21.74	64.01	0.00	--	--	PEAK																																																																																																																																																								



		12																																																																																																																																																									
Mode		Harmonic																																																																																																																																																									
		U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																																																									
Pol.		Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10401.13</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>58.41</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>56.15</td><td>74.00</td><td>-17.85</td><td>58.15</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>46.98</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>101</td><td>243 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK	3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10402.60</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>56.40</td><td>37.58</td><td>17.65</td><td>63.73</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>52.41</td><td>74.00</td><td>-21.59</td><td>54.41</td><td>40.26</td><td>21.79</td><td>64.05</td><td>0.00</td><td>347</td><td>248 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>41.44</td><td>54.00</td><td>-12.56</td><td>43.43</td><td>40.27</td><td>21.80</td><td>64.06</td><td>0.00</td><td>347</td><td>248 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK	2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK	3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10401.13	49.91	68.20	-18.29	58.41	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	56.15	74.00	-17.85	58.15	40.26	21.79	64.05	0.00	101	243 PEAK																																																																																																																																																
3	15720.00	44.98	54.00	-9.02	46.98	40.26	21.79	64.05	0.00	101	243 AVERAGE																																																																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																	
1	10402.60	47.90	68.20	-20.30	56.40	37.58	17.65	63.73	0.00	--	PEAK																																																																																																																																																
2	15720.00	52.41	74.00	-21.59	54.41	40.26	21.79	64.05	0.00	347	248 PEAK																																																																																																																																																
3	15720.00	41.44	54.00	-12.56	43.43	40.27	21.80	64.06	0.00	347	248 AVERAGE																																																																																																																																																







Mode	13																																																																																								
	Harmonic																																																																																								
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																								
Pol.	Horizontal											Vertical																																																																													
Peak Avg																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10522.93</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>57.47</td><td>37.60</td><td>17.69</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>58.04</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>47.05</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	--	PEAK	2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244	PEAK	3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244	AVERAGE
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	--	PEAK																																																																													
2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244	PEAK																																																																													
3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244	AVERAGE																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10522.93</td><td>49.10</td><td>68.20</td><td>-19.10</td><td>57.47</td><td>37.60</td><td>17.69</td><td>63.66</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>56.22</td><td>74.00</td><td>-17.78</td><td>58.04</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>45.23</td><td>54.00</td><td>-8.77</td><td>47.05</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>100</td><td>244</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	--	PEAK	2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244	PEAK	3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	10522.93	49.10	68.20	-19.10	57.47	37.60	17.69	63.66	0.00	--	--	PEAK																																																																													
2	15780.00	56.22	74.00	-17.78	58.04	40.44	21.84	64.10	0.00	100	244	PEAK																																																																													
3	15780.00	45.23	54.00	-8.77	47.05	40.44	21.84	64.10	0.00	100	244	AVERAGE																																																																													
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>48.58</td><td>68.20</td><td>-19.62</td><td>56.96</td><td>37.60</td><td>17.69</td><td>63.67</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>55.42</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334</td><td>255</td><td>PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>45.08</td><td>40.44</td><td>21.84</td><td>64.10</td><td>0.00</td><td>334</td><td>255</td><td>AVERAGE</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	--	--	PEAK	2	15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334	255	PEAK	3	15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334	255	AVERAGE	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	10520.00	48.58	68.20	-19.62	56.96	37.60	17.69	63.67	0.00	--	--	PEAK																																																																													
2	15780.00	53.60	74.00	-20.40	55.42	40.44	21.84	64.10	0.00	334	255	PEAK																																																																													
3	15780.00	43.26	54.00	-10.74	45.08	40.44	21.84	64.10	0.00	334	255	AVERAGE																																																																													







Mode	14																																																																																																																																																																																																																				
	Harmonic																																																																																																																																																																																																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																																																																																																																																				
Pol.	Horizontal											Vertical																																																																																																																																																																																																									
Peak Avg																																																																																																																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7066.49</td><td>43.55</td><td>68.20</td><td>-24.65</td><td>60.83</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>56.55</td><td>74.00</td><td>-17.45</td><td>69.53</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>45.56</td><td>54.00</td><td>-8.44</td><td>58.54</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>100</td><td>172</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>59.83</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>43.86</td><td>54.00</td><td>-10.14</td><td>49.67</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>109</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK	3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE	4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK	5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7066.49</td><td>44.12</td><td>68.20</td><td>-24.08</td><td>61.40</td><td>35.60</td><td>11.54</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>71.05</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>10600.00</td><td>46.09</td><td>54.00</td><td>-7.91</td><td>59.07</td><td>37.90</td><td>14.29</td><td>65.17</td><td>0.00</td><td>116</td><td>89</td><td>AVERAGE</td></tr><tr><td>4</td><td>15900.00</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>58.53</td><td>40.90</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>PEAK</td></tr><tr><td>5</td><td>15900.00</td><td>42.07</td><td>54.00</td><td>-11.93</td><td>47.88</td><td>40.91</td><td>17.70</td><td>64.42</td><td>0.00</td><td>100</td><td>253</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK	2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK	3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE	4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK	5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	7066.49	43.55	68.20	-24.65	60.83	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																																																																																																																									
2	10600.00	56.55	74.00	-17.45	69.53	37.90	14.29	65.17	0.00	100	172	PEAK																																																																																																																																																																																																									
3	10600.00	45.56	54.00	-8.44	58.54	37.90	14.29	65.17	0.00	100	172	AVERAGE																																																																																																																																																																																																									
4	15900.00	54.01	74.00	-19.99	59.83	40.90	17.70	64.42	0.00	100	109	PEAK																																																																																																																																																																																																									
5	15900.00	43.86	54.00	-10.14	49.67	40.91	17.70	64.42	0.00	100	109	AVERAGE																																																																																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																											
1	7066.49	44.12	68.20	-24.08	61.40	35.60	11.54	64.42	0.00	--	--	PEAK																																																																																																																																																																																																									
2	10600.00	58.07	74.00	-15.93	71.05	37.90	14.29	65.17	0.00	116	89	PEAK																																																																																																																																																																																																									
3	10600.00	46.09	54.00	-7.91	59.07	37.90	14.29	65.17	0.00	116	89	AVERAGE																																																																																																																																																																																																									
4	15900.00	52.71	74.00	-21.29	58.53	40.90	17.70	64.42	0.00	100	253	PEAK																																																																																																																																																																																																									
5	15900.00	42.07	54.00	-11.93	47.88	40.91	17.70	64.42	0.00	100	253	AVERAGE																																																																																																																																																																																																									





		15																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																													
Pol.	Horizontal												Fundamental																																																																																																		
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.55</td><td>64.24</td><td>74.00</td><td>-9.76</td><td>47.47</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>113.25</td><td>-----</td><td>-----</td><td>96.58</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.55	64.24	74.00	-9.76	47.47	34.40	12.21	29.84	0.00	100	294	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	113.25	-----	-----	96.58	34.40	12.17	29.90	0.00	100	294	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.05</td><td>52.06</td><td>54.00</td><td>-1.94</td><td>35.29</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.96</td><td>-----</td><td>-----</td><td>87.29</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>294</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.05	52.06	54.00	-1.94	35.29	34.40	12.21	29.84	0.00	100	294	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	103.96	-----	-----	87.29	34.40	12.17	29.90	0.00	100	294	AVERAGE																																																																																																			



		15																																																				
Mode		Band Edge																																																				
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																				
Pol.		Vertical					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.55</td><td>55.96</td><td>74.00</td><td>-18.04</td><td>38.92</td><td>34.58</td><td>12.25</td><td>29.79</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5394.55	55.96	74.00	-18.04	38.92	34.58	12.25	29.79	0.00	366	14	PEAK																																										
Fundamental																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>104.96</td><td>-----</td><td>-----</td><td>88.27</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>366</td><td>14</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	104.96	-----	-----	88.27	34.40	12.18	29.89	0.00	366	14	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.25</td><td>45.79</td><td>54.00</td><td>-8.21</td><td>29.02</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.25	45.79	54.00	-8.21	29.02	34.40	12.21	29.84	0.00	366	14	AVERAGE																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.33</td><td>-----</td><td>-----</td><td>79.66</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>366</td><td>14</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5320.00	96.33	-----	-----	79.66	34.40	12.17	29.90	0.00	366	14	AVERAGE																																										







Mode	15																																																																																																																																																																																																		
	Harmonic																																																																																																																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																																																																																																																																		
Pol.	Horizontal											Vertical																																																																																																																																																																																							
Peak Avg																																																																																																																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>44.30</td><td>68.20</td><td>-23.90</td><td>61.65</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>52.97</td><td>74.00</td><td>-21.03</td><td>65.91</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>42.62</td><td>54.00</td><td>-11.38</td><td>55.56</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>300</td><td>165</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>56.92</td><td>74.00</td><td>-17.08</td><td>62.61</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>45.50</td><td>54.00</td><td>-8.50</td><td>51.19</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>100</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK	3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE	4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK	5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>7093.16</td><td>43.11</td><td>68.20</td><td>-25.09</td><td>60.46</td><td>35.60</td><td>11.56</td><td>64.51</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>55.57</td><td>74.00</td><td>-18.43</td><td>68.51</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>10640.00</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>57.66</td><td>37.86</td><td>14.32</td><td>65.12</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>4</td><td>15960.00</td><td>54.48</td><td>74.00</td><td>-19.52</td><td>60.17</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>PEAK</td></tr><tr><td>5</td><td>15960.00</td><td>44.57</td><td>54.00</td><td>-9.43</td><td>50.26</td><td>41.02</td><td>17.73</td><td>64.44</td><td>0.00</td><td>100</td><td>252</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK	2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK	3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE	4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK	5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																									
1	7093.16	44.30	68.20	-23.90	61.65	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																																							
2	10640.00	52.97	74.00	-21.03	65.91	37.86	14.32	65.12	0.00	300	165	PEAK																																																																																																																																																																																							
3	10640.00	42.62	54.00	-11.38	55.56	37.86	14.32	65.12	0.00	300	165	AVERAGE																																																																																																																																																																																							
4	15960.00	56.92	74.00	-17.08	62.61	41.02	17.73	64.44	0.00	100	100	PEAK																																																																																																																																																																																							
5	15960.00	45.50	54.00	-8.50	51.19	41.02	17.73	64.44	0.00	100	100	AVERAGE																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																									
1	7093.16	43.11	68.20	-25.09	60.46	35.60	11.56	64.51	0.00	---	---	PEAK																																																																																																																																																																																							
2	10640.00	55.57	74.00	-18.43	68.51	37.86	14.32	65.12	0.00	100	88	PEAK																																																																																																																																																																																							
3	10640.00	44.72	54.00	-9.28	57.66	37.86	14.32	65.12	0.00	100	88	AVERAGE																																																																																																																																																																																							
4	15960.00	54.48	74.00	-19.52	60.17	41.02	17.73	64.44	0.00	100	252	PEAK																																																																																																																																																																																							
5	15960.00	44.57	54.00	-9.43	50.26	41.02	17.73	64.44	0.00	100	252	AVERAGE																																																																																																																																																																																							



		16									
Mode	Band Edge										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz										
Pol.	Fundamental										
Peak	Horizontal										
	Fundamental										
Avg	Horizontal										
	Fundamental										

Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5456.17</td><td>57.39</td><td>74.00</td><td>-16.61</td><td>40.34</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>102</td><td>293 PEAK</td></tr><tr><td>2</td><td>5469.45</td><td>65.47</td><td>68.20</td><td>-2.73</td><td>48.46</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>102</td><td>293 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293 PEAK	2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
	1	5456.17	57.39	74.00	-16.61	40.34	34.59	12.33	29.87	0.00	102	293 PEAK																																																												
	2	5469.45	65.47	68.20	-2.73	48.46	34.56	12.34	29.89	0.00	102	293 PEAK																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>112.27</td><td>-----</td><td>-----</td><td>95.32</td><td>34.51</td><td>12.38</td><td>29.94</td><td>0.00</td><td>102</td><td>293 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	112.27	-----	-----	95.32	34.51	12.38	29.94	0.00	102	293 PEAK												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5500.00	112.27	-----	-----	95.32	34.51	12.38	29.94	0.00	102	293 PEAK																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5459.85</td><td>49.54</td><td>54.00</td><td>-4.46</td><td>32.51</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>102</td><td>293 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5459.85	49.54	54.00	-4.46	32.51	34.58	12.33	29.88	0.00	102	293 AVERAGE																																																													
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5500.00</td><td>102.91</td><td>-----</td><td>-----</td><td>85.95</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>102</td><td>293 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5500.00	102.91	-----	-----	85.95	34.52	12.37	29.93	0.00	102	293 AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	5500.00	102.91	-----	-----	85.95	34.52	12.37	29.93	0.00	102	293 AVERAGE																																																													





Mode	16																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.65</td><td>55.65</td><td>74.00</td><td>-18.35</td><td>38.59</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr><tr><td>2</td><td>5467.21</td><td>59.12</td><td>68.20</td><td>-9.08</td><td>42.10</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK	2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>106.96</td><td>-----</td><td>-----</td><td>90.00</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5416.65	55.65	74.00	-18.35	38.59	34.60	12.27	29.81	0.00	399	19	PEAK																																																																																																																		
2	5467.21	59.12	68.20	-9.08	42.10	34.57	12.34	29.89	0.00	399	19	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5500.00	106.96	-----	-----	90.00	34.50	12.39	29.93	0.00	399	19	PEAK																																																																																																																		
Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.69</td><td>46.20</td><td>54.00</td><td>-7.80</td><td>29.17</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>399</td><td>19</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.69	46.20	54.00	-7.80	29.17	34.58	12.33	29.88	0.00	399	19	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.99</td><td>-----</td><td>-----</td><td>80.03</td><td>34.50</td><td>12.39</td><td>29.93</td><td>0.00</td><td>399</td><td>19</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.99	-----	-----	80.03	34.50	12.39	29.93	0.00	399	19	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5459.69	46.20	54.00	-7.80	29.17	34.58	12.33	29.88	0.00	399	19	AVERAGE																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5500.00	96.99	-----	-----	80.03	34.50	12.39	29.93	0.00	399	19	AVERAGE																																																																																																																		






Mode	16																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>61.44</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>52.59</td><td>74.00</td><td>-21.41</td><td>64.73</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>42.33</td><td>54.00</td><td>-11.67</td><td>54.47</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>105</td><td>192</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>60.73</td><td>68.20</td><td>-7.47</td><td>65.89</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>118</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK	3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE	4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	43.60	74.00	-30.40	61.44	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	52.59	74.00	-21.41	64.73	38.00	14.56	64.70	0.00	105	192	PEAK																																																																																				
3	11000.00	42.33	54.00	-11.67	54.47	38.00	14.56	64.70	0.00	105	192	AVERAGE																																																																																				
4	16500.00	60.73	68.20	-7.47	65.89	41.30	17.98	64.44	0.00	100	118	PEAK																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7333.15</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>60.46</td><td>35.70</td><td>11.70</td><td>65.24</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>54.88</td><td>74.00</td><td>-19.12</td><td>67.02</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>88</td><td>PEAK</td></tr><tr><td>3</td><td>11000.00</td><td>44.09</td><td>54.00</td><td>-9.91</td><td>56.23</td><td>38.00</td><td>14.56</td><td>64.70</td><td>0.00</td><td>100</td><td>88</td><td>AVERAGE</td></tr><tr><td>4</td><td>16500.00</td><td>58.06</td><td>68.20</td><td>-10.14</td><td>63.22</td><td>41.30</td><td>17.98</td><td>64.44</td><td>0.00</td><td>100</td><td>217</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7333.15	42.62	74.00	-31.38	60.46	35.70	11.70	65.24	0.00	---	---	PEAK	2	11000.00	54.88	74.00	-19.12	67.02	38.00	14.56	64.70	0.00	100	88	PEAK	3	11000.00	44.09	54.00	-9.91	56.23	38.00	14.56	64.70	0.00	100	88	AVERAGE	4	16500.00	58.06	68.20	-10.14	63.22	41.30	17.98	64.44	0.00	100	217	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7333.15	42.62	74.00	-31.38	60.46	35.70	11.70	65.24	0.00	---	---	PEAK																																																																																				
2	11000.00	54.88	74.00	-19.12	67.02	38.00	14.56	64.70	0.00	100	88	PEAK																																																																																				
3	11000.00	44.09	54.00	-9.91	56.23	38.00	14.56	64.70	0.00	100	88	AVERAGE																																																																																				
4	16500.00	58.06	68.20	-10.14	63.22	41.30	17.98	64.44	0.00	100	217	PEAK																																																																																				






Mode	17																																																																																																						
	Harmonic																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																						
Pol.	Horizontal																																																																																																						
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>50.07</td><td>74.00</td><td>-23.93</td><td>68.17</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>115</td><td>21 PEAK</td></tr><tr><td>2</td><td>7439.81</td><td>46.95</td><td>54.00</td><td>-7.05</td><td>65.05</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>115</td><td>21 AVERAGE</td></tr><tr><td>3</td><td>11160.00</td><td>53.30</td><td>74.00</td><td>-20.70</td><td>65.13</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>101</td><td>110 PEAK</td></tr><tr><td>4</td><td>11160.00</td><td>42.74</td><td>54.00</td><td>-11.26</td><td>54.57</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>101</td><td>110 AVERAGE</td></tr><tr><td>5</td><td>16740.00</td><td>62.02</td><td>68.20</td><td>-6.18</td><td>67.02</td><td>41.34</td><td>18.09</td><td>64.43</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7439.81	50.07	74.00	-23.93	68.17	35.70	11.77	65.57	0.00	115	21 PEAK	2	7439.81	46.95	54.00	-7.05	65.05	35.70	11.77	65.57	0.00	115	21 AVERAGE	3	11160.00	53.30	74.00	-20.70	65.13	38.00	14.68	64.51	0.00	101	110 PEAK	4	11160.00	42.74	54.00	-11.26	54.57	38.00	14.68	64.51	0.00	101	110 AVERAGE	5	16740.00	62.02	68.20	-6.18	67.02	41.34	18.09	64.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7439.81	50.07	74.00	-23.93	68.17	35.70	11.77	65.57	0.00	115	21 PEAK																																																																																												
2	7439.81	46.95	54.00	-7.05	65.05	35.70	11.77	65.57	0.00	115	21 AVERAGE																																																																																												
3	11160.00	53.30	74.00	-20.70	65.13	38.00	14.68	64.51	0.00	101	110 PEAK																																																																																												
4	11160.00	42.74	54.00	-11.26	54.57	38.00	14.68	64.51	0.00	101	110 AVERAGE																																																																																												
5	16740.00	62.02	68.20	-6.18	67.02	41.34	18.09	64.43	0.00	100	106 PEAK																																																																																												
	Vertical																																																																																																						
																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7439.81</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>61.25</td><td>35.70</td><td>11.77</td><td>65.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>69.37</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>100</td><td>91</td><td>PEAK</td></tr><tr><td>3</td><td>11160.00</td><td>46.41</td><td>54.00</td><td>-7.59</td><td>58.24</td><td>38.00</td><td>14.68</td><td>64.51</td><td>0.00</td><td>100</td><td>91</td><td>AVERAGE</td></tr><tr><td>4</td><td>16753.70</td><td>58.85</td><td>68.20</td><td>-9.35</td><td>63.83</td><td>41.35</td><td>18.10</td><td>64.43</td><td>0.00</td><td>100</td><td>224</td><td>Peak</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7439.81	43.15	74.00	-30.85	61.25	35.70	11.77	65.57	0.00	---	---	PEAK	2	11160.00	57.54	74.00	-16.46	69.37	38.00	14.68	64.51	0.00	100	91	PEAK	3	11160.00	46.41	54.00	-7.59	58.24	38.00	14.68	64.51	0.00	100	91	AVERAGE	4	16753.70	58.85	68.20	-9.35	63.83	41.35	18.10	64.43	0.00	100	224	Peak							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7439.81	43.15	74.00	-30.85	61.25	35.70	11.77	65.57	0.00	---	---	PEAK																																																																																											
2	11160.00	57.54	74.00	-16.46	69.37	38.00	14.68	64.51	0.00	100	91	PEAK																																																																																											
3	11160.00	46.41	54.00	-7.59	58.24	38.00	14.68	64.51	0.00	100	91	AVERAGE																																																																																											
4	16753.70	58.85	68.20	-9.35	63.83	41.35	18.10	64.43	0.00	100	224	Peak																																																																																											





Mode	18																																																																																																			
	Band Edge																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.20</td><td>66.56</td><td>68.20</td><td>-1.64</td><td>49.17</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>111.53</td><td>-----</td><td>-----</td><td>94.28</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>111</td><td>296</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5725.20	66.56	68.20	-1.64	49.17	34.65	12.68	29.94	0.00	111	296	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	111.53	-----	-----	94.28	34.60	12.64	29.99	0.00	111	296	PEAK																																																																																								
Avg	Blank																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>101.87</td><td>-----</td><td>-----</td><td>84.61</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>111</td><td>296</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5700.00	101.87	-----	-----	84.61	34.60	12.63	29.97	0.00	111	296	AVERAGE																																																																																								







Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.44</td><td>58.21</td><td>68.20</td><td>-9.99</td><td>40.82</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>103.55</td><td>-----</td><td>-----</td><td>86.30</td><td>34.60</td><td>12.64</td><td>29.99</td><td>0.00</td><td>391</td><td>19</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.44	58.21	68.20	-9.99	40.82	34.65	12.68	29.94	0.00	391	19	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	103.55	-----	-----	86.30	34.60	12.64	29.99	0.00	391	19	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.52</td><td>-----</td><td>-----</td><td>77.26</td><td>34.60</td><td>12.63</td><td>29.97</td><td>0.00</td><td>391</td><td>19</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																								
1	5700.00	94.52	-----	-----	77.26	34.60	12.63	29.97	0.00	391	19	AVERAGE																																																																																							





Mode	18																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>56.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>160</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>46.45</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>160</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>63.39</td><td>68.20</td><td>-4.81</td><td>63.40</td><td>41.42</td><td>22.73</td><td>64.16</td><td>0.00</td><td>100</td><td>247</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>56.20</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>125</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>41.18</td><td>54.00</td><td>-12.82</td><td>45.99</td><td>38.00</td><td>18.50</td><td>61.31</td><td>0.00</td><td>100</td><td>125</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>62.05</td><td>68.20</td><td>-6.15</td><td>62.07</td><td>41.40</td><td>22.74</td><td>64.16</td><td>0.00</td><td>316</td><td>261</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100	160	PEAK	2	11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100	160	AVERAGE	3	17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100	247	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100	125	PEAK	2	11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100	125	AVERAGE	3	17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316	261
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11400.00	52.18	74.00	-21.82	56.99	38.00	18.50	61.31	0.00	100	160	PEAK																																																																																																																																											
2	11400.00	41.64	54.00	-12.36	46.45	38.00	18.50	61.31	0.00	100	160	AVERAGE																																																																																																																																											
3	17100.00	63.39	68.20	-4.81	63.40	41.42	22.73	64.16	0.00	100	247	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																													
1	11400.00	51.39	74.00	-22.61	56.20	38.00	18.50	61.31	0.00	100	125	PEAK																																																																																																																																											
2	11400.00	41.18	54.00	-12.82	45.99	38.00	18.50	61.31	0.00	100	125	AVERAGE																																																																																																																																											
3	17100.00	62.05	68.20	-6.15	62.07	41.40	22.74	64.16	0.00	316	261	PEAK																																																																																																																																											



		19																																																					
Mode	Band Edge - L																																																						
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.53</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>47.60</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.53	63.86	74.00	-10.14	47.60	34.10	12.03	29.87	0.00	105	287	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>101.87</td><td>-----</td><td>-----</td><td>85.47</td><td>34.22</td><td>12.06</td><td>29.88</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	101.87	-----	-----	85.47	34.22	12.06	29.88	0.00	105	287	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>36.16</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.98	52.42	54.00	-1.58	36.16	34.10	12.03	29.87	0.00	105	287	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.10</td><td>-----</td><td>-----</td><td>76.67</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5190.00	93.10	-----	-----	76.67	34.26	12.06	29.89	0.00	105	287	AVERAGE																																											



Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5423.15</td><td>56.02</td><td>74.00</td><td>-17.98</td><td>38.96</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>105</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5423.15	56.02	74.00	-17.98	38.96	34.60	12.28	29.82	0.00	105	287	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.52</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>27.79</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>105</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5458.52	44.83	54.00	-9.17	27.79	34.58	12.33	29.87	0.00	105	287	AVERAGE																																											





Mode	19																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.61</td><td>57.78</td><td>74.00</td><td>-16.22</td><td>41.35</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>342</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5107.61	57.78	74.00	-16.22	41.35	34.27	12.01	29.85	0.00	342	13 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>93.26</td><td>-----</td><td>-----</td><td>76.83</td><td>34.26</td><td>12.06</td><td>29.89</td><td>0.00</td><td>342</td><td>13 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5190.00	93.26	-----	-----	76.83	34.26	12.06	29.89	0.00	342	13 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.93</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.75</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>342</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.93	47.02	54.00	-6.98	30.75	34.11	12.03	29.87	0.00	342	13 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>84.26</td><td>-----</td><td>-----</td><td>67.84</td><td>34.24</td><td>12.06</td><td>29.88</td><td>0.00</td><td>342</td><td>13 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5190.00	84.26	-----	-----	67.84	34.24	12.06	29.88	0.00	342	13 AVERAGE																																											







Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.33</td><td>56.28</td><td>74.00</td><td>-17.72</td><td>39.22</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>342</td><td>13</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5432.33	56.28	74.00	-17.72	39.22	34.60	12.29	29.83	0.00	342	13	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5450.69</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>28.59</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>342</td><td>13</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5450.69	45.65	54.00	-8.35	28.59	34.60	12.32	29.86	0.00	342	13	AVERAGE																																											





Mode	19																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>52.88</td><td>74.00</td><td>-21.12</td><td>55.08</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2 15570.00</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>43.88</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241 PEAK	2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15570.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>48.56</td><td>40.07</td><td>21.67</td><td>63.94</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 15570.00</td><td>36.38</td><td>54.00</td><td>-17.62</td><td>38.57</td><td>40.07</td><td>21.68</td><td>63.94</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360 PEAK	2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 15570.00	52.88	74.00	-21.12	55.08	40.07	21.67	63.94	0.00	100	241 PEAK																																																																																																												
2 15570.00	41.68	54.00	-12.32	43.88	40.07	21.67	63.94	0.00	100	241 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 15570.00	46.36	74.00	-27.64	48.56	40.07	21.67	63.94	0.00	300	360 PEAK																																																																																																												
2 15570.00	36.38	54.00	-17.62	38.57	40.07	21.68	63.94	0.00	300	360 AVERAGE																																																																																																												



		20																																																				
Mode		Band Edge - L																																																				
		U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																				
Pol.		Horizontal					Fundamental																																															
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.29</td><td>60.13</td><td>74.00</td><td>-13.87</td><td>43.86</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5147.29	60.13	74.00	-13.87	43.86	34.11	12.03	29.87	0.00	110	293	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.98</td><td>48.63</td><td>54.00</td><td>-5.37</td><td>32.37</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5149.98	48.63	54.00	-5.37	32.37	34.10	12.03	29.87	0.00	110	293	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.83</td><td>-----</td><td>-----</td><td>92.29</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5230.00	108.83	-----	-----	92.29	34.34	12.09	29.89	0.00	110	293	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>108.02</td><td>-----</td><td>-----</td><td>83.46</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	108.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5230.00	108.02	-----	-----	83.46	34.36	12.10	29.90	0.00	110	293	AVERAGE																																										



Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.64</td><td>56.47</td><td>74.00</td><td>-17.53</td><td>39.56</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5373.64	56.47	74.00	-17.53	39.56	34.49	12.23	29.81	0.00	110	293	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.80</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>29.11</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>110</td><td>293</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5375.80	46.03	54.00	-7.97	29.11	34.50	12.23	29.81	0.00	110	293	AVERAGE																																											





Mode	20																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5125.53</td><td>56.66</td><td>74.00</td><td>-17.34</td><td>40.30</td><td>34.20</td><td>12.02</td><td>29.86</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>102.09</td><td>-----</td><td>-----</td><td>85.57</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5125.53	56.66	74.00	-17.34	40.30	34.20	12.02	29.86	0.00	357	15	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	102.09	-----	-----	85.57	34.33	12.08	29.89	0.00	357	15	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5102.65</td><td>46.87</td><td>54.00</td><td>-7.13</td><td>30.43</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.14</td><td>-----</td><td>-----</td><td>76.62</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>357</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5102.65	46.87	54.00	-7.13	30.43	34.29	12.00	29.85	0.00	357	15	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5230.00	93.14	-----	-----	76.62	34.33	12.08	29.89	0.00	357	15	AVERAGE																																																																																							







Mode	20																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5373.64</td><td>54.66</td><td>74.00</td><td>-19.34</td><td>37.75</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>357 15 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357 15 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5373.64	54.66	74.00	-19.34	37.75	34.49	12.23	29.81	0.00	357 15 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5399.92</td><td>45.40</td><td>54.00</td><td>-8.60</td><td>28.33</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>357 15 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357 15 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																															
1	5399.92	45.40	54.00	-8.60	28.33	34.60	12.25	29.78	0.00	357 15 AVERAGE																																													





Mode	20																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15690.00</td><td>52.32</td><td>74.00</td><td>-21.68</td><td>54.39</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>100</td><td>246 PEAK</td></tr><tr><td>2 15690.00</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>44.28</td><td>40.20</td><td>21.77</td><td>64.04</td><td>0.00</td><td>100</td><td>246 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246 PEAK	2 15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 15690.00</td><td>46.20</td><td>74.00</td><td>-27.80</td><td>48.27</td><td>40.19</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 15690.00</td><td>36.19</td><td>54.00</td><td>-17.81</td><td>38.25</td><td>40.20</td><td>21.77</td><td>64.03</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360 PEAK	2 15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 15690.00	52.32	74.00	-21.68	54.39	40.19	21.77	64.03	0.00	100	246 PEAK																																																																																																																								
2 15690.00	42.21	54.00	-11.79	44.28	40.20	21.77	64.04	0.00	100	246 AVERAGE																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 15690.00	46.20	74.00	-27.80	48.27	40.19	21.77	64.03	0.00	300	360 PEAK																																																																																																																								
2 15690.00	36.19	54.00	-17.81	38.25	40.20	21.77	64.03	0.00	300	360 AVERAGE																																																																																																																								







Mode	21																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.05</td><td>58.52</td><td>74.00</td><td>-15.48</td><td>42.24</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>109.99</td><td>-----</td><td>-----</td><td>93.36</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5144.05	58.52	74.00	-15.48	42.24	34.12	12.03	29.87	0.00	100	295	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5270.00	109.99	-----	-----	93.36	34.40	12.14	29.91	0.00	100	295	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5087.62</td><td>47.80</td><td>54.00</td><td>-6.20</td><td>31.38</td><td>34.28</td><td>11.99</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>100.59</td><td>-----</td><td>-----</td><td>83.96</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5087.62	47.80	54.00	-6.20	31.38	34.28	11.99	29.85	0.00	100	295	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	5270.00	100.59	-----	-----	83.96	34.40	12.14	29.91	0.00	100	295	AVERAGE																																																																																							



Mode	21																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.75</td><td>56.80</td><td>74.00</td><td>-17.20</td><td>40.02</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.75	56.80	74.00	-17.20	40.02	34.41	12.21	29.84	0.00	100	295	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.23</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>29.61</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5351.23	46.38	54.00	-7.62	29.61	34.40	12.21	29.84	0.00	100	295	AVERAGE																																												





		21																																																																																																
Mode	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5105.17</td><td>57.03</td><td>74.00</td><td>-16.97</td><td>40.60</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00	373	16	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>102.82</td><td>-----</td><td>-----</td><td>86.19</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00	373	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5105.17	57.03	74.00	-16.97	40.60	34.28	12.00	29.85	0.00	373	16	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	102.82	-----	-----	86.19	34.40	12.14	29.91	0.00	373	16	PEAK																																																																																						
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5093.83</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>30.58</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00	373	16	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>94.27</td><td>-----</td><td>-----</td><td>77.64</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00	373	16
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5093.83	47.02	54.00	-6.98	30.58	34.29	12.00	29.85	0.00	373	16	AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5270.00	94.27	-----	-----	77.64	34.40	12.13	29.90	0.00	373	16	AVERAGE																																																																																						







Mode	21																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																						
Pol.	Vertical										Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5451.55</td><td>56.52</td><td>74.00</td><td>-17.48</td><td>39.46</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>373</td><td>16</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5451.55	56.52	74.00	-17.48	39.46	34.60	12.32	29.86	0.00	373	16	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.19</td><td>45.69</td><td>54.00</td><td>-8.31</td><td>28.65</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>373</td><td>16</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5458.19	45.69	54.00	-8.31	28.65	34.58	12.33	29.87	0.00	373	16	AVERAGE																																											





Mode	21																																																																																																							
	Harmonic																																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																																							
Pol.	Horizontal	Vertical																																																																																																						
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>15810.00</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>54.81</td><td>40.49</td><td>21.87</td><td>64.12</td><td>0.00</td><td>100</td><td>246</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>44.17</td><td>40.48</td><td>21.87</td><td>64.13</td><td>0.00</td><td>100</td><td>246</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	15810.00	53.05	74.00	-20.95	54.81	40.49	21.87	64.12	0.00	100	246	PEAK	2	15810.00	42.39	54.00	-11.61	44.17	40.48	21.87	64.13	0.00	100	246	AVERAGE	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>15810.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>47.27</td><td>40.49</td><td>21.87</td><td>64.12</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	15810.00	45.51	74.00	-28.49	47.27	40.49	21.87	64.12	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	15810.00	53.05	74.00	-20.95	54.81	40.49	21.87	64.12	0.00	100	246	PEAK																																																																																												
2	15810.00	42.39	54.00	-11.61	44.17	40.48	21.87	64.13	0.00	100	246	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	15810.00	45.51	74.00	-28.49	47.27	40.49	21.87	64.12	0.00	--	--	PEAK																																																																																												







Mode	22																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.81</td><td>56.99</td><td>74.00</td><td>-17.01</td><td>40.55</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.07</td><td>-----</td><td>-----</td><td>88.40</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.81	56.99	74.00	-17.01	40.55	34.29	12.00	29.85	0.00	100	295	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	105.07	-----	-----	88.40	34.40	12.17	29.90	0.00	100	295	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5100.00</td><td>45.95</td><td>54.00</td><td>-8.05</td><td>29.50</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>95.63</td><td>-----</td><td>-----</td><td>78.96</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100	295
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5100.00	45.95	54.00	-8.05	29.50	34.30	12.00	29.85	0.00	100	295	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	95.63	-----	-----	78.96	34.40	12.17	29.90	0.00	100	295	AVERAGE																																																																																																			



Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.25</td><td>65.58</td><td>74.00</td><td>-8.42</td><td>48.80</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5351.25	65.58	74.00	-8.42	48.80	34.41	12.21	29.84	0.00	100	295	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.24</td><td>54.00</td><td>-1.76</td><td>35.48</td><td>34.40</td><td>12.20</td><td>29.84</td><td>0.00</td><td>100</td><td>295</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.00	52.24	54.00	-1.76	35.48	34.40	12.20	29.84	0.00	100	295	AVERAGE																																											



Mode	22																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.25</td><td>57.40</td><td>74.00</td><td>-16.60</td><td>40.95</td><td>34.30</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.11</td><td>-----</td><td>-----</td><td>78.47</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.25	57.40	74.00	-16.60	40.95	34.30	12.00	29.85	0.00	368	15	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	95.11	-----	-----	78.47	34.40	12.15	29.91	0.00	368	15	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5105.21</td><td>46.80</td><td>54.00</td><td>-7.20</td><td>30.37</td><td>34.28</td><td>12.00</td><td>29.85</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>86.81</td><td>-----</td><td>-----</td><td>70.17</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>368</td><td>15</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5105.21	46.80	54.00	-7.20	30.37	34.28	12.00	29.85	0.00	368	15	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5310.00	86.81	-----	-----	70.17	34.40	12.15	29.91	0.00	368	15	AVERAGE																																																																																							