




-6dB Bandwidth 802.11n(HT20) 5785MHz




-6dB Bandwidth 802.11n(HT20) 5825MHz




-6dB Bandwidth 802.11n(HT40) 5710MHz



-6dB Bandwidth 802.11n(HT40) 5755MHz



-6dB Bandwidth 802.11n(HT40) 5795MHz



6.2. Average Power Output

Mode	Duty cycle	Duty cycle correction Factor (dB)
802.11a	0.409	3.88
802.11n HT20	0.833	0.79
802.11n HT40	0.708	1.50
802.11ac VHT20	0.833	0.79
802.11ac VHT40	0.708	1.50
802.11ac VHT80	0.533	2.73
802.11ax HE20	0.791	1.02
802.11ax HE40	0.658	1.82
802.11ax HE80	0.489	3.11
Note: when Duty cycle ≥ 0.98 , Duty cycle correction Factor not required.		

U-NII-2A

Mode	Carrier frequency (MHz)	Power Index
802.11a	52/5260	Default
	60/5300	Default
	64/5320	Default
802.11n T20	52/5260	Default
	60/5300	Default
	64/5320	Default
802.11n HT40	54/5270	Default
	62/5310	Default
802.11ac VHT20	52/5260	Default
	60/5300	Default
	64/5320	Default
802.11ac VHT40	54/5270	Default
	62/5310	Default
802.11ac VHT80	58/5290	Default
802.11ax HE20	52/5260	Default
	60/5300	Default
	64/5320	Default
802.11ax HE40	54/5270	Default
	62/5310	Default
802.11ax HE80	58/5290	Default

U-NII-2C

Mode	Carrier frequency (MHz)	Power Index
802.11a	100/5500	Default
	120/5600	Default
	140/5700	Default
	144/5720	Default
802.11n HT20	100/5500	Default
	120/5600	Default
	140/5700	Default
	144/5720	Default
802.11n HT40	102/5510	Default
	118/5590	Default
	134/5670	Default
	142/5710	Default
802.11ac VHT20	100/5500	Default
	120/5600	Default
	140/5700	Default

	144/5720	Default
802.11ac VHT40	102/5510	Default
	118/5590	Default
	134/5670	Default
	142/5710	Default
802.11ac VHT80	106/5530	Default
	122/5610	Default
	138/5690	Default
802.11ax HE20	100/5500	Default
	120/5600	Default
	140/5700	Default
	144/5720	Default
802.11ax HE40	102/5510	Default
	118/5590	Default
	134/5670	Default
	142/5710	Default
802.11ax HE80	106/5530	Default
	122/5610	Default
	138/5690	Default

U-NII-3

Mode	Carrier frequency (MHz)	Power Index
802.11a	144/5720	Default
	149/5745	Default
	157/5785	Default
	165/5825	Default
802.11n HT20	144/5720	Default
	149/5745	Default
	157/5785	Default
	165/5825	Default
802.11n HT40	142/5710	Default
	151/5755	Default
	159/5795	Default
802.11ac VHT20	144/5720	Default
	149/5745	Default
	157/5785	Default
	165/5825	Default
802.11ac VHT40	142/5710	Default
	151/5755	Default
	159/5795	Default
802.11ac VHT80	138/5690	Default
	155/5775	Default

802.11ax HE20	144/5720	Default
	149/5745	Default
	157/5785	Default
	165/5825	Default
802.11ax HE40	142/5710	Default
	151/5755	Default
	159/5795	Default
802.11ax HE80	138/5690	Default
	155/5775	Default

Test Mode		Channel/ Frequency (MHz)	B=26 dB bandwidth (MHz)	Limit 11 dBm + 10 log B (dBm)	Final Limit (dBm)
U-NII-2A	802.11a	52/5260	24.20	24.84	24.00
		60/5300	24.25	24.85	24.00
		64/5320	24.08	24.82	24.00
	802.11n HT20	52/5260	26.37	25.21	24.00
		60/5300	26.55	25.24	24.00
		64/5320	27.30	25.36	24.00
	802.11n HT40	54/5270	47.22	27.74	24.00
		62/5310	46.10	27.64	24.00
	802.11ac VHT20	52/5260	26.16	25.18	24.00
		60/5300	26.20	25.18	24.00
		64/5320	25.69	25.10	24.00
	802.11ac VHT40	54/5270	46.29	27.65	24.00
		62/5310	47.05	27.73	24.00
	802.11ac VHT80	58/5290	102.86	31.12	24.00
	802.11ax HE20	52/5260	24.79	24.94	24.00
		60/5300	24.51	24.89	24.00
		64/5320	24.68	24.92	24.00
	802.11ax HE40	54/5270	43.96	27.43	24.00
		62/5310	44.81	27.51	24.00
	802.11ax HE80	58/5290	86.45	30.37	24.00
U-NII-2C	802.11a	100/5500	24.60	24.91	24.00
		120/5600	25.40	25.05	24.00
		140/5700	24.43	24.88	24.00
		144/5720	25.48	25.06	24.00
	802.11n HT20	100/5500	26.98	25.31	24.00
		120/5600	27.57	25.40	24.00
		140/5700	27.27	25.36	24.00
		144/5720	28.15	25.49	24.00
	802.11n HT40	102/5510	47.60	27.78	24.00
		118/5590	51.11	28.08	24.00
		134/5670	47.95	27.81	24.00
		142/5710	48.69	27.87	24.00
	802.11ac VHT20	100/5500	27.13	25.33	24.00
		120/5600	26.98	25.31	24.00
		140/5700	27.37	25.37	24.00
		144/5720	27.70	25.42	24.00

	802.11ac VHT40	102/5510	48.61	27.87	24.00
		118/5590	47.89	27.80	24.00
		134/5670	48.45	27.85	24.00
		142/5710	48.65	27.87	24.00
	802.11ac VHT80	106/5530	102.22	31.10	24.00
		122/5610	100.07	31.00	24.00
		138/5690	99.29	30.97	24.00
	802.11ax HE20	100/5500	25.79	25.11	24.00
		120/5600	26.53	25.24	24.00
		140/5700	24.83	24.95	24.00
		144/5720	27.16	25.34	24.00
	802.11ax HE40	102/5510	47.31	27.75	24.00
		118/5590	46.28	27.65	24.00
		134/5670	46.22	27.65	24.00
		142/5710	45.29	27.56	24.00
	802.11ax HE80	106/5530	89.61	30.52	24.00
		122/5610	87.99	30.44	24.00
		138/5690	85.79	30.33	24.00

Note: 250mW=24dBm

U-NII-2A

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	52/5260	11.83	15.71	24.00	PASS
	60/5300	11.67	15.55	24.00	PASS
	64/5320	11.86	15.74	24.00	PASS
802.11n HT20	52/5260	14.84	15.63	24.00	PASS
	60/5300	14.27	15.06	24.00	PASS
	64/5320	13.84	14.63	24.00	PASS
802.11n HT40	54/5270	14.37	15.87	24.00	PASS
	62/5310	14.05	15.55	24.00	PASS
802.11ac VHT20	52/5260	14.84	15.63	24.00	PASS
	60/5300	14.68	15.47	24.00	PASS
	64/5320	14.58	15.37	24.00	PASS
802.11ac VHT40	54/5270	14.28	15.78	24.00	PASS
	62/5310	13.95	15.45	24.00	PASS
802.11ac VHT80	58/5290	12.56	15.29	24.00	PASS
802.11ax HE20	52/5260	14.59	15.61	24.00	PASS
	60/5300	13.76	14.78	24.00	PASS
	64/5320	14.08	15.10	24.00	PASS
802.11ax HE40	54/5270	14.31	16.13	24.00	PASS
	62/5310	14.06	15.88	24.00	PASS
802.11ax HE80	58/5290	12.20	15.31	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-2C

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	100/5500	11.03	14.91	24.00	PASS
	120/5600	11.34	15.22	24.00	PASS
	140/5700	11.03	14.91	24.00	PASS
	144/5720	9.80	13.68	24.00	PASS
802.11n HT20	100/5500	14.25	15.04	24.00	PASS
	120/5600	14.14	14.93	24.00	PASS
	140/5700	14.33	15.12	24.00	PASS
	144/5720	12.78	13.57	24.00	PASS
802.11n HT40	102/5510	13.67	15.17	24.00	PASS
	118/5590	13.49	14.99	24.00	PASS
	134/5670	13.71	15.21	24.00	PASS
	142/5710	13.11	14.61	24.00	PASS
802.11ac VHT20	100/5500	14.24	15.03	24.00	PASS
	120/5600	14.01	14.80	24.00	PASS
	140/5700	14.57	15.36	24.00	PASS
	144/5720	12.78	13.57	24.00	PASS
802.11ac VHT40	102/5510	13.57	15.07	24.00	PASS
	118/5590	12.91	14.41	24.00	PASS
	134/5670	13.88	15.38	24.00	PASS
	142/5710	13.24	14.74	24.00	PASS
802.11ac VHT80	106/5530	12.17	14.90	24.00	PASS
	122/5610	12.15	14.88	24.00	PASS
	138/5690	11.90	14.63	24.00	PASS
802.11ax HE20	100/5500	14.13	15.15	24.00	PASS
	120/5600	13.96	14.98	24.00	PASS
	140/5700	14.03	15.05	24.00	PASS
	144/5720	12.66	13.68	24.00	PASS
802.11ax HE40	102/5510	13.26	15.08	24.00	PASS
	118/5590	13.01	14.83	24.00	PASS
	134/5670	13.56	15.38	24.00	PASS
	142/5710	12.84	14.66	24.00	PASS
802.11ax HE80	106/5530	11.94	15.05	24.00	PASS
	122/5610	11.70	14.81	24.00	PASS
	138/5690	11.84	14.95	24.00	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

U-NII-3

Test Mode	Channel/ Frequency (MHz)	Average Power Measured (dBm)	Average Power with duty factor (dBm)	Limit (dBm)	Conclusion
802.11a	144/5720	3.63	7.51	30	PASS
	149/5745	9.16	13.04	30	PASS
	157/5785	9.14	13.02	30	PASS
	165/5825	9.07	12.95	30	PASS
802.11n HT20	144/5720	4.40	5.19	30	PASS
	149/5745	12.19	12.98	30	PASS
	157/5785	12.40	13.19	30	PASS
	165/5825	12.43	13.22	30	PASS
802.11n HT40	142/5710	3.18	4.68	30	PASS
	151/5755	13.18	14.68	30	PASS
	159/5795	13.58	15.08	30	PASS
802.11ac VHT20	144/5720	7.27	8.06	30	PASS
	149/5745	12.24	13.03	30	PASS
	157/5785	12.44	13.23	30	PASS
	165/5825	12.50	13.29	30	PASS
802.11ac VHT40	142/5710	2.87	4.37	30	PASS
	151/5755	13.43	14.93	30	PASS
	159/5795	14.03	15.53	30	PASS
802.11ac VHT80	138/5690	-1.49	1.25	30	PASS
	155/5775	12.11	14.84	30	PASS
802.11ax HE20	144/5720	7.58	8.60	30	PASS
	149/5745	11.99	13.01	30	PASS
	157/5785	12.29	13.31	30	PASS
	165/5825	12.16	13.18	30	PASS
802.11ax HE40	142/5710	3.76	5.58	30	PASS
	151/5755	13.55	15.37	30	PASS
	159/5795	13.34	15.16	30	PASS
802.11ax HE80	138/5690	-0.80	2.31	30	PASS
	155/5775	11.99	15.10	30	PASS
Note: Average Power with duty factor = Average Power Measured +Duty cycle correction factor					

6.3. Frequency Stability

Voltage (V)	Temperature (°C)	U-NII-2A Test Results			
		5300MHz			
		1min	2min	5min	10min
21.6	-30	5300.000249	5299.992341	5299.984630	5299.982490
21.6	-20	5299.992733	5299.983490	5299.981390	5299.978122
21.6	-10	5299.984147	5299.974046	5299.972246	5299.969336
21.6	0	5299.984442	5299.980273	5299.981020	5299.976906
21.6	10	5299.981380	5299.977043	5299.972380	5299.973900
21.6	20	5299.974206	5299.970374	5299.968736	5299.970954
21.6	30	5299.966068	5299.962704	5299.959680	5299.966835
21.6	40	5299.964403	5299.953003	5299.954098	5299.963561
21.6	50	5299.962805	5299.946148	5299.950404	5299.958962
17	20	5299.961361	5299.939404	5299.945752	5299.950198
24.8	20	5299.958925	5299.932979	5299.941168	5299.950094
Max. ΔMHz		-0.041075	-0.067021	-0.058832	-0.049906
PPM		-7.750000	-12.645472	-11.100377	-9.416226

Voltage (V)	Temperature (°C)	U-NII-2C Test Results			
		5580MHz			
		1min	2min	5min	10min
21.6	-30	5579.998480	5579.996213	5579.990613	5579.987861
21.6	-20	5579.994123	5579.986750	5579.986128	5579.984674
21.6	-10	5579.989312	5579.985042	5579.982071	5579.980504
21.6	0	5579.993102	5579.981327	5579.985906	5579.975146
21.6	10	5579.988149	5579.977988	5579.977148	5579.972737
21.6	20	5579.986592	5579.973671	5579.969242	5579.963394
21.6	30	5579.979610	5579.967395	5579.959330	5579.953470
21.6	40	5579.971073	5579.963733	5579.950823	5579.943798
21.6	50	5579.961601	5579.962006	5579.947851	5579.939370
17	20	5579.960408	5579.952934	5579.946002	5579.930690
24.8	20	5579.950834	5579.945546	5579.937950	5579.929734
Max. ΔMHz		-0.049166	-0.054454	-0.062050	-0.070266
PPM		-8.811111	-9.758781	-11.120072	-12.592473

Voltage (V)	Temperature (°C)	U-NII-3 Test Results			
		5785MHz			
		1min	2min	5min	10min
21.6	-30	5784.999335	5784.992309	5784.988450	5784.980550
21.6	-20	5784.997154	5784.985519	5784.987911	5784.979695
21.6	-10	5784.993231	5784.979940	5784.979019	5784.976131
21.6	0	5784.993104	5784.978911	5784.978557	5784.971561
21.6	10	5784.988588	5784.969363	5784.968815	5784.965104
21.6	20	5784.983729	5784.968349	5784.967683	5784.957278
21.6	30	5784.975081	5784.966793	5784.964285	5784.955366
21.6	40	5784.966681	5784.964905	5784.957678	5784.952240
21.6	50	5784.963734	5784.959280	5784.957058	5784.951252
17	20	5784.961353	5784.950618	5784.951780	5784.941588
24.8	20	5784.959409	5784.948589	5784.951191	5784.938558
Max. ΔMHz		-0.040591	-0.051411	-0.048809	-0.061442
PPM		-7.016595	-8.886949	-8.437165	-10.620916

6.4. Power Spectral Density

U-NII-2A

Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	52/5260	2.80	6.68	11	PASS
	60/5300	2.66	6.54	11	PASS
	64/5320	1.36	5.24	11	PASS
802.11n HT20	52/5260	4.69	5.48	11	PASS
	60/5300	4.13	4.92	11	PASS
	64/5320	3.95	4.74	11	PASS
802.11n HT40	54/5270	0.58	2.08	11	PASS
	62/5310	0.55	2.05	11	PASS
802.11ac VHT20	52/5260	4.31	5.10	11	PASS
	60/5300	4.05	4.84	11	PASS
	64/5320	3.85	4.64	11	PASS
802.11ac VHT40	54/5270	0.36	1.86	11	PASS
	62/5310	0.97	2.47	11	PASS
802.11ac VHT80	58/5290	-4.19	-1.46	11	PASS
802.11ax HE20	52/5260	4.25	5.27	11	PASS
	60/5300	3.45	4.47	11	PASS
	64/5320	3.81	4.83	11	PASS
802.11ax HE40	54/5270	0.67	2.49	11	PASS
	62/5310	0.26	2.08	11	PASS
802.11ax HE80	58/5290	-3.83	-0.72	11	PASS

Note: Power Spectral Density =Read Value+Duty cycle correction factor

U-NII-2C


Mode	Channel /Frequency (MHz)	Read Value (dBm /MHz)	Power Spectral Density (dBm /MHz)	Limit (dBm /MHz)	Conclusion
802.11a	100/5500	1.03	4.91	11	PASS
	120/5600	1.61	5.49	11	PASS
	140/5700	2.61	6.49	11	PASS
	144/5720	1.58	5.46	11	PASS
802.11n HT20	100/5500	3.34	4.13	11	PASS
	120/5600	3.12	3.91	11	PASS
	140/5700	3.58	4.37	11	PASS
	144/5720	3.16	3.95	11	PASS
802.11n HT40	102/5510	-0.06	1.44	11	PASS
	118/5590	-0.41	1.09	11	PASS
	134/5670	-0.37	1.13	11	PASS
	142/5710	-0.32	1.18	11	PASS
802.11ac VHT20	100/5500	3.57	4.36	11	PASS
	120/5600	3.24	4.03	11	PASS
	140/5700	3.22	4.01	11	PASS
	144/5720	3.22	4.01	11	PASS
802.11ac VHT40	102/5510	-0.61	0.89	11	PASS
	118/5590	-0.29	1.21	11	PASS
	134/5670	0.37	1.87	11	PASS
	142/5710	-0.33	1.17	11	PASS
802.11ac VHT80	106/5530	-4.55	-1.82	11	PASS
	122/5610	-4.74	-2.01	11	PASS
	138/5690	-5.15	-2.42	11	PASS
802.11ax HE20	100/5500	3.20	4.22	11	PASS
	120/5600	2.99	4.01	11	PASS
	140/5700	3.19	4.21	11	PASS
	144/5720	2.99	4.01	11	PASS
802.11ax HE40	102/5510	-0.66	1.16	11	PASS
	118/5590	-0.52	1.30	11	PASS
	134/5670	-0.36	1.46	11	PASS
	142/5710	-0.53	1.29	11	PASS
802.11ax HE80	106/5530	-4.12	-1.01	11	PASS
	122/5610	-4.50	-1.39	11	PASS
	138/5690	-5.32	-2.21	11	PASS
Note: Power Spectral Density =Read Value+Duty cycle correction factor					

U-NII-3


Mode	Channel /Frequency (MHz)	Read Value (dBm/470kHz)	Power Spectral Density (dBm/500kHz)	Limit (dBm/500kHz)	Conclusion
802.11a	144/5720	-2.38	1.77	30	PASS
	149/5745	-4.14	0.01	30	PASS
	157/5785	-4.00	0.15	30	PASS
	165/5825	-3.73	0.42	30	PASS
802.11n HT20	144/5720	-2.83	-1.77	30	PASS
	149/5745	-1.87	-0.81	30	PASS
	157/5785	-1.58	-0.52	30	PASS
	165/5825	-1.93	-0.87	30	PASS
802.11n HT40	142/5710	-5.04	-3.27	30	PASS
	151/5755	-3.37	-1.60	30	PASS
	159/5795	-4.07	-2.30	30	PASS
802.11ac VHT20	144/5720	-0.40	0.66	30	PASS
	149/5745	-2.05	-0.99	30	PASS
	157/5785	-1.72	-0.66	30	PASS
	165/5825	-2.10	-1.04	30	PASS
802.11ac VHT40	142/5710	-3.85	-2.08	30	PASS
	151/5755	-3.55	-1.78	30	PASS
	159/5795	-3.21	-1.44	30	PASS
802.11ac VHT80	138/5690	-9.39	-6.39	30	PASS
	155/5775	-8.27	-5.27	30	PASS
802.11ax HE20	144/5720	-0.61	0.68	30	PASS
	149/5745	-2.35	-1.06	30	PASS
	157/5785	-1.99	-0.70	30	PASS
	165/5825	-2.02	-0.73	30	PASS
802.11ax HE40	142/5710	-4.72	-2.63	30	PASS
	151/5755	-4.05	-1.96	30	PASS
	159/5795	-3.86	-1.77	30	PASS
802.11ax HE80	138/5690	-8.66	-5.28	30	PASS
	155/5775	-8.03	-4.65	30	PASS
Note: PSD=Read Value+Duty cycle correction factor +10*log(500/470)					

U-NII-2A


PSD 802.11a 5260MHz




PSD 802.11a 5300MHz




PSD 802.11a 5320MHz




PSD 802.11ac(VHT20) 5260MHz




PSD 802.11ac(VHT20) 5300MHz




PSD 802.11ac(VHT20) 5320MHz




PSD 802.11ac(VHT40) 5270MHz




PSD 802.11ac(VHT40) 5310MHz




PSD 802.11ac(VHT80) 5290MHz




PSD 802.11ax(HE20) 5260MHz




PSD 802.11ax(HE20) 5300MHz




PSD 802.11ax(HE20) 5320MHz




PSD 802.11ax(HE40) 5270MHz




PSD 802.11ax(HE40) 5310MHz




PSD 802.11ax(HE80) 5290MHz




PSD 802.11n(HT20) 5260MHz




PSD 802.11n(HT20) 5300MHz




PSD 802.11n(HT20) 5320MHz



PSD 802.11n(HT40) 5270MHz




PSD 802.11n(HT40) 5310MHz




U-NII-2C


PSD 802.11a 5500MHz




PSD 802.11a 5600MHz




PSD 802.11a 5700MHz




PSD 802.11a 5720MHz




PSD 802.11ac(VHT20) 5500MHz




PSD 802.11ac(VHT20) 5600MHz




PSD 802.11ac(VHT20) 5700MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT40) 5510MHz




PSD 802.11ac(VHT40) 5590MHz




PSD 802.11ac(VHT40) 5670MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT80) 5530MHz




PSD 802.11ac(VHT80) 5610MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11ax(HE20) 5500MHz




PSD 802.11ax(HE20) 5600MHz




PSD 802.11ax(HE20) 5700MHz




PSD 802.11ax(HE20) 5720MHz




PSD 802.11ax(HE40) 5510MHz




PSD 802.11ax(HE40) 5590MHz




PSD 802.11ax(HE40) 5670MHz




PSD 802.11ax(HE40) 5710MHz




PSD 802.11ax(HE80) 5530MHz




PSD 802.11ax(HE80) 5610MHz




PSD 802.11ax(HE80) 5690MHz




PSD 802.11n(HT20) 5500MHz




PSD 802.11n(HT20) 5600MHz




PSD 802.11n(HT20) 5700MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT40) 5510MHz




PSD 802.11n(HT40) 5590MHz



PSD 802.11n(HT40) 5670MHz




PSD 802.11n(HT40) 5710MHz




U-NII-3


PSD 802.11a 5720MHz




PSD 802.11a 5745MHz




PSD 802.11a 5785MHz




PSD 802.11a 5825MHz




PSD 802.11ac(VHT20) 5720MHz




PSD 802.11ac(VHT20) 5745MHz




PSD 802.11ac(VHT20) 5785MHz




PSD 802.11ac(VHT20) 5825MHz




PSD 802.11ac(VHT40) 5710MHz




PSD 802.11ac(VHT40) 5755MHz




PSD 802.11ac(VHT40) 5795MHz




PSD 802.11ac(VHT80) 5690MHz




PSD 802.11ac(VHT80) 5775MHz




PSD 802.11ax(HE20) 5720MHz




PSD 802.11ax(HE20) 5745MHz




PSD 802.11ax(HE20) 5785MHz




PSD 802.11ax(HE20) 5825MHz




PSD 802.11ax(HE40) 5710MHz




PSD 802.11ax(HE40) 5755MHz




PSD 802.11ax(HE40) 5795MHz




PSD 802.11ax(HE80) 5690MHz




PSD 802.11ax(HE80) 5775MHz




PSD 802.11n(HT20) 5720MHz




PSD 802.11n(HT20) 5745MHz




PSD 802.11n(HT20) 5785MHz




PSD 802.11n(HT20) 5825MHz




PSD 802.11n(HT40) 5710MHz



PSD 802.11n(HT40) 5755MHz



PSD 802.11n(HT40) 5795MHz



6.5. Unwanted Emission

The detailed test data see *EFTA25100248-IE-08-R3-ANNEX A* Test Result.

6.6. Conducted Emission

The detailed test data see *EFTA25100248-IE-08-R3-ANNEX A* Test Result.

7. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Power sensor	R&S	NRP18S	101954	2025-05-06	2026-05-05
Spectrum Analyzer	KEYSIGHT	N9020A	MY51330870	2025-05-06	2026-05-05
DC Power Supply	UNI-T	UTP1306S+	2205D0517426	2024-12-02	2025-12-01
Climate Chamber	ESPEC	SU-242	93000506	2024-12-02	2025-12-01
Attenuator	HASCO	HA18A-10	0003	/	/
Test software	MW	MTS8310	2.0.0.0	/	/
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2023-04-16	2026-04-15
EMI Test Receiver	R&S	ESR	102389	2025-05-06	2026-05-05
Signal Analyzer	R&S	FSV40	101298	2025-05-07	2026-05-06
TRILOG Broadband Antenna	SCHWARZBECK	VULB 9163	1023	2023-07-14	2026-07-13
Horn Antenna	R&S	HF 907	102723	2023-11-24	2026-11-23
Amplifier	R&S	SCU18	10034	2025-05-06	2026-05-05
Horn Antenna	ETS-Lindgren	3160-09	00102643	2024-09-24	2027-09-23
Horn Antenna	STEATITE	QSH-SL-26-40 -K-15	16779	2023-01-17	2026-01-16
Amplifier	MicroWave	KLNA-180400 50	220826001	2025-05-06	2026-05-05
Software	R&S	EMC32	9.26.01	/	/

8. The EUT Appearance

Refer to *EUT Appearance*.

9. Test Setup Photos

Refer to *Part15E Test Setup*.

***** END OF REPORT *****