






Test_Graph_band41_2506MHz_20M_QPSK_100RB#LOW_1G_10G_TX




Test_Graph_band41_2506MHz_20M_QPSK_100RB#LOW_10G_26.0G_TX






Test_Graph_band41_2593MHz_20M_QPSK_100RB#LOW_30M_1G_TX




Test_Graph_band41_2593MHz_20M_QPSK_100RB#LOW_1G_10G_TX






Test_Graph_band41_2593MHz_20M_QPSK_100RB#LOW_10G_26.0G_TX




Test_Graph_band41_2680MHz_20M_QPSK_100RB#LOW_30M_1G_TX





Test_Graph_band41_2680MHz_20M_QPSK_100RB#LOW_1G_10G_TX



Test_Graph_band41_2680MHz_20M_QPSK_100RB#LOW_10G_27.0G_TX



Appendix E: Frequency stability

Test Result

Test Conditions (LTE Band 41(QPSK) /BW 20MHz)		Frequency Range		Frequency Error	Verdict
Temperature (°C)	Voltage (Volt)	>2496 Freq Reading @ Low End (MHz)	<2690 Freq Reading @ High End (MHz)	Middle Channel	
				≤2.5ppm	
50	Normal Voltage	2497.0094	2688.9801	0.0061	PASS
40	Normal Voltage	2497.0095	2688.9802	0.0066	
30	Normal Voltage	2497.0096	2688.9803	0.0067	
20(Ref.)	Normal Voltage	2497.0095	2688.9801	0.0069	
10	Normal Voltage	2497.0094	2688.9802	0.0068	
0	Normal Voltage	2497.0094	2688.9802	0.0061	
-10	Normal Voltage	2497.0095	2688.9802	0.0060	
-20	Normal Voltage	2497.0095	2688.9802	0.0064	
-30	Normal Voltage	2497.0095	2688.9803	0.0066	
20	+15%	2497.0095	2688.9803	0.0068	
20	-15%	2497.0094	2688.9803	0.0067	
20	Battery End Point	2497.0094	2688.9802	0.0064	

