

Functional description



USB output 1 USB output 2 USB output 3

Micro input Lightning input Type-C input / output

USB input cable Micro output line Type-C output cable

Lightning output cable 11 Wireless charging 12 LED lighting

13 Solar panel 14 Switch 15 Battery indicator

1

Technical specification

Product Name	Solar Charger
Type-C Output	DC 5V-3.0A
Type-C Input	DC 5V-3.0A
Lightning Input	5.0V-2.0A
MicroUSB Input	5.0V-2.0A
USB 3.0 Output	DC 5.0V-3.0A
Wireless Charging	5W

LED flashlight function instruction

- In standby mode, double-click the LED flashlight switch continuously and enter the bright mode.
- Press the button again and enter the normal light mode.
- Press the button again and enter SOS mode.
- Finally, double-click the switch, and the LED flashlight is off.

2

Instruction

- Please use the USB cable and charger that matches your phone or other digital products.
- To ensure the stability, please use the standard charger.
- This product use Micro Lightning and Type-C input port to charge itself and use the USB output port to charge the devices that is connected to the product.
- Electric energy will be consumed during charging/ discharging. Slight heating is normal.
- Please store the product in a cool and day place. If it is not to be used in a long time, please fully charge the power bank once every six months.
- One Micro USB cable is attached inside.

3

.How to use wireless charging

The power bank has a wireless charging function. Press the power once to turn on wireless.

Put the mobile phone in the wireless charging area to charge.



.About solar charging

The pilot lamp blinks when charging with solar energy.

Solar energy charging only for outdoor emergency, The main charging method is charging with a cable.

NOTICE

1. Do not throw the product into the fire, because it may explode.
2. Do not drop, knock heavily, disassemble the charger or repair it yourself.
3. Do not put it under the blazing sun or in a fully closed car for too long.
4. Do not expose the product to corrosive or flammable liquid .
5. Best using temperature: 15-25 .
6. If the product is used in too hot or cold environment, it may not be able to use temporarily.
7. Please dispose of waste electronic products according to local laws and regulations.
8. The primary way to charge the battery bank is by USB and only use solar charging feature in an emergency.

INSTRUCTIONS



This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction