


Inverted F Antenna Specification

ITEM	ANT SPEC					
Model Name	2.4G ANT					
Center Frequency	Horizontal			Vertical		
	2400MHz	2400MHz	2500MHz	2400MHz	2400MHz	2500MHz
	-1.28	-0.77	-0.56	-5.22	-2.45	-1.83
MAX. Gain	-0.6dB					
Polarization	Horizontal and Vertical					
Azimuth Beam Pattern	Omni-directional					
Impedance	50 Ohm					
Antenna Length	40.3mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					


Antenna Photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -40 Scale: 5/div




Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-1.26171	-30.0800	-7.18713
2450	-0.765804	-36.5606	-7.4802 4
2500	-0.585583	-22.0317	-6.5912 9

Vertical: 2400 MHz 2450 MHz 2500 MHz

Power (dBm)

Max: 0 Min: -30 Scale: 5/div



Frequency (MHz)	Gain(dB)		
	Max	Min	Avg
2400	-5.2535	-22.1424	-12.4292
2450	-2.4652	-24.5837	-10.4719
2500	-1.86120	-29.5214	-9.20430