


Antenna Kitting Information

Component	Prod No. Description	Gain/Loss						Manufacturer
		LTE-A	LTE-V	800MHz	1900MHz	1700MHz	2100MH	
Outdoor Cable	RG-6 60Feet (Sold with the host)	3.5dB	3.5dB	3.6dB	5.7dB	5.6dB	6.1dB	Suirongcable
Outdoor Cable	RG-6 30Feet	1.8dB	1.9dB	2.0dB	3.0dB	2.9dB	3.1dB	Suirongcable
Indoor Cable	RG-6 30Feet	1.8dB	1.9dB	2.0dB	3.0dB	2.9dB	3.1dB	Suirongcable
All equivalent antennas and cables are suitable for use with the SunFord								

Antenna Model

A0801TY (Sold with the host)	A0103TY	A0104TY (Sold with the host)	A0501TY
			
0.9dbi @698-894MHz 1.9dbi @1710-2200MHz	6.1dbi @698-894MHz 7.5dbi @1710-2200MHz	6.2dbi @698-894MHz 6.8dbi @1710-2200MHz	5.2dbi @698-894MHz 7.6dbi @1710-2200MHz

Package configuration:

TY70M5F/TY70M5H/TY70M5D/TY70M5E+A0801TY+A0104TY
+60 feet



TY70M5F/TY70M5H/TY70M5D/TY70M5E+A0801TY+A0103TY
+60 feet



TY70M5F/TY70M5H/TY70M5D/TY70M5E+A0103SF+30
feet+A0501TY+30 feet



TY70M5F/TY70M5H/TY70M5D/TY70M5E+A0104SF+30
feet+A0501TY+30 feet

