




Description: Infraredi Pro

Model: MP-210

INPUT: AC100-240V 50/60Hz 340W

Wavelength: 630nm, 660nm, 810nm, 830nm, 850nm

 infraredi

 250901

 9200KY

 MP-21000001

UDI

(01)06970006971854

(11)250901

(10)9200KY

(21)MP-21000001

FCC ID: 2BR4Y-MP-300-210-84

IC: 34554-MP30021084

Shenzhen Kalyan Medical Equipment Co.,Ltd
Building#3 and Building#5 40th of Fuxin Street, Huade Community
Fuyang Town, Baoan District, Shenzhen, Guangdong, 518103, China

UK REP

YH Consulting Limited
Address: C/O YH Consulting Limited Office 147, Centurion House, London
Road, Staines-upon-Thames, Surrey

EU REP


Light tree ventures holding B.V.
Laan van Ypenburg 108, 2497 GC, The Hague, The Netherlands
regulatory@lighttreeventures.com

Australia
Sponsor

Light Tree Ventures Pty Ltd
Address: 40-44 Edgeworth David Avenue, Wailara, NSW, 2077
Australia

Caution: Eye or skin irritation may result from exposure. Do not stare at operating lamp. May be harmful to the eyes. Keep a distance from the device during use, please refer to the user manual before use.

77 mm



83 mm

Description: Infraredi Pro
Model: MP-84
INPUT: AC100-240V 50/60Hz 140W
Wavelength: 630nm, 660nm, 810nm, 830nm, 850nm

250901
 9439KY
 MP-8400001

(01)06970006971847
(11)250901
(10)9439KY
(21)MP-8400001

FCC ID: 2BR4Y-MP-300-210-84
IC: 34554-MP30021084

	Shenzhen Kalyan Medical Equipment Co., Ltd Building#3 and Building#5 40th of Fuxin Street, Hualde Community Fuyong Town, Baoan District, Shenzhen, Guangdong, 518103, China
	YH Consulting Limited Address: C/O YH Consulting Limited Office 147, Centurion House, London Road, Staines-upon-Thames, Surrey
	Light tree ventures holding B.V. Laan van Ypenburg 108, 2487 GC, The Hague, The Netherlands regulatory@lighttreeventures.com
Australia Sponsor	Light Tree Ventures Pty Ltd Address: 40-44 Edgeworth David Avenue, Waitara, NSW, 2077 Australia

Caution: Eye or skin irritation may result from exposure. Do not stare at operating lamp. May be harmful to the eyes. Keep a distance from the device during use, please refer to the user manual before use.

77 mm