



Bluetooth LE-Channel 0



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1060.871250	39.03	---	74.00	34.97	500.0	200.0	V	269.0	-10.4
1114.500000	---	28.39	54.00	25.61	500.0	200.0	V	341.0	-10.0
1234.048750	40.52	---	74.00	33.48	500.0	100.0	H	31.0	-8.7
1264.500000	---	28.89	54.00	25.11	500.0	200.0	H	125.0	-8.5
1450.582500	39.57	---	74.00	34.43	500.0	200.0	H	50.0	-7.3
1463.750000	---	28.83	54.00	25.17	500.0	200.0	H	44.0	-7.2
1793.750000	---	31.62	54.00	22.38	500.0	200.0	H	28.0	-5.4
1835.000000	41.41	---	74.00	32.59	500.0	200.0	H	12.0	-5.2
2174.000000	---	33.30	54.00	20.70	500.0	200.0	H	184.0	-3.5
2199.750000	44.37	---	74.00	29.63	500.0	200.0	H	2.0	-3.3
2673.000000	---	37.16	54.00	16.84	500.0	100.0	V	34.0	-1.8
2812.250000	45.66	---	74.00	28.34	500.0	200.0	H	131.0	-1.2



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3986.250000	48.12	---	74.00	25.88	500.0	100.0	V	325.0	-6.9
3990.000000	---	33.36	54.00	20.64	500.0	200.0	V	315.0	-6.9
4801.750000	57.17	---	74.00	16.83	500.0	100.0	H	15.0	-6.1
4803.750000	---	47.15	54.00	6.85	500.0	200.0	H	229.0	-6.1
7205.000000	66.31	---	74.00	7.69	500.0	200.0	H	135.0	-4.2
7205.000000	---	53.51	54.00	0.49	500.0	200.0	H	250.0	-4.2
9525.125000	44.69	---	74.00	29.31	500.0	200.0	V	4.0	-0.1
9648.250000	---	32.89	54.00	21.11	500.0	200.0	H	8.0	-0.6
13311.875000	45.62	---	74.00	28.38	500.0	100.0	V	8.0	2.3
13367.500000	---	33.52	54.00	20.48	500.0	100.0	V	315.0	2.3
16580.625000	49.42	---	74.00	24.58	500.0	100.0	H	225.0	8.1
16720.000000	---	38.61	54.00	15.39	500.0	200.0	V	231.0	8.8


Bluetooth LE-Channel 19



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1069.750000	---	27.79	54.00	26.21	500.0	200.0	H	0.0	-10.3
1135.750000	37.55	---	74.00	36.45	500.0	200.0	H	343.0	-9.8
1196.000000	---	28.31	54.00	25.69	500.0	100.0	H	210.0	-8.9
1322.750000	39.86	---	74.00	34.14	500.0	200.0	H	343.0	-8.0
1374.750000	---	28.93	54.00	25.07	500.0	100.0	H	347.0	-7.7
1549.750000	40.18	---	74.00	33.82	500.0	100.0	H	77.0	-6.7
1668.500000	---	29.83	54.00	24.17	500.0	200.0	H	256.0	-6.1
1904.000000	42.24	---	74.00	31.76	500.0	100.0	H	130.0	-5.0
2072.250000	---	32.26	54.00	21.74	500.0	200.0	H	343.0	-4.0
2304.000000	42.98	---	74.00	31.02	500.0	100.0	H	44.0	-2.8
2641.000000	45.53	---	74.00	28.47	500.0	100.0	H	103.0	-2.0
2673.000000	---	37.34	54.00	16.66	500.0	100.0	V	346.0	-1.8



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3993.750000	---	30.73	54.00	23.27	500.0	100.0	V	236.0	-6.8
3997.500000	47.41	---	74.00	26.59	500.0	200.0	V	341.0	-6.8
4878.750000	51.51	---	74.00	22.49	500.0	200.0	H	260.0	-5.7
4878.750000	---	45.56	54.00	8.44	500.0	200.0	H	260.0	-5.7
7320.000000	60.15	---	74.00	13.85	500.0	100.0	V	303.0	-3.0
7320.000000	---	53.43	54.00	0.57	500.0	100.0	V	303.0	-3.0
9661.875000	44.36	---	74.00	29.64	500.0	200.0	H	230.0	-0.6
9789.375000	---	32.85	54.00	21.15	500.0	200.0	H	160.0	-0.5
12198.750000	---	34.56	54.00	19.44	500.0	200.0	V	255.0	0.4
12838.125000	44.39	---	74.00	29.61	500.0	200.0	H	354.0	0.9
16916.250000	49.87	---	74.00	24.13	500.0	100.0	V	158.0	8.8
17306.250000	---	38.15	54.00	15.85	500.0	200.0	H	288.0	9.4


Bluetooth LE-Channel 39



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1198.750000	---	31.10	54.00	22.90	500.0	200.0	V	285.0	-8.8
1198.750000	41.80	---	74.00	32.20	500.0	200.0	V	285.0	-8.8
1329.750000	---	29.88	54.00	24.12	500.0	100.0	V	317.0	-8.0
1340.000000	41.25	---	74.00	32.75	500.0	200.0	V	76.0	-8.0
1516.750000	---	28.84	54.00	25.16	500.0	100.0	H	185.0	-6.9
1541.500000	40.96	---	74.00	33.04	500.0	200.0	V	12.0	-6.8
1716.000000	---	31.52	54.00	22.48	500.0	200.0	V	109.0	-5.9
1723.250000	42.96	---	74.00	31.04	500.0	200.0	V	125.0	-5.9
2074.250000	45.15	---	74.00	28.85	500.0	200.0	V	163.0	-4.0
2079.000000	---	33.21	54.00	20.79	500.0	200.0	V	76.0	-3.9
2673.000000	---	36.87	54.00	17.13	500.0	100.0	V	285.0	-1.8
2960.500000	47.80	---	74.00	26.20	500.0	200.0	V	231.0	-0.8



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3980.625000	45.75	---	74.00	28.25	500.0	200.0	V	314.0	-6.9
3993.750000	---	31.73	54.00	22.27	500.0	200.0	V	296.0	-6.8
4959.375000	---	40.32	54.00	13.68	500.0	100.0	H	198.0	-5.4
4959.375000	46.37	---	74.00	27.63	500.0	100.0	H	198.0	-5.4
5971.875000	50.82	---	74.00	23.18	500.0	100.0	V	168.0	-4.7
6613.125000	---	39.15	54.00	14.85	500.0	100.0	H	312.0	-3.4
7438.125000	59.92	---	74.00	14.08	500.0	200.0	V	14.0	-2.9
7440.000000	---	51.20	54.00	2.80	500.0	200.0	V	14.0	-2.9
13333.125000	---	33.54	54.00	20.46	500.0	100.0	V	14.0	2.3
13350.000000	44.94	---	74.00	29.06	500.0	200.0	H	278.0	2.4
17030.625000	49.31	---	74.00	24.69	500.0	200.0	V	290.0	8.8
17311.875000	---	38.29	54.00	15.71	500.0	200.0	V	218.0	9.4


Right



Radiates Emission from 30MHz to 1GHz

Frequency (MHz)	Quasi-Peak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Polarization	Azimuth (deg)	Correct Factor (dB)
37.383750	14.58	40.00	25.42	175.0	V	215.0	19.1
55.997500	16.92	40.00	23.08	125.0	V	217.0	20.6
93.418750	13.75	43.50	29.75	125.0	H	320.0	18.2
173.997500	16.83	43.50	26.67	125.0	H	130.0	20.2
259.003750	15.75	46.00	30.25	225.0	V	184.0	20.3
388.858750	18.47	46.00	27.53	208.0	V	337.0	23.2


Bluetooth LE-Channel 0



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1047.750000	---	27.82	54.00	26.18	500.0	100.0	H	354.0	-10.5
1052.750000	39.42	---	74.00	34.58	500.0	200.0	H	134.0	-10.5
1196.500000	40.70	---	74.00	33.30	500.0	100.0	H	315.0	-8.9
1198.500000	---	29.37	54.00	24.63	500.0	200.0	V	306.0	-8.8
1432.000000	42.54	---	74.00	31.46	500.0	200.0	H	119.0	-7.4
1434.750000	---	30.58	54.00	23.42	500.0	100.0	V	273.0	-7.4
1712.500000	43.48	---	74.00	30.52	500.0	100.0	V	0.0	-5.9
1731.500000	---	31.84	54.00	22.16	500.0	100.0	V	0.0	-5.8
1991.000000	48.42	---	74.00	25.58	500.0	100.0	V	108.0	-4.6
2078.500000	---	33.40	54.00	20.60	500.0	100.0	H	339.0	-3.9
2845.250000	48.10	---	74.00	25.90	500.0	200.0	V	351.0	-1.1
2923.250000	---	36.44	54.00	17.56	500.0	100.0	H	25.0	-1.0



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3952.500000	40.72	---	74.00	33.28	500.0	200.0	H	162.0	-7.2
4035.000000	---	29.60	54.00	24.40	500.0	100.0	V	105.0	-6.7
4903.125000	---	30.91	54.00	23.09	500.0	100.0	H	246.0	-5.4
5325.000000	41.57	---	74.00	32.43	500.0	100.0	H	161.0	-4.7
5992.500000	45.41	---	74.00	28.59	500.0	100.0	V	130.0	-4.5
6065.625000	---	30.61	54.00	23.39	500.0	100.0	V	0.0	-4.2
7027.500000	---	31.49	54.00	22.51	500.0	100.0	H	339.0	-3.1
7989.375000	42.39	---	74.00	31.61	500.0	200.0	H	70.0	-2.5
9375.000000	45.11	---	74.00	28.89	500.0	100.0	H	238.0	-1.0
9768.750000	---	33.17	54.00	20.83	500.0	100.0	H	357.0	-0.5
13318.125000	45.40	---	74.00	28.60	500.0	100.0	V	301.0	2.3
13346.250000	---	34.35	54.00	19.65	500.0	200.0	V	254.0	2.4


Bluetooth LE-Channel 19



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1037.000000	39.35	---	74.00	34.65	500.0	100.0	V	318.0	-10.5
1058.500000	---	28.01	54.00	25.99	500.0	100.0	H	9.0	-10.4
1196.000000	41.22	---	74.00	32.78	500.0	100.0	H	249.0	-8.9
1198.750000	---	29.51	54.00	24.49	500.0	100.0	V	287.0	-8.8
1379.500000	42.07	---	74.00	31.93	500.0	100.0	H	325.0	-7.7
1409.500000	---	30.63	54.00	23.37	500.0	200.0	V	328.0	-7.5
1629.500000	43.60	---	74.00	30.40	500.0	200.0	H	133.0	-6.2
1717.750000	---	31.77	54.00	22.23	500.0	100.0	H	159.0	-5.9
1997.500000	48.48	---	74.00	25.52	500.0	100.0	V	104.0	-4.6
2076.250000	---	33.38	54.00	20.62	500.0	200.0	V	344.0	-4.0
2924.500000	---	36.53	54.00	17.47	500.0	100.0	V	197.0	-1.0
2948.250000	48.35	---	74.00	25.65	500.0	200.0	V	344.0	-0.9



Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3410.625000	39.58	---	74.00	34.42	500.0	100.0	V	279.0	-8.6
3436.875000	---	28.39	54.00	25.61	500.0	100.0	H	309.0	-8.5
4391.250000	40.19	---	74.00	33.81	500.0	200.0	V	155.0	-6.4
4706.250000	---	28.90	54.00	25.10	500.0	200.0	H	32.0	-5.7
5988.750000	---	30.65	54.00	23.35	500.0	100.0	V	190.0	-4.6
5994.375000	40.82	---	74.00	33.18	500.0	100.0	H	215.0	-4.5
7888.125000	41.11	---	74.00	32.89	500.0	100.0	V	113.0	-2.3
8045.625000	---	30.13	54.00	23.87	500.0	200.0	H	67.0	-2.5
10248.750000	43.25	---	74.00	30.75	500.0	200.0	V	63.0	-1.1
10451.250000	---	31.85	54.00	22.15	500.0	200.0	V	268.0	-1.0
13215.000000	44.31	---	74.00	29.69	500.0	200.0	H	145.0	1.8
13340.625000	---	34.24	54.00	19.76	500.0	200.0	H	50.0	2.3


Bluetooth LE-Channel 39



Note: The signal beyond the limit is carrier.

Radiates Emission from 1GHz to 3GHz

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1031.500000	42.88	---	74.00	31.12	500.0	100.0	H	330.0	-10.6
1139.000000	---	30.84	54.00	23.16	500.0	200.0	V	333.0	-9.8
1265.000000	---	30.70	54.00	23.30	500.0	100.0	H	56.0	-8.5
1432.000000	44.19	---	74.00	29.81	500.0	100.0	H	234.0	-7.4
1440.500000	---	32.20	54.00	21.80	500.0	200.0	V	340.0	-7.3
1543.500000	45.05	---	74.00	28.95	500.0	200.0	H	81.0	-6.8
1697.250000	---	33.41	54.00	20.59	500.0	100.0	H	338.0	-6.0
1754.500000	45.60	---	74.00	28.40	500.0	200.0	H	29.0	-5.8
1993.750000	50.29	---	74.00	23.71	500.0	100.0	V	100.0	-4.6
2069.000000	---	34.97	54.00	19.03	500.0	100.0	V	260.0	-4.0
2794.000000	48.74	---	74.00	25.26	500.0	200.0	V	0.0	-1.3
2816.750000	---	36.68	54.00	17.32	500.0	200.0	V	316.0	-1.2




Radiates Emission from 3GHz to 18GHz

Frequency (MHz)	MaxPeak (dB μ V/m)	Average (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3975.000000	40.98	---	74.00	33.02	500.0	200.0	V	309.0	-6.9
4001.250000	---	29.43	54.00	24.57	500.0	200.0	V	0.0	-6.8
4936.875000	---	29.81	54.00	24.19	500.0	200.0	V	0.0	-5.4
5197.500000	41.78	---	74.00	32.22	500.0	200.0	V	344.0	-4.7
5973.750000	39.95	---	74.00	34.05	500.0	200.0	H	101.0	-4.7
6616.875000	---	31.43	54.00	22.57	500.0	100.0	V	128.0	-3.4
7533.750000	42.78	---	74.00	31.22	500.0	100.0	V	111.0	-2.9
7758.750000	---	30.63	54.00	23.37	500.0	200.0	H	354.0	-2.5
9506.250000	---	33.24	54.00	20.76	500.0	200.0	H	295.0	-0.1
9646.875000	44.73	---	74.00	29.27	500.0	100.0	V	292.0	-0.5
12778.125000	45.72	---	74.00	28.28	500.0	100.0	V	256.0	0.9
13342.500000	---	34.49	54.00	19.51	500.0	100.0	H	314.0	2.3

2. Conducted Emission

2.1. Wi-Fi 2.4GHz


During the test, the Conducted Emission was performed in all modes with all channel. The test data of the worst-case condition was recorded in this report.



Frequency [MHz]	QPK Level [dBμV]	QPK Limit [dBμV]	QPK Margin [dB]	AVG Level [dBμV]	AVG: CAV Limit [dBμV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.224	28.03	62.66	34.63	17.51	52.66	35.15	21.00	L1	9.000	1.000
0.528	36.38	56.00	19.62	24.59	46.00	21.41	20.75	L1	9.000	1.000
1.286	24.82	56.00	31.18	13.98	46.00	32.02	19.96	L1	9.000	1.000
2.972	23.17	56.00	32.83	15.21	46.00	30.79	19.49	L1	9.000	1.000
6.880	20.35	60.00	39.65	13.85	50.00	36.15	19.41	L1	9.000	1.000
13.513	19.54	60.00	40.46	13.82	50.00	36.18	19.46	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG: CAV Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.227	29.89	62.58	32.68	18.70	52.58	33.87	21.01	N	9.000	1.000
0.407	28.42	57.72	29.29	18.80	47.72	28.91	20.88	N	9.000	1.000
0.528	38.00	56.00	18.00	25.66	46.00	20.34	20.76	N	9.000	1.000
1.271	25.16	56.00	30.84	14.29	46.00	31.71	19.98	N	9.000	1.000
3.768	24.05	56.00	31.95	15.53	46.00	30.47	19.45	N	9.000	1.000
13.745	21.36	60.00	38.64	14.98	50.00	35.02	19.50	N	9.000	1.000


Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

2.2. Bluetooth LE

During the test, the Conducted Emission was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.

Left



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG: CAV Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.229	21.35	62.49	41.14	13.17	52.49	39.33	21.00	L1	9.000	1.000
0.517	30.45	56.00	25.55	19.01	46.00	26.99	20.76	L1	9.000	1.000
1.322	18.77	56.00	37.23	11.28	46.00	34.72	19.94	L1	9.000	1.000
3.885	18.29	56.00	37.71	12.17	46.00	33.83	19.43	L1	9.000	1.000
7.580	16.35	60.00	43.65	11.11	50.00	38.89	19.41	L1	9.000	1.000
14.654	15.90	60.00	44.10	10.48	50.00	39.52	19.49	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz




Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG: CAV Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.224	21.65	62.66	41.01	13.26	52.66	39.40	21.01	N	9.000	1.000
0.530	32.36	56.00	23.64	21.65	46.00	24.35	20.76	N	9.000	1.000
1.331	19.18	56.00	36.82	11.23	46.00	34.77	19.94	N	9.000	1.000
3.138	18.30	56.00	37.70	12.20	46.00	33.80	19.48	N	9.000	1.000
7.503	16.65	60.00	43.35	11.08	50.00	38.92	19.41	N	9.000	1.000
18.110	14.32	60.00	45.68	9.23	50.00	40.77	19.64	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz

Right



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG: CAV Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.227	21.17	62.58	41.41	13.21	52.58	39.36	21.00	L1	9.000	1.000
0.533	32.29	56.00	23.71	21.91	46.00	24.09	20.74	L1	9.000	1.000
1.178	17.86	56.00	38.14	10.55	46.00	35.45	20.03	L1	9.000	1.000
3.129	18.62	56.00	37.38	12.23	46.00	33.77	19.47	L1	9.000	1.000
7.177	17.50	60.00	42.50	11.63	50.00	38.37	19.41	L1	9.000	1.000
16.298	15.17	60.00	44.83	9.83	50.00	40.17	19.54	L1	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

L line Conducted Emission from 150 kHz to 30 MHz



Frequency [MHz]	QPK Level [dBµV]	QPK Limit [dBµV]	QPK Margin [dB]	AVG Level [dBµV]	AVG: CAV Limit [dBµV]	AVG Margin [dB]	Correction [dB]	Line	Meas. BW [kHz]	Meas. Time [s]
0.227	21.33	62.58	41.25	13.20	52.58	39.38	21.01	N	9.000	1.000
0.533	32.32	56.00	23.68	21.85	46.00	24.15	20.75	N	9.000	1.000
1.237	18.95	56.00	37.05	10.90	46.00	35.10	20.00	N	9.000	1.000
3.064	18.72	56.00	37.28	12.30	46.00	33.70	19.49	N	9.000	1.000
6.563	16.84	60.00	43.16	11.27	50.00	38.73	19.41	N	9.000	1.000
14.413	16.82	60.00	43.18	11.20	50.00	38.80	19.52	N	9.000	1.000

Remark: Correct factor=cable loss + LISN factor

N line Conducted Emission from 150 kHz to 30 MHz