AGIGA · EchoVision

EchoVision Smart Glasses—built by, with, and for the blind and low-vision community.

What's in the box?

Smart Glasses, Charge Case, Magnetic Clip-on Sunglasses(optional), USB-C Cable, Cleaning Cloth, Nose Pads (multiple sizes)

Get Started

Scan the QR code on the right with your smartphone's camera to access the intended use, setup guide, full user manual, and educational materials.

Note: A smartphone is required for the initial setup process.

Case & Charging



Double-press the button on the back of the case to hear its battery level: one beep for 25%, 2 beeps for 50%, 3 beeps for 75%, and 4 beeps for 100%.
Use the USB-C port at the bottom-center of the case to charge the case.



Glasses charge when placed inside the case, or directly via USB-C on the end of the right temple.

Customer Care

Need help? Visit echovision.agiga.ai/faq, email us at support@agiga.ai, or call us at 1-408-940-5215.

Manufactured for Agiga Inc.,
450 S Abel St, Unit 360215, Milpitas, CA 95035
Made in China

Rev A

FCC Regulations:

FCC ID： 2BR9C-EVG001

- This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
- This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

  —Reorient or relocate the receiving antenna.

  —Increase the separation between the equipment and receiver.

  —Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

  —Consult the dealer or an experienced radio/ TV technician for help.
- Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.

Radio Frequency (RF) Energy

This device is designed and manufactured not to exceed the emission limits for exposure to radio frequency (RF) energy set by the Federal Communications Commission of the United States.

The exposure standard for wireless devices employing a unit of measurement is known as the Specific Absorption Rate, or SAR. The SAR limit recommended by the general public is 1.6W/kg Averaged over one gram of tissue by IEEE Std 1528.

The FCC has granted an Equipment Authorization for this product with all reported SAR Levels evaluated as in compliance with the FCC RF exposure guidelines.

While there may be differences between the SAR levels of various product and at various positions, they all meet the government requirements.

SAR compliance for body-worn operation is based on a separation distance of 0 mm

between the unit and the human body. Carry this device at least 0 mm away from your body to ensure RF exposure level compliant or lower to the reported level.

ISED Notice

This device complies with ISED license-exempt RSS standard(s). Operation is subject to the following two conditions:

(1) this device may not cause interference, and

(2) this device must accept any interference, including interference that may cause undesired operation of the device.

This Class B digital apparatus complies with Canadian ICES-003.

IC: 34595-EVG001

ISED Radiation Exposure Statement

This EUT is in compliance with SAR for general population/uncontrolled exposure limits in ISED RSS-102 and had been tested in accordance with the measurement methods and procedures specified in IEEE 1528 and IEC 62209. The SAR limit is 1.6 W/kg by ISED.

This equipment should be installed and operated with minimum distance of 0 mm between the radiator and your body. This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter.

Remarque ISED

Cet appareil est conforme aux Normes RSS d'ISED Canada. Son utilisation est soumise à deux conditions:

(1) Ce dispositif ne peut pas provoquer d'interférences, et

(2) Ce dispositif doit accepter toutes les interférences reçues, y compris les interférences susceptibles de provoquer un fonctionnement non souhaité.

Cet appareil de classe B est conforme à la norme canadienne ICES-003.

IC: 34595-EVG001

Déclaration d'exposition ISED

Cet EUT est conforme aux valeurs SAR à la norme SAR pour le grand public ainsi qu'aux limites d'exposition non règlementée ISED RSS-102 et a été testé selon les méthodes et procédures spécifiées par les Normes IEEE 1528 et IEC 62209.La limite DAS est de 1,6W/kg par ISED. Cet appareil devrait être installé et utilisé en respectant une distance minimale de 0 mm avec votre corps. Cet appareil et son (ses) antenne (s) ne doivent pas être situés à proximité l'un de l'autre et ne doivent pas fonctionner en même temps qu'une autre antenne ou qu'un autre émetteur.