

Mode:	DH5-2441
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1505.2	42.45	2.18	74.00	31.55	150	274	Horizontal
2	1886.8	45.57	6.12	74.00	28.43	150	283	Horizontal
3	4035.75	43.46	-15.72	74.00	30.54	150	242	Horizontal
4	6862.5	45.31	-10.54	74.00	28.69	150	304	Horizontal
5	11156.2	48.18	-3.77	74.00	25.82	150	25	Horizontal
6	15918.7	50.89	1.95	74.00	23.11	150	294	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316	42.78	2.64	74.00	31.22	150	202	Vertical
2	1865.2	44.94	5.96	74.00	29.06	150	117	Vertical
3	3951.75	44.28	-15.51	74.00	29.72	150	225	Vertical
4	5261.25	45.17	-12.77	74.00	28.83	150	147	Vertical
5	6567	46.38	-11.07	74.00	27.62	150	142	Vertical
6	11421.7	48.30	-3.62	74.00	25.70	150	336	Vertical

Mode:	DH5-2480
-------	----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1383.2	43.10	2.46	74.00	30.90	150	110	Horizontal
2	1912.8	45.90	6.10	74.00	28.10	150	94	Horizontal
3	4291.5	43.60	-14.77	74.00	30.40	150	338	Horizontal
4	7315.5	45.38	-10.36	74.00	28.62	150	95	Horizontal
5	9748.5	46.61	-6.72	74.00	27.39	150	28	Horizontal
6	11922	49.78	-2.54	74.00	24.22	150	207	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1290	43.12	2.80	74.00	30.88	150	159	Vertical
2	1936.4	46.15	6.11	74.00	27.85	150	93	Vertical
3	3944.25	47.33	-15.77	74.00	26.67	150	200	Vertical
4	5256.75	49.09	-12.83	74.00	24.91	150	103	Vertical
5	8472.75	45.27	-9.02	74.00	28.73	150	21	Vertical
6	11147.2	48.58	-3.77	74.00	25.42	150	45	Vertical

Mode:	2DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1325.2	43.27	2.51	74.00	30.73	150	191	Horizontal
2	1775.2	43.92	4.86	74.00	30.08	150	250	Horizontal
3	3758.25	42.14	-16.53	74.00	31.86	150	242	Horizontal
4	6483.75	45.21	-10.86	74.00	28.79	150	208	Horizontal
5	10004.2	47.50	-6.53	74.00	26.50	150	255	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1266	42.76	2.63	74.00	31.24	150	178	Vertical
2	1812.4	45.10	5.48	74.00	28.90	150	154	Vertical
3	3942	43.37	-15.92	74.00	30.63	150	216	Vertical
4	5263.5	45.74	-12.86	74.00	28.26	150	53	Vertical
5	6339	45.55	-10.82	74.00	28.45	150	353	Vertical
6	11051.2	48.49	-3.93	74.00	25.51	150	104	Vertical

Mode:	2DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1212.8	42.18	2.54	74.00	31.82	150	293	Horizontal
2	1858.4	44.86	5.88	74.00	29.14	150	293	Horizontal
3	3787.5	41.85	-16.44	74.00	32.15	150	212	Horizontal
4	5442.75	43.56	-12.84	74.00	30.44	150	332	Horizontal
5	6692.25	44.30	-10.81	74.00	29.70	150	172	Horizontal
6	8993.25	45.01	-8.31	74.00	28.99	150	324	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1305.2	43.11	2.68	74.00	30.89	150	326	Vertical
2	1992.8	45.83	6.63	74.00	28.17	150	227	Vertical
3	4041.75	42.38	-15.62	74.00	31.62	150	265	Vertical
4	5438.25	43.39	-12.92	74.00	30.61	150	138	Vertical
5	6717	44.95	-10.21	74.00	29.05	150	67	Vertical
6	9071.25	44.97	-8.07	74.00	29.03	150	138	Vertical

Mode:	2DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1282	42.89	2.75	74.00	31.11	150	270	Horizontal
2	1840	44.07	5.94	74.00	29.93	150	270	Horizontal
3	4934.25	43.38	-13.74	74.00	30.62	150	281	Horizontal
4	6163.5	43.50	-11.22	74.00	30.50	150	143	Horizontal
5	8585.25	45.28	-9.16	74.00	28.72	150	254	Horizontal
6	9414.75	45.03	-7.68	74.00	28.97	150	170	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1224.4	42.14	2.48	74.00	31.86	150	314	Vertical
2	1968.8	45.51	6.46	74.00	28.49	150	226	Vertical
3	4489.5	41.85	-14.41	74.00	32.15	150	32	Vertical
4	5755.5	45.01	-12.10	74.00	28.99	150	344	Vertical
5	7335	43.25	-10.20	74.00	30.75	150	198	Vertical
6	9366	44.85	-7.28	74.00	29.15	150	32	Vertical

Mode:	3DH5-2402
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1316.4	42.84	2.63	74.00	31.16	150	86	Horizontal
2	1922	45.15	6.11	74.00	28.85	150	201	Horizontal
3	4491.75	41.52	-14.44	74.00	32.48	150	337	Horizontal
4	6069.75	45.73	-11.55	74.00	28.27	150	59	Horizontal
5	7647.75	43.38	-9.88	74.00	30.62	150	170	Horizontal
6	9389.25	45.04	-7.48	74.00	28.96	150	282	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1215.6	42.11	2.51	74.00	31.89	150	338	Vertical
2	1855.6	44.37	5.93	74.00	29.63	150	320	Vertical
3	4917.75	42.14	-13.15	74.00	31.86	150	206	Vertical
4	6114.75	43.88	-10.84	74.00	30.12	150	343	Vertical
5	7310.25	44.33	-10.62	74.00	29.67	150	343	Vertical
6	9763.5	44.82	-6.67	74.00	29.18	150	4	Vertical

Mode:	3DH5-2441
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1324.8	43.53	2.52	74.00	30.47	150	270	Horizontal
2	1713.2	50.89	3.89	74.00	23.11	150	310	Horizontal
3	3843.75	42.88	-15.64	74.00	31.12	150	270	Horizontal
4	6082.5	44.28	-11.47	74.00	29.72	150	210	Horizontal
5	7007.25	44.84	-10.21	74.00	29.16	150	160	Horizontal
6	9709.5	45.86	-6.79	74.00	28.14	150	150	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1204	42.51	2.57	74.00	31.49	150	120	Vertical
2	1857.6	44.72	5.90	74.00	29.28	150	190	Vertical
3	4339.5	41.86	-15.90	74.00	32.14	150	120	Vertical
4	6177.75	44.23	-11.31	74.00	29.77	150	80	Vertical
5	7329.75	44.18	-10.24	74.00	29.82	150	10	Vertical
6	9765.75	45.25	-6.69	74.00	28.75	150	210	Vertical

Mode:	3DH5-2480
-------	-----------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1260	42.59	2.64	74.00	31.41	150	340	Horizontal
2	1857.6	45.00	5.90	74.00	29.00	150	80	Horizontal
3	5061	42.92	-12.81	74.00	31.08	150	120	Horizontal
4	7017.75	44.57	-10.46	74.00	29.43	150	260	Horizontal
5	7311.75	43.78	-10.54	74.00	30.22	150	260	Horizontal
6	9741	45.43	-6.77	74.00	28.57	150	310	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1372.4	42.80	2.51	74.00	31.20	150	70	Vertical
2	1960.4	45.34	6.52	74.00	28.66	150	260	Vertical
3	4491.75	42.26	-14.44	74.00	31.74	150	110	Vertical
4	5944.5	44.05	-11.84	74.00	29.95	150	20	Vertical
5	8580	44.78	-9.22	74.00	29.22	150	320	Vertical
6	9740.25	44.95	-6.78	74.00	29.05	150	180	Vertical

Emissions in Restricted Bands

Mode:	DH5-2402
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2322.32	7.15	45.92	74.00	28.08	42.31	54.00	11.69	150	16	Horizontal	PASS
2	2337.76	7.11	45.26	74.00	28.74	41.83	54.00	12.17	150	166	Horizontal	PASS
3	2351.12	7.37	46.75	74.00	27.25	42.60	54.00	11.40	150	171	Horizontal	PASS
4	2362	7.41	46.43	74.00	27.57	42.48	54.00	11.52	150	243	Horizontal	PASS
5	2372.08	7.73	47.05	74.00	26.95	44.32	54.00	9.68	150	171	Horizontal	PASS
6	2390	8.28	45.41	74.00	28.59	43.33	54.00	10.67	150	262	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2321.52	7.16	45.62	74.00	28.38	43.00	54.00	11.00	150	276	Vertical	PASS
2	2330.96	7.11	45.91	74.00	28.09	42.29	54.00	11.71	150	155	Vertical	PASS
3	2343.36	7.24	46.04	74.00	27.96	41.48	54.00	12.52	150	131	Vertical	PASS
4	2357.84	7.33	46.11	74.00	27.89	42.86	54.00	11.14	150	222	Vertical	PASS
5	2362.08	7.41	47.49	74.00	26.51	42.06	54.00	11.94	150	179	Vertical	PASS
6	2389.52	8.22	46.56	74.00	27.44	43.28	54.00	10.72	150	167	Vertical	PASS

Mode:	DH5-2480
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.6815	7.53	53.17	74.00	20.83	49.70	54.00	4.30	150	249	Horizontal	PASS
2	2485.216	7.59	53.69	74.00	20.31	49.84	54.00	4.16	150	152	Horizontal	PASS
3	2486.866	7.61	53.55	74.00	20.45	50.53	54.00	3.47	150	88	Horizontal	PASS
4	2489.407	7.64	53.35	74.00	20.65	49.80	54.00	4.20	150	263	Horizontal	PASS
5	2492.509	7.66	52.71	74.00	21.29	49.89	54.00	4.11	150	40	Horizontal	PASS
6	2499.8185	7.60	53.92	74.00	20.08	51.42	54.00	2.58	150	294	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2485.3975	7.58	53.72	74.00	20.28	52.22	54.00	1.78	150	46	Vertical	PASS
2	2487.757	7.56	53.38	74.00	20.62	49.86	54.00	4.14	150	351	Vertical	PASS
3	2489.9185	7.65	53.33	74.00	20.67	49.39	54.00	4.61	150	116	Vertical	PASS
4	2493.466	7.66	54.03	74.00	19.97	51.29	54.00	2.71	150	260	Vertical	PASS
5	2495.182	7.65	54.23	74.00	19.77	49.97	54.00	4.03	150	200	Vertical	PASS
6	2498.2015	7.65	53.44	74.00	20.56	49.47	54.00	4.53	150	277	Vertical	PASS

Mode:	2DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2313.04	7.06	45.87	74.00	28.13	43.14	54.00	10.86	150	240	Horizontal	PASS
2	2320	7.18	45.27	74.00	28.73	41.88	54.00	12.12	150	325	Horizontal	PASS
3	2330.72	7.11	45.61	74.00	28.39	42.25	54.00	11.75	150	255	Horizontal	PASS
4	2359.04	7.35	45.73	74.00	28.27	42.26	54.00	11.74	150	269	Horizontal	PASS
5	2376.64	7.89	47.07	74.00	26.93	42.72	54.00	11.28	150	115	Horizontal	PASS
6	2387.04	7.97	46.44	74.00	27.56	42.70	54.00	11.30	150	226	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2314.56	7.10	45.22	74.00	28.78	41.18	54.00	12.82	150	38	Vertical	PASS
2	2330.32	7.12	46.50	74.00	27.50	43.90	54.00	10.10	150	253	Vertical	PASS
3	2345.84	7.32	45.07	74.00	28.93	42.21	54.00	11.79	150	126	Vertical	PASS
4	2357.2	7.33	44.91	74.00	29.09	42.25	54.00	11.75	150	308	Vertical	PASS
5	2366.16	7.50	48.78	74.00	25.22	47.24	54.00	6.76	150	198	Vertical	PASS
6	2374.4	7.82	46.93	74.00	27.07	42.55	54.00	11.45	150	92	Vertical	PASS

Mode:	2DH5-2480
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	55.28	74.00	18.72	48.52	54.00	5.48	150	330	Horizontal	PASS
2	2484.556	7.57	56.17	74.00	17.83	50.89	54.00	3.11	150	60	Horizontal	PASS
3	2488.417	7.58	56.25	74.00	17.75	49.50	54.00	4.50	150	170	Horizontal	PASS
4	2491.75	7.65	56.31	74.00	17.69	48.91	54.00	5.09	150	280	Horizontal	PASS
5	2495.578	7.65	56.54	74.00	17.46	49.45	54.00	4.55	150	100	Horizontal	PASS
6	2500	7.60	54.57	74.00	19.43	41.75	54.00	12.25	150	320	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	54.86	74.00	19.14	42.45	54.00	11.55	150	210	Vertical	PASS
2	2486.074	7.55	56.80	74.00	17.20	48.14	54.00	5.86	150	290	Vertical	PASS
3	2490.7765	7.63	56.21	74.00	17.79	48.02	54.00	5.98	150	330	Vertical	PASS
4	2491.8325	7.65	56.17	74.00	17.83	49.38	54.00	4.62	150	280	Vertical	PASS
5	2495.0005	7.65	56.54	74.00	17.46	47.97	54.00	6.03	150	220	Vertical	PASS
6	2500	7.60	56.33	74.00	17.67	42.48	54.00	11.52	150	340	Vertical	PASS

Mode:	3DH5-2402
-------	-----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.96	45.91	74.00	28.09	42.82	54.00	11.18	150	310	Horizontal	PASS
2	2317.84	7.14	48.12	74.00	25.88	45.31	54.00	8.69	150	250	Horizontal	PASS
3	2338.24	7.12	47.78	74.00	26.22	43.74	54.00	10.26	150	100	Horizontal	PASS
4	2352.24	7.33	48.67	74.00	25.33	45.74	54.00	8.26	150	220	Horizontal	PASS
5	2363.28	7.46	48.25	74.00	25.75	44.81	54.00	9.19	150	240	Horizontal	PASS
6	2390	8.28	48.38	74.00	25.62	45.47	54.00	8.53	150	230	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.96	46.16	74.00	27.84	44.18	54.00	9.82	150	280	Vertical	PASS
2	2325.36	7.15	47.41	74.00	26.59	43.36	54.00	10.64	150	180	Vertical	PASS
3	2338.32	7.12	47.79	74.00	26.21	45.45	54.00	8.55	150	180	Vertical	PASS
4	2359.6	7.36	48.12	74.00	25.88	45.03	54.00	8.97	150	60	Vertical	PASS
5	2375.52	7.84	49.18	74.00	24.82	46.96	54.00	7.04	150	20	Vertical	PASS
6	2390	8.28	47.23	74.00	26.77	45.04	54.00	8.96	150	160	Vertical	PASS

Mode:	3DH5-2480
-------	-----------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	54.80	74.00	19.20	41.96	54.00	12.04	150	350	Horizontal	PASS
2	2485.8265	7.55	57.28	74.00	16.72	49.03	54.00	4.97	150	310	Horizontal	PASS
3	2489.4235	7.64	55.85	74.00	18.15	47.75	54.00	6.25	150	60	Horizontal	PASS
4	2492.8225	7.66	56.08	74.00	17.92	48.89	54.00	5.11	150	100	Horizontal	PASS
5	2495.479	7.65	55.97	74.00	18.03	48.19	54.00	5.81	150	210	Horizontal	PASS
6	2500	7.60	55.04	74.00	18.96	41.76	54.00	12.24	150	310	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	55.08	74.00	18.92	42.33	54.00	11.67	150	40	Vertical	PASS
2	2485.315	7.59	56.09	74.00	17.91	48.25	54.00	5.75	150	230	Vertical	PASS
3	2488.549	7.59	55.83	74.00	18.17	49.44	54.00	4.56	150	90	Vertical	PASS
4	2490.5125	7.64	56.34	74.00	17.66	47.86	54.00	6.14	150	170	Vertical	PASS
5	2493.697	7.67	56.30	74.00	17.70	48.11	54.00	5.89	150	30	Vertical	PASS
6	2500	7.60	54.05	74.00	19.95	42.35	54.00	11.65	150	20	Vertical	PASS

Appendix K: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.942	10.34	35.22	56.00	20.78	22.77	46.00	23.23	L1	PASS
2	1.401	10.33	35.19	56.00	20.81	22.51	46.00	23.49	L1	PASS
3	2.181	10.28	35.48	56.00	20.52	23.81	46.00	22.19	L1	PASS
4	3.018	10.29	36.12	56.00	19.88	23.97	46.00	22.03	L1	PASS
5	7.5	10.42	39.24	60.00	20.76	25.88	50.00	24.12	L1	PASS
6	11.92	10.49	39.47	60.00	20.53	26.58	50.00	23.42	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.183	10.35	38.03	64.35	26.32	24.54	54.35	29.81	N	PASS
2	0.867	10.26	35.06	56.00	20.94	23.54	46.00	22.46	N	PASS
3	2.436	10.38	36.39	56.00	19.61	23.54	46.00	22.46	N	PASS
4	3.939	10.40	37.12	56.00	18.88	24.67	46.00	21.33	N	PASS
5	5.976	10.41	37.87	60.00	22.13	24.93	50.00	25.07	N	PASS
6	13.192	10.58	39.71	60.00	20.29	25.57	50.00	24.43	N	PASS