






GFSK HOPPING, CARRIER LEVEL




GFSK HOPPING BAND EDGE (LOW)



GFSK HOPPING BAND EDGE (HIGH)

GFSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHzGFSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz



8DPSK HOPPING, CARRIER LEVEL



8DPSK Hopping BAND EDGE (LOW)



8DPSK Hopping BAND EDGE (HIGH)

8DPSK Hopping Mode, SPURIOUS
30 MHz ~ 3 GHz8DPSK Hopping Mode, SPURIOUS
3GHz ~ 25 GHz

A.7 Conducted Emissions

Note ¹: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note ²: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note ³: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


Left

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	59.52	10.23	66.00	6.48	Peak	L	Pass
1**	0.150	43.67	10.23	56.00	12.33	AV	L	Pass
2	0.216	51.88	10.22	62.97	11.09	Peak	L	Pass
2**	0.216	30.91	10.22	52.97	22.06	AV	L	Pass
3	0.290	46.06	10.23	60.52	14.46	Peak	L	Pass
3**	0.290	31.18	10.23	50.52	19.34	AV	L	Pass
4	0.682	41.07	10.27	56.00	14.93	Peak	L	Pass
4**	0.682	25.89	10.27	46.00	20.11	AV	L	Pass
5	10.134	37.69	12.52	60.00	22.31	Peak	L	Pass
5**	10.134	18.97	12.52	50.00	31.03	AV	L	Pass
6	16.310	41.92	14.18	60.00	18.08	Peak	L	Pass
6**	16.310	32.55	14.18	50.00	17.45	AV	L	Pass


PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.156	53.99	10.23	65.67	11.68	Peak	N	Pass
1**	0.156	39.61	10.23	55.67	16.06	AV	N	Pass
2	0.172	53.98	10.22	64.86	10.88	Peak	N	Pass
2**	0.172	38.04	10.22	54.86	16.82	AV	N	Pass
3	0.224	49.29	10.22	62.67	13.38	Peak	N	Pass
3**	0.224	35.08	10.22	52.67	17.59	AV	N	Pass
4	0.300	44.42	10.22	60.24	15.82	Peak	N	Pass
4**	0.300	29.94	10.22	50.24	20.30	AV	N	Pass
5	10.220	37.12	12.56	60.00	22.88	Peak	N	Pass
5**	10.220	21.63	12.56	50.00	28.37	AV	N	Pass
6	19.322	40.76	14.99	60.00	19.24	Peak	N	Pass
6**	19.322	25.36	14.99	50.00	24.64	AV	N	Pass


Right

PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.162	55.41	10.23	65.36	9.95	Peak	L	Pass
1**	0.162	35.82	10.23	55.36	19.54	AV	L	Pass
2	0.182	52.04	10.23	64.39	12.35	Peak	L	Pass
2**	0.182	31.16	10.23	54.39	23.23	AV	L	Pass
3	0.214	50.17	10.22	63.05	12.88	Peak	L	Pass
3**	0.214	28.81	10.22	53.05	24.24	AV	L	Pass
4	10.346	36.99	12.57	60.00	23.01	Peak	L	Pass
4**	10.346	21.48	12.57	50.00	28.52	AV	L	Pass
5	15.718	41.99	14.04	60.00	18.01	Peak	L	Pass
5**	15.718	30.22	14.04	50.00	19.78	AV	L	Pass
6	20.666	40.66	15.17	60.00	19.34	Peak	L	Pass
6**	20.666	28.24	15.17	50.00	21.76	AV	L	Pass

PHASE N



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Over Limit (dB)	Detector	Line	Verdict
1	0.150	54.43	10.23	66.00	11.57	Peak	N	Pass
1**	0.150	32.29	10.23	56.00	23.71	AV	N	Pass
2	0.168	53.18	10.22	65.06	11.88	Peak	N	Pass
2**	0.168	29.21	10.22	55.06	25.85	AV	N	Pass
3	0.246	46.68	10.22	61.89	15.21	Peak	N	Pass
3**	0.246	27.26	10.22	51.89	24.63	AV	N	Pass
4	10.314	36.27	12.58	60.00	23.73	Peak	N	Pass
4**	10.314	22.06	12.58	50.00	27.94	AV	N	Pass
5	19.184	40.77	14.96	60.00	19.23	Peak	N	Pass
5**	19.184	24.45	14.96	50.00	25.55	AV	N	Pass
6	24.980	40.96	15.94	60.00	19.04	Peak	N	Pass
6**	24.980	29.57	15.94	50.00	20.43	AV	N	Pass

A.8 Radiated Spurious Emission

Note ¹: The symbol of “--” in the table which means not application.

Note ²: For the test data above 1 GHz, according the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ³: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and DH5-Hopping mode is the worst.


Note ⁴: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV/m) + Factor (dB)

The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Test Data and Plots


Left

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	96.979	27.30	-26.25	43.5	16.20	Peak	201.00	200	Horizontal	Pass
2	115.021	26.76	-27.30	43.5	16.74	Peak	201.00	200	Horizontal	Pass
3	225.018	32.39	-25.59	46.0	13.61	Peak	190.00	100	Horizontal	Pass
4	247.038	33.69	-24.27	46.0	12.31	Peak	352.00	200	Horizontal	Pass
5	274.974	33.59	-24.25	46.0	12.41	Peak	152.00	100	Horizontal	Pass
6	749.546	31.84	-11.95	46.0	14.16	Peak	244.00	200	Horizontal	Pass


30 MHz to 1 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	123.023	20.12	-28.90	43.5	23.38	Peak	81.00	200	Vertical	Pass
2	193.106	25.52	-25.66	43.5	17.98	Peak	359.00	100	Vertical	Pass
3	247.377	27.45	-24.26	46.0	18.55	Peak	129.00	200	Vertical	Pass
4	382.013	27.88	-21.29	46.0	18.12	Peak	130.00	100	Vertical	Pass
5	730.583	29.69	-12.69	46.0	16.31	Peak	122.00	200	Vertical	Pass
6	910.615	31.26	-8.62	46.0	14.74	Peak	206.00	100	Vertical	Pass


Right

30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	53.910	13.30	-25.30	40.0	26.70	Peak	254.00	100	Horizontal	Pass
2	193.542	28.15	-25.59	43.5	15.35	Peak	257.00	200	Horizontal	Pass
3	245.146	29.44	-24.35	46.0	16.56	Peak	262.00	100	Horizontal	Pass
4	275.119	29.43	-24.24	46.0	16.57	Peak	262.00	100	Horizontal	Pass
5	497.589	34.55	-17.86	46.0	11.45	Peak	274.00	200	Horizontal	Pass
6	949.172	31.30	-8.91	46.0	14.70	Peak	200.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	58.566	13.24	-25.83	40.0	26.76	Peak	179.00	100	Vertical	Pass
2	196.986	28.55	-25.59	43.5	14.95	Peak	166.00	100	Vertical	Pass
3	262.703	27.73	-24.76	46.0	18.27	Peak	166.00	100	Vertical	Pass
4	379.442	24.97	-21.42	46.0	21.03	Peak	145.00	100	Vertical	Pass
5	534.109	27.94	-17.73	46.0	18.06	Peak	86.00	100	Vertical	Pass
6	938.696	31.16	-8.63	46.0	14.84	Peak	103.00	100	Vertical	Pass

Note¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note²: The spurious from 18GHz-25GHz is noise only, do not show on the report.


Left

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.500	41.87	-17.46	74.0	32.13	Peak	91.00	400	Horizontal	Pass
1**	1217.500	32.04	-17.46	54.0	21.96	AV	91.00	400	Horizontal	Pass
2	2401.800	103.58	-13.91	--	--	Peak	61.00	200	Horizontal	N/A
2**	2401.800	102.89	-13.91	--	--	AV	61.00	200	Horizontal	N/A
3	2988.000	48.85	-11.03	74.0	25.15	Peak	309.00	200	Horizontal	Pass
3**	2988.000	40.50	-11.03	54.0	13.50	AV	309.00	200	Horizontal	Pass
4	4804.200	52.53	-6.81	74.0	21.47	Peak	57.00	100	Horizontal	Pass
4**	4804.200	51.62	-6.81	54.0	2.38	AV	57.00	100	Horizontal	Pass
5	6999.800	52.18	-1.08	74.0	21.82	Peak	118.00	200	Horizontal	Pass
5**	6999.800	43.20	-1.08	54.0	10.80	AV	118.00	200	Horizontal	Pass
6	16714.276	51.46	6.89	74.0	22.54	Peak	119.00	100	Horizontal	Pass
6**	16714.276	42.36	6.89	54.0	11.64	AV	119.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1203.600	41.63	-17.61	74.0	32.37	Peak	189.00	200	Vertical	Pass
1**	1203.600	32.47	-17.61	54.0	21.53	AV	189.00	200	Vertical	Pass
2	2401.800	96.43	-13.91	--	--	Peak	147.00	200	Vertical	N/A
2**	2401.800	95.53	-13.91	--	--	AV	147.00	200	Vertical	N/A
3	2974.800	48.73	-10.87	74.0	25.27	Peak	189.00	100	Vertical	Pass
3**	2974.800	40.48	-10.87	54.0	13.52	AV	189.00	100	Vertical	Pass
4	4804.000	48.26	-6.79	74.0	25.74	Peak	162.00	100	Vertical	Pass
4**	4804.000	45.94	-6.79	54.0	8.06	AV	162.00	100	Vertical	Pass
5	6840.800	51.39	-1.27	74.0	22.61	Peak	79.00	400	Vertical	Pass
5**	6840.800	42.46	-1.27	54.0	11.54	AV	79.00	400	Vertical	Pass
6	16000.538	51.90	7.25	74.0	22.10	Peak	333.00	100	Vertical	Pass
6**	16000.538	41.90	7.25	54.0	12.10	AV	333.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1276.500	41.65	-18.07	74.0	32.35	Peak	35.00	300	Horizontal	Pass
1**	1276.500	31.54	-18.07	54.0	22.46	AV	35.00	300	Horizontal	Pass
2	2441.200	102.88	-13.31	--	--	Peak	250.00	100	Horizontal	N/A
2**	2441.200	102.51	-13.31	--	--	AV	250.00	100	Horizontal	N/A
3	2991.100	49.10	-11.20	74.0	24.90	Peak	360.00	100	Horizontal	Pass
3**	2991.100	39.69	-11.20	54.0	14.31	AV	360.00	100	Horizontal	Pass
4	4882.200	51.60	-7.10	74.0	22.40	Peak	35.00	100	Horizontal	Pass
4**	4882.200	49.55	-7.10	54.0	4.45	AV	35.00	100	Horizontal	Pass
5	6960.000	52.30	-1.56	74.0	21.70	Peak	323.00	400	Horizontal	Pass
5**	6960.000	41.32	-1.56	54.0	12.68	AV	323.00	400	Horizontal	Pass
6	16736.325	51.79	6.39	74.0	22.21	Peak	72.00	100	Horizontal	Pass
6**	16736.325	42.20	6.39	54.0	11.80	AV	72.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.700	42.17	-17.17	74.0	31.83	Peak	314.00	100	Vertical	Pass
1**	1408.700	31.93	-17.17	54.0	22.07	AV	314.00	100	Vertical	Pass
2	2441.200	97.51	-13.31	--	--	Peak	149.00	100	Vertical	N/A
2**	2441.200	97.04	-13.31	--	--	AV	149.00	100	Vertical	N/A
3	2959.100	48.98	-11.33	74.0	25.02	Peak	89.00	100	Vertical	Pass
3**	2959.100	39.31	-11.33	54.0	14.69	AV	89.00	100	Vertical	Pass
4	4882.200	48.52	-7.10	74.0	25.48	Peak	159.00	100	Vertical	Pass
4**	4882.200	45.37	-7.10	54.0	8.63	AV	159.00	100	Vertical	Pass
5	6993.200	52.16	-1.02	74.0	21.84	Peak	241.00	400	Vertical	Pass
5**	6993.200	43.13	-1.02	54.0	10.87	AV	241.00	400	Vertical	Pass
6	16710.338	52.69	6.90	74.0	21.31	Peak	117.00	100	Vertical	Pass
6**	16710.338	42.88	6.90	54.0	11.12	AV	117.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1351.300	42.00	-17.16	74.0	32.00	Peak	242.00	400	Horizontal	Pass
1**	1351.300	32.56	-17.16	54.0	21.44	AV	242.00	400	Horizontal	Pass
2	2479.800	101.44	-13.54	--	--	Peak	252.00	100	Horizontal	N/A
2**	2479.800	100.05	-13.54	--	--	AV	252.00	100	Horizontal	N/A
3	2893.300	49.31	-11.58	74.0	24.69	Peak	16.00	100	Horizontal	Pass
3**	2893.300	39.20	-11.58	54.0	14.80	AV	16.00	100	Horizontal	Pass
4	4960.400	48.73	-6.81	74.0	25.27	Peak	58.00	100	Horizontal	Pass
4**	4960.400	45.15	-6.81	54.0	8.85	AV	58.00	100	Horizontal	Pass
5	6994.800	52.01	-1.78	74.0	21.99	Peak	283.00	100	Horizontal	Pass
5**	6994.800	42.11	-1.78	54.0	11.89	AV	283.00	100	Horizontal	Pass
6	16817.699	52.28	5.97	74.0	21.72	Peak	103.00	100	Horizontal	Pass
6**	16817.699	41.74	5.97	54.0	12.26	AV	103.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.100	41.55	-17.20	74.0	32.45	Peak	0.00	200	Vertical	Pass
1**	1218.100	33.06	-17.20	54.0	20.94	AV	0.00	200	Vertical	Pass
2	2479.900	95.34	-13.54	--	--	Peak	0.00	100	Vertical	N/A
2**	2479.900	94.96	-13.54	--	--	AV	0.00	100	Vertical	N/A
3	2752.800	49.48	-11.76	74.0	24.52	Peak	320.00	100	Vertical	Pass
3**	2752.800	39.58	-11.76	54.0	14.42	AV	320.00	100	Vertical	Pass
4	4960.000	44.16	-6.62	74.0	29.84	Peak	119.00	100	Vertical	Pass
4**	4960.000	39.66	-6.62	54.0	14.34	AV	119.00	100	Vertical	Pass
5	6946.800	51.15	-1.38	74.0	22.85	Peak	58.00	200	Vertical	Pass
5**	6946.800	41.94	-1.38	54.0	12.06	AV	58.00	200	Vertical	Pass
6	16703.512	51.60	6.68	74.0	22.40	Peak	58.00	100	Vertical	Pass
6**	16703.512	42.25	6.68	54.0	11.75	AV	58.00	100	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1357.600	41.44	-17.46	74.0	32.56	Peak	360.00	200	Horizontal	Pass
1**	1357.600	32.16	-17.46	54.0	21.84	AV	360.00	200	Horizontal	Pass
2	2402.000	101.70	-14.03	--	--	Peak	67.00	200	Horizontal	N/A
2**	2402.000	99.00	-14.03	--	--	AV	67.00	200	Horizontal	N/A
3	2986.900	49.04	-11.42	74.0	24.96	Peak	148.00	200	Horizontal	Pass
3**	2986.900	39.76	-11.42	54.0	14.24	AV	148.00	200	Horizontal	Pass
4	4804.200	47.54	-6.81	74.0	26.46	Peak	38.00	200	Horizontal	Pass
4**	4804.200	41.29	-6.81	54.0	12.71	AV	38.00	200	Horizontal	Pass
5	6859.600	51.17	-0.58	74.0	22.83	Peak	58.00	100	Horizontal	Pass
5**	6859.600	42.40	-0.58	54.0	11.60	AV	58.00	100	Horizontal	Pass
6	14850.263	51.35	5.96	74.0	22.65	Peak	45.00	100	Horizontal	Pass
6**	14850.263	42.70	5.96	54.0	11.30	AV	45.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1396.600	41.88	-17.40	74.0	32.12	Peak	65.00	300	Vertical	Pass
1**	1396.600	32.23	-17.40	54.0	21.77	AV	65.00	300	Vertical	Pass
2	2402.100	94.73	-14.09	--	--	Peak	156.00	200	Vertical	N/A
2**	2402.100	92.42	-14.09	--	--	AV	156.00	200	Vertical	N/A
3	2931.900	48.94	-11.34	74.0	25.06	Peak	54.00	100	Vertical	Pass
3**	2931.900	39.80	-11.34	54.0	14.20	AV	54.00	100	Vertical	Pass
4	4855.800	46.25	-6.25	74.0	27.75	Peak	117.00	400	Vertical	Pass
4**	4855.800	37.56	-6.25	54.0	16.44	AV	117.00	400	Vertical	Pass
5	6978.800	51.27	-1.06	74.0	22.73	Peak	97.00	100	Vertical	Pass
5**	6978.800	42.64	-1.06	54.0	11.36	AV	97.00	100	Vertical	Pass
6	11040.812	51.85	3.01	74.0	22.15	Peak	103.00	100	Vertical	Pass
6**	11040.812	42.08	3.01	54.0	11.92	AV	103.00	100	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1344.800	41.62	-17.50	74.0	32.38	Peak	207.00	100	Horizontal	Pass
1**	1344.800	32.54	-17.50	54.0	21.46	AV	207.00	100	Horizontal	Pass
2	2441.000	99.76	-13.48	--	--	Peak	248.00	200	Horizontal	N/A
2**	2441.000	96.60	-13.48	--	--	AV	248.00	200	Horizontal	N/A
3	2904.700	49.43	-11.40	74.0	24.57	Peak	85.00	200	Horizontal	Pass
3**	2904.700	39.04	-11.40	54.0	14.96	AV	85.00	200	Horizontal	Pass
4	4881.400	47.20	-7.07	74.0	26.80	Peak	56.00	300	Horizontal	Pass
4**	4881.400	38.57	-7.07	54.0	15.43	AV	56.00	300	Horizontal	Pass
5	6846.800	51.86	-1.35	74.0	22.14	Peak	77.00	400	Horizontal	Pass
5**	6846.800	42.08	-1.35	54.0	11.92	AV	77.00	400	Horizontal	Pass
6	16888.574	52.00	6.82	74.0	22.00	Peak	93.00	100	Horizontal	Pass
6**	16888.574	41.72	6.82	54.0	12.28	AV	93.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1266.000	41.93	-17.57	74.0	32.07	Peak	19.00	100	Vertical	Pass
1**	1266.000	33.12	-17.57	54.0	20.88	AV	19.00	100	Vertical	Pass
2	2441.200	93.31	-13.31	--	--	Peak	155.00	100	Vertical	N/A
2**	2441.200	90.03	-13.31	--	--	AV	155.00	100	Vertical	N/A
3	2974.400	48.88	-11.37	74.0	25.12	Peak	164.00	100	Vertical	Pass
3**	2974.400	39.71	-11.37	54.0	14.29	AV	164.00	100	Vertical	Pass
4	4842.600	47.14	-6.56	74.0	26.86	Peak	15.00	200	Vertical	Pass
4**	4842.600	37.27	-6.56	54.0	16.73	AV	15.00	200	Vertical	Pass
5	6859.400	51.27	-0.60	74.0	22.73	Peak	139.00	400	Vertical	Pass
5**	6859.400	42.98	-0.60	54.0	11.02	AV	139.00	400	Vertical	Pass
6	16001.588	56.51	7.00	74.0	17.49	Peak	162.00	100	Vertical	Pass
6**	16001.588	43.37	7.00	54.0	10.63	AV	162.00	100	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1047.400	42.17	-19.36	74.0	31.83	Peak	56.00	200	Horizontal	Pass
1**	1047.400	34.30	-19.36	54.0	19.70	AV	56.00	200	Horizontal	Pass
2	2480.000	99.42	-13.55	--	--	Peak	252.00	200	Horizontal	N/A
2**	2480.000	95.64	-13.55	--	--	AV	252.00	200	Horizontal	N/A
3	2978.500	49.35	-10.88	74.0	24.65	Peak	0.00	200	Horizontal	Pass
3**	2978.500	40.21	-10.88	54.0	13.79	AV	0.00	200	Horizontal	Pass
4	4960.400	42.43	-6.81	74.0	31.57	Peak	360.00	100	Horizontal	Pass
4**	4960.400	38.28	-6.81	54.0	15.72	AV	360.00	100	Horizontal	Pass
5	6948.600	52.73	-0.89	74.0	21.27	Peak	36.00	100	Horizontal	Pass
5**	6948.600	42.42	-0.89	54.0	11.58	AV	36.00	100	Horizontal	Pass
6	16899.864	51.35	7.09	74.0	22.65	Peak	5.00	100	Horizontal	Pass
6**	16899.864	42.88	7.09	54.0	11.12	AV	5.00	100	Horizontal	Pass


8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1232.400	41.30	-17.93	74.0	32.70	Peak	100.00	100	Vertical	Pass
1**	1232.400	31.56	-17.93	54.0	22.44	AV	100.00	100	Vertical	Pass
2	2479.800	92.72	-13.54	--	--	Peak	159.00	200	Vertical	N/A
2**	2479.800	89.06	-13.54	--	--	AV	159.00	200	Vertical	N/A
3	2932.300	49.14	-11.37	74.0	24.86	Peak	303.00	100	Vertical	Pass
3**	2932.300	39.43	-11.37	54.0	14.57	AV	303.00	100	Vertical	Pass
4	4833.000	46.18	-7.22	74.0	27.82	Peak	301.00	400	Vertical	Pass
4**	4833.000	37.12	-7.22	54.0	16.88	AV	301.00	400	Vertical	Pass
5	6843.200	52.36	-1.56	74.0	21.64	Peak	158.00	100	Vertical	Pass
5**	6843.200	41.94	-1.56	54.0	12.06	AV	158.00	100	Vertical	Pass
6	15998.175	53.42	7.01	74.0	20.58	Peak	128.00	100	Vertical	Pass
6**	15998.175	42.02	7.01	54.0	11.98	AV	128.00	100	Vertical	Pass


Right

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1270.900	41.69	-17.56	74.0	32.31	Peak	257.00	300	Horizontal	Pass
1**	1270.900	31.43	-17.56	54.0	22.57	AV	257.00	300	Horizontal	Pass
2	2401.700	103.54	-13.85	--	--	Peak	95.00	100	Horizontal	N/A
2**	2401.700	101.99	-13.85	--	--	AV	95.00	100	Horizontal	N/A
3	2979.100	49.83	-10.74	74.0	24.17	Peak	236.00	100	Horizontal	Pass
3**	2979.100	40.02	-10.74	54.0	13.98	AV	236.00	100	Horizontal	Pass
4	4804.200	54.71	-6.81	74.0	19.29	Peak	260.00	100	Horizontal	Pass
4**	4804.200	53.56	-6.81	54.0	0.44	AV	260.00	100	Horizontal	Pass
5	6869.800	51.09	-0.80	74.0	22.91	Peak	345.00	200	Horizontal	Pass
5**	6869.800	42.01	-0.80	54.0	11.99	AV	345.00	200	Horizontal	Pass
6	17645.625	51.37	6.84	74.0	22.63	Peak	201.00	100	Horizontal	Pass
6**	17645.625	42.23	6.84	54.0	11.77	AV	201.00	100	Horizontal	Pass

GFSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1376.900	42.41	-17.33	74.0	31.59	Peak	166.00	100	Vertical	Pass
1**	1376.900	32.59	-17.33	54.0	21.41	AV	166.00	100	Vertical	Pass
2	2401.800	102.20	-13.91	--	--	Peak	145.00	100	Vertical	N/A
2**	2401.800	101.47	-13.91	--	--	AV	145.00	100	Vertical	N/A
3	2975.400	49.39	-10.69	74.0	24.61	Peak	301.00	200	Vertical	Pass
3**	2975.400	40.28	-10.69	54.0	13.72	AV	301.00	200	Vertical	Pass
4	4804.200	55.85	-6.81	74.0	18.15	Peak	162.00	100	Vertical	Pass
4**	4804.200	53.78	-6.81	54.0	0.22	AV	162.00	100	Vertical	Pass
5	6990.200	52.42	-1.19	74.0	21.58	Peak	142.00	300	Vertical	Pass
5**	6990.200	42.95	-1.19	54.0	11.05	AV	142.00	300	Vertical	Pass
6	16709.287	51.60	6.88	74.0	22.40	Peak	203.00	100	Vertical	Pass
6**	16709.287	44.09	6.88	54.0	9.91	AV	203.00	100	Vertical	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1187.800	44.57	-17.65	74.0	29.43	Peak	47.00	100	Horizontal	Pass
1**	1187.800	31.51	-17.65	54.0	22.49	AV	47.00	100	Horizontal	Pass
2	2441.200	103.69	-13.31	--	--	Peak	88.00	100	Horizontal	N/A
2**	2441.200	103.50	-13.31	--	--	AV	88.00	100	Horizontal	N/A
3	2999.100	49.57	-11.38	74.0	24.43	Peak	210.00	200	Horizontal	Pass
3**	2999.100	40.18	-11.38	54.0	13.82	AV	210.00	200	Horizontal	Pass
4	4882.000	53.47	-7.10	74.0	20.53	Peak	240.00	100	Horizontal	Pass
4**	4882.000	52.65	-7.10	54.0	1.35	AV	240.00	100	Horizontal	Pass
5	6997.400	51.34	-1.39	74.0	22.66	Peak	360.00	300	Horizontal	Pass
5**	6997.400	42.27	-1.39	54.0	11.73	AV	360.00	300	Horizontal	Pass
6	14018.138	52.10	5.68	74.0	21.90	Peak	268.00	100	Horizontal	Pass
6**	14018.138	42.74	5.68	54.0	11.26	AV	268.00	100	Horizontal	Pass

GFSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.800	41.79	-17.23	74.0	32.21	Peak	360.00	400	Vertical	Pass
1**	1408.800	32.30	-17.23	54.0	21.70	AV	360.00	400	Vertical	Pass
2	2441.200	100.80	-13.31	--	--	Peak	140.00	100	Vertical	N/A
2**	2441.200	100.36	-13.31	--	--	AV	140.00	100	Vertical	N/A
3	2771.100	49.54	-12.06	74.0	24.46	Peak	203.00	100	Vertical	Pass
3**	2771.100	39.72	-12.06	54.0	14.28	AV	203.00	100	Vertical	Pass
4	4882.200	54.17	-7.10	74.0	19.83	Peak	163.00	100	Vertical	Pass
4**	4882.200	52.78	-7.10	54.0	1.22	AV	163.00	100	Vertical	Pass
5	6854.000	52.51	-1.03	74.0	21.49	Peak	142.00	200	Vertical	Pass
5**	6854.000	42.54	-1.03	54.0	11.46	AV	142.00	200	Vertical	Pass
6	16001.063	53.89	7.12	74.0	20.11	Peak	140.00	100	Vertical	Pass
6**	16001.063	41.96	7.12	54.0	12.04	AV	140.00	100	Vertical	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1217.500	41.38	-17.46	74.0	32.62	Peak	79.00	300	Horizontal	Pass
1**	1217.500	31.69	-17.46	54.0	22.31	AV	79.00	300	Horizontal	Pass
2	2480.100	101.53	-13.55	--	--	Peak	89.00	100	Horizontal	N/A
2**	2480.100	101.28	-13.55	--	--	AV	89.00	100	Horizontal	N/A
3	2927.500	49.16	-11.47	74.0	24.84	Peak	211.00	100	Horizontal	Pass
3**	2927.500	40.16	-11.47	54.0	13.84	AV	211.00	100	Horizontal	Pass
4	4959.800	49.99	-6.53	74.0	24.01	Peak	240.00	400	Horizontal	Pass
4**	4959.800	46.38	-6.53	54.0	7.62	AV	240.00	400	Horizontal	Pass
5	6835.400	51.74	-1.65	74.0	22.26	Peak	260.00	100	Horizontal	Pass
5**	6835.400	42.32	-1.65	54.0	11.68	AV	260.00	100	Horizontal	Pass
6	11041.388	52.19	3.04	74.0	21.81	Peak	360.00	100	Horizontal	Pass
6**	11041.388	43.07	3.04	54.0	10.93	AV	360.00	100	Horizontal	Pass

GFSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.600	42.30	-17.42	74.0	31.70	Peak	64.00	200	Vertical	Pass
1**	1215.600	32.46	-17.42	54.0	21.54	AV	64.00	200	Vertical	Pass
2	2480.100	99.30	-13.55	--	--	Peak	132.00	100	Vertical	N/A
2**	2480.100	99.09	-13.55	--	--	AV	132.00	100	Vertical	N/A
3	2978.500	49.40	-10.88	74.0	24.60	Peak	93.00	100	Vertical	Pass
3**	2978.500	40.27	-10.88	54.0	13.73	AV	93.00	100	Vertical	Pass
4	4960.000	50.02	-6.62	74.0	23.98	Peak	159.00	200	Vertical	Pass
4**	4960.000	46.13	-6.62	54.0	7.87	AV	159.00	200	Vertical	Pass
5	6999.000	51.67	-1.55	74.0	22.33	Peak	17.00	100	Vertical	Pass
5**	6999.000	42.38	-1.55	54.0	11.62	AV	17.00	100	Vertical	Pass
6	11025.863	51.51	2.96	74.0	22.49	Peak	79.00	100	Vertical	Pass
6**	11025.863	42.35	2.96	54.0	11.65	AV	79.00	100	Vertical	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.800	41.82	-17.23	74.0	32.18	Peak	83.00	100	Horizontal	Pass
1**	1408.800	33.32	-17.23	54.0	20.68	AV	83.00	100	Horizontal	Pass
2	2402.200	101.68	-14.13	--	--	Peak	255.00	200	Horizontal	N/A
2**	2402.200	99.41	-14.13	--	--	AV	255.00	200	Horizontal	N/A
3	2993.900	50.06	-11.06	74.0	23.94	Peak	0.00	200	Horizontal	Pass
3**	2993.900	40.32	-11.06	54.0	13.68	AV	0.00	200	Horizontal	Pass
4	4804.000	51.71	-6.79	74.0	22.29	Peak	281.00	200	Horizontal	Pass
4**	4804.000	44.54	-6.79	54.0	9.46	AV	281.00	200	Horizontal	Pass
5	6838.600	51.68	-1.57	74.0	22.32	Peak	341.00	300	Horizontal	Pass
5**	6838.600	43.38	-1.57	54.0	10.62	AV	341.00	300	Horizontal	Pass
6	16701.412	51.59	6.61	74.0	22.41	Peak	340.00	100	Horizontal	Pass
6**	16701.412	42.13	6.61	54.0	11.87	AV	340.00	100	Horizontal	Pass

8DPSK LOW CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1404.700	41.42	-17.56	74.0	32.58	Peak	102.00	400	Vertical	Pass
1**	1404.700	32.28	-17.56	54.0	21.72	AV	102.00	400	Vertical	Pass
2	2401.800	98.99	-13.91	--	--	Peak	142.00	200	Vertical	N/A
2**	2401.800	95.85	-13.91	--	--	AV	142.00	200	Vertical	N/A
3	2974.900	49.18	-10.75	74.0	24.82	Peak	360.00	200	Vertical	Pass
3**	2974.900	39.91	-10.75	54.0	14.09	AV	360.00	200	Vertical	Pass
4	4803.400	49.77	-6.75	74.0	24.23	Peak	157.00	100	Vertical	Pass
4**	4803.400	43.12	-6.75	54.0	10.88	AV	157.00	100	Vertical	Pass
5	6983.800	51.30	-1.57	74.0	22.70	Peak	157.00	400	Vertical	Pass
5**	6983.800	43.01	-1.57	54.0	10.99	AV	157.00	400	Vertical	Pass
6	15999.750	53.54	7.33	74.0	20.46	Peak	349.00	100	Vertical	Pass
6**	15999.750	42.17	7.33	54.0	11.83	AV	349.00	100	Vertical	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.600	41.64	-17.68	74.0	32.36	Peak	86.00	300	Horizontal	Pass
1**	1211.600	31.34	-17.68	54.0	22.66	AV	86.00	300	Horizontal	Pass
2	2440.700	100.17	-13.73	--	--	Peak	96.00	200	Horizontal	N/A
2**	2440.700	94.96	-13.73	--	--	AV	96.00	200	Horizontal	N/A
3	2857.000	49.02	-11.39	74.0	24.98	Peak	209.00	100	Horizontal	Pass
3**	2857.000	39.58	-11.39	54.0	14.42	AV	209.00	100	Horizontal	Pass
4	4882.200	49.81	-7.10	74.0	24.19	Peak	281.00	400	Horizontal	Pass
4**	4882.200	44.51	-7.10	54.0	9.49	AV	281.00	400	Horizontal	Pass
5	6839.000	52.17	-1.51	74.0	21.83	Peak	179.00	100	Horizontal	Pass
5**	6839.000	41.68	-1.51	54.0	12.32	AV	179.00	100	Horizontal	Pass
6	11043.974	51.63	3.19	74.0	22.37	Peak	193.00	100	Horizontal	Pass
6**	11043.974	43.41	3.19	54.0	10.59	AV	193.00	100	Horizontal	Pass

8DPSK MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1444.700	41.88	-17.37	74.0	32.12	Peak	317.00	300	Vertical	Pass
1**	1444.700	32.36	-17.37	54.0	21.64	AV	317.00	300	Vertical	Pass
2	2441.100	98.16	-13.39	--	--	Peak	153.00	100	Vertical	N/A
2**	2441.100	94.68	-13.39	--	--	AV	153.00	100	Vertical	N/A
3	2858.600	48.80	-12.02	74.0	25.20	Peak	360.00	200	Vertical	Pass
3**	2858.600	38.66	-12.02	54.0	15.34	AV	360.00	200	Vertical	Pass
4	4882.000	49.99	-7.10	74.0	24.01	Peak	142.00	300	Vertical	Pass
4**	4882.000	44.60	-7.10	54.0	9.40	AV	142.00	300	Vertical	Pass
5	6984.000	52.09	-1.50	74.0	21.91	Peak	60.00	300	Vertical	Pass
5**	6984.000	42.56	-1.50	54.0	11.44	AV	60.00	300	Vertical	Pass
6	15972.450	53.06	4.79	74.0	20.94	Peak	171.00	100	Vertical	Pass
6**	15972.450	42.65	4.79	54.0	11.35	AV	171.00	100	Vertical	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.100	41.94	-16.77	74.0	32.06	Peak	99.00	100	Horizontal	Pass
1**	1201.100	32.78	-16.77	54.0	21.22	AV	99.00	100	Horizontal	Pass
2	2479.800	98.56	-13.54	--	--	Peak	109.00	200	Horizontal	N/A
2**	2479.800	94.72	-13.54	--	--	AV	109.00	200	Horizontal	N/A
3	2899.300	49.01	-10.79	74.0	24.99	Peak	58.00	200	Horizontal	Pass
3**	2899.300	40.55	-10.79	54.0	13.45	AV	58.00	200	Horizontal	Pass
4	4960.200	45.85	-6.71	74.0	28.15	Peak	262.00	100	Horizontal	Pass
4**	4960.200	39.46	-6.71	54.0	14.54	AV	262.00	100	Horizontal	Pass
5	6928.000	51.42	-2.12	74.0	22.58	Peak	222.00	400	Horizontal	Pass
5**	6928.000	41.76	-2.12	54.0	12.24	AV	222.00	400	Horizontal	Pass
6	16709.551	51.86	6.88	74.0	22.14	Peak	280.00	100	Horizontal	Pass
6**	16709.551	42.79	6.88	54.0	11.21	AV	280.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL 1 GHz to 18 GHz, ANT V



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	41.63	-18.79	74.0	32.37	Peak	79.00	100	Vertical	Pass
1**	1570.200	30.81	-18.79	54.0	23.19	AV	79.00	100	Vertical	Pass
2	2479.900	97.28	-13.54	--	--	Peak	7.00	100	Vertical	N/A
2**	2479.900	93.65	-13.54	--	--	AV	7.00	100	Vertical	N/A
3	2955.800	49.43	-11.32	74.0	24.57	Peak	109.00	100	Vertical	Pass
3**	2955.800	39.94	-11.32	54.0	14.06	AV	109.00	100	Vertical	Pass
4	4960.000	47.51	-6.62	74.0	26.49	Peak	139.00	400	Vertical	Pass
4**	4960.000	43.10	-6.62	54.0	10.90	AV	139.00	400	Vertical	Pass
5	6843.800	51.67	-1.36	74.0	22.33	Peak	242.00	200	Vertical	Pass
5**	6843.800	41.94	-1.36	54.0	12.06	AV	242.00	200	Vertical	Pass
6	16710.338	51.49	6.90	74.0	22.51	Peak	266.00	100	Vertical	Pass
6**	16710.338	42.22	6.90	54.0	11.78	AV	266.00	100	Vertical	Pass

A.9 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020 + Cor. 1-2023 + C63.10a-2024 + Errata to C63.10a-2024, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note ⁴: The Level (dBuV/m) has been corrected by factor.

Note ⁵: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


Left

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2337.667	54.08	-1.89	74.0	19.92	Peak	226.00	300	Horizontal	Pass
1**	2337.667	41.73	-1.89	54.0	12.27	AV	226.00	300	Horizontal	Pass
2	2390.000	52.64	-2.16	74.0	21.36	Peak	93.00	100	Horizontal	Pass
2**	2390.000	41.31	-2.16	54.0	12.69	AV	93.00	100	Horizontal	Pass
3	2370.000	51.93	-1.97	74.0	22.07	Peak	360.00	100	Horizontal	Pass
3**	2370.000	42.25	-1.97	54.0	11.75	AV	360.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.65	-1.04	74.0	20.35	Peak	61.00	300	Horizontal	Pass
1**	2483.500	43.52	-1.04	54.0	10.48	AV	61.00	300	Horizontal	Pass
2	2492.650	54.16	-0.99	74.0	19.84	Peak	271.00	200	Horizontal	Pass
2**	2492.650	42.36	-0.99	54.0	11.64	AV	271.00	200	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.000	53.59	-1.96	74.0	20.41	Peak	66.00	400	Horizontal	Pass
1**	2383.000	41.43	-1.96	54.0	12.57	AV	66.00	400	Horizontal	Pass
2	2390.000	51.92	-2.16	74.0	22.08	Peak	104.00	200	Horizontal	Pass
2**	2390.000	41.45	-2.16	54.0	12.55	AV	104.00	200	Horizontal	Pass
3	2381.667	52.45	-1.55	74.0	21.55	Peak	64.00	100	Horizontal	Pass
3**	2381.667	41.82	-1.55	54.0	12.18	AV	64.00	100	Horizontal	Pass


8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.49	-1.04	74.0	21.51	Peak	129.00	400	Horizontal	Pass
1**	2483.500	42.63	-1.04	54.0	11.37	AV	129.00	400	Horizontal	Pass
2	2489.100	54.62	-0.84	74.0	19.38	Peak	271.00	200	Horizontal	Pass
2**	2489.100	42.40	-0.84	54.0	11.60	AV	271.00	200	Horizontal	Pass


Right

GFSK LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.833	54.50	-1.52	74.0	19.50	Peak	233.00	400	Horizontal	Pass
1**	2386.833	41.92	-1.52	54.0	12.08	AV	233.00	400	Horizontal	Pass
2	2390.000	51.48	-2.16	74.0	22.52	Peak	14.00	200	Horizontal	Pass
2**	2390.000	41.42	-2.16	54.0	12.58	AV	14.00	200	Horizontal	Pass
3	2370.000	51.94	-1.97	74.0	22.06	Peak	171.00	100	Horizontal	Pass
3**	2370.000	42.07	-1.97	54.0	11.93	AV	171.00	100	Horizontal	Pass

GFSK HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.52	-1.04	74.0	21.48	Peak	318.00	200	Horizontal	Pass
1**	2483.500	43.02	-1.04	54.0	10.98	AV	318.00	200	Horizontal	Pass
2	2497.250	53.86	-1.30	74.0	20.14	Peak	197.00	200	Horizontal	Pass
2**	2497.250	42.12	-1.30	54.0	11.88	AV	197.00	200	Horizontal	Pass

8DPSK LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2321.000	53.71	-1.91	74.0	20.29	Peak	281.00	200	Horizontal	Pass
1**	2321.000	41.56	-1.91	54.0	12.44	AV	281.00	200	Horizontal	Pass
2	2390.000	51.84	-2.16	74.0	22.16	Peak	166.00	200	Horizontal	Pass
2**	2390.000	41.28	-2.16	54.0	12.72	AV	166.00	200	Horizontal	Pass
3	2381.833	53.12	-1.52	74.0	20.88	Peak	219.00	100	Horizontal	Pass
3**	2381.833	42.06	-1.52	54.0	11.94	AV	219.00	100	Horizontal	Pass

8DPSK HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.57	-1.04	74.0	21.43	Peak	103.00	100	Horizontal	Pass
1**	2483.500	42.44	-1.04	54.0	11.56	AV	103.00	100	Horizontal	Pass
2	2496.900	54.07	-1.26	74.0	19.93	Peak	0.00	100	Horizontal	Pass
2**	2496.900	42.02	-1.26	54.0	11.98	AV	0.00	100	Horizontal	Pass
3	2488.300	52.48	-0.69	74.0	21.52	Peak	219.00	100	Horizontal	Pass
3**	2488.300	42.63	-0.69	54.0	11.37	AV	219.00	100	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “Ti-CC26060137-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “Ti-CC26060137-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “Ti-CC26060137-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--