



Right Band edge_Horizontal_Peak_5GWiFi_AC40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.60	59.84	74.00	-14.16 Peak
2	5350.725	-6.76	67.24	60.48	74.00	-13.52 Peak


Right Band edge_Horizontal_Average_5GWiFi_AC40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	53.72	46.96	54.00	-7.04 Average
2	5350.996	-6.76	53.83	47.07	54.00	-6.93 Average


Right Band edge_Vertical_Peak_5GWiFi_AC40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-6.76	65.73	58.97	74.00	-15.03 Peak
2 5350.105	-6.76	67.13	60.37	74.00	-13.63 Peak


Right Band edge_Vertical_Average_5GWiFi_AC40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	53.45	46.69	54.00	-7.31 Average
2	5350.144	-6.76	53.67	46.91	54.00	-7.09 Average


Left Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5074.091	-7.38	65.59	58.21	74.00	-15.79 Peak
2 5150.000	-7.45	64.15	56.70	74.00	-17.30 Peak


Left Band edge_Horizontal_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.455	-7.45	51.76	44.31	54.00	-9.69 Average
2	5150.000	-7.45	51.67	44.22	54.00	-9.78 Average


Left Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5127.487	-7.46	65.38	57.92	74.00	-16.08	Peak
2 5150.000	-7.45	62.26	54.81	74.00	-19.19	Peak


Left Band edge_Vertical_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5149.129	-7.45	51.98	44.53	54.00	-9.47 Average
2	5150.000	-7.45	51.87	44.42	54.00	-9.58 Average


Right Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.60	59.84	74.00	-14.16 Peak
2	5365.256	-6.72	68.61	61.89	74.00	-12.11 Peak


Right Band edge_Horizontal_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.16	47.40	54.00	-6.60 Average
2	5351.345	-6.76	54.36	47.60	54.00	-6.40 Average


Right Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	65.00	58.24	74.00	-15.76 Peak
2	5362.737	-6.72	67.24	60.52	74.00	-13.48 Peak


Right Band edge_Vertical_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.12	47.36	54.00	-6.64 Average
2	5350.221	-6.76	54.14	47.38	54.00	-6.62 Average


Left Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5260MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5053.864	-7.30	65.49	58.19	74.00	-15.81 Peak
2	5150.000	-7.45	63.32	55.87	74.00	-18.13 Peak


Left Band edge_Horizontal_Average_5GWiFi_AX20_ANT2_5260MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5048.970	-7.28	51.54	44.26	54.00	-9.74 Average
2	5150.000	-7.45	51.56	44.11	54.00	-9.89 Average


Left Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5260MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5144.018	-7.46	65.16	57.70	74.00	-16.30	Peak
2 5150.000	-7.45	63.01	55.56	74.00	-18.44	Peak


Left Band edge_Vertical_Average_5GWiFi_AX20_ANT2_5260MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5260

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5049.405	-7.28	51.65	44.37	54.00	-9.63 Average
2	5150.000	-7.45	51.61	44.16	54.00	-9.84 Average


Right Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	64.60	57.84	74.00	-16.16 Peak
2	5458.915	-6.28	65.70	59.42	74.00	-14.58 Peak


Right Band edge_Horizontal_Average_5GWiFi_AX20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.76	45.00	54.00	-9.00 Average
2	5456.513	-6.28	51.99	45.71	54.00	-8.29 Average


Right Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	63.88	57.12	74.00	-16.88 Peak
2	5424.854	-6.46	65.76	59.30	74.00	-14.70 Peak


Right Band edge_Vertical_Average_5GWiFi_AX20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	51.78	45.02	54.00	-8.98 Average
2	5459.458	-6.26	52.04	45.78	54.00	-8.22 Average


Left Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5270MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5037.116	-7.28	65.47	58.19	74.00	-15.81	Peak
2 5150.000	-7.45	63.09	55.64	74.00	-18.36	Peak


Left Band edge_Horizontal_Average_5GWiFi_AX40_ANT2_5270MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5043.315	-7.28	51.46	44.18	54.00	-9.82	Average
2 5150.000	-7.45	51.49	44.04	54.00	-9.96	Average


Left Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5270MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 4980.349	-7.43	65.35	57.92	74.00	-16.08	Peak
2 5150.000	-7.45	63.97	56.52	74.00	-17.48	Peak


Left Band edge_Vertical_Average_5GWiFi_AX40_ANT2_5270MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5270

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5144.888	-7.46	51.66	44.20	54.00	-9.80 Average
2	5150.000	-7.45	51.55	44.10	54.00	-9.90 Average


Right Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	65.42	58.66	74.00	-15.34 Peak
2	5351.771	-6.76	68.63	61.87	74.00	-12.13 Peak


Right Band edge_Horizontal_Average_5GWiFi_AX40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.10	47.34	54.00	-6.66 Average
2	5350.144	-6.76	54.03	47.27	54.00	-6.73 Average


Right Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	66.51	59.75	74.00	-14.25 Peak
2	5350.066	-6.76	68.99	62.23	74.00	-11.77 Peak


Right Band edge_Vertical_Average_5GWiFi_AX40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5350.000	-6.76	54.05	47.29	54.00	-6.71 Average
2	5350.027	-6.76	53.97	47.21	54.00	-6.79 Average


Left Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	4986.982	-7.39	65.27	57.88	74.00	-16.12 Peak
2	5150.000	-7.45	63.24	55.79	74.00	-18.21 Peak


Left Band edge_Horizontal_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5148.368	-7.45	51.81	44.36	54.00	-9.64 Average
2	5150.000	-7.45	51.63	44.18	54.00	-9.82 Average


Left Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5061.259	-7.33	65.35	58.02	74.00	-15.98	Peak
2 5150.000	-7.45	63.31	55.86	74.00	-18.14	Peak


Left Band edge_Vertical_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1	5149.346	-7.45	52.01	44.56	54.00	-9.44 Average
2	5150.000	-7.45	51.95	44.50	54.00	-9.50 Average


Right Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5350.000	-6.76	65.58	58.82	74.00	-15.18 Peak
2	5350.493	-6.76	68.91	62.15	74.00	-11.85 Peak


Right Band edge_Horizontal_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	54.37	47.61	54.00	-6.39	Average
2 5350.686	-6.76	54.80	48.04	54.00	-5.96	Average


Right Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5350.000	-6.76	65.54	58.78	74.00	-15.22 Peak
2 5352.817	-6.75	68.77	62.02	74.00	-11.98 Peak


Right Band edge_Vertical_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5350.000	-6.76	54.65	47.89	54.00	-6.11	Average
2 5350.066	-6.76	54.65	47.89	54.00	-6.11	Average


Left Band edge_Horizontal_Peak_5GWiFi_A_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.03	56.77	74.00	-17.23 Peak
2 5466.070	-6.25	65.77	59.52	68.20	-8.68 Peak
3 5470.000	-6.22	63.60	57.38	68.20	-10.82 Peak


Left Band edge_Horizontal_Average_5GWiFi_A_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.62	45.36	54.00	-8.64	Average


Left Band edge_Vertical_Peak_5GWiFi_A_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.85	56.59	74.00	-17.41	Peak
2	5469.760	-6.22	65.50	59.28	68.20	-8.92	Peak
3	5470.000	-6.22	63.56	57.34	68.20	-10.86	Peak


Left Band edge_Vertical_Average_5GWiFi_A_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	51.70	45.44	54.00	-8.56 Average


Right Band edge_Horizontal_Peak_5GWiFi_A_ANT2_5700MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.08	57.54	68.20	-10.66	Peak
2	5729.133	-5.49	65.69	60.20	68.20	-8.00	Peak


Right Band edge_Vertical_Peak_5GWiFi_A_ANT2_5700MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5700

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.53	57.99	68.20	-10.21	Peak
2 5738.507	-5.40	66.07	60.67	68.20	-7.53	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AC20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.54	57.28	74.00	-16.72	Peak
2	5468.530	-6.23	65.50	59.27	68.20	-8.93	Peak
3	5470.000	-6.22	64.63	58.41	68.20	-9.79	Peak


Left Band edge_Horizontal_Average_5GWiFi_AC20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	51.63	45.37	54.00	-8.63	Average


Left Band edge_Vertical_Peak_5GWiFi_AC20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.98	58.72	74.00	-15.28 Peak
2 5464.174	-6.25	65.89	59.64	68.20	-8.56 Peak
3 5470.000	-6.22	63.27	57.05	68.20	-11.15 Peak


Left Band edge_Vertical_Average_5GWiFi_AC20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	51.68	45.42	54.00	-8.58 Average


Right Band edge_Horizontal_Peak_5GWiFi_AC20_ANT2_5700MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.99	58.45	68.20	-9.75	Peak
2	5731.551	-5.47	65.55	60.08	68.20	-8.12	Peak


Right Band edge_Vertical_Peak_5GWiFi_AC20_ANT2_5700MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.54	58.00	68.20	-10.20	Peak
2	5741.323	-5.38	65.09	59.71	68.20	-8.49	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AC40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	65.96	59.70	74.00	-14.30	Peak
2	5469.170	-6.23	66.20	59.97	68.20	-8.23	Peak
3	5470.000	-6.22	64.05	57.83	68.20	-10.37	Peak


Left Band edge_Horizontal_Average_5GWiFi_AC40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	51.93	45.67	54.00	-8.33 Average


Left Band edge_Vertical_Peak_5GWiFi_AC40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	62.94	56.68	74.00	-17.32	Peak
2	5469.119	-6.23	67.00	60.77	68.20	-7.43	Peak
3	5470.000	-6.22	63.75	57.53	68.20	-10.67	Peak


Left Band edge_Vertical_Average_5GWiFi_AC40_ANT2_5510MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
 Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.16	45.90	54.00	-8.10	Average


Right Band edge_Horizontal_Peak_5GWiFi_AC40_ANT2_5670MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5670

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.49	57.95	68.20	-10.25	Peak
2	5735.560	-5.43	66.41	60.98	68.20	-7.22	Peak


Right Band edge_Vertical_Peak_5GWiFi_AC40_ANT2_5670MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5670

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.03	58.49	68.20	-9.71	Peak
2	5739.833	-5.39	65.76	60.37	68.20	-7.83	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.31	57.05	74.00	-16.95 Peak
2 5466.070	-6.25	66.01	59.76	68.20	-8.44 Peak
3 5470.000	-6.22	64.34	58.12	68.20	-10.08 Peak


Left Band edge_Horizontal_Average_5GWiFi_AC80_ANT2_5530MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
 Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.11	45.85	54.00	-8.15	Average


Left Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	62.91	56.65	74.00	-17.35 Peak
2 5467.838	-6.23	66.33	60.10	68.20	-8.10 Peak
3 5470.000	-6.22	64.35	58.13	68.20	-10.07 Peak


Left Band edge_Vertical_Average_5GWiFi_AC80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	52.30	46.04	54.00	-7.96 Average


Right Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5610MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.14	57.60	68.20	-10.60	Peak
2	5740.528	-5.38	65.71	60.33	68.20	-7.87	Peak


Right Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5610MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5610

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.17	57.63	68.20	-10.57	Peak
2	5738.441	-5.40	65.25	59.85	68.20	-8.35	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	64.63	58.37	74.00	-15.63	Peak
2	5468.248	-6.23	66.01	59.78	68.20	-8.42	Peak
3	5470.000	-6.22	64.49	58.27	68.20	-9.93	Peak


Left Band edge_Horizontal_Average_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	51.70	45.44	54.00	-8.56	Average


Left Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.12	56.86	74.00	-17.14 Peak
2 5466.890	-6.23	65.59	59.36	68.20	-8.84 Peak
3 5470.000	-6.22	63.84	57.62	68.20	-10.58 Peak


Left Band edge_Vertical_Average_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	51.75	45.49	54.00	-8.51	Average


Right Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5700MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5700

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.10	58.56	68.20	-9.64	Peak
2	5731.518	-5.47	66.30	60.83	68.20	-7.37	Peak


Right Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5700MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5700

	Freq Factor		Read		Limit	Over	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	64.05	58.51	68.20	-9.69	Peak
2	5734.500	-5.43	66.05	60.62	68.20	-7.58	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.15	56.89	74.00	-17.11	Peak
2	5469.170	-6.23	66.57	60.34	68.20	-7.86	Peak
3	5470.000	-6.22	65.49	59.27	68.20	-8.93	Peak


Left Band edge_Horizontal_Average_5GWiFi_AX40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5460.000	-6.26	52.01	45.75	54.00	-8.25	Average


Left Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	64.00	57.74	74.00	-16.26 Peak
2 5465.916	-6.25	67.16	60.91	68.20	-7.29 Peak
3 5470.000	-6.22	65.38	59.16	68.20	-9.04 Peak


Left Band edge_Vertical_Average_5GWiFi_AX40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.43	46.17	54.00	-7.83	Average


Right Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5670MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5670

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5725.000	-5.54	64.12	58.58	68.20	-9.62 Peak
2 5739.270	-5.39	65.55	60.16	68.20	-8.04 Peak


Right Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5670MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5670

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5725.000	-5.54	63.35	57.81	68.20	-10.39	Peak
2	5743.841	-5.34	65.84	60.50	68.20	-7.70	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5460.000	-6.26	63.73	57.47	74.00	-16.53 Peak
2 5466.326	-6.24	66.50	60.26	68.20	-7.94 Peak
3 5470.000	-6.22	65.56	59.34	68.20	-8.86 Peak


Left Band edge_Horizontal_Average_5GWiFi_AX80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.31	46.05	54.00	-7.95	Average


Left Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	63.47	57.21	74.00	-16.79	Peak
2	5467.915	-6.23	67.36	61.13	68.20	-7.07	Peak
3	5470.000	-6.22	63.33	57.11	68.20	-11.09	Peak


Left Band edge_Vertical_Average_5GWiFi_AX80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:10Hz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5460.000	-6.26	52.52	46.26	54.00	-7.74	Average


Right Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5610MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	64.32	58.78	68.20	-9.42	Peak
2 5741.389	-5.38	65.77	60.39	68.20	-7.81	Peak


Right Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5610MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5610

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 5725.000	-5.54	63.53	57.99	68.20	-10.21	Peak
2 5744.072	-5.34	65.38	60.04	68.20	-8.16	Peak


Left Band edge_Horizontal_Peak_5GWiFi_A_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5639.490	-5.95	65.82	59.87	68.20	-8.33	Peak
2	5690.888	-5.80	66.06	60.26	98.48	-38.22	Peak
3	5719.570	-5.58	66.41	60.83	110.68	-49.85	Peak
4	5723.283	-5.55	67.98	62.43	118.29	-55.86	Peak


Left Band edge_Vertical_Peak_5GWiFi_A_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5648.703	-5.90	65.29	59.39	68.20	-8.81	Peak
2	5689.925	-5.80	65.62	59.82	97.77	-37.95	Peak
3	5719.900	-5.58	67.91	62.33	110.77	-48.44	Peak
4	5724.603	-5.54	69.50	63.96	121.29	-57.33	Peak


Right Band edge_Horizontal_Peak_5GWiFi_A_ANT2_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.402	-4.69	65.83	61.14	116.72	-55.58	Peak
2	5862.440	-4.65	65.55	60.90	108.71	-47.81	Peak
3	5901.188	-4.50	67.28	62.78	85.78	-23.00	Peak
4	5949.670	-4.48	65.70	61.22	68.20	-6.98	Peak


Right Band edge_Vertical_Peak_5GWiFi_A_ANT2_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.990	-4.69	65.94	61.25	117.66	-56.41	Peak
2	5860.845	-4.67	65.97	61.30	109.16	-47.86	Peak
3	5894.890	-4.52	66.56	62.04	90.44	-28.40	Peak
4	5947.580	-4.49	66.39	61.90	68.20	-6.30	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AC20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5640.453	-5.95	65.26	59.31	68.20	-8.89	Peak
2	5658.905	-5.87	65.95	60.08	74.81	-14.73	Peak
3	5703.840	-5.73	66.65	60.92	106.28	-45.36	Peak
4	5724.547	-5.54	67.10	61.56	121.17	-59.61	Peak


Left Band edge_Vertical_Peak_5GWiFi_AC20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5616.170	-6.10	65.56	59.46	68.20	-8.74	Peak
2	5690.475	-5.80	65.80	60.00	98.18	-38.18	Peak
3	5714.813	-5.63	65.49	59.86	109.35	-49.49	Peak
4	5724.465	-5.54	68.18	62.64	120.98	-58.34	Peak


Right Band edge_Horizontal_Peak_5GWiFi_AC20_ANT2_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5854.493	-4.68	66.13	61.45	111.96	-50.51 Peak
2 5873.495	-4.61	66.09	61.48	105.62	-44.14 Peak
3 5920.603	-4.50	66.53	62.03	71.44	-9.41 Peak
4 5925.772	-4.49	65.71	61.22	68.20	-6.98 Peak


Right Band edge_Vertical_Peak_5GWiFi_AC20_ANT2_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.808	-4.70	65.43	60.73	120.36	-59.63	Peak
2	5855.647	-4.68	66.25	61.57	110.62	-49.05	Peak
3	5923.683	-4.50	66.00	61.50	69.17	-7.67	Peak
4	5937.487	-4.49	65.78	61.29	68.20	-6.91	Peak

Left Band edge_Horizontal_Peak_5GWiFi_AC40_ANT2_5755MHz



Condition : Horizontal

Project No. : 2601P41940E-RF


Tester : Wing K Ji

Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak

Note : 5GWiFi_AC40_ANT2_5755

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5638.830	-5.97	65.83	59.86	68.20	-8.34	Peak
2	5690.833	-5.80	66.94	61.14	98.44	-37.30	Peak
3	5717.397	-5.62	70.83	65.21	110.07	-44.86	Peak
4	5721.413	-5.57	74.28	68.71	114.02	-45.31	Peak


Left Band edge_Vertical_Peak_5GWiFi_AC40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5601.595	-6.19	65.58	59.39	68.20	-8.81 Peak
2 5699.908	-5.78	65.85	60.07	105.13	-45.06 Peak
3 5719.268	-5.58	73.00	67.42	110.60	-43.18 Peak
4 5722.402	-5.56	73.42	67.86	116.28	-48.42 Peak


Right Band edge_Horizontal_Peak_5GWiFi_AC40_ANT2_5795MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.237	-4.69	66.22	61.53	117.10	-55.57	Peak
2	5866.482	-4.63	65.80	61.17	107.58	-46.41	Peak
3	5922.445	-4.49	66.16	61.67	70.08	-8.41	Peak
4	5933.638	-4.49	65.78	61.29	68.20	-6.91	Peak


Right Band edge_Vertical_Peak_5GWiFi_AC40_ANT2_5795MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5795

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.402	-4.69	65.70	61.01	116.72	-55.71	Peak
2	5855.290	-4.68	66.17	61.49	110.72	-49.23	Peak
3	5917.192	-4.49	66.12	61.63	73.96	-12.33	Peak
4	5944.087	-4.49	65.95	61.46	68.20	-6.74	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5647.493	-5.90	65.01	59.11	68.20	-9.09 Peak
2 5699.138	-5.78	66.98	61.20	104.56	-43.36 Peak
3 5717.535	-5.60	71.12	65.52	110.11	-44.59 Peak
4 5724.768	-5.54	70.58	65.04	121.67	-56.63 Peak


Left Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5628.875	-6.03	65.78	59.75	68.20	-8.45	Peak
2	5698.808	-5.78	69.99	64.21	104.32	-40.11	Peak
3	5718.745	-5.59	73.46	67.87	110.45	-42.58	Peak
4	5724.740	-5.54	71.69	66.15	121.61	-55.46	Peak


Right Band edge_Horizontal_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.340	-4.70	69.37	64.67	121.42	-56.75	Peak
2	5856.748	-4.67	66.94	62.27	110.31	-48.04	Peak
3	5875.585	-4.61	66.09	61.48	104.77	-43.29	Peak
4	5939.660	-4.49	66.25	61.76	68.20	-6.44	Peak


Right Band edge_Vertical_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.045	-4.69	70.30	65.61	117.54	-51.93	Peak
2	5855.125	-4.68	69.17	64.49	110.76	-46.27	Peak
3	5894.120	-4.52	66.40	61.88	91.01	-29.13	Peak
4	5927.092	-4.49	66.63	62.14	68.20	-6.06	Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5607.947	-6.15	65.71	59.56	68.20	-8.64	Peak
2	5671.473	-5.83	66.10	60.27	84.13	-23.86	Peak
3	5705.765	-5.72	67.04	61.32	106.82	-45.50	Peak
4	5724.603	-5.54	69.69	64.15	121.29	-57.14	Peak


Left Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5632.615	-6.00	65.78	59.78	68.20	-8.42	Peak
2	5682.033	-5.82	65.73	59.91	91.94	-32.03	Peak
3	5719.350	-5.58	67.19	61.61	110.62	-49.01	Peak
4	5724.987	-5.54	72.23	66.69	122.17	-55.48	Peak


Right Band edge_Horizontal_Peak_5GWiFi_AX20_ANT2_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5851.110	-4.70	66.68	61.98	119.67	-57.69	Peak
2	5855.950	-4.68	66.80	62.12	110.53	-48.41	Peak
3	5887.822	-4.55	66.64	62.09	95.68	-33.59	Peak
4	5944.967	-4.49	66.30	61.81	68.20	-6.39	Peak


Right Band edge_Vertical_Peak_5GWiFi_AX20_ANT2_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	5850.313	-4.70	67.59	62.89	121.49 -58.60 Peak
2	5866.675	-4.63	66.16	61.53	107.53 -46.00 Peak
3	5897.255	-4.52	66.42	61.90	88.69 -26.79 Peak
4	5925.250	-4.49	66.15	61.66	68.20 -6.54 Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5624.750	-6.04	65.64	59.60	68.20	-8.60 Peak
2 5693.583	-5.80	66.05	60.25	100.47	-40.22 Peak
3 5718.360	-5.59	72.39	66.80	110.34	-43.54 Peak
4 5723.393	-5.55	75.13	69.58	118.54	-48.96 Peak


Left Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5611.880	-6.13	65.27	59.14	68.20	-9.06 Peak
2 5696.910	-5.78	65.93	60.15	102.92	-42.77 Peak
3 5716.627	-5.62	73.83	68.21	109.86	-41.65 Peak
4 5724.025	-5.54	76.22	70.68	119.98	-49.30 Peak


Right Band edge_Horizontal_Peak_5GWiFi_AX40_ANT2_5795MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5852.430	-4.69	65.59	60.90	116.66	-55.76 Peak
2 5874.870	-4.60	66.34	61.74	105.24	-43.50 Peak
3 5901.848	-4.50	65.80	61.30	85.29	-23.99 Peak
4 5925.855	-4.49	66.25	61.76	68.20	-6.44 Peak


Right Band edge_Vertical_Peak_5GWiFi_AX40_ANT2_5795MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5852.567	-4.69	66.10	61.41	116.35	-54.94 Peak
2 5864.805	-4.64	65.76	61.12	108.05	-46.93 Peak
3 5900.225	-4.51	66.15	61.64	86.49	-24.85 Peak
4 5931.493	-4.49	65.63	61.14	68.20	-7.06 Peak


Left Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5635.063	-5.99	65.26	59.27	68.20	-8.93	Peak
2	5698.422	-5.79	67.35	61.56	104.04	-42.48	Peak
3	5718.415	-5.59	70.53	64.94	110.36	-45.42	Peak
4	5724.960	-5.54	72.19	66.65	122.11	-55.46	Peak


Left Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 5608.415	-6.15	65.61	59.46	68.20	-8.74 Peak
2 5697.295	-5.78	68.41	62.63	103.21	-40.58 Peak
3 5718.910	-5.59	72.74	67.15	110.50	-43.35 Peak
4 5724.575	-5.54	73.02	67.48	121.23	-53.75 Peak


Right Band edge_Horizontal_Peak_5GWiFi_AX80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5850.065	-4.70	68.07	63.37	122.05	-58.68	Peak
2	5868.078	-4.64	68.04	63.40	107.14	-43.74	Peak
3	5880.865	-4.58	66.11	61.53	100.84	-39.31	Peak
4	5939.248	-4.49	65.32	60.83	68.20	-7.37	Peak

Right Band edge_Vertical_Peak_5GWiFi_AX80_ANT2_5775MHz




Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading: RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	5852.127	-4.69	71.52	66.83	117.35	-50.52	Peak
2	5856.005	-4.68	70.87	66.19	110.52	-44.33	Peak
3	5876.135	-4.61	66.89	62.28	104.36	-42.08	Peak
4	5935.618	-4.49	66.19	61.70	68.20	-6.50	Peak

1-18GHz (Listed with the worst case test plot)


1-7GHz Horizontal 5GWiFi B1 A ANT1 5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6520.750	-1.22	49.38	48.16	68.20	-20.04	Peak


1-7GHz_Vertical_5GWiFi_B1_A_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
1	6767.500	-1.51	49.27	47.76	68.20 -20.44 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_A_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	53.83	56.31	68.20	-11.89 Peak
2 17870.750	8.55	49.43	57.98	74.00	-16.02 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_A_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17986.250	9.49	36.97	46.46	54.00	-7.54	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_A_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	54.39	56.87	68.20	-11.33 Peak
2 17954.630	9.35	49.62	58.97	74.00	-15.03 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_A_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	9.55	37.20	46.75	54.00	-7.25	Average


1-7GHz_Horizontal_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6920.500	-1.15	48.74	47.59	68.20	-20.61	Peak


1-7GHz_Vertical_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6951.250	-0.93	48.96	48.03	68.20	-20.17	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	53.78	56.26	68.20	-11.94 Peak
2 17876.250	8.66	49.28	57.94	74.00	-16.06 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	36.77	46.32	54.00	-7.68	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	53.91	56.39	68.20	-11.81 Peak
2 17918.880	9.18	48.07	57.25	74.00	-16.75 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	9.51	36.87	46.38	54.00	-7.62	Average


1-7GHz_Horizontal_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6694.750	-1.49	48.76	47.27	68.20	-20.93 Peak


1-7GHz_Vertical_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read Level	Level	Limit	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6726.250	-1.47	49.18	47.71	68.20	-20.49 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	53.91	56.39	68.20	-11.81 Peak
2 17934.000	9.26	48.42	57.68	74.00	-16.32 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	36.73	46.28	54.00	-7.72	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	53.62	56.10	68.20	-12.10 Peak
2 17994.500	9.53	48.27	57.80	74.00	-16.20 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC40_ANT1_5190MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17990.380	9.51	37.01	46.52	54.00	-7.48	Average


1-7GHz_Horizontal_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6433.000	-1.18	48.59	47.41	68.20	-20.79	Peak


1-7GHz_Vertical_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6470.500	-1.18	49.20	48.02	68.20	-20.18 Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.46	55.86	68.20	-12.34 Peak
2 17967.000	9.41	49.25	58.66	74.00	-15.34 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17991.750	9.52	36.92	46.44	54.00	-7.56 Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.80	56.20	68.20	-12.00	Peak
2	17979.380	9.47	48.33	57.80	74.00	-16.20	Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AC80_ANT1_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17956.000	9.36	37.12	46.48	54.00	-7.52	Average


1-7GHz_Horizontal_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.000	-1.18	49.70	48.52	68.20	-19.68	Peak


1-7GHz_Vertical_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6842.500	-1.39	48.72	47.33	68.20	-20.87	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	54.12	56.60	68.20	-11.60 Peak
2 17881.750	8.76	48.98	57.74	74.00	-16.26 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17987.630	9.50	36.57	46.07	54.00	-7.93	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	53.91	56.39	68.20	-11.81 Peak
2 17986.250	9.49	47.65	57.14	74.00	-16.86 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX20_ANT1_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5180

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17993.130	9.53	36.94	46.47	54.00	-7.53	Average


1-7GHz_Horizontal_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6525.250	-1.22	48.97	47.75	68.20	-20.45	Peak


1-7GHz_Vertical_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5230

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6659.500	-1.24	49.28	48.04	68.20	-20.16	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5230

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10460.000	2.26	54.66	56.92	68.20	-11.28	Peak
2	17989.000	9.51	48.43	57.94	74.00	-16.06	Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5230

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	36.83	46.38	54.00	-7.62	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.26	54.15	56.41	68.20	-11.79 Peak
2 17976.630	9.46	47.89	57.35	74.00	-16.65 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX40_ANT1_5230MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi_AX40_ANT1_5230

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17997.250	9.55	36.71	46.26	54.00	-7.74	Average


1-7GHz_Horizontal_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6866.500	-1.34	49.46	48.12	68.20	-20.08 Peak


1-7GHz_Vertical_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.750	-1.19	49.17	47.98	68.20 -20.22	Peak


7-18GHz_Horizontal_Peak_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	54.41	56.81	68.20	-11.39 Peak
2 17885.880	8.83	49.55	58.38	74.00	-15.62 Peak


7-18GHz_Horizontal_Average_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	37.15	46.69	54.00	-7.31	Average


7-18GHz_Vertical_Peak_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.94	56.34	68.20	-11.86 Peak
2 18000.000	9.56	47.73	57.29	74.00	-16.71 Peak


7-18GHz_Vertical_Average_5GWiFi_B1_AX80_ANT1_5210MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi_AX80_ANT1_5210

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	36.99	46.51	54.00	-7.49	Average


1-7GHz_Horizontal_5GWiFi_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6558.250	-1.26	50.21	48.95	68.20	-19.25	Peak


1-7GHz_Vertical_5GWiFi_A_ANT1_5320MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_A_ANT1_5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6430.000	-1.19	49.07	47.88	68.20	-20.32	Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	54.07	56.64	74.00	-17.36 Peak
2 17936.750	9.27	48.89	58.16	74.00	-15.84 Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.83	42.40	54.00	-11.60	Average
2 17989.000	9.51	36.89	46.40	54.00	-7.60	Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.61	56.18	74.00	-17.82 Peak
2 17928.500	9.23	48.54	57.77	74.00	-16.23 Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.81	42.38	54.00	-11.62	Average
2 17942.250	9.30	37.10	46.40	54.00	-7.60	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1	6882.250	-1.32	49.13	47.81	68.20 -20.39 Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6481.000	-1.18	49.23	48.05	68.20	-20.15	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
1	10640.000	54.32	56.89	74.00	-17.11 Peak
2	17997.250	48.48	58.03	74.00	-15.97 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.80	42.37	54.00	-11.63	Average
2 17997.250	9.55	36.85	46.40	54.00	-7.60	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.82	56.39	74.00	-17.61 Peak
2 17962.880	9.39	47.94	57.33	74.00	-16.67 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.76	42.33	54.00	-11.67	Average
2 17956.000	9.36	36.96	46.32	54.00	-7.68	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT1_5310MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6445.750	-1.16	48.92	47.76	68.20	-20.44 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT1_5310MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC40_ANT1_5310

	Freq	Factor	Read		Limit	Over	Remark
			Level	Level	Line	Limit	
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6971.500	-1.04	49.44	48.40	68.20	-19.80	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT1_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.39	55.78	74.00	-18.22 Peak
2 17942.250	9.30	48.24	57.54	74.00	-16.46 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT1_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	39.70	42.09	54.00	-11.91	Average
2 17984.880	9.49	36.88	46.37	54.00	-7.63	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT1_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.27	55.66	74.00	-18.34 Peak
2 17983.500	9.48	48.97	58.45	74.00	-15.55 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT1_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5310

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	39.66	42.05	54.00	-11.95	Average
2 17956.000	9.36	37.23	46.59	54.00	-7.41	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6449.500	-1.17	48.81	47.64	68.20	-20.56	Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6476.500	-1.18	48.64	47.46	68.20	-20.74 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.47	55.65	68.20	-12.55 Peak
2 17945.000	9.30	49.20	58.50	74.00	-15.50 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17997.250	9.55	36.88	46.43	54.00	-7.57 Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.53	55.71	68.20	-12.49 Peak
2 17951.880	9.34	48.44	57.78	74.00	-16.22 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17969.750	9.42	36.96	46.38	54.00	-7.62	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6494.500	-1.20	49.22	48.02	68.20	-20.18	Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6775.750	-1.55	49.26	47.71	68.20	-20.49 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.82	56.39	74.00	-17.61 Peak
2 17949.130	9.32	48.52	57.84	74.00	-16.16 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT1_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.69	42.26	54.00	-11.74	Average
2 17973.880	9.44	36.95	46.39	54.00	-7.61	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.62	56.19	74.00	-17.81 Peak
2 14507.500	7.13	50.19	57.32	68.20	-10.88 Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT1_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.66	42.23	54.00	-11.77	Average
2 17995.880	9.54	36.87	46.41	54.00	-7.59	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT1_5310MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6572.500	-1.30	49.58	48.28	68.20	-19.92	Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT1_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6468.250	-1.17	48.96	47.79	68.20	-20.41 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT1_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.13	55.52	74.00	-18.48 Peak
2 17936.750	9.27	48.58	57.85	74.00	-16.15 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT1_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	39.58	41.97	54.00	-12.03	Average
2 17998.630	9.55	36.78	46.33	54.00	-7.67	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT1_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.23	55.62	74.00	-18.38 Peak
2 17969.750	9.42	49.30	58.72	74.00	-15.28 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT1_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	39.62	42.01	54.00	-11.99	Average
2 17995.880	9.54	36.79	46.33	54.00	-7.67	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6678.250	-1.37	49.38	48.01	68.20 -20.19 Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6436.750	-1.18	49.11	47.93	68.20	-20.27 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.85	56.03	68.20	-12.17 Peak
2 17991.750	9.52	47.96	57.48	74.00	-16.52 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT1_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17993.130	9.53	36.71	46.24	54.00	-7.76 Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.60	55.78	68.20	-12.42 Peak
2 17943.630	9.31	48.63	57.94	74.00	-16.06 Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT1_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17983.500	9.48	36.93	46.41	54.00	-7.59 Average


1-7GHz_Horizontal_5GWiFi_A_ANT1_5500MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_A_ANT1_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6453.250	-1.18	49.90	48.72	68.20	-19.48	Peak


1-7GHz_Vertical_5GWiFi_A_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6538.000	-1.24	49.55	48.31	68.20 -19.89 Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5500

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	54.02	58.28	74.00	-15.72	Peak
2 17874.880	8.63	49.07	57.70	74.00	-16.30	Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.86	43.12	54.00	-10.88	Average
2 17998.630	9.55	37.52	47.07	54.00	-6.93	Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	53.74	58.00	74.00	-16.00	Peak
2 17957.380	9.36	48.98	58.34	74.00	-15.66	Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.83	43.09	54.00	-10.91	Average
2 17997.250	9.55	37.12	46.67	54.00	-7.33	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT1_5500MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6457.750	-1.18	49.33	48.15	68.20	-20.05	Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6455.500	-1.17	49.57	48.40	68.20	-19.80 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.56	57.82	74.00	-16.18 Peak
2 17940.880	9.29	48.69	57.98	74.00	-16.02 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.84	43.10	54.00	-10.90	Average
2 17997.250	9.55	36.95	46.50	54.00	-7.50	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.41	57.67	74.00	-16.33 Peak
2 17961.500	9.38	48.77	58.15	74.00	-15.85 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.80	43.06	54.00	-10.94	Average
2 17982.130	9.47	37.08	46.55	54.00	-7.45	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6462.250	-1.18	49.73	48.55	68.20 -19.65 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT1_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6684.250	-1.41	49.22	47.81	68.20	-20.39 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.16	58.24	74.00	-15.76 Peak
2 17902.380	9.10	49.22	58.32	74.00	-15.68 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.92	43.00	54.00	-11.00	Average
2 17987.630	9.50	36.96	46.46	54.00	-7.54	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT1_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	53.79	57.87	74.00	-16.13 Peak
2 17907.880	9.13	49.86	58.99	74.00	-15.01 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT1_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.88	42.96	54.00	-11.04	Average
2 17998.630	9.55	37.16	46.71	54.00	-7.29	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6972.250	-1.04	48.93	47.89	68.20	-20.31 Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6485.500	-1.19	49.27	48.08	68.20	-20.12	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	54.12	57.84	74.00	-16.16 Peak
2 17934.000	9.26	48.02	57.28	74.00	-16.72 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	38.88	42.60	54.00	-11.40	Average
2 17995.880	9.54	36.79	46.33	54.00	-7.67	Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11060.000	3.72	53.89	57.61	74.00	-16.39	Peak
2	17912.000	9.14	49.09	58.23	74.00	-15.77	Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	38.85	42.57	54.00	-11.43	Average
2 17995.880	9.54	37.19	46.73	54.00	-7.27	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT1_5500MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6465.250	-1.18	49.21	48.03	68.20	-20.17	Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6741.250	-1.44	49.09	47.65	68.20	-20.55 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.93	58.19	74.00	-15.81 Peak
2 17921.630	9.20	48.46	57.66	74.00	-16.34 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.89	43.15	54.00	-10.85	Average
2 17993.130	9.53	36.86	46.39	54.00	-7.61	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.81	58.07	74.00	-15.93 Peak
2 17854.250	8.25	49.64	57.89	74.00	-16.11 Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.86	43.12	54.00	-10.88	Average
2 17986.250	9.49	37.06	46.55	54.00	-7.45	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6448.750	-1.17	48.91	47.74	68.20	-20.46 Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT1_5510MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6451.750	-1.18	49.43	48.25	68.20	-19.95	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.42	58.50	74.00	-15.50 Peak
2 17928.500	9.23	48.59	57.82	74.00	-16.18 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT1_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	39.04	43.12	54.00	-10.88	Average
2 17996.140	9.56	36.70	46.26	54.00	-7.74	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT1_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.06	58.14	74.00	-15.86 Peak
2 17993.130	9.53	48.35	57.88	74.00	-16.12 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT1_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.96	43.04	54.00	-10.96	Average
2 17980.750	9.48	37.13	46.61	54.00	-7.39	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6467.500	-1.18	48.88	47.70	68.20	-20.50	Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6413.500	-1.20	49.33	48.13	68.20	-20.07 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	54.39	58.11	74.00	-15.89 Peak
2 17894.130	8.99	49.20	58.19	74.00	-15.81 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT1_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	39.18	42.90	54.00	-11.10	Average
2 17993.130	9.53	36.80	46.33	54.00	-7.67	Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	53.94	57.66	74.00	-16.34	Peak
2 17998.580	9.56	48.33	57.89	74.00	-16.11	Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT1_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	39.03	42.75	54.00	-11.25	Average
2 17998.550	9.56	37.18	46.74	54.00	-7.26	Average


1-7GHz_Horizontal_5GWiFi_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.750	-1.18	49.76	48.58	68.20	-19.62 Peak


1-7GHz_Vertical_5GWiFi_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6435.250	-1.18	49.66	48.48	68.20	-19.72 Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	53.88	57.34	74.00	-16.66 Peak
2 17995.880	9.54	49.65	59.19	74.00	-14.81 Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.26	42.72	54.00	-11.28	Average
2 17958.750	9.37	37.05	46.42	54.00	-7.58	Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	11650.000	3.46	54.17	57.63	74.00	-16.37	Peak
2	17928.500	9.23	49.27	58.50	74.00	-15.50	Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.44	42.90	54.00	-11.10	Average
2 17989.000	9.51	37.51	47.02	54.00	-6.98	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6440.500	-1.18	49.53	48.35	68.20	-19.85	Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6451.750	-1.18	48.62	47.44	68.20	-20.76	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	53.45	56.91	74.00	-17.09 Peak
2 17951.880	9.34	48.54	57.88	74.00	-16.12 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.16	42.62	54.00	-11.38	Average
2 17997.250	9.55	37.02	46.57	54.00	-7.43	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	53.78	57.24	74.00	-16.76 Peak
2 17918.880	9.18	48.51	57.69	74.00	-16.31 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.30	42.76	54.00	-11.24	Average
2 17931.250	9.25	37.45	46.70	54.00	-7.30	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT1_5795MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6514.750	-1.22	49.87	48.65	68.20	-19.55 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT1_5795MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6471.250	-1.19	48.90	47.71	68.20	-20.49 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT1_5795MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.24	53.39	56.63	74.00	-17.37	Peak
2 17935.380	9.27	48.80	58.07	74.00	-15.93	Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT1_5795MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.24	39.22	42.46	54.00	-11.54	Average
2 17987.630	9.50	36.94	46.44	54.00	-7.56	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT1_5795MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11590.000	3.24	54.11	57.35	74.00	-16.65 Peak
2 17917.500	9.18	49.09	58.27	74.00	-15.73 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT1_5795MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT1_5795

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11590.000	3.24	39.40	42.64	54.00	-11.36	Average
2 17996.230	9.56	37.16	46.72	54.00	-7.28	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT1_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6547.000	-1.25	49.09	47.84	68.20	-20.36 Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT1_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6763.000	-1.49	49.95	48.46	68.20	-19.74 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT1_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.14	56.58	74.00	-17.42 Peak
2 17990.380	9.51	48.55	58.06	74.00	-15.94 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT1_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	38.60	42.04	54.00	-11.96	Average
2 17998.630	9.55	36.89	46.44	54.00	-7.56	Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT1_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.69	57.13	74.00	-16.87 Peak
2 17946.380	9.31	48.79	58.10	74.00	-15.90 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT1_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT1_5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	38.64	42.08	54.00	-11.92	Average
2 17990.380	9.51	37.15	46.66	54.00	-7.34	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6869.500	-1.32	48.92	47.60	68.20	-20.60 Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT1_5825MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6487.000	-1.20	49.26	48.06	68.20	-20.14	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	53.60	57.06	74.00	-16.94 Peak
2 17945.000	9.30	49.43	58.73	74.00	-15.27 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT1_5825MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.38	42.84	54.00	-11.16	Average
2 17991.750	9.52	36.87	46.39	54.00	-7.61	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11650.000	3.46	53.82	57.28	74.00	-16.72 Peak
2 17965.630	9.40	48.26	57.66	74.00	-16.34 Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT1_5825MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5825

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11650.000	3.46	39.47	42.93	54.00	-11.07	Average
2 17983.500	9.48	36.99	46.47	54.00	-7.53	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT1_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6487.750	-1.20	49.05	47.85	68.20	-20.35 Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT1_5755MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6454.750	-1.17	48.92	47.75	68.20	-20.45 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT1_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.48	57.11	74.00	-16.89 Peak
2 17997.250	9.55	48.52	58.07	74.00	-15.93 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT1_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.12	42.75	54.00	-11.25	Average
2 17962.880	9.39	37.14	46.53	54.00	-7.47	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT1_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	54.04	57.67	74.00	-16.33 Peak
2 17917.500	9.18	49.65	58.83	74.00	-15.17 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT1_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT1_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.31	42.94	54.00	-11.06	Average
2 17987.630	9.50	37.14	46.64	54.00	-7.36	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT1_5775MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6849.250	-1.36	49.15	47.79	68.20	-20.41	Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT1_5775MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6433.000	-1.18	48.85	47.67	68.20	-20.53	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT1_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.43	56.87	74.00	-17.13 Peak
2 17983.500	9.48	48.53	58.01	74.00	-15.99 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT1_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	38.74	42.18	54.00	-11.82	Average
2 18000.000	9.56	37.28	46.84	54.00	-7.16	Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT1_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.66	57.10	74.00	-16.90 Peak
2 17925.750	9.22	49.59	58.81	74.00	-15.19 Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT1_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT1_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	38.84	42.28	54.00	-11.72	Average
2 17960.130	9.38	37.13	46.51	54.00	-7.49	Average


1-7GHz_Horizontal_5GWiFi_A_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6470.500	-1.18	49.63	48.45	68.20	-19.75 Peak


1-7GHz_Vertical_5GWiFi_A_ANT2_5200MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6513.250	-1.21	49.25	48.04	68.20	-20.16	Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10400.000	2.47	53.78	56.25	68.20	-11.95 Peak
2 17978.000	9.46	48.38	57.84	74.00	-16.16 Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.630	9.55	37.18	46.73	54.00	-7.27 Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT2_5200MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10400.000	2.47	54.23	56.70	68.20	-11.50	Peak
2 18000.000	9.56	48.41	57.97	74.00	-16.03	Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT2_5200MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17993.130	9.53	37.77	47.30	54.00	-6.70 Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6693.250	-1.47	49.74	48.27	68.20	-19.93 Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT2_5200MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC20_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6973.750	-1.06	48.97	47.91	68.20	-20.29 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5200

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10400.000	2.47	54.07	56.54	68.20	-11.66	Peak
2	17995.880	9.54	48.26	57.80	74.00	-16.20	Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT2_5200MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17990.380	9.51	37.04	46.55	54.00	-7.45 Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT2_5200MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10400.000	2.47	53.21	55.68	68.20	-12.52 Peak
2 17924.380	9.21	48.41	57.62	74.00	-16.38 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT2_5200MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5200

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17998.630	9.55	37.15	46.70	54.00	-7.30 Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT2_5190MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6715.750	-1.49	49.19	47.70	68.20	-20.50 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT2_5190MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6496.000	-1.20	49.88	48.68	68.20	-19.52	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT2_5190MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	53.65	56.13	68.20	-12.07 Peak
2 17934.000	9.26	48.47	57.73	74.00	-16.27 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT2_5190MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
 Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17990.380	9.51	36.98	46.49	54.00	-7.51 Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT2_5190MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10380.000	2.48	53.45	55.93	68.20	-12.27 Peak
2 17973.880	9.44	48.29	57.73	74.00	-16.27 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT2_5190MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5190

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	36.99	46.53	54.00	-7.47	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6474.250	-1.19	50.00	48.81	68.20	-19.39 Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6472.000	-1.18	48.66	47.48	68.20	-20.72 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.60	56.00	68.20	-12.20 Peak
2 17942.250	9.30	48.40	57.70	74.00	-16.30 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17989.000	9.51	36.76	46.27	54.00	-7.73 Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10420.000	2.40	53.73	56.13	68.20	-12.07 Peak
2 17895.500	9.01	48.26	57.27	74.00	-16.73 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5210

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17969.750	9.42	37.13	46.55	54.00	-7.45	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT2_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6436.000	-1.18	48.70	47.52	68.20	-20.68 Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT2_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6654.250	-1.20	49.06	47.86	68.20	-20.34 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT2_5180MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read	Limit	Over	Remark
Level	Level	Line	Limit	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10360.000	2.48	54.03	56.51	68.20	-11.69 Peak
2 17989.000	9.51	47.94	57.45	74.00	-16.55 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT2_5180MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17991.750	9.52	36.98	46.50	54.00	-7.50 Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT2_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10360.000	2.48	53.51	55.99	68.20	-12.21	Peak
2 17958.750	9.37	48.59	57.96	74.00	-16.04	Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT2_5180MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5180

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	36.93	46.47	54.00	-7.53	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT2_5230MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6691.750	-1.47	49.13	47.66	68.20	-20.54	Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT2_5230MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6485.500	-1.19	49.08	47.89	68.20	-20.31 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT2_5230MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.26	53.77	56.03	68.20	-12.17 Peak
2 17925.750	9.22	49.43	58.65	74.00	-15.35 Peak

7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT2_5230MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17995.880	9.54	36.74	46.28	54.00	-7.72 Average