



7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT2_5230MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10460.000	2.26	53.33	55.59	68.20	-12.61 Peak
2 17965.630	9.40	47.88	57.28	74.00	-16.72 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT2_5230MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5230

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	36.93	46.48	54.00	-7.52	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6452.500	-1.18	49.29	48.11	68.20	-20.09	Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6481.750	-1.19	49.47	48.28	68.20	-19.92	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
1	2.40	53.50	55.90	68.20	-12.30 Peak
2	9.50	48.22	57.72	74.00	-16.28 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT2_5210MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 17971.130	9.43	37.00	46.43	54.00	-7.57 Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	10420.000	2.40	53.69	56.09	68.20	-12.11	Peak
2	17932.630	9.25	48.04	57.29	74.00	-16.71	Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT2_5210MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5210

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17998.630	9.55	37.14	46.69	54.00	-7.31	Average


1-7GHz_Horizontal_5GWiFi_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6484.750	-1.20	48.43	47.23	68.20 -20.97 Peak


1-7GHz_Vertical_5GWiFi_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6464.500	-1.18	49.43	48.25	68.20	-19.95 Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	53.68	56.25	74.00	-17.75	Peak
2 17947.750	9.32	47.90	57.22	74.00	-16.78	Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	38.94	41.51	54.00	-12.49	Average
2 17987.630	9.50	36.81	46.31	54.00	-7.69	Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	53.73	56.30	74.00	-17.70	Peak
2 17905.130	9.12	49.50	58.62	74.00	-15.38	Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.03	41.60	54.00	-12.40	Average
2 17971.130	9.43	36.89	46.32	54.00	-7.68	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6475.000	-1.18	48.93	47.75	68.20	-20.45	Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	
MHz	dB/m				
1 6400.750	-1.21	49.39	48.18	68.20	-20.02 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.61	56.18	74.00	-17.82 Peak
2 17945.000	9.30	48.93	58.23	74.00	-15.77 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	38.89	41.46	54.00	-12.54	Average
2 17986.250	9.49	36.83	46.32	54.00	-7.68	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.68	56.25	74.00	-17.75 Peak
2 17913.380	9.15	48.12	57.27	74.00	-16.73 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	38.95	41.52	54.00	-12.48	Average
2 17960.130	9.38	36.91	46.29	54.00	-7.71	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6463.750	-1.17	48.48	47.31	68.20	-20.89	Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6464.500	-1.18	48.86	47.68	68.20	-20.52 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.76	56.15	74.00	-17.85 Peak
2 17982.130	9.47	48.41	57.88	74.00	-16.12 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	38.88	41.27	54.00	-12.73	Average
2 17998.440	9.56	36.76	46.32	54.00	-7.68	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.82	56.21	74.00	-17.79 Peak
2 17957.380	9.36	48.34	57.70	74.00	-16.30 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	38.90	41.29	54.00	-12.71	Average
2 17997.250	9.55	36.92	46.47	54.00	-7.53	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6478.750	-1.19	49.22	48.03	68.20	-20.17 Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6535.000	-1.23	48.58	47.35	68.20	-20.85	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.56	55.74	68.20	-12.46 Peak
2 17975.250	9.45	48.18	57.63	74.00	-16.37 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17991.750	9.52	37.15	46.67	54.00	-7.33	Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.73	55.91	68.20	-12.29 Peak
2 17890.000	8.91	48.39	57.30	74.00	-16.70 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5290

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 17995.880	9.54	36.89	46.43	54.00	-7.57	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT2_5320MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6704.500	-1.51	48.78	47.27	68.20	-20.93	Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6279.250	-1.91	49.65	47.74	68.20	-20.46 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.58	56.15	74.00	-17.85 Peak
2 17998.630	9.55	48.85	58.40	74.00	-15.60 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT2_5320MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	38.92	41.49	54.00	-12.51	Average
2 17956.000	9.36	36.93	46.29	54.00	-7.71	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10640.000	2.57	53.72	56.29	74.00	-17.71 Peak
2 17903.750	9.11	49.41	58.52	74.00	-15.48 Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT2_5320MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5320

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10640.000	2.57	39.01	41.58	54.00	-12.42	Average
2 17994.500	9.53	37.22	46.75	54.00	-7.25	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6429.250	-1.19	49.01	47.82	68.20	-20.38 Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6862.000	-1.34	49.47	48.13	68.20	-20.07	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.85	56.24	74.00	-17.76 Peak
2 17894.130	8.99	48.90	57.89	74.00	-16.11 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT2_5310MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	38.93	41.32	54.00	-12.68	Average
2 17998.520	9.56	36.96	46.52	54.00	-7.48	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10620.000	2.39	53.95	56.34	74.00	-17.66 Peak
2 17924.380	9.21	48.80	58.01	74.00	-15.99 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT2_5310MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5310

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 10620.000	2.39	39.06	41.45	54.00	-12.55	Average
2 17997.250	9.55	36.94	46.49	54.00	-7.51	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level	Limit Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6454.750	-1.17	48.57	47.40	68.20	-20.80	Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6396.250	-1.24	48.87	47.63	68.20	-20.57	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.75	55.93	68.20	-12.27 Peak
2 17961.500	9.38	48.55	57.93	74.00	-16.07 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 17999.400	9.56	36.64	46.20	54.00	-7.80 Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 10580.000	2.18	53.91	56.09	68.20	-12.11 Peak
2 17883.130	8.78	49.22	58.00	74.00	-16.00 Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT2_5290MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5290

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	17995.880	9.54	36.84	46.38	54.00	-7.62	Average


1-7GHz_Horizontal_5GWiFi_A_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6528.250	-1.22	49.32	48.10	68.20	-20.10 Peak


1-7GHz_Vertical_5GWiFi_A_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6957.250	-0.96	49.56	48.60	68.20	-19.60 Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.31	57.57	74.00	-16.43 Peak
2 17942.250	9.30	48.15	57.45	74.00	-16.55 Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.77	43.03	54.00	-10.97	Average
2 17987.630	9.50	36.97	46.47	54.00	-7.53	Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq	Factor	Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	53.46	57.72	74.00	-16.28	Peak
2 17938.130	9.28	49.05	58.33	74.00	-15.67	Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.82	43.08	54.00	-10.92	Average
2 17998.540	9.56	37.11	46.67	54.00	-7.33	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT2_5500MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6899.500	-1.31	49.24	47.93	68.20	-20.27 Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6479.500	-1.19	49.04	47.85	68.20	-20.35	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.36	57.62	74.00	-16.38 Peak
2 17909.250	9.13	48.53	57.66	74.00	-16.34 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.72	42.98	54.00	-11.02	Average
2 17984.880	9.49	37.02	46.51	54.00	-7.49	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.39	57.65	74.00	-16.35 Peak
2 17954.630	9.35	48.68	58.03	74.00	-15.97 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5500

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.80	43.06	54.00	-10.94	Average
2 17991.750	9.52	36.98	46.50	54.00	-7.50	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6412.750	-1.20	49.03	47.83	68.20	-20.37 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6477.250	-1.18	49.69	48.51	68.20	-19.69	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	53.94	58.02	74.00	-15.98 Peak
2 17910.630	9.13	49.03	58.16	74.00	-15.84 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.78	42.86	54.00	-11.14	Average
2 17997.250	9.55	37.03	46.58	54.00	-7.42	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.20	58.28	74.00	-15.72 Peak
2 17932.630	9.25	48.02	57.27	74.00	-16.73 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.85	42.93	54.00	-11.07	Average
2 17987.630	9.50	36.91	46.41	54.00	-7.59	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT2_5530MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6766.750	-1.50	49.49	47.99	68.20	-20.21	Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6352.000	-1.66	49.30	47.64	68.20	-20.56 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	53.89	57.61	74.00	-16.39 Peak
2 17973.880	9.44	47.82	57.26	74.00	-16.74 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	38.91	42.63	54.00	-11.37	Average
2 17997.250	9.55	37.11	46.66	54.00	-7.34	Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	54.04	57.76	74.00	-16.24 Peak
2 17916.130	9.16	48.86	58.02	74.00	-15.98 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5530

Freq Factor		Read		Limit	Over	Remark
		Level	Level	Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	39.02	42.74	54.00	-11.26	Average
2 17980.750	9.48	37.09	46.57	54.00	-7.43	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6457.750	-1.18	49.34	48.16	68.20	-20.04 Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6536.500	-1.23	49.26	48.03	68.20 -20.17 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.43	57.69	74.00	-16.31 Peak
2 17989.000	9.51	48.84	58.35	74.00	-15.65 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.72	42.98	54.00	-11.02	Average
2 17998.330	9.56	36.72	46.28	54.00	-7.72	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11000.000	4.26	53.50	57.76	74.00	-16.24 Peak
2 17942.250	9.30	48.26	57.56	74.00	-16.44 Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11000.000	4.26	38.83	43.09	54.00	-10.91	Average
2 17995.880	9.54	36.91	46.45	54.00	-7.55	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT2_5510MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6424.000	-1.19	48.70	47.51	68.20	-20.69	Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6456.250	-1.17	49.21	48.04	68.20	-20.16 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.06	58.14	74.00	-15.86 Peak
2 17979.380	9.47	48.21	57.68	74.00	-16.32 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT2_5510MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.78	42.86	54.00	-11.14	Average
2 17957.380	9.36	36.99	46.35	54.00	-7.65	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11020.000	4.08	54.32	58.40	74.00	-15.60 Peak
2 17910.630	9.13	50.20	59.33	74.00	-14.67 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT2_5510MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5510

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11020.000	4.08	38.96	43.04	54.00	-10.96	Average
2 17990.380	9.51	36.96	46.47	54.00	-7.53	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT2_5530MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6464.500	-1.18	49.06	47.88	68.20	-20.32	Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT2_5530MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6538.750	-1.24	48.82	47.58	68.20	-20.62	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	53.94	57.66	74.00	-16.34 Peak
2 17936.750	9.27	49.05	58.32	74.00	-15.68 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT2_5530MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	38.97	42.69	54.00	-11.31	Average
2 18000.000	9.56	36.89	46.45	54.00	-7.55	Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11060.000	3.72	54.02	57.74	74.00	-16.26 Peak
2 17934.000	9.26	48.14	57.40	74.00	-16.60 Peak


7-18GHz_Vertical_Average_5GWiFi_AX80_ANT2_5530MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5530

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11060.000	3.72	39.05	42.77	54.00	-11.23	Average
2 17984.880	9.49	37.08	46.57	54.00	-7.43	Average


1-7GHz_Horizontal_5GWiFi_A_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6571.750	-1.30	49.63	48.33	68.20 -19.87 Peak


1-7GHz_Vertical_5GWiFi_A_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read Level		Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6389.500	-1.32	49.30	47.98	68.20	-20.22 Peak


7-18GHz_Horizontal_Peak_5GWiFi_A_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	53.35	56.99	74.00	-17.01	Peak
2 17962.880	9.39	48.81	58.20	74.00	-15.80	Peak


7-18GHz_Horizontal_Average_5GWiFi_A_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	39.18	42.82	54.00	-11.18 Average
2 17997.250	9.55	36.88	46.43	54.00	-7.57 Average


7-18GHz_Vertical_Peak_5GWiFi_A_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	53.88	57.52	74.00	-16.48 Peak
2 17968.380	9.42	49.38	58.80	74.00	-15.20 Peak


7-18GHz_Vertical_Average_5GWiFi_A_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_A_ANT2_5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	39.22	42.86	54.00	-11.14	Average
2 17998.630	9.55	36.95	46.50	54.00	-7.50	Average


1-7GHz_Horizontal_5GWiFi_AC20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6467.500	-1.18	50.03	48.85	68.20 -19.35 Peak


1-7GHz_Vertical_5GWiFi_AC20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6454.750	-1.17	48.76	47.59	68.20	-20.61 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	53.22	56.86	74.00	-17.14 Peak
2 17927.130	9.22	48.42	57.64	74.00	-16.36 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	39.16	42.80	54.00	-11.20	Average
2 17982.130	9.47	37.25	46.72	54.00	-7.28	Average


7-18GHz_Vertical_Peak_5GWiFi_AC20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	53.76	57.40	74.00	-16.60 Peak
2 17923.000	9.20	48.77	57.97	74.00	-16.03 Peak


7-18GHz_Vertical_Average_5GWiFi_AC20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC20_ANT2_5745

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	39.18	42.82	54.00	-11.18	Average
2 17953.250	9.34	37.37	46.71	54.00	-7.29	Average


1-7GHz_Horizontal_5GWiFi_AC40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6467.500	-1.18	49.02	47.84	68.20	-20.36 Peak


1-7GHz_Vertical_5GWiFi_AC40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6662.500	-1.26	49.14	47.88	68.20	-20.32 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.50	57.13	74.00	-16.87 Peak
2 17975.250	9.45	48.17	57.62	74.00	-16.38 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read Level		Limit	Over	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.17	42.80	54.00	-11.20	Average
2 17983.500	9.48	36.79	46.27	54.00	-7.73	Average


7-18GHz_Vertical_Peak_5GWiFi_AC40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.73	57.36	74.00	-16.64 Peak
2 17995.880	9.56	48.27	57.83	74.00	-16.17 Peak


7-18GHz_Vertical_Average_5GWiFi_AC40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC40_ANT2_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.22	42.85	54.00	-11.15	Average
2 17982.130	9.47	37.15	46.62	54.00	-7.38	Average


1-7GHz_Horizontal_5GWiFi_AC80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6466.000	-1.18	48.56	47.38	68.20	-20.82 Peak


1-7GHz_Vertical_5GWiFi_AC80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

	Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6974.500	-1.06	48.74	47.68	68.20	-20.52	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.65	57.09	74.00	-16.91 Peak
2 17984.880	9.49	48.30	57.79	74.00	-16.21 Peak


7-18GHz_Horizontal_Average_5GWiFi_AC80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.15	42.59	54.00	-11.41	Average
2 17990.380	9.51	37.35	46.86	54.00	-7.14	Average


7-18GHz_Vertical_Peak_5GWiFi_AC80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.71	57.15	74.00	-16.85 Peak
2 17932.630	9.25	48.50	57.75	74.00	-16.25 Peak


7-18GHz_Vertical_Average_5GWiFi_AC80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AC80_ANT2_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.21	42.65	54.00	-11.35	Average
2 17998.430	9.56	37.19	46.75	54.00	-7.25	Average


1-7GHz_Horizontal_5GWiFi_AX20_ANT2_5745MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6467.500	-1.18	48.89	47.71	68.20	-20.49	Peak


1-7GHz_Vertical_5GWiFi_AX20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1	6462.250	-1.18	48.46	47.28	68.20 -20.92 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11490.000	3.64	53.60	57.24	74.00	-16.76 Peak
2 17906.500	9.12	48.00	57.12	74.00	-16.88 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX20_ANT2_5745MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	39.25	42.89	54.00	-11.11	Average
2 17998.540	9.55	36.74	46.29	54.00	-7.71	Average


7-18GHz_Vertical_Peak_5GWiFi_AX20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	53.94	57.58	74.00	-16.42	Peak
2 17998.630	9.55	49.40	58.95	74.00	-15.05	Peak


7-18GHz_Vertical_Average_5GWiFi_AX20_ANT2_5745MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5745

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11490.000	3.64	39.31	42.95	54.00	-11.05	Average
2 17967.000	9.41	37.18	46.59	54.00	-7.41	Average


1-7GHz_Horizontal_5GWiFi_AX40_ANT2_5755MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6667.000	-1.29	48.67	47.38	68.20	-20.82	Peak


1-7GHz_Vertical_5GWiFi_AX40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
		Level	Level	Line	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB
1 6423.250	-1.20	48.51	47.31	68.20	-20.89 Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.66	57.29	74.00	-16.71 Peak
2 17953.250	9.34	47.70	57.04	74.00	-16.96 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX40_ANT2_5755MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.18	42.81	54.00	-11.19	Average
2 17986.250	9.49	36.89	46.38	54.00	-7.62	Average


7-18GHz_Vertical_Peak_5GWiFi_AX40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11510.000	3.63	53.84	57.47	74.00	-16.53 Peak
2 17971.130	9.43	48.13	57.56	74.00	-16.44 Peak


7-18GHz_Vertical_Average_5GWiFi_AX40_ANT2_5755MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX40_ANT2_5755

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11510.000	3.63	39.25	42.88	54.00	-11.12	Average
2 17984.880	9.49	36.97	46.46	54.00	-7.54	Average


1-7GHz_Horizontal_5GWiFi_AX80_ANT2_5775MHz



Condition : Horizontal
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1	6994.750	-1.18	48.81	47.63	68.20	-20.57 Peak


1-7GHz_Vertical_5GWiFi_AX80_ANT2_5775MHz



Condition : Vertical
 Project No. : 2601P41940E-RF
 Tester : Wing K Ji
 Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
 Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 6497.500	-1.20	49.03	47.83	68.20	-20.37	Peak


7-18GHz_Horizontal_Peak_5GWiFi_AX80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	53.87	57.31	74.00	-16.69 Peak
2 17989.000	9.51	48.48	57.99	74.00	-16.01 Peak


7-18GHz_Horizontal_Average_5GWiFi_AX80_ANT2_5775MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read Level		Limit	Over	Remark
				Line	Limit	
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.20	42.64	54.00	-11.36	Average
2 17997.250	9.55	36.97	46.52	54.00	-7.48	Average


7-18GHz_Vertical_Peak_5GWiFi_AX80_ANT2_5775MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read	Limit	Over	Remark
MHz	dB/m	Level	Level	Line	
		dBuV	dBuV/m	dBuV/m	dB
1 11550.000	3.44	54.03	57.47	74.00	-16.53 Peak
2 17945.000	9.30	49.21	58.51	74.00	-15.49 Peak

7-18GHz_Vertical_Average_5GWiFi_AX80_ANT2_5775MHz




Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Average reading: RBW:1MHz VBW:1kHz Detector:Peak
Note : 5GWiFi_AX80_ANT2_5775

Freq Factor		Read		Limit	Over	Remark
MHz	dB/m	Level	Level	Line	Limit	
		dBuV	dBuV/m	dBuV/m	dB	
1 11550.000	3.44	39.22	42.66	54.00	-11.34	Average
2 17968.380	9.42	37.06	46.48	54.00	-7.52	Average

18-40GHz (Only Listed with the worst harmonic margin test plot)


18-40GHz_Horizontal_5GWiFi_AX20_ANT1_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq		Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 38831.250		23.94	37.73	61.67	83.50	-21.83	Peak


18-40GHz_Vertical_5GWiFi_AX20_ANT1_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT1_5500

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39612.250	23.81	36.76	60.57	83.50	-22.93	Peak


18-40GHz_Horizontal_5GWiFi_AX20_ANT2_5500MHz



Condition : Horizontal
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq		Factor	Read	Limit	Over	Remark
			Level	Level	Line	
MHz		dB/m	dBuV	dBuV/m	dBuV/m	dB
1 39851.500		23.81	36.53	60.34	83.50	-23.16 Peak

18-40GHz_Vertical_5GWiFi_AX20_ANT2_5500MHz



Condition : Vertical
Project No. : 2601P41940E-RF
Tester : Wing K Ji
Spectrum setting: Peak reading:RBW:1MHz VBW:3MHz Detector:Peak
Note : 5GWiFi_AX20_ANT2_5500

Freq	Factor	Read Level	Level	Limit Line	Over Limit	Remark
MHz	dB/m	dBuV	dBuV/m	dBuV/m	dB	
1 39307.000	23.91	37.31	61.22	83.50	-22.28	Peak

RF Conducted data**Test Information:**

Sample No.:	3G6W-3	Test Date:	2026/01/29-2026/02/10
Test Site:	RF	Test Mode:	Transmitting
Tester:	Cheeb Huang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25~26.1	Relative Humidity: (%)	49~52	ATM Pressure: (kPa)	100.4~100.9
----------------------	---------	------------------------------	-------	------------------------	-------------

Emission Bandwidth**26dB Emission Bandwidth****5150-5250MHz**

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Ant 1	5180	19.369
		5200	18.769
		5240	19.169
	Ant 2	5180	19.169
		5200	19.069
		5240	19.019
802.11ac20	Ant 1	5180	20.842
		5200	20.240
		5240	20.441
	Ant 2	5180	20.241
		5200	20.693
		5240	20.342
802.11ac40	Ant 1	5190	40.240
		5230	40.040
	Ant 2	5190	40.040
		5230	40.140
802.11ac80	Ant 1	5210	82.282
	Ant 2	5210	83.884
802.11ax20_RU_FULL	Ant 1	5180	21.097
		5200	20.998
		5240	21.519
	Ant 2	5180	20.897
		5200	21.464
		5240	21.153
802.11ax40_RU_FULL	Ant 1	5190	41.041
		5230	40.741
	Ant 2	5190	40.641
		5230	40.841
802.11ax80_RU_FULL	Ant 1	5210	82.683
	Ant 2	5210	83.283

5250-5350MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Ant 1	5260	19.019
		5280	18.869
		5320	19.069
	Ant 2	5260	19.019
		5280	19.019
		5320	18.969
802.11ac20	Ant 1	5260	20.341
		5280	19.970
		5320	20.241
	Ant 2	5260	20.140
		5280	20.492
		5320	20.593
802.11ac40	Ant 1	5270	39.940
		5310	39.840
	Ant 2	5270	39.640
		5310	40.240
802.11ac80	Ant 1	5290	82.483
	Ant 2	5290	81.882
802.11ax20_RU_FULL	Ant 1	5260	21.095
		5280	20.996
		5320	21.053
	Ant 2	5260	21.149
		5280	20.996
		5320	21.000
802.11ax40_RU_FULL	Ant 1	5270	40.440
		5310	40.641
	Ant 2	5270	40.641
		5310	40.541
802.11ax80_RU_FULL	Ant 1	5290	83.484
	Ant 2	5290	82.483

5470-5725MHz

Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11a	Ant 1	5500	19.920
		5580	18.869
		5700	19.069
		5720	19.219
	Ant 2	5500	20.645
		5580	18.919
		5700	19.319
		5720	19.720
802.11ac20	Ant 1	5500	19.870
		5580	20.240
		5700	20.391
		5720	19.970
	Ant 2	5500	20.743
		5580	20.543
		5700	20.542
		5720	19.870
802.11ac40	Ant 1	5510	40.240
		5550	39.940
		5670	39.940
		5710	39.840
	Ant 2	5510	40.140
		5550	40.240
		5670	40.641
		5710	39.940
802.11ac80	Ant 1	5530	82.683
		5610	81.882
		5690	82.082
	Ant 2	5530	90.591
		5610	82.883
		5690	82.683
802.11ax20_RU_FULL	Ant 1	5500	21.205
		5580	20.894
		5700	21.153


Mode	Antenna	Test Frequency (MHz)	Result (MHz)
802.11ax20_RU_FULL	Ant 1	5720	21.274
	Ant 2	5500	22.832
		5580	21.259
		5700	21.102
		5720	20.942
802.11ax40_RU_FULL	Ant 1	5510	40.841
		5550	40.741
		5670	40.741
		5710	40.240
	Ant 2	5510	40.941
		5550	40.841
		5670	40.841
		5710	40.641
802.11ax80_RU_FULL	Ant 1	5530	83.484
		5610	82.683
		5690	82.082
	Ant 2	5530	83.083
		5610	82.282
		5690	83.083

6dB Emission Bandwidth
5725-5850MHz


Mode	Antenna	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	Ant 1	5745	16.416	0.5	Pass
		5785	16.416	0.5	Pass
		5825	16.366	0.5	Pass
	Ant 2	5745	16.416	0.5	Pass
		5785	16.366	0.5	Pass
		5825	16.366	0.5	Pass
802.11ac20	Ant 1	5745	17.618	0.5	Pass
		5785	17.668	0.5	Pass
		5825	17.668	0.5	Pass
	Ant 2	5745	17.618	0.5	Pass
		5785	17.668	0.5	Pass
		5825	17.668	0.5	Pass
802.11ac40	Ant 1	5755	36.336	0.5	Pass
		5795	36.236	0.5	Pass
	Ant 2	5755	36.537	0.5	Pass
		5795	35.936	0.5	Pass
802.11ac80	Ant 1	5775	76.276	0.5	Pass
	Ant 2	5775	76.076	0.5	Pass
802.11ax20_RU_FULL	Ant 1	5745	18.769	0.5	Pass
		5785	19.019	0.5	Pass
		5825	18.869	0.5	Pass
	Ant 2	5745	18.819	0.5	Pass
		5785	18.969	0.5	Pass
		5825	19.069	0.5	Pass
802.11ax40_RU_FULL	Ant 1	5755	37.638	0.5	Pass
		5795	38.138	0.5	Pass
	Ant 2	5755	38.138	0.5	Pass
		5795	38.238	0.5	Pass
802.11ax80_RU_FULL	Ant 1	5775	77.878	0.5	Pass
	Ant 2	5775	78.278	0.5	Pass

5150-5250MHz


802.11a_5180MHz_Ant 1




802.11a_5200MHz_Ant 1




802.11a_5240MHz_Ant 1




802.11a_5180MHz_Ant 2




802.11a_5200MHz_Ant 2



802.11a_5240MHz_Ant 2




802.11ac20_5180MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:01:28

802.11ac20_5200MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:03:26

802.11ac20_5240MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:06:03

802.11ac20_5180MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:07:10

802.11ac20_5200MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:08:02

802.11ac20_5240MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:08:46

802.11ac40_5190MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:38:04

802.11ac40_5230MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:38:42

802.11ac40_5190MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:19:58

802.11ac40_5230MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:20:32

802.11ac80_5210MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:46:46

802.11ac80_5210MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:26:41

802.11ax20_5180MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:51:58

802.11ax20_5200MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:52:46

802.11ax20_5240MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:53:34

802.11ax20_5180MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:32:08

802.11ax20_5200MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:33:04

802.11ax20_5240MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:33:49

802.11ax40_5190MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 13:17:40

802.11ax40_5230MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 13:18:13

802.11ax40_5190MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:45:39

802.11ax40_5230MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:46:12

802.11ax80_5210MHz_RU_FULL_Ant 1



ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 13:25:29


802.11ax80_5210MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:52:33

5250-5350MHz


802.11a_5260MHz_Ant 1




802.11a_5280MHz_Ant 1




802.11a_5320MHz_Ant 1




802.11a_5260MHz_Ant 2




802.11a_5280MHz_Ant 2



802.11a_5320MHz_Ant 2




802.11ac20_5260MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:28:37

802.11ac20_5280MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:29:29

802.11ac20_5320MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:30:32

802.11ac20_5260MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:10:05

802.11ac20_5280MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:10:59

802.11ac20_5320MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:11:45

802.11ac40_5270MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 12:39:16

802.11ac40_5310MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 12:39:47

802.11ac40_5270MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 14:21:07

802.11ac40_5310MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 14:21:39

802.11ac80_5290MHz_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 12:47:26

802.11ac80_5290MHz_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29,JAN,2026 14:27:23

802.11ax20_5260MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 12:54:20

802.11ax20_5280MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 13:09:37

802.11ax20_5320MHz_RU_FULL_Ant 1




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 13:10:30

802.11ax20_5260MHz_RU_FULL_Ant 2




ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:34:37

802.11ax20_5280MHz_RU_FULL_Ant 2



ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:35:36

802.11ax20_5320MHz_RU_FULL_Ant 2



ProjectNo.:2601P41940E-RF Tester:Cheeb Huang
Date: 29.JAN.2026 14:36:27