


LED Linear Light

Pendant, Wall Mount

WISDOM LIGHT

Features




LED Linear Light

Pendant, Wall Mount



Dimension



MODEL	L=Length	W=Width	H=Height
WL-2LSUD2FT25WEDHV	23.85"(606mm)	2.75"(70mm)	3.15"(80mm)
WL-2LSUD4FT50WEDHV	47.48"(1206mm)	2.75"(70mm)	3.15"(80mm)
WL-2LSUD8FT100WEDHV	94.72"(2406mm)	2.75"(70mm)	3.15"(80mm)

INSTALLATION ACCESSORIES

Lit-Pattern Connectors



LLS(L-Shape)



TLS(T-Shape)








XLS(X-Shape)



CLS(120°L-Shape)



YLS(Y-Shape)



Product design and development is an ongoing process at Shenzhen Wisdom Light Co.,Ltd.

We reserve the right to change specifications

LED Linear Light

Pendant, Wall Mount



Order Guide

Sample Model#: LED Linear Light -WL-2LSUD4FT50WEDHV

LED Linear Light	WL-2LSUD					
Luminaire ID	Series	Length/Pattern	Wattage	Series	Dimming	Voltage
LED Linear Light	WL-2LSUD= GEN2 LED Linear Light	2FT	25W	E= CCT Controls Adjustable;Wattage Controls Adjustable	D=Mesh control	HV=120-347V
		4FT	50W			
		8FT	100W			

Accessories

Lens	Mounting Accessories	Pattern Options	Accessories
GLL=Glo-lens	STC=Aircraft Rope(C type)	LLS=L-Shape Connector(Lit-Pattern)	LBK=Internal Linkable Cable Kits
BVB=Batwing Film for down	SDS=DrywallSuspension Kits	YLS=Y-Shape Connector(Lit-Pattern)	CBM=Wireless Control Box
PCL=Louver	SCS=Drop ceiling Suspension Kits	CLS=120°L-Shape Connector (Lit-Pattern)	PS=Keilton PIR Eco- Sensor
PAL=Parabolic Grill	NPT=1/2" &3/4" NPT Pendant Hanger Kits	XLS=X-Shape Connector(Lit-Pattern)	8EM=8W EM Internal
PCR=Continuous run lens	Canopy Type	TLS=T-Shape Connector (Lit-Pattern)	MCD= Bluetooth Mesh control driver(CW)
HEL=Hexlouver	SCKB=Slim Canopy D5"XH 0.31"	Cable	
WAL=Asymmetric lens	Canopy Finish	3AC=7'5-Core 300V Cable	
	BC=Black	3AC6=7'6-Core 300V Cable	
	WC=White		
	SC=Sliver		

LED Linear Light

Pendant, Wall Mount



Canopy Type Power feed/None Power feed

SCKB Slim D5"×H0.3"




Non Power feed



Power feed


Aircraft Cable





STC

STC-Aircraft Cable Kits-C Type

1	C Type Aircraft Cable	2PCS
2	Screw BA4*30	2PCS
3	Plastic Anchor	2PCS
4	T-shaped screw M4*8	4PCS



SDS-Drywall Suspension Kits



1	5" Slim Canopy (Non-Power feed)	1PCS	4	Screw PM4*70	2PCS	7	Plastic Anchor	4PCS	10	Screw PM4*10	2PCS	13	U Bracket with Ground	1PCS
2	5" Slim Canopy (Power feed)	1PCS	5	Lock Washer	1PCS	8	Butterfly Anchor	2PCS	11	Screw 8#-32*1-3/4	2PCS	14	U Bracket	1PCS
3	1.7" Slim Canopy	1PCS	6	Screw PA4*30	4PCS	9	Flat Washer	2PCS	12	Wire buckle	1PCS			

Product design and development is an ongoing process at Shenzhen Wisdom Light Co.,Ltd.



We reserve the right to change specifications.

LED Linear Light

Pendant, Wall Mount




SCS-Drop Ceiling Suspension Kits



1	4" J-box	1PCS	5	5" Slim Canopy (Power feed)	1PCS	9	Plastic Grommet	1PCS	13	Screw PB4*5	2PCS	17	T-Grid Clips	2 Sets
2	4" J-box Plate	1PCS	6	Lock Washer	1PCS	10	Wire buckle	1PCS	14	Screw PM4*10	2PCS			
3	1.7" Slim Canopy 5"	1PCS	7	U Bracket with Ground	1PCS	11	Plastic Anchor	4PCS	15	Screw PM4*8	4PCS			
4	Slim Canopy (Non-Power feed)	1PCS	8	U Bracket	1PCS	12	Screw BA4*30	4PCS	16	Screw 8-32*1-3/4	6PCS			

WMC-Wall Mount Kits C-Type



1	C Wall-mount Bracket	1PC	4	Hand Screw	4PCS	7	End Cap	2PCS
2	Plastic Anchor	4PCS	5	L Support	2PCS	8	AC Cable 5-core	1PCS
3	Screw BA4x30MM	2PCS	6	Decorative plate	1PCS			

NPT-1/2" & 3/4 NPT Pendant Hanger Kits



1	3/4" Pendant Fixed Bracket	2PCS	2	1/2" Pendant Fixed Bracket	2PCS	3	Screw PM4*8	8PCS
---	----------------------------	------	---	----------------------------	------	---	-------------	------

Product design and development is an ongoing process at Shenzhen Wisdom Light Co.,Ltd.

We reserve the right to change specifications.