











































NTNV-n2-PC3-15-20-M-CP-16QAM-Outer_Full-An
t1-PASSNTNV-n2-PC3-15-20-M-CP-256QAM-Outer_Full-A
nt1-PASS

NTNV-n2-PC3-15-20-M-CP-64QAM-Outer_Full-An
t1-PASS



NTNV-n2-PC3-15-20-H-DFT-BPSK-Outer_Full-Ant
1-PASS





Appendix D: Band Edge for SA

Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dBm)	Verdict
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	-18.57	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	-29.66	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	-19.51	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	-26.78	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	-21.61	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	-29.16	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	-20.69	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	-28.68	PASS
n2	15	5	DFT-256QAM	L	Edge_1RB_Left	-21.98	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	-30.36	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	-20.58	PASS
n2	15	5	CP-QPSK	L	Outer_Full	-26.85	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	-20.50	PASS
n2	15	5	CP-16QAM	L	Outer_Full	-26.98	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	-21.60	PASS
n2	15	5	CP-64QAM	L	Outer_Full	-27.96	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	-23.92	PASS
n2	15	5	CP-256QAM	L	Outer_Full	-32.14	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	-19.45	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	-29.16	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	-22.11	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	-28.16	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	-20.26	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	-29.53	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	-21.83	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	-29.96	PASS
n2	15	5	DFT-256QAM	H	Edge_1RB_Right	-23.78	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	-32.22	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	-22.20	PASS
n2	15	5	CP-QPSK	H	Outer_Full	-29.75	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	-21.78	PASS
n2	15	5	CP-16QAM	H	Outer_Full	-30.16	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	-21.59	PASS
n2	15	5	CP-64QAM	H	Outer_Full	-31.15	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	-23.89	PASS
n2	15	5	CP-256QAM	H	Outer_Full	-34.70	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	-16.07	PASS


n2	15	10	DFT-BPSK	L	Outer_Full	-27.52	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	-17.44	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	-27.08	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	-17.62	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	-28.09	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	-17.66	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	-28.78	PASS
n2	15	10	DFT-256QAM	L	Edge_1RB_Left	-20.94	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	-30.33	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	-18.64	PASS
n2	15	10	CP-QPSK	L	Outer_Full	-27.66	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	-18.62	PASS
n2	15	10	CP-16QAM	L	Outer_Full	-27.29	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	-18.38	PASS
n2	15	10	CP-64QAM	L	Outer_Full	-28.15	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	-21.25	PASS
n2	15	10	CP-256QAM	L	Outer_Full	-31.76	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	-15.31	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	-34.21	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	-16.28	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	-32.49	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	-18.57	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	-32.82	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	-17.67	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	-34.39	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Right	-21.62	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	-36.61	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	-19.97	PASS
n2	15	10	CP-QPSK	H	Outer_Full	-31.12	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	-18.92	PASS
n2	15	10	CP-16QAM	H	Outer_Full	-31.78	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	-18.58	PASS
n2	15	10	CP-64QAM	H	Outer_Full	-31.01	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	-21.38	PASS
n2	15	10	CP-256QAM	H	Outer_Full	-31.02	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	-17.65	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	-27.09	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	-18.49	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	-26.86	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	-19.04	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	-27.66	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	-19.21	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	-27.83	PASS


n2	15	15	DFT-256QAM	L	Edge_1RB_Left	-22.56	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	-30.77	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	-21.44	PASS
n2	15	15	CP-QPSK	L	Outer_Full	-27.18	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	-20.50	PASS
n2	15	15	CP-16QAM	L	Outer_Full	-27.65	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	-20.81	PASS
n2	15	15	CP-64QAM	L	Outer_Full	-28.28	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	-22.75	PASS
n2	15	15	CP-256QAM	L	Outer_Full	-31.75	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	-19.16	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	-33.34	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	-19.50	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	-31.74	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	-20.45	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	-32.25	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	-19.69	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	-32.84	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Right	-23.50	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	-35.26	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	-22.01	PASS
n2	15	15	CP-QPSK	H	Outer_Full	-30.44	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	-22.21	PASS
n2	15	15	CP-16QAM	H	Outer_Full	-30.32	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	-21.51	PASS
n2	15	15	CP-64QAM	H	Outer_Full	-30.98	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	-24.92	PASS
n2	15	15	CP-256QAM	H	Outer_Full	-34.76	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	-13.95	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	-25.59	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	-14.21	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	-25.53	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	-15.02	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	-26.92	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	-15.56	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	-28.15	PASS
n2	15	20	DFT-256QAM	L	Edge_1RB_Left	-18.48	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	-29.71	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	-16.12	PASS
n2	15	20	CP-QPSK	L	Outer_Full	-27.21	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	-16.03	PASS
n2	15	20	CP-16QAM	L	Outer_Full	-26.96	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	-15.93	PASS


n2	15	20	CP-64QAM	L	Outer_Full	-27.30	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	-19.06	PASS
n2	15	20	CP-256QAM	L	Outer_Full	-30.89	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	-14.62	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	-31.77	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	-14.30	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	-31.09	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	-16.59	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	-31.35	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	-15.24	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	-31.56	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Right	-19.40	PASS
n2	15	20	DFT-256QAM	H	Outer_Full	-35.47	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	-17.32	PASS
n2	15	20	CP-QPSK	H	Outer_Full	-30.06	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	-17.33	PASS
n2	15	20	CP-16QAM	H	Outer_Full	-30.05	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	-16.61	PASS
n2	15	20	CP-64QAM	H	Outer_Full	-30.75	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	-18.92	PASS
n2	15	20	CP-256QAM	H	Outer_Full	-35.12	PASS


Test Graphs

































NTNV-n2-PC3-15-10-L-DFT-16QAM-Edge_1RB_L
eft-PASS


NTNV-n2-PC3-15-10-L-DFT-16QAM-Outer_Full-P
ASS






NTNV-n2-PC3-15-10-L-DFT-64QAM-Edge_1RB_L
eft-PASS


NTNV-n2-PC3-15-10-L-DFT-64QAM-Outer_Full-P
ASS












NTNV-n2-PC3-15-10-H-DFT-QPSK-Outer_Full-PA
SSNTNV-n2-PC3-15-10-H-DFT-16QAM-Outer_Full-P
ASS














NTNV-n2-PC3-15-15-L-DFT-16QAM-Edge_1RB_L
eft-PASS


NTNV-n2-PC3-15-15-L-DFT-16QAM-Outer_Full-P
ASS





NTNV-n2-PC3-15-15-L-DFT-64QAM-Edge_1RB_L
eft-PASS


NTNV-n2-PC3-15-15-L-DFT-64QAM-Outer_Full-P
ASS


































NTNV-n2-PC3-15-20-L-CP-256QAM-Outer_Full-P
ASSNTNV-n2-PC3-15-20-H-DFT-BPSK-Outer_Full-PA
SS




NTNV-n2-PC3-15-20-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-20-H-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-20-H-DFT-16QAM-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-20-H-DFT-16QAM-Outer_Full-PASS







NTNV-n2-PC3-15-20-H-CP-QPSK-Edge_1RB_Rig
ht-PASS




NTNV-n2-PC3-15-20-H-CP-QPSK-Outer_Full-PAS
S



NTNV-n2-PC3-15-20-H-CP-16QAM-Edge_1RB_Ri
ght-PASS



NTNV-n2-PC3-15-20-H-CP-16QAM-Outer_Full-PA
SS



Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit	Verdict
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.86	≤-43dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-75.13	≤-33dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-19.54	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.82	≤-43dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-74.34	≤-33dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-26.54	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.61	≤-33dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-25.06	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-74.40	≤-33dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-26.18	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	0.15	30	-76.03	≤-33dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	1000	3000	-19.86	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.32	≤-43dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-76.94	≤-33dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-19.89	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS

n2	15	5	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-76.67	≤-33dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-27.05	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-77.26	≤-33dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	30	1000	-52.86	≤-23dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-24.24	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.85	≤-43dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-77.49	≤-33dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-26.80	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.32	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.99	≤-43dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	0.15	30	-77.27	≤-33dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	1000	3000	-19.06	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-75.01	≤-33dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-20.54	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.31	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-74.09	≤-33dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-27.05	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-65.96	≤-43dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-73.46	≤-33dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-25.57	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.81	≤-43dBm	PASS

n2	15	5	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-73.11	≤-33dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-27.77	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.60	≤-43dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	0.15	30	-76.50	≤-33dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	30	1000	-52.96	≤-23dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	1000	3000	-18.80	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-75.52	≤-33dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-21.16	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.77	≤-33dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-29.18	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-75.49	≤-33dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-28.26	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-75.73	≤-33dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-27.78	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.33	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	0.15	30	-76.70	≤-33dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	1000	3000	-19.28	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.85	≤-43dBm	PASS

n2	15	5	DFT-256QA M	L	Edge_1RB_Left	0.15	30	-76.48	≤-33dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Left	1000	3000	-20.97	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	0.15	30	-77.26	≤-33dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	1000	3000	-24.01	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	0.009	0.15	-67.06	≤-43dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	0.15	30	-75.71	≤-33dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	1000	3000	-30.15	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Right	0.15	30	-76.14	≤-33dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Right	1000	3000	-30.39	≤-13dBm	PASS
n2	15	5	DFT-256QA M	L	Edge_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS

n2	15	5	DFT-256QAM	L	Edge_1RB_Right	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	0.15	30	-77.07	≤-33dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	1000	3000	-19.25	≤-13dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.97	≤-43dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	0.15	30	-75.16	≤-33dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	1000	3000	-21.81	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	0.15	30	-74.37	≤-33dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	1000	3000	-28.17	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	0.15	30	-74.61	≤-33dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	1000	3000	-27.54	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.59	≤-33dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	30	1000	-52.88	≤-23dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	1000	3000	-29.05	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Outer_Full	0.009	0.15	-67.00	≤-43dBm	PASS
n2	15	5	CP-QPSK	L	Outer_Full	0.15	30	-76.21	≤-33dBm	PASS
n2	15	5	CP-QPSK	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n2	15	5	CP-QPSK	L	Outer_Full	1000	3000	-19.08	≤-13dBm	PASS
n2	15	5	CP-QPSK	L	Outer_Full	3000	12000	-44.55	≤-13dBm	PASS

n2	15	5	CP-QPSK	L	Outer_Full	12000	20000	-36.30	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-67.12	≤-43dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	0.15	30	-74.93	≤-33dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	1000	3000	-21.62	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	0.15	30	-75.50	≤-33dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	1000	3000	-28.44	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	0.15	30	-74.89	≤-33dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	1000	3000	-27.33	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Inner_1RB_Right	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	0.15	30	-75.34	≤-33dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	1000	3000	-27.41	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	0.15	30	-76.37	≤-33dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	1000	3000	-18.77	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-16QAM	L	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	0.15	30	-75.73	≤-33dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	1000	3000	-21.49	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	0.15	30	-76.40	≤-33dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	1000	3000	-29.89	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS

n2	15	5	CP-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Right	0.15	30	-76.00	≤-33dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Right	1000	3000	-29.04	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	0.15	30	-76.00	≤-33dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	1000	3000	-29.02	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	0.15	30	-75.75	≤-33dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	1000	3000	-19.69	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n2	15	5	CP-64QAM	L	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.75	≤-43dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	0.15	30	-76.01	≤-33dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	1000	3000	-24.92	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.85	≤-43dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	0.15	30	-75.87	≤-33dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	1000	3000	-32.20	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Left	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.90	≤-43dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	0.15	30	-76.01	≤-33dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	1000	3000	-33.63	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Inner_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.99	≤-43dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	0.15	30	-76.39	≤-33dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	1000	3000	-33.07	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Outer_Full	0.009	0.15	-66.24	≤-43dBm	PASS

n2	15	5	CP-256QAM	L	Outer_Full	0.15	30	-76.78	≤-33dBm	PASS
n2	15	5	CP-256QAM	L	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n2	15	5	CP-256QAM	L	Outer_Full	1000	3000	-23.20	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Outer_Full	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-256QAM	L	Outer_Full	12000	20000	-36.30	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.99	≤-33dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-41.16	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.15	≤-43dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-74.40	≤-33dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-41.19	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.65	≤-33dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.14	≤-23dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-41.29	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.22	≤-43dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.67	≤-33dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-41.26	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	0.15	30	-76.89	≤-33dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	1000	3000	-41.20	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	3000	12000	-44.44	≤-13dBm	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.21	≤-43dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-74.44	≤-33dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-41.37	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-73.51	≤-33dBm	PASS

n2	15	5	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-41.13	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-65.99	≤-43dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.16	≤-33dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-40.43	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-74.42	≤-33dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-41.39	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	0.15	30	-76.67	≤-33dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	1000	3000	-41.13	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	3000	12000	-44.44	≤-13dBm	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-74.17	≤-33dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-41.41	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.86	≤-43dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-73.19	≤-33dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-41.60	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.03	≤-43dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-73.45	≤-33dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	30	1000	-53.14	≤-23dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-41.52	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-74.60	≤-33dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS

n2	15	5	DFT-16QAM	M	Edge_1RB_Right	1000	3000	-41.50	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Edge_1RB_Right	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	0.009	0.15	-66.32	≤-43dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	0.15	30	-76.74	≤-33dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	1000	3000	-41.32	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	0.15	30	-74.85	≤-33dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	1000	3000	-41.40	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	0.15	30	-74.15	≤-33dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	1000	3000	-39.88	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	0.15	30	-75.07	≤-33dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	1000	3000	-40.05	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	12000	20000	-36.32	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.84	≤-43dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	0.15	30	-75.96	≤-33dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	1000	3000	-39.97	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	0.009	0.15	-67.01	≤-43dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	0.15	30	-76.82	≤-33dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	1000	3000	-41.17	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Left	0.15	30	-76.82	≤-33dBm	PASS

n2	15	5	DFT-256QA M	M	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Left	1000	3000	-41.19	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	0.15	30	-77.28	≤-33dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	1000	3000	-41.45	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	0.15	30	-76.55	≤-33dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	1000	3000	-41.11	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	1000	3000	-41.12	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	5	DFT-256QA M	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS

n2	15	5	DFT-256QAM	M	Outer_Full	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	0.15	30	-76.24	≤-33dBm	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	1000	3000	-41.46	≤-13dBm	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	0.15	30	-75.74	≤-33dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	1000	3000	-41.25	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.77	≤-33dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	1000	3000	-40.95	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	1000	3000	-41.36	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	0.15	30	-74.69	≤-33dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	1000	3000	-41.29	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	0.15	30	-76.63	≤-33dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	1000	3000	-41.47	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	CP-QPSK	M	Outer_Full	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS

n2	15	5	CP-16QAM	M	Edge_1RB_Left	0.15	30	-74.54	≤-33dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Left	1000	3000	-41.31	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-65.89	≤-43dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	0.15	30	-74.88	≤-33dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	1000	3000	-41.58	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	0.15	30	-75.25	≤-33dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	30	1000	-52.85	≤-23dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	1000	3000	-41.42	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.85	≤-43dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	0.15	30	-75.64	≤-33dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	1000	3000	-41.26	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Edge_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	0.009	0.15	-67.00	≤-43dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	0.15	30	-76.76	≤-33dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	1000	3000	-41.32	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	CP-16QAM	M	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	0.15	30	-75.05	≤-33dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	1000	3000	-41.21	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Left	12000	20000	-36.31	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.10	≤-43dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	0.15	30	-75.21	≤-33dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	1000	3000	-41.22	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Left	12000	20000	-36.30	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Right	0.15	30	-75.10	≤-33dBm	PASS

n2	15	5	CP-64QAM	M	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Right	1000	3000	-41.20	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	0.15	30	-76.42	≤-33dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	1000	3000	-41.36	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	0.009	0.15	-66.88	≤-43dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	0.15	30	-75.80	≤-33dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	30	1000	-52.94	≤-23dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	1000	3000	-41.50	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	3000	12000	-44.56	≤-13dBm	PASS
n2	15	5	CP-64QAM	M	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.77	≤-43dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	0.15	30	-76.10	≤-33dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	1000	3000	-41.31	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Left	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	0.15	30	-75.98	≤-33dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	1000	3000	-41.23	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	0.009	0.15	-66.65	≤-43dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	0.15	30	-76.70	≤-33dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	1000	3000	-41.20	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	0.15	30	-76.58	≤-33dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	1000	3000	-41.23	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	5	CP-256QAM	M	Outer_Full	0.15	30	-76.67	≤-33dBm	PASS
n2	15	5	CP-256QAM	M	Outer_Full	30	1000	-53.08	≤-23dBm	PASS

n2	15	5	CP-256QAM	M	Outer_Full	1000	3000	-41.22	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	CP-256QAM	M	Outer_Full	12000	20000	-36.20	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.73	≤-43dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-75.47	≤-33dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-33.57	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-75.82	≤-33dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-31.71	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.79	≤-43dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-75.38	≤-33dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.15	≤-23dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-28.30	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-21.05	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	0.15	30	-76.99	≤-33dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	1000	3000	-26.33	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-74.70	≤-33dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-34.73	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.96	≤-43dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-74.34	≤-33dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	30	1000	-52.83	≤-23dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-31.06	≤-13dBm	PASS

n2	15	5	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-73.37	≤-33dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-28.05	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.64	≤-33dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-21.41	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	0.15	30	-76.80	≤-33dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	1000	3000	-23.02	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.88	≤-43dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-75.42	≤-33dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-34.51	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.96	≤-43dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-74.11	≤-33dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-32.34	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-75.73	≤-33dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-29.20	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.84	≤-43dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-75.02	≤-33dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	30	1000	-52.81	≤-23dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-22.58	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS

n2	15	5	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	0.009	0.15	-67.23	≤-43dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	0.15	30	-76.35	≤-33dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	1000	3000	-22.98	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-75.59	≤-33dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-36.03	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-75.78	≤-33dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-35.43	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-75.27	≤-33dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-30.19	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.70	≤-43dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.77	≤-33dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-22.37	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.84	≤-43dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	0.15	30	-76.60	≤-33dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	1000	3000	-24.13	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	5	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-76.72	≤-33dBm	PASS
n2	15	5	DFT-256QAM	H	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS

n2	15	5	DFT-256QA M	H	Edge_1RB_Left	1000	3000	-35.40	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.73	≤-43dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	0.15	30	-76.86	≤-33dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	30	1000	-52.87	≤-23dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	1000	3000	-35.21	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	0.15	30	-76.40	≤-33dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	30	1000	-53.16	≤-23dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	1000	3000	-32.32	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Inner_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.70	≤-43dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	0.15	30	-76.39	≤-33dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	1000	3000	-24.77	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	DFT-256QA M	H	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS