

n2	15	5	DFT-256QAM	H	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	1000	3000	-27.01	≤-13dBm	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-65.94	≤-43dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	0.15	30	-75.61	≤-33dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	1000	3000	-34.31	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	0.15	30	-75.66	≤-33dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	1000	3000	-33.96	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	0.15	30	-74.18	≤-33dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	1000	3000	-28.42	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.78	≤-33dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	1000	3000	-22.59	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	0.15	30	-76.02	≤-33dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	1000	3000	-22.55	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	CP-QPSK	H	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Left	0.15	30	-76.02	≤-33dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS

n2	15	5	CP-16QAM	H	Edge_1RB_Left	1000	3000	-34.57	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	0.15	30	-75.82	≤-33dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	1000	3000	-35.37	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	0.15	30	-75.66	≤-33dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	1000	3000	-29.65	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	0.15	30	-75.61	≤-33dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	30	1000	-52.89	≤-23dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	1000	3000	-22.69	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	0.15	30	-76.09	≤-33dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	1000	3000	-23.52	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	3000	12000	-44.41	≤-13dBm	PASS
n2	15	5	CP-16QAM	H	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.91	≤-43dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	0.15	30	-76.28	≤-33dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	30	1000	-52.84	≤-23dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	1000	3000	-35.46	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	0.15	30	-76.59	≤-33dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	1000	3000	-35.92	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Right	0.15	30	-76.02	≤-33dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Right	1000	3000	-30.99	≤-13dBm	PASS

n2	15	5	CP-64QAM	H	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	0.15	30	-75.20	≤-33dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	1000	3000	-23.91	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	0.15	30	-76.86	≤-33dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	30	1000	-52.94	≤-23dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	1000	3000	-24.57	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	5	CP-64QAM	H	Outer_Full	12000	20000	-36.24	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	0.15	30	-76.38	≤-33dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	1000	3000	-39.96	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	0.15	30	-75.86	≤-33dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	1000	3000	-38.28	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	0.15	30	-77.05	≤-33dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	1000	3000	-33.91	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	0.15	30	-77.54	≤-33dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	1000	3000	-26.48	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Outer_Full	0.009	0.15	-66.91	≤-43dBm	PASS
n2	15	5	CP-256QAM	H	Outer_Full	0.15	30	-77.06	≤-33dBm	PASS
n2	15	5	CP-256QAM	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n2	15	5	CP-256QAM	H	Outer_Full	1000	3000	-28.75	≤-13dBm	PASS
n2	15	5	CP-256QAM	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS

n2	15	5	CP-256QAM	H	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-74.11	≤-33dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-22.98	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.24	≤-43dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-75.25	≤-33dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-30.29	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-75.42	≤-33dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-25.97	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-74.84	≤-33dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-27.02	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	0.15	30	-76.98	≤-33dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	1000	3000	-22.55	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	3000	12000	-44.52	≤-13dBm	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.70	≤-43dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-74.60	≤-33dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-23.35	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-65.97	≤-43dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-72.62	≤-33dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-32.63	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS

n2	15	10	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.18	≤-43dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-73.36	≤-33dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-27.20	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-73.38	≤-33dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-28.22	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	0.15	30	-76.68	≤-33dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	1000	3000	-20.30	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	3000	12000	-44.52	≤-13dBm	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.86	≤-43dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.18	≤-33dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-23.45	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.33	≤-43dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-73.65	≤-33dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-31.05	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-72.14	≤-33dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-27.35	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.95	≤-43dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-74.52	≤-33dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-29.24	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.30	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.70	≤-43dBm	PASS

n2	15	10	DFT-16QAM	L	Outer_Full	0.15	30	-76.95	≤-33dBm	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	1000	3000	-20.50	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.49	≤-43dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-75.53	≤-33dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-24.79	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.49	≤-43dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.95	≤-33dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-32.87	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.82	≤-43dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-74.90	≤-33dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-29.75	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.68	≤-43dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-76.33	≤-33dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-29.88	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	0.15	30	-76.56	≤-33dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	1000	3000	-34.46	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	DFT-64QAM	L	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	10	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-76.98	≤-33dBm	PASS
n2	15	10	DFT-256QAM	L	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	10	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-26.26	≤-13dBm	PASS

n2	15	10	DFT-256QA M	L	Edge_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Left	12000	20000	-36.28	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	0.15	30	-76.09	≤-33dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	1000	3000	-34.04	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.73	≤-43dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	0.15	30	-76.18	≤-33dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	1000	3000	-31.81	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Inner_1RB_Right	12000	20000	-36.29	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	0.15	30	-76.37	≤-33dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	1000	3000	-32.15	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-256QA M	L	Outer_Full	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	10	DFT-256QA M	L	Outer_Full	0.15	30	-76.49	≤-33dBm	PASS

n2	15	10	DFT-256QAM	L	Outer_Full	30	1000	-52.92	≤-23dBm	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	1000	3000	-23.01	≤-13dBm	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.79	≤-43dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	0.15	30	-75.46	≤-33dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	1000	3000	-25.16	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	0.15	30	-74.36	≤-33dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	1000	3000	-31.56	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.49	≤-43dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	0.15	30	-73.66	≤-33dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	1000	3000	-28.85	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.95	≤-33dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	1000	3000	-30.72	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	0.15	30	-76.43	≤-33dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	30	1000	-53.13	≤-23dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	1000	3000	-20.39	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	CP-QPSK	L	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	0.15	30	-75.15	≤-33dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	1000	3000	-26.01	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS

n2	15	10	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.90	≤-43dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	0.15	30	-76.30	≤-33dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	1000	3000	-31.75	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Left	12000	20000	-36.29	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	0.15	30	-74.28	≤-33dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	1000	3000	-28.59	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	0.15	30	-75.78	≤-33dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	1000	3000	-31.46	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	0.15	30	-76.33	≤-33dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	1000	3000	-19.82	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	10	CP-16QAM	L	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	0.009	0.15	-65.91	≤-43dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	0.15	30	-76.21	≤-33dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	1000	3000	-25.82	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	0.15	30	-75.67	≤-33dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	30	1000	-52.89	≤-23dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	1000	3000	-32.95	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	0.15	30	-76.54	≤-33dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	1000	3000	-30.53	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Inner_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS

n2	15	10	CP-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Right	0.15	30	-75.58	≤-33dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Right	1000	3000	-31.14	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Edge_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	0.009	0.15	-66.79	≤-43dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	0.15	30	-76.01	≤-33dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	30	1000	-53.14	≤-23dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	1000	3000	-20.68	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	3000	12000	-44.55	≤-13dBm	PASS
n2	15	10	CP-64QAM	L	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	0.15	30	-75.88	≤-33dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	1000	3000	-28.31	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	0.15	30	-76.12	≤-33dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	1000	3000	-35.80	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	1000	3000	-34.47	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	0.15	30	-76.50	≤-33dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	1000	3000	-35.20	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	0.15	30	-77.09	≤-33dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	1000	3000	-24.34	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-256QAM	L	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS

n2	15	10	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.94	≤-33dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-42.98	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.88	≤-43dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-74.83	≤-33dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-42.97	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.49	≤-43dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.48	≤-33dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-42.81	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.78	≤-33dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-42.85	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.68	≤-43dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	0.15	30	-76.91	≤-33dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	1000	3000	-42.99	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.24	≤-43dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-73.93	≤-33dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-42.58	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-73.54	≤-33dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-41.78	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.36	≤-33dBm	PASS

n2	15	10	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-42.68	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-75.45	≤-33dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-42.75	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	0.15	30	-77.36	≤-33dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	1000	3000	-43.12	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-73.73	≤-33dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-43.15	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-74.60	≤-33dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-42.89	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-74.11	≤-33dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-43.00	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-74.95	≤-33dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	1000	3000	-42.98	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	0.009	0.15	-66.81	≤-43dBm	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	0.15	30	-76.92	≤-33dBm	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	30	1000	-52.96	≤-23dBm	PASS

n2	15	10	DFT-16QAM	M	Outer_Full	1000	3000	-42.83	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.94	≤-43dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	0.15	30	-75.06	≤-33dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	1000	3000	-43.24	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	0.15	30	-75.15	≤-33dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	1000	3000	-42.85	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	0.15	30	-75.41	≤-33dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	1000	3000	-42.99	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	0.15	30	-75.27	≤-33dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	1000	3000	-43.21	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	0.15	30	-77.08	≤-33dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	1000	3000	-43.06	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	DFT-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.03	≤-43dBm	PASS
n2	15	10	DFT-256QAM	M	Edge_1RB_Left	0.15	30	-76.69	≤-33dBm	PASS
n2	15	10	DFT-256QAM	M	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-256QAM	M	Edge_1RB_Left	1000	3000	-42.92	≤-13dBm	PASS
n2	15	10	DFT-256QAM	M	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS

n2	15	10	DFT-256QA M	M	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	0.15	30	-75.30	≤-33dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	1000	3000	-42.89	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	0.15	30	-76.52	≤-33dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	1000	3000	-43.02	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	0.15	30	-76.90	≤-33dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	1000	3000	-42.90	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Edge_1RB_Right	12000	20000	-36.26	≤-13dBm	PASS
n2	15	10	DFT-256QA M	M	Outer_Full	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	10	DFT-256QA M	M	Outer_Full	0.15	30	-77.20	≤-33dBm	PASS
n2	15	10	DFT-256QA M	M	Outer_Full	30	1000	-52.96	≤-23dBm	PASS

n2	15	10	DFT-256QAM	M	Outer_Full	1000	3000	-42.96	≤-13dBm	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-67.07	≤-43dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	1000	3000	-42.82	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.49	≤-33dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	1000	3000	-43.01	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.26	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	0.15	30	-74.52	≤-33dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	1000	3000	-43.17	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	0.15	30	-75.86	≤-33dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	1000	3000	-42.83	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	0.15	30	-76.25	≤-33dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	1000	3000	-43.04	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	10	CP-QPSK	M	Outer_Full	12000	20000	-36.28	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	0.15	30	-75.42	≤-33dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	1000	3000	-42.97	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS

n2	15	10	CP-16QAM	M	Inner_1RB_Left	0.15	30	-74.31	≤-33dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Left	1000	3000	-43.14	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	0.15	30	-75.47	≤-33dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	1000	3000	-42.96	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	0.15	30	-76.21	≤-33dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	1000	3000	-43.09	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	0.15	30	-77.06	≤-33dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	30	1000	-52.96	≤-23dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	1000	3000	-42.91	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	CP-16QAM	M	Outer_Full	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	0.15	30	-75.19	≤-33dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	1000	3000	-42.74	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	0.15	30	-75.17	≤-33dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	1000	3000	-43.05	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	0.15	30	-76.00	≤-33dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	1000	3000	-43.07	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.02	≤-43dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Right	0.15	30	-75.12	≤-33dBm	PASS

n2	15	10	CP-64QAM	M	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Right	1000	3000	-43.19	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Edge_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	0.15	30	-76.39	≤-33dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	1000	3000	-43.02	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	CP-64QAM	M	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	0.15	30	-76.90	≤-33dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	1000	3000	-43.05	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Left	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	0.009	0.15	-66.95	≤-43dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	0.15	30	-76.50	≤-33dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	1000	3000	-42.92	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	0.15	30	-76.95	≤-33dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	1000	3000	-42.96	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	0.15	30	-76.38	≤-33dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	1000	3000	-43.00	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	0.009	0.15	-66.39	≤-43dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	0.15	30	-77.06	≤-33dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	1000	3000	-42.90	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	CP-256QAM	M	Outer_Full	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-75.10	≤-33dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS

n2	15	10	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-30.97	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-28.90	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.27	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.09	≤-43dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-74.69	≤-33dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-31.69	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-24.03	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.68	≤-43dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	0.15	30	-76.71	≤-33dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	1000	3000	-27.77	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.21	≤-43dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-75.13	≤-33dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-31.92	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-65.94	≤-43dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-73.99	≤-33dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-42.15	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-73.58	≤-33dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-31.54	≤-13dBm	PASS

n2	15	10	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-67.26	≤-43dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.85	≤-33dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-24.58	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	0.15	30	-76.87	≤-33dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	1000	3000	-26.41	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-75.27	≤-33dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-33.14	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-74.69	≤-33dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-33.63	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.93	≤-43dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-74.72	≤-33dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-33.02	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-75.10	≤-33dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-25.69	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	0.009	0.15	-66.13	≤-43dBm	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	0.15	30	-77.72	≤-33dBm	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	1000	3000	-41.98	≤-13dBm	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS

n2	15	10	DFT-16QAM	H	Outer_Full	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-75.27	≤-33dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-33.97	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.89	≤-43dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-76.34	≤-33dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-33.78	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-76.05	≤-33dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-33.61	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.74	≤-33dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-25.78	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	0.15	30	-76.49	≤-33dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	1000	3000	-27.43	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.92	≤-33dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-39.46	≤-13dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS
n2	15	10	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS

n2	15	10	DFT-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Left	0.15	30	-76.25	≤-33dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Left	1000	3000	-37.35	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	0.15	30	-76.28	≤-33dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	1000	3000	-35.37	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	0.15	30	-75.63	≤-33dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	1000	3000	-28.85	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	DFT-256QA M	H	Outer_Full	0.009	0.15	-66.93	≤-43dBm	PASS
n2	15	10	DFT-256QA M	H	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n2	15	10	DFT-256QA M	H	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n2	15	10	DFT-256QA M	H	Outer_Full	1000	3000	-30.25	≤-13dBm	PASS

n2	15	10	DFT-256QAM	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	0.15	30	-76.36	≤-33dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	1000	3000	-36.97	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.10	≤-43dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	0.15	30	-75.42	≤-33dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	1000	3000	-33.70	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	0.15	30	-75.29	≤-33dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	1000	3000	-32.30	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.92	≤-43dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.72	≤-33dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	1000	3000	-26.40	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.25	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	0.15	30	-76.32	≤-33dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	1000	3000	-25.13	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-QPSK	H	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	0.15	30	-76.39	≤-33dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	1000	3000	-37.19	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Left	0.15	30	-75.49	≤-33dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS

n2	15	10	CP-16QAM	H	Inner_1RB_Left	1000	3000	-34.86	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	0.15	30	-76.13	≤-33dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	30	1000	-52.89	≤-23dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	1000	3000	-32.54	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.79	≤-43dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	0.15	30	-75.40	≤-33dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	1000	3000	-26.22	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	0.15	30	-76.60	≤-33dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	1000	3000	-25.24	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	10	CP-16QAM	H	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	0.15	30	-76.10	≤-33dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	1000	3000	-35.78	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.09	≤-43dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	0.15	30	-77.11	≤-33dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	1000	3000	-33.13	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	0.15	30	-76.94	≤-33dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	1000	3000	-34.17	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	0.15	30	-77.16	≤-33dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	30	1000	-52.85	≤-23dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	1000	3000	-26.88	≤-13dBm	PASS

n2	15	10	CP-64QAM	H	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Edge_1RB_Right	12000	20000	-36.24	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	0.009	0.15	-66.92	≤-43dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	0.15	30	-77.24	≤-33dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	30	1000	-52.94	≤-23dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	1000	3000	-26.36	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	CP-64QAM	H	Outer_Full	12000	20000	-36.20	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	0.15	30	-76.89	≤-33dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	1000	3000	-41.54	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.85	≤-43dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	0.15	30	-77.28	≤-33dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	1000	3000	-40.60	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	0.15	30	-76.56	≤-33dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	1000	3000	-37.01	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	0.15	30	-76.06	≤-33dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	1000	3000	-29.31	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	0.15	30	-77.29	≤-33dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	1000	3000	-31.01	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	10	CP-256QAM	H	Outer_Full	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-74.89	≤-33dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-25.72	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.52	≤-13dBm	PASS

n2	15	15	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.26	≤-43dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-73.76	≤-33dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-32.88	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.01	≤-43dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.87	≤-33dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-28.62	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-65.93	≤-43dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-75.58	≤-33dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-29.51	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	0.15	30	-77.07	≤-33dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	1000	3000	-24.00	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-75.02	≤-33dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-26.19	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.07	≤-43dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-72.49	≤-33dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-33.22	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-65.81	≤-43dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-72.84	≤-33dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-28.44	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS

n2	15	15	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-73.64	≤-33dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-43.32	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	0.15	30	-75.85	≤-33dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	30	1000	-52.97	≤-23dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	1000	3000	-21.63	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-65.91	≤-43dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.86	≤-33dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-27.04	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.13	≤-43dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-73.71	≤-33dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-43.55	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.87	≤-43dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-73.50	≤-33dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-40.78	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.88	≤-43dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-73.71	≤-33dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	30	1000	-52.87	≤-23dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-31.62	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	0.15	30	-75.70	≤-33dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	1000	3000	-22.00	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	12000	20000	-36.24	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.68	≤-43dBm	PASS

n2	15	15	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-74.74	≤-33dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-27.73	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.75	≤-33dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-35.66	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-75.67	≤-33dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-42.19	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-75.61	≤-33dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-43.48	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	0.15	30	-77.09	≤-33dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	1000	3000	-21.92	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-76.27	≤-33dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-28.48	≤-13dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS

n2	15	15	DFT-256QA M	L	Inner_1RB_Left	0.15	30	-76.13	≤-33dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Left	1000	3000	-31.70	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	0.15	30	-76.38	≤-33dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	1000	3000	-34.48	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	1000	3000	-34.77	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Outer_Full	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	15	DFT-256QA M	L	Outer_Full	0.15	30	-76.57	≤-33dBm	PASS
n2	15	15	DFT-256QA M	L	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	15	DFT-256QA M	L	Outer_Full	1000	3000	-24.50	≤-13dBm	PASS
n2	15	15	DFT-256QA M	L	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS

n2	15	15	DFT-256QAM	L	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.27	≤-43dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	0.15	30	-76.74	≤-33dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	1000	3000	-28.16	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.26	≤-43dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	0.15	30	-74.43	≤-33dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	30	1000	-52.87	≤-23dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	1000	3000	-33.78	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	0.15	30	-75.24	≤-33dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	1000	3000	-30.36	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.23	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.82	≤-33dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	1000	3000	-32.65	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	0.15	30	-76.88	≤-33dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	1000	3000	-20.94	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n2	15	15	CP-QPSK	L	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	0.15	30	-76.16	≤-33dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	1000	3000	-27.95	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Left	0.15	30	-75.29	≤-33dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Left	1000	3000	-34.24	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS

n2	15	15	CP-16QAM	L	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	0.15	30	-74.13	≤-33dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	1000	3000	-30.69	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.15	≤-43dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	0.15	30	-75.38	≤-33dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	1000	3000	-31.71	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Edge_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	0.15	30	-76.96	≤-33dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	1000	3000	-20.95	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-16QAM	L	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.08	≤-43dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	0.15	30	-76.67	≤-33dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	1000	3000	-28.35	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	0.15	30	-75.86	≤-33dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	1000	3000	-35.36	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.93	≤-43dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	0.15	30	-76.18	≤-33dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	1000	3000	-32.69	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	0.15	30	-76.54	≤-33dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	1000	3000	-33.55	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS

n2	15	15	CP-64QAM	L	Outer_Full	0.009	0.15	-66.86	≤-43dBm	PASS
n2	15	15	CP-64QAM	L	Outer_Full	0.15	30	-77.33	≤-33dBm	PASS
n2	15	15	CP-64QAM	L	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	CP-64QAM	L	Outer_Full	1000	3000	-21.54	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	CP-64QAM	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.68	≤-43dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	0.15	30	-76.82	≤-33dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	1000	3000	-29.38	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	0.15	30	-76.70	≤-33dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	1000	3000	-30.67	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	0.15	30	-76.08	≤-33dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	1000	3000	-37.01	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.83	≤-43dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	0.15	30	-77.17	≤-33dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	1000	3000	-37.53	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	0.15	30	-77.77	≤-33dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	30	1000	-52.89	≤-23dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	1000	3000	-25.26	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-256QAM	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-75.39	≤-33dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-43.64	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.03	≤-43dBm	PASS

n2	15	15	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-73.35	≤-33dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	30	1000	-52.88	≤-23dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-43.31	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.24	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.69	≤-33dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-43.22	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.47	≤-33dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-43.48	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.35	≤-43dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	0.15	30	-77.04	≤-33dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	1000	3000	-43.25	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-74.09	≤-33dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-43.26	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-72.92	≤-33dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-43.40	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.88	≤-43dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-73.24	≤-33dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-43.23	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.08	≤-43dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-75.88	≤-33dBm	PASS

n2	15	15	DFT-QPSK	M	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-43.51	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	0.15	30	-76.80	≤-33dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	1000	3000	-41.99	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-73.98	≤-33dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-43.37	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.03	≤-43dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-73.07	≤-33dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	30	1000	-53.19	≤-23dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-43.32	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-74.70	≤-33dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-43.18	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-75.15	≤-33dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	1000	3000	-43.39	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	0.009	0.15	-66.85	≤-43dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	0.15	30	-76.41	≤-33dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	1000	3000	-43.13	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Left	0.15	30	-75.74	≤-33dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS

n2	15	15	DFT-64QAM	M	Edge_1RB_Left	1000	3000	-43.31	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	0.15	30	-74.85	≤-33dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	1000	3000	-43.33	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	0.15	30	-76.24	≤-33dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	1000	3000	-43.25	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.26	≤-43dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	0.15	30	-75.00	≤-33dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	1000	3000	-43.51	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	0.009	0.15	-66.86	≤-43dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	0.15	30	-75.95	≤-33dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	1000	3000	-43.30	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	0.15	30	-75.92	≤-33dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	1000	3000	-37.16	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Left	0.15	30	-76.42	≤-33dBm	PASS

n2	15	15	DFT-256QA M	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Left	1000	3000	-39.84	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	1000	3000	-43.29	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	0.15	30	-76.59	≤-33dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	1000	3000	-43.30	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	0.009	0.15	-66.91	≤-43dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	0.15	30	-76.90	≤-33dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	1000	3000	-43.43	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-256QA M	M	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS

n2	15	15	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Left	0.15	30	-74.49	≤-33dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Left	1000	3000	-43.19	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.41	≤-33dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	1000	3000	-43.35	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	0.15	30	-74.43	≤-33dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	30	1000	-52.88	≤-23dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	1000	3000	-43.16	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.77	≤-43dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	0.15	30	-75.80	≤-33dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	1000	3000	-43.49	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	0.009	0.15	-66.32	≤-43dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	0.15	30	-76.90	≤-33dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	30	1000	-52.90	≤-23dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	1000	3000	-43.14	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-QPSK	M	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	0.15	30	-74.77	≤-33dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	1000	3000	-43.44	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	0.15	30	-74.51	≤-33dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	1000	3000	-43.32	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.02	≤-43dBm	PASS

n2	15	15	CP-16QAM	M	Inner_1RB_Right	0.15	30	-75.04	≤-33dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Right	1000	3000	-43.34	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	0.15	30	-76.10	≤-33dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	30	1000	-52.77	≤-23dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	1000	3000	-43.20	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Edge_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	0.009	0.15	-66.92	≤-43dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	0.15	30	-76.43	≤-33dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	30	1000	-53.13	≤-23dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	1000	3000	-43.27	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	CP-16QAM	M	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	0.009	0.15	-65.95	≤-43dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	0.15	30	-75.06	≤-33dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	30	1000	-52.80	≤-23dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	1000	3000	-43.17	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.14	≤-43dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	0.15	30	-75.63	≤-33dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	30	1000	-52.83	≤-23dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	1000	3000	-43.31	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	0.15	30	-75.57	≤-33dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	1000	3000	-43.17	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	0.15	30	-76.38	≤-33dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	1000	3000	-43.36	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Outer_Full	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	15	CP-64QAM	M	Outer_Full	0.15	30	-76.48	≤-33dBm	PASS

n2	15	15	CP-64QAM	M	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n2	15	15	CP-64QAM	M	Outer_Full	1000	3000	-43.36	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n2	15	15	CP-64QAM	M	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	0.15	30	-76.19	≤-33dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	1000	3000	-41.84	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	0.15	30	-76.14	≤-33dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	1000	3000	-41.12	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	0.15	30	-77.40	≤-33dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	1000	3000	-42.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	0.15	30	-76.58	≤-33dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	1000	3000	-43.25	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	0.009	0.15	-66.34	≤-43dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	0.15	30	-76.81	≤-33dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	1000	3000	-43.26	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-256QAM	M	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.16	≤-43dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-73.89	≤-33dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-74.49	≤-33dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS

n2	15	15	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-39.85	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.60	≤-43dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-74.42	≤-33dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-34.77	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.76	≤-43dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-74.08	≤-33dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-27.53	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	0.15	30	-76.94	≤-33dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	1000	3000	-27.87	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-73.39	≤-33dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-40.59	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.08	≤-43dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-73.07	≤-33dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.77	≤-43dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-74.15	≤-33dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-33.89	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.81	≤-33dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-27.51	≤-13dBm	PASS

n2	15	15	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	0.15	30	-76.54	≤-33dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	1000	3000	-25.96	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-65.94	≤-43dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-74.19	≤-33dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-40.94	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-65.70	≤-43dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-73.46	≤-33dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-40.22	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-65.97	≤-43dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-74.52	≤-33dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-41.39	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-74.45	≤-33dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-28.69	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	0.15	30	-77.43	≤-33dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	30	1000	-53.13	≤-23dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	1000	3000	-26.74	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-76.52	≤-33dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-41.37	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS

n2	15	15	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-75.26	≤-33dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-41.46	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-75.70	≤-33dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-41.21	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.27	≤-33dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-28.61	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.15	≤-43dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	0.15	30	-76.98	≤-33dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	30	1000	-52.92	≤-23dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	1000	3000	-27.52	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.68	≤-33dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.85	≤-23dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-42.56	≤-13dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-76.14	≤-33dBm	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	30	1000	-52.97	≤-23dBm	PASS

n2	15	15	DFT-256QA M	H	Inner_1RB_Left	1000	3000	-42.93	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	0.15	30	-75.93	≤-33dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	1000	3000	-37.88	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	0.15	30	-75.73	≤-33dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	1000	3000	-30.55	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	0.15	30	-76.09	≤-33dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	1000	3000	-30.49	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	DFT-256QA M	H	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-67.19	≤-43dBm	PASS

n2	15	15	CP-QPSK	H	Edge_1RB_Left	0.15	30	-75.07	≤-33dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Left	1000	3000	-41.06	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	0.15	30	-75.09	≤-33dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	1000	3000	-39.97	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	0.15	30	-74.94	≤-33dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	1000	3000	-34.14	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	0.15	30	-76.08	≤-33dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	1000	3000	-29.57	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	0.009	0.15	-66.77	≤-43dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	0.15	30	-76.80	≤-33dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	30	1000	-52.95	≤-23dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	1000	3000	-25.70	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	CP-QPSK	H	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.09	≤-43dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	0.15	30	-74.41	≤-33dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	30	1000	-52.88	≤-23dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	1000	3000	-40.84	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.32	≤-43dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	0.15	30	-74.78	≤-33dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	1000	3000	-40.04	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.54	≤-43dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Right	0.15	30	-74.99	≤-33dBm	PASS

n2	15	15	CP-16QAM	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Right	1000	3000	-35.11	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	0.15	30	-75.59	≤-33dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	1000	3000	-29.30	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	0.15	30	-76.40	≤-33dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	1000	3000	-25.77	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	CP-16QAM	H	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	0.15	30	-76.21	≤-33dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	1000	3000	-41.28	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	0.15	30	-74.99	≤-33dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	1000	3000	-41.00	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.32	≤-43dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	0.15	30	-76.31	≤-33dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	1000	3000	-36.87	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	0.15	30	-76.20	≤-33dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	1000	3000	-29.54	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Outer_Full	0.009	0.15	-66.90	≤-43dBm	PASS
n2	15	15	CP-64QAM	H	Outer_Full	0.15	30	-76.76	≤-33dBm	PASS
n2	15	15	CP-64QAM	H	Outer_Full	30	1000	-52.97	≤-23dBm	PASS

n2	15	15	CP-64QAM	H	Outer_Full	1000	3000	-26.40	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	15	CP-64QAM	H	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	0.15	30	-76.37	≤-33dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	1000	3000	-42.61	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	0.15	30	-76.26	≤-33dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	1000	3000	-42.63	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	0.15	30	-76.46	≤-33dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	1000	3000	-39.21	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	0.15	30	-76.91	≤-33dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	1000	3000	-32.42	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	0.15	30	-76.19	≤-33dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	1000	3000	-30.60	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	15	CP-256QAM	H	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-73.29	≤-33dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-28.19	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-74.68	≤-33dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-34.04	≤-13dBm	PASS

n2	15	20	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.14	≤-43dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.52	≤-33dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-33.56	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-74.17	≤-33dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-34.99	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	0.15	30	-76.13	≤-33dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	1000	3000	-24.63	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.13	≤-43dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-74.09	≤-33dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-29.20	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-72.54	≤-33dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-34.91	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-73.94	≤-33dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-33.74	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-65.46	≤-43dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-74.75	≤-33dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-35.57	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS

n2	15	20	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	0.15	30	-76.80	≤-33dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	1000	3000	-22.36	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.10	≤-33dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-29.33	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-72.73	≤-33dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-35.58	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-65.88	≤-43dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-73.46	≤-33dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-34.87	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-73.80	≤-33dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-36.22	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	0.15	30	-77.00	≤-33dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	1000	3000	-22.53	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-74.93	≤-33dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-30.36	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS

n2	15	20	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.30	≤-33dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-36.60	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-74.73	≤-33dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-37.12	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-75.35	≤-33dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-37.69	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.26	≤-43dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	0.15	30	-76.98	≤-33dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	1000	3000	-23.06	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	0.15	30	-76.40	≤-33dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	1000	3000	-31.69	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.35	≤-43dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Left	0.15	30	-76.78	≤-33dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-256QA	L	Inner_1RB_Left	1000	3000	-37.69	≤-13dBm	PASS

			M							
n2	15	20	DFT-256QA M	L	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.65	≤-43dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	0.15	30	-76.26	≤-33dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	1000	3000	-38.20	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	1000	3000	-38.94	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	0.15	30	-77.08	≤-33dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	30	1000	-52.85	≤-23dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	1000	3000	-23.11	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-256QA M	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	0.15	30	-74.08	≤-33dBm	PASS

n2	15	20	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	1000	3000	-30.57	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	0.15	30	-73.70	≤-33dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	1000	3000	-34.71	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	0.15	30	-74.05	≤-33dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	1000	3000	-35.71	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-65.98	≤-43dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	0.15	30	-74.88	≤-33dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	1000	3000	-38.04	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	0.009	0.15	-66.81	≤-43dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	0.15	30	-76.44	≤-33dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	1000	3000	-21.87	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-QPSK	L	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	0.15	30	-75.73	≤-33dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	1000	3000	-30.20	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	0.15	30	-75.01	≤-33dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	1000	3000	-36.26	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Right	0.15	30	-74.27	≤-33dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS

n2	15	20	CP-16QAM	L	Inner_1RB_Right	1000	3000	-35.72	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Inner_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	0.15	30	-74.60	≤-33dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	1000	3000	-37.48	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	0.009	0.15	-66.53	≤-43dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	0.15	30	-76.51	≤-33dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	1000	3000	-22.05	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-16QAM	L	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	0.009	0.15	-65.87	≤-43dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	0.15	30	-75.68	≤-33dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	1000	3000	-31.37	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	0.15	30	-75.41	≤-33dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	1000	3000	-36.68	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.03	≤-43dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	0.15	30	-74.99	≤-33dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	1000	3000	-38.25	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	0.009	0.15	-65.64	≤-43dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	1000	3000	-38.54	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Outer_Full	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	20	CP-64QAM	L	Outer_Full	0.15	30	-76.25	≤-33dBm	PASS
n2	15	20	CP-64QAM	L	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-64QAM	L	Outer_Full	1000	3000	-22.53	≤-13dBm	PASS

n2	15	20	CP-64QAM	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-64QAM	L	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	0.15	30	-76.64	≤-33dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	1000	3000	-25.36	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	0.15	30	-75.68	≤-33dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	1000	3000	-26.45	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.75	≤-43dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	0.15	30	-76.59	≤-33dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	1000	3000	-40.90	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	0.15	30	-76.90	≤-33dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	1000	3000	-40.67	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	0.009	0.15	-66.40	≤-43dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	0.15	30	-77.47	≤-33dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	1000	3000	-26.24	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	3000	12000	-44.47	≤-13dBm	PASS
n2	15	20	CP-256QAM	L	Outer_Full	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.92	≤-33dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-43.73	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-73.36	≤-33dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-43.51	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS

n2	15	20	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.81	≤-33dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-43.51	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.87	≤-43dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.01	≤-33dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-43.59	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	0.15	30	-76.65	≤-33dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	30	1000	-53.13	≤-23dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	1000	3000	-42.13	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.46	≤-43dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-72.78	≤-33dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-43.49	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.14	≤-43dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-72.74	≤-33dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	30	1000	-52.88	≤-23dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-43.55	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-73.11	≤-33dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-43.56	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.33	≤-43dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-73.63	≤-33dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-43.60	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS

n2	15	20	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	0.15	30	-76.81	≤-33dBm	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	1000	3000	-40.08	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.04	≤-43dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-73.03	≤-33dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-43.26	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.27	≤-43dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-72.43	≤-33dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-43.50	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.02	≤-43dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-75.16	≤-33dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	30	1000	-53.15	≤-23dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-43.50	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	0.15	30	-73.29	≤-33dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	1000	3000	-43.42	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	0.15	30	-76.34	≤-33dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	1000	3000	-39.92	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	0.15	30	-74.84	≤-33dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	1000	3000	-43.33	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.42	≤-43dBm	PASS

n2	15	20	DFT-64QAM	M	Inner_1RB_Left	0.15	30	-74.01	≤-33dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	1000	3000	-43.59	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	0.15	30	-75.35	≤-33dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	1000	3000	-43.54	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	12000	20000	-36.22	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.08	≤-43dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	0.15	30	-75.52	≤-33dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	1000	3000	-43.41	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	0.15	30	-76.45	≤-33dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	1000	3000	-40.42	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	0.15	30	-76.73	≤-33dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	1000	3000	-42.71	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.70	≤-43dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Left	0.15	30	-76.37	≤-33dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Left	1000	3000	-43.74	≤-13dBm	PASS

n2	15	20	DFT-256QA M	M	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.26	≤-43dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	0.15	30	-75.75	≤-33dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	1000	3000	-43.51	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Inner_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	0.15	30	-76.57	≤-33dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	1000	3000	-43.65	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	0.15	30	-76.74	≤-33dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	1000	3000	-42.48	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n2	15	20	DFT-256QA M	M	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Left	0.15	30	-75.60	≤-33dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS

n2	15	20	CP-QPSK	M	Edge_1RB_Left	1000	3000	-43.68	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.25	≤-33dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	1000	3000	-44.27	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.64	≤-43dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	0.15	30	-74.98	≤-33dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	1000	3000	-43.37	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.22	≤-43dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	0.15	30	-75.65	≤-33dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	1000	3000	-43.60	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	0.15	30	-76.59	≤-33dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	30	1000	-52.87	≤-23dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	1000	3000	-39.47	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	CP-QPSK	M	Outer_Full	12000	20000	-36.24	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	0.15	30	-74.61	≤-33dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	1000	3000	-43.38	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	0.15	30	-75.12	≤-33dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	1000	3000	-43.58	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.65	≤-43dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Right	0.15	30	-75.00	≤-33dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Right	30	1000	-52.87	≤-23dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Right	1000	3000	-43.71	≤-13dBm	PASS

n2	15	20	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	0.15	30	-76.20	≤-33dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	1000	3000	-43.32	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	0.15	30	-76.42	≤-33dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-16QAM	M	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	0.009	0.15	-66.16	≤-43dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	0.15	30	-73.98	≤-33dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	1000	3000	-43.54	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	0.15	30	-74.91	≤-33dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	1000	3000	-43.54	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	0.15	30	-76.06	≤-33dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	1000	3000	-43.67	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	0.009	0.15	-66.75	≤-43dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	0.15	30	-75.86	≤-33dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	1000	3000	-43.63	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Edge_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n2	15	20	CP-64QAM	M	Outer_Full	0.15	30	-76.68	≤-33dBm	PASS
n2	15	20	CP-64QAM	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n2	15	20	CP-64QAM	M	Outer_Full	1000	3000	-40.03	≤-13dBm	PASS
n2	15	20	CP-64QAM	M	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS

n2	15	20	CP-64QAM	M	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.73	≤-43dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	0.15	30	-76.17	≤-33dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	1000	3000	-43.45	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	0.009	0.15	-66.82	≤-43dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	0.15	30	-76.27	≤-33dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	1000	3000	-43.09	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	0.009	0.15	-66.72	≤-43dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	0.15	30	-76.35	≤-33dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	1000	3000	-43.86	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	0.15	30	-76.82	≤-33dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	1000	3000	-43.50	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	0.15	30	-76.24	≤-33dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	30	1000	-52.91	≤-23dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	1000	3000	-43.14	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	CP-256QAM	M	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.10	≤-43dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-75.18	≤-33dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-52.89	≤-23dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-40.50	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-73.58	≤-33dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	30	1000	-52.77	≤-23dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-41.00	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS

n2	15	20	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.79	≤-43dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-74.32	≤-33dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-34.82	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-74.08	≤-33dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	30	1000	-52.90	≤-23dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-29.52	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.06	≤-43dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	0.15	30	-76.79	≤-33dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	1000	3000	-27.66	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-74.17	≤-33dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-40.88	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-72.90	≤-33dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-40.71	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.01	≤-43dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-73.77	≤-33dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-35.51	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-73.64	≤-33dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-30.22	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.58	≤-43dBm	PASS

n2	15	20	DFT-QPSK	H	Outer_Full	0.15	30	-77.21	≤-33dBm	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	1000	3000	-26.01	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-74.50	≤-33dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-41.40	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-73.66	≤-33dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-40.94	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-73.07	≤-33dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-37.04	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.81	≤-43dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-74.98	≤-33dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-31.22	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	0.009	0.15	-66.24	≤-43dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	0.15	30	-76.37	≤-33dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	1000	3000	-27.14	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	3000	12000	-44.41	≤-13dBm	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-75.54	≤-33dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-41.50	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-75.89	≤-33dBm	PASS

n2	15	20	DFT-64QAM	H	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-41.96	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-75.26	≤-33dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-36.58	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-31.87	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.56	≤-43dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	0.15	30	-76.61	≤-33dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	1000	3000	-27.59	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.67	≤-33dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	30	1000	-53.15	≤-23dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-42.65	≤-13dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n2	15	20	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-75.77	≤-33dBm	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-42.83	≤-13dBm	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS


			M							
n2	15	20	DFT-256QA M	H	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	0.15	30	-76.31	≤-33dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	1000	3000	-39.49	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.49	≤-43dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	0.15	30	-75.89	≤-33dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	1000	3000	-33.29	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	0.009	0.15	-66.60	≤-43dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	0.15	30	-76.66	≤-33dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	1000	3000	-30.55	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	DFT-256QA M	H	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Left	0.15	30	-76.10	≤-33dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Left	30	1000	-52.89	≤-23dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Left	1000	3000	-41.83	≤-13dBm	PASS


n2	15	20	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	0.15	30	-73.80	≤-33dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	1000	3000	-41.17	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	0.15	30	-75.19	≤-33dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	30	1000	-52.87	≤-23dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	1000	3000	-36.73	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.15	≤-33dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	1000	3000	-31.70	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	0.009	0.15	-66.71	≤-43dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	0.15	30	-76.59	≤-33dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	1000	3000	-26.20	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	CP-QPSK	H	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.59	≤-43dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	0.15	30	-75.14	≤-33dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	1000	3000	-41.65	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.30	≤-43dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	0.15	30	-73.51	≤-33dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	1000	3000	-41.48	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Right	0.15	30	-75.03	≤-33dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Right	1000	3000	-36.49	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS


n2	15	20	CP-16QAM	H	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	0.15	30	-75.49	≤-33dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	1000	3000	-32.22	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	0.009	0.15	-66.14	≤-43dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	0.15	30	-77.09	≤-33dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	1000	3000	-25.89	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n2	15	20	CP-16QAM	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.30	≤-43dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	0.15	30	-75.54	≤-33dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	1000	3000	-41.93	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.23	≤-43dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	0.15	30	-75.51	≤-33dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	1000	3000	-42.02	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	0.15	30	-75.41	≤-33dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	1000	3000	-38.60	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	0.15	30	-75.82	≤-33dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	1000	3000	-31.96	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	0.009	0.15	-66.62	≤-43dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	0.15	30	-76.38	≤-33dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	1000	3000	-27.18	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n2	15	20	CP-64QAM	H	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS


n2	15	20	CP-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Left	0.15	30	-75.94	≤-33dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Left	1000	3000	-42.84	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.46	≤-43dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	0.15	30	-75.94	≤-33dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	1000	3000	-42.88	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.22	≤-43dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	0.15	30	-76.68	≤-33dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	1000	3000	-40.71	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	0.15	30	-76.53	≤-33dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	1000	3000	-34.95	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	0.009	0.15	-66.52	≤-43dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	0.15	30	-76.45	≤-33dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	30	1000	-52.86	≤-23dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	1000	3000	-31.42	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n2	15	20	CP-256QAM	H	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS


Test Graphs




























































































































































 Ref 0 dBm *Att 20 dB *PBW 1 kHz Marker 1 [T1] -66.44 dBm *VSW 3 kHz *SMT 1 s 67.797000000 kHz Offset 4.7 dB LIMIT CHECK PASS Start 9 kHz 14.1 kHz/ Stop 150 kHz Date: 25.AUG.2025 13:55:08	 Ref 0 dBm *Att 20 dB *PBW 10 kHz Marker 1 [T1] -76.37 dBm *VSW 30 kHz *SMT 1 s 179.650000000 kHz Offset 5.3 dB LIMIT CHECK PASS Start 150 kHz 2.985 MHz/ Stop 30 MHz Date: 25.AUG.2025 13:55:23
NTNV-n2-PC3-15-5-L-CP-16QAM-Out_0.00 9-0.15-PASS	NTNV-n2-PC3-15-5-L-CP-16QAM-Out_0.15 -30-PASS
 Ref 25 dBm *Att 40 dB *PBW 100 kHz Marker 1 [T1] -53.10 dBm *VSW 300 kHz *SMT 1 s 816.670000000 MHz Offset 8.4 dB LIMIT CHECK PASS Start 30 MHz 97 MHz/ Stop 1 GHz Date: 25.AUG.2025 13:55:38	 Spectrum Ref Level 25.00 dBm Offset 11.27 dB RBW 1 MHz *Att 35 dB *SWT 1 s *VSW 3 MHz Mode Sweep SQL Count 5/5 Limit check PASS MI[1] -18.77 dBm 1.848400 GHz Start 1.0 GHz 10001 pts Stop 3.0 GHz Date: 7.SEP.2025 14:54:43
NTNV-n2-PC3-15-5-L-CP-16QAM-Out_0.30-1 000-PASS	NTNV-n2-PC3-15-5-L-CP-16QAM-Out_0.100 0-3000-PASS

