






NTNV-n25-PC3-15-20-M-CP-16QAM-Outet_Full-A

nt1-PASS

NTNV-n25-PC3-15-20-M-CP-64QAM-Outet_Full-A

nt1-PASS





NTNV-n25-PC3-15-20-M-CP-256QAM-Outet_Full-A

Ant1-PASS

NTNV-n25-PC3-15-20-H-DFT-BPSK-Outet_Full-A

nt1-PASS





Appendix D: Band Edge for SA

Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dBm)	Verdict
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	-17.68	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	-27.46	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	-18.24	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	-27.76	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	-20.65	PASS
n25	15	5	DFT-16QAM	L	Outer_Full	-27.91	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	-20.96	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	-28.04	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	-24.02	PASS
n25	15	5	DFT-256QAM	L	Outer_Full	-30.79	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	-20.16	PASS
n25	15	5	CP-QPSK	L	Outer_Full	-27.34	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	-19.87	PASS
n25	15	5	CP-16QAM	L	Outer_Full	-26.81	PASS
n25	15	5	CP-64QAM	L	Edge_1RB_Left	-21.79	PASS
n25	15	5	CP-64QAM	L	Outer_Full	-27.04	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Left	-24.45	PASS
n25	15	5	CP-256QAM	L	Outer_Full	-31.10	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	-20.02	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	-26.47	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	-19.37	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	-26.90	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Right	-18.31	PASS
n25	15	5	DFT-16QAM	H	Outer_Full	-28.44	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	-19.15	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	-30.83	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Right	-22.30	PASS
n25	15	5	DFT-256QAM	H	Outer_Full	-32.74	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	-21.28	PASS
n25	15	5	CP-QPSK	H	Outer_Full	-28.23	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Right	-20.18	PASS
n25	15	5	CP-16QAM	H	Outer_Full	-27.23	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Right	-19.96	PASS
n25	15	5	CP-64QAM	H	Outer_Full	-28.34	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	-22.88	PASS
n25	15	5	CP-256QAM	H	Outer_Full	-31.86	PASS


n25	15	10	DFT-BPSK	L	Edge_1RB_Left	-15.77	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	-27.32	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	-15.93	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	-27.11	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	-18.68	PASS
n25	15	10	DFT-16QAM	L	Outer_Full	-27.65	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Left	-18.36	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	-28.61	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	-21.80	PASS
n25	15	10	DFT-256QAM	L	Outer_Full	-30.78	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	-18.03	PASS
n25	15	10	CP-QPSK	L	Outer_Full	-27.43	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	-18.25	PASS
n25	15	10	CP-16QAM	L	Outer_Full	-28.08	PASS
n25	15	10	CP-64QAM	L	Edge_1RB_Left	-19.56	PASS
n25	15	10	CP-64QAM	L	Outer_Full	-27.23	PASS
n25	15	10	CP-256QAM	L	Edge_1RB_Left	-21.87	PASS
n25	15	10	CP-256QAM	L	Outer_Full	-32.00	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	-17.10	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	-33.18	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	-17.42	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	-32.92	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	-16.65	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	-33.42	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	-17.38	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	-32.99	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Right	-20.24	PASS
n25	15	10	DFT-256QAM	H	Outer_Full	-35.91	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	-19.36	PASS
n25	15	10	CP-QPSK	H	Outer_Full	-31.44	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Right	-18.23	PASS
n25	15	10	CP-16QAM	H	Outer_Full	-31.47	PASS
n25	15	10	CP-64QAM	H	Edge_1RB_Right	-18.55	PASS
n25	15	10	CP-64QAM	H	Outer_Full	-32.41	PASS
n25	15	10	CP-256QAM	H	Edge_1RB_Right	-21.19	PASS
n25	15	10	CP-256QAM	H	Outer_Full	-36.04	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	-17.68	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	-27.13	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	-18.08	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	-27.01	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	-20.70	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	-28.21	PASS


n25	15	15	DFT-64QAM	L	Edge_1RB_Left	-20.32	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	-28.51	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	-23.91	PASS
n25	15	15	DFT-256QAM	L	Outer_Full	-30.40	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	-19.72	PASS
n25	15	15	CP-QPSK	L	Outer_Full	-28.08	PASS
n25	15	15	CP-16QAM	L	Edge_1RB_Left	-19.45	PASS
n25	15	15	CP-16QAM	L	Outer_Full	-28.31	PASS
n25	15	15	CP-64QAM	L	Edge_1RB_Left	-21.85	PASS
n25	15	15	CP-64QAM	L	Outer_Full	-28.76	PASS
n25	15	15	CP-256QAM	L	Edge_1RB_Left	-22.93	PASS
n25	15	15	CP-256QAM	L	Outer_Full	-32.62	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	-20.02	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	-34.40	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	-20.09	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	-33.71	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Right	-19.17	PASS
n25	15	15	DFT-16QAM	H	Outer_Full	-34.39	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	-19.73	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	-34.51	PASS
n25	15	15	DFT-256QAM	H	Edge_1RB_Right	-22.38	PASS
n25	15	15	DFT-256QAM	H	Outer_Full	-37.70	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	-21.90	PASS
n25	15	15	CP-QPSK	H	Outer_Full	-32.81	PASS
n25	15	15	CP-16QAM	H	Edge_1RB_Right	-19.73	PASS
n25	15	15	CP-16QAM	H	Outer_Full	-32.04	PASS
n25	15	15	CP-64QAM	H	Edge_1RB_Right	-20.33	PASS
n25	15	15	CP-64QAM	H	Outer_Full	-33.82	PASS
n25	15	15	CP-256QAM	H	Edge_1RB_Right	-23.86	PASS
n25	15	15	CP-256QAM	H	Outer_Full	-35.30	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	-13.90	PASS
N25	15	20	DFT-QPSK	L	Outer_Full	-25.62	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	-13.71	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	-47.76	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	-16.56	PASS
n25	15	20	DFT-16QAM	L	Outer_Full	-27.85	PASS
n25	15	20	DFT-64QAM	L	Edge_1RB_Left	-15.94	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	-27.76	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	-19.48	PASS
n25	15	20	DFT-256QAM	L	Outer_Full	-29.50	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	-15.93	PASS
n25	15	20	CP-QPSK	L	Outer_Full	-26.81	PASS


n25	15	20	CP-16QAM	L	Edge_1RB_Left	-15.10	PASS
n25	15	20	CP-16QAM	L	Outer_Full	-26.69	PASS
n25	15	20	CP-64QAM	L	Edge_1RB_Left	-15.98	PASS
n25	15	20	CP-64QAM	L	Outer_Full	-28.14	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Left	-18.84	PASS
n25	15	20	CP-256QAM	L	Outer_Full	-31.33	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	-14.94	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	-33.98	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	-15.38	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	-33.45	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Right	-14.63	PASS
n25	15	20	DFT-16QAM	H	Outer_Full	-33.45	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	-15.34	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	-34.60	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Right	-17.90	PASS
n25	15	20	DFT-256QAM	H	Outer_Full	-37.46	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	-16.97	PASS
n25	15	20	CP-QPSK	H	Outer_Full	-32.26	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Right	-15.82	PASS
n25	15	20	CP-16QAM	H	Outer_Full	-31.54	PASS
n25	15	20	CP-64QAM	H	Edge_1RB_Right	-16.25	PASS
n25	15	20	CP-64QAM	H	Outer_Full	-33.42	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	-18.88	PASS
n25	15	20	CP-256QAM	H	Outer_Full	-35.67	PASS


Test Graphs



























NTNV-n25-PC3-15-5-H-CP-64QAM-Edge_1RB_Ri
ght-PASS


NTNV-n25-PC3-15-5-H-CP-64QAM-Outer_Full-PA
SS


NTNV-n25-PC3-15-5-H-CP-256QAM-Edge_1RB_
Right-PASSNTNV-n25-PC3-15-5-H-CP-256QAM-Outer_Full-P
ASS











































NTNV-n25-PC3-15-15-L-CP-256QAM-Outer_Full-
PASS


NTNV-n25-PC3-15-15-H-DFT-BPSK-Outer_Full-P
ASS



































Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit	Verdict
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-73.68	≤-33dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-19.83	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-73.59	≤-33dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-26.98	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.21	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.35	≤-33dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-25.16	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-73.47	≤-33dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-25.68	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	0.15	30	-77.22	≤-33dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	30	1000	-52.96	≤-23dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	1000	3000	-20.35	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-BPSK	L	Outer_Full	12000	20000	-36.21	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-76.73	≤-33dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-52.82	≤-23dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-35.58	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS

n25	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-76.57	≤-33dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-26.92	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.25	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-73.36	≤-33dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-24.88	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-76.67	≤-33dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	30	1000	-52.89	≤-23dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-31.11	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.49	≤-43dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	0.15	30	-76.92	≤-33dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	1000	3000	-19.09	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n25	15	5	DFT-QPSK	L	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.34	≤-33dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-20.89	≤-13dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n25	15	5	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	5	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-73.04	≤-33dBm	PASS
n25	15	5	DFT-16QAM	L	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS

			M							
n25	15	5	DFT-16QA M	L	Inner_1RB_Left	1000	3000	-27.69	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	0.15	30	-73.02	≤-33dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	1000	3000	-26.29	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.89	≤-43dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	0.15	30	-74.01	≤-33dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	1000	3000	-27.71	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	0.009	0.15	-66.46	≤-43dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	0.15	30	-76.46	≤-33dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	1000	3000	-19.83	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n25	15	5	DFT-16QA M	L	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS

n25	15	5	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-74.27	≤-33dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-22.14	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.83	≤-43dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.46	≤-33dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-29.87	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-76.08	≤-33dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-28.85	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.65	≤-43dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-75.11	≤-33dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-28.18	≤-13dBm	PASS

			M							
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.46	≤-43dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	0.15	30	-76.02	≤-33dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	1000	3000	-19.75	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-64QAM	L	Outer_Full	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-75.47	≤-33dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-22.91	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	0.15	30	-75.56	≤-33dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	1000	3000	-30.89	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	3000	12000	-44.48	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Left	12000	20000	-36.23	≤-13dBm	PASS
n25	15	5	DFT-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS

n25	15	5	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-76.42	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-30.18	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-76.30	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-29.64	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	0.15	30	-76.46	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	1000	3000	-22.01	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	L	Outer_Full	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.12	≤-43dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	0.15	30	-74.67	≤-33dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	1000	3000	-22.30	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Left	0.15	30	-74.09	≤-33dBm	PASS

n25	15	5	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Left	1000	3000	-28.86	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.20	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.02	≤-43dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	0.15	30	-73.86	≤-33dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	1000	3000	-27.15	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	0.15	30	-74.93	≤-33dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	1000	3000	-28.97	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	0.009	0.15	-66.99	≤-43dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	0.15	30	-75.51	≤-33dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	1000	3000	-19.43	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-QPSK	L	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	0.15	30	-74.52	≤-33dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	1000	3000	-22.10	≤-13dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n25	15	5	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n25	15	5	CP-16QAM	L	Inner_1RB_Left	0.15	30	-74.91	≤-33dBm	PASS
n25	15	5	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	CP-16QAM	L	Inner_1RB_Left	1000	3000	-28.90	≤-13dBm	PASS

n25	15	5	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	0.15	30	-74.63	≤-33dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	1000	3000	-27.60	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.45	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	0.15	30	-74.80	≤-33dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	1000	3000	-27.95	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	0.15	30	-75.38	≤-33dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	1000	3000	-18.95	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n25	15	5	CP-16QA M	L	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.03	≤-43dBm	PASS
n25	15	5	CP-64QA	L	Edge_1RB_Left	0.15	30	-75.67	≤-33dBm	PASS

			M							
n25	15	5	CP-64QA M	L	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Left	1000	3000	-22.81	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-67.09	≤-43dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	0.15	30	-75.99	≤-33dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	1000	3000	-31.10	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Left	12000	20000	-36.19	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	0.15	30	-75.49	≤-33dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	1000	3000	-31.09	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Right	0.15	30	-75.91	≤-33dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Right	1000	3000	-29.97	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS

n25	15	5	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	0.15	30	-76.91	≤-33dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	1000	3000	-19.61	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-64QA M	L	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-65.92	≤-43dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	0.15	30	-77.18	≤-33dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	1000	3000	-25.30	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Edge_1RB_Left	12000	20000	-36.22	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	0.15	30	-75.58	≤-33dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	1000	3000	-32.78	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.92	≤-43dBm	PASS
n25	15	5	CP-256QA M	L	Inner_1RB_Right	0.15	30	-76.10	≤-33dBm	PASS
n25	15	5	CP-256QA	L	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS

			M							
n25	15	5	CP-256QAM	L	Inner_1RB_Right	1000	3000	-33.67	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.81	≤-43dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	0.15	30	-76.03	≤-33dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	1000	3000	-33.24	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	0.15	30	-76.42	≤-33dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	1000	3000	-23.48	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	5	CP-256QAM	L	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.84	≤-33dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-44.19	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-73.99	≤-33dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-44.32	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS

n25	15	5	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.20	≤-33dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.34	≤-33dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-44.22	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	0.15	30	-77.03	≤-33dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	1000	3000	-44.29	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-BPSK	M	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-74.11	≤-33dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.62	≤-43dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-73.72	≤-33dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-44.15	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.46	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.78	≤-33dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-74.52	≤-33dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-44.24	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS

n25	15	5	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	0.15	30	-76.59	≤-33dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	1000	3000	-44.16	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-QPSK	M	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.81	≤-43dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-75.01	≤-33dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-44.14	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-65.93	≤-43dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-74.17	≤-33dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-44.24	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.00	≤-43dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-74.04	≤-33dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-44.26	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-16QAM	M	Inner_1RB_Right	12000	20000	-36.19	≤-13dBm	PASS

			M							
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-74.37	≤-33dBm	PASS
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-44.30	≤-13dBm	PASS
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	0.15	30	-76.43	≤-33dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	1000	3000	-44.13	≤-13dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	3000	12000	-44.50	≤-13dBm	PASS
n25	15	5	DFT-16QA M	M	Outer_Full	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-75.73	≤-33dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-44.25	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-75.00	≤-33dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS

n25	15	5	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-44.24	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.05	≤-43dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-75.74	≤-33dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-65.99	≤-43dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-76.45	≤-33dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-44.33	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Edge_1RB_Right	12000	20000	-36.21	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	0.009	0.15	-66.81	≤-43dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	0.15	30	-75.76	≤-33dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	30	1000	-52.92	≤-23dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	1000	3000	-44.31	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	DFT-64QA M	M	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	DFT-256Q	M	Edge_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS

			AM							
n25	15	5	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-75.53	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-76.45	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-44.31	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.47	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-66.08	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-76.18	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-43.49	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-36.18	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-76.91	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-43.60	≤-13dBm	PASS

n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.84	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	0.15	30	-76.98	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	1000	3000	-44.24	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	3000	12000	-44.45	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	M	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-65.64	≤-43dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	0.15	30	-75.58	≤-33dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	1000	3000	-44.20	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	0.15	30	-75.00	≤-33dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	1000	3000	-44.10	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	0.15	30	-74.52	≤-33dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-65.80	≤-43dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	0.15	30	-75.00	≤-33dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	1000	3000	-44.31	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Outer_Full	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	5	CP-QPSK	M	Outer_Full	0.15	30	-75.78	≤-33dBm	PASS

n25	15	5	CP-QPSK	M	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	CP-QPSK	M	Outer_Full	1000	3000	-44.29	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Outer_Full	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	CP-QPSK	M	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	0.15	30	-75.94	≤-33dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	0.15	30	-75.61	≤-33dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	1000	3000	-44.16	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	1000	3000	-44.29	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.79	≤-43dBm	PASS

n25	15	5	CP-16QA M	M	Edge_1RB_Right	0.15	30	-76.03	≤-33dBm	PASS
n25	15	5	CP-16QA M	M	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	CP-16QA M	M	Edge_1RB_Right	1000	3000	-44.27	≤-13dBm	PASS
n25	15	5	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	5	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	0.009	0.15	-65.99	≤-43dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	0.15	30	-76.25	≤-33dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	1000	3000	-44.24	≤-13dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	5	CP-16QA M	M	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	0.15	30	-76.38	≤-33dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	1000	3000	-44.30	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.49	≤-43dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Left	0.15	30	-75.73	≤-33dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Left	30	1000	-53.16	≤-23dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Left	1000	3000	-44.34	≤-13dBm	PASS
n25	15	5	CP-64QA	M	Inner_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS

			M							
n25	15	5	CP-64QA M	M	Inner_1RB_Left	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	0.15	30	-75.43	≤-33dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	1000	3000	-44.26	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	0.15	30	-76.73	≤-33dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	1000	3000	-44.30	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	0.15	30	-76.56	≤-33dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	1000	3000	-44.14	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-64QA M	M	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Left	0.15	30	-76.67	≤-33dBm	PASS

n25	15	5	CP-256QA M	M	Edge_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Left	1000	3000	-44.30	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.99	≤-43dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	0.15	30	-76.66	≤-33dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	1000	3000	-44.35	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	0.15	30	-77.14	≤-33dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	1000	3000	-44.32	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	0.15	30	-76.06	≤-33dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	1000	3000	-44.15	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	5	CP-256QA M	M	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS

			M							
n25	15	5	CP-256QAM	M	Outer_Full	0.009	0.15	-66.64	≤-43dBm	PASS
n25	15	5	CP-256QAM	M	Outer_Full	0.15	30	-77.18	≤-33dBm	PASS
n25	15	5	CP-256QAM	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	CP-256QAM	M	Outer_Full	1000	3000	-44.26	≤-13dBm	PASS
n25	15	5	CP-256QAM	M	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-256QAM	M	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-74.41	≤-33dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-31.63	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.10	≤-43dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-75.02	≤-33dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-29.50	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-75.16	≤-33dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-28.55	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.94	≤-43dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-74.76	≤-33dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.14	≤-23dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-20.76	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	0.15	30	-76.63	≤-33dBm	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	1000	3000	-19.75	≤-13dBm	PASS
n25	15	5	DFT-BPSK	H	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS

n25	15	5	DFT-BPSK	H	Outer_Full	12000	20000	-36.14	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-75.23	≤-33dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-36.98	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.27	≤-43dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-74.49	≤-33dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-27.35	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-75.16	≤-33dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-27.56	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.77	≤-33dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-37.85	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	0.15	30	-76.95	≤-33dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	1000	3000	-18.14	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-QPSK	H	Outer_Full	12000	20000	-36.17	≤-13dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.28	≤-43dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-75.19	≤-33dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-33.49	≤-13dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	5	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS

			M							
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	0.15	30	-73.86	≤-33dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	1000	3000	-29.21	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	0.009	0.15	-66.11	≤-43dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	0.15	30	-74.42	≤-33dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	1000	3000	-33.02	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	0.15	30	-74.10	≤-33dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-28.99	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-16QA M	H	Outer_Full	0.009	0.15	-66.76	≤-43dBm	PASS
n25	15	5	DFT-16QA M	H	Outer_Full	0.15	30	-77.11	≤-33dBm	PASS
n25	15	5	DFT-16QA M	H	Outer_Full	30	1000	-52.95	≤-23dBm	PASS

n25	15	5	DFT-16QAM	H	Outer_Full	1000	3000	-25.97	≤-13dBm	PASS
n25	15	5	DFT-16QAM	H	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n25	15	5	DFT-16QAM	H	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-74.87	≤-33dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-32.52	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-75.02	≤-33dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	30	1000	-53.15	≤-23dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-32.59	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.28	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-75.52	≤-33dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-30.15	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS

			M							
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.23	≤-33dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-22.04	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	0.15	30	-76.75	≤-33dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	1000	3000	-29.65	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	DFT-64QAM	H	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-76.50	≤-33dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-34.97	≤-13dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-76.33	≤-33dBm	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-34.78	≤-13dBm	PASS

n25	15	5	DFT-256Q AM	H	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-32.21	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-66.12	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-76.13	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-24.35	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	0.15	30	-76.57	≤-33dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	1000	3000	-25.24	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	DFT-256Q AM	H	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Left	0.15	30	-75.60	≤-33dBm	PASS

n25	15	5	CP-QPSK	H	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Left	1000	3000	-33.70	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.84	≤-43dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	0.15	30	-74.57	≤-33dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	1000	3000	-31.00	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-65.97	≤-43dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	0.15	30	-74.44	≤-33dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	1000	3000	-29.64	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.54	≤-43dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.96	≤-33dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	1000	3000	-23.06	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	0.15	30	-75.97	≤-33dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	30	1000	-52.97	≤-23dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	1000	3000	-19.70	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-QPSK	H	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	0.15	30	-75.57	≤-33dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	1000	3000	-32.76	≤-13dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS

n25	15	5	CP-16QA M	H	Inner_1RB_Left	0.15	30	-76.14	≤-33dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Left	30	1000	-52.88	≤-23dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Left	1000	3000	-31.60	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	0.15	30	-75.33	≤-33dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	1000	3000	-29.32	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	0.15	30	-75.39	≤-33dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	1000	3000	-23.77	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-16QA M	H	Outer_Full	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	5	CP-16QA M	H	Outer_Full	0.15	30	-76.83	≤-33dBm	PASS
n25	15	5	CP-16QA M	H	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-16QA M	H	Outer_Full	1000	3000	-19.08	≤-13dBm	PASS
n25	15	5	CP-16QA	H	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS

			M							
n25	15	5	CP-16QAM	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	0.15	30	-76.37	≤-33dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	1000	3000	-35.18	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	0.15	30	-75.40	≤-33dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	1000	3000	-34.30	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	0.15	30	-75.52	≤-33dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	1000	3000	-31.03	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	5	CP-64QAM	H	Edge_1RB_Right	0.15	30	-75.83	≤-33dBm	PASS

n25	15	5	CP-64QA M	H	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	CP-64QA M	H	Edge_1RB_Right	1000	3000	-23.91	≤-13dBm	PASS
n25	15	5	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	5	CP-64QA M	H	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	0.009	0.15	-66.11	≤-43dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	0.15	30	-76.03	≤-33dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	1000	3000	-19.69	≤-13dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-64QA M	H	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	0.15	30	-76.61	≤-33dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Edge_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	0.15	30	-76.44	≤-33dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	1000	3000	-37.79	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	5	CP-256QA M	H	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS

			M							
n25	15	5	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	5	CP-256QAM	H	Inner_1RB_Right	0.15	30	-76.36	≤-33dBm	PASS
n25	15	5	CP-256QAM	H	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	5	CP-256QAM	H	Inner_1RB_Right	1000	3000	-33.33	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.73	≤-43dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	0.15	30	-75.98	≤-33dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	1000	3000	-25.62	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	0.15	30	-76.73	≤-33dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	30	1000	-53.07	≤-23dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	1000	3000	-26.31	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	5	CP-256QAM	H	Outer_Full	12000	20000	-36.16	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-74.27	≤-33dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-22.67	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS

n25	15	10	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.76	≤-43dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-73.61	≤-33dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-30.80	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.83	≤-33dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-27.10	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-74.69	≤-33dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-28.01	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.76	≤-43dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	0.15	30	-75.82	≤-33dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	30	1000	-53.14	≤-23dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	1000	3000	-22.83	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-BPSK	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-75.24	≤-33dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-24.17	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-65.77	≤-43dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-73.99	≤-33dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-30.78	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-74.05	≤-33dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	30	1000	-52.87	≤-23dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-27.07	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS

n25	15	10	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-73.97	≤-33dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-26.24	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	0.15	30	-76.10	≤-33dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	30	1000	-52.97	≤-23dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	1000	3000	-20.65	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-QPSK	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.33	≤-33dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-24.10	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-74.02	≤-33dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-31.54	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-73.22	≤-33dBm	PASS
n25	15	10	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS

			M							
n25	15	10	DFT-16QA M	L	Inner_1RB_Right	1000	3000	-28.12	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	0.15	30	-73.40	≤-33dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	1000	3000	-29.90	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	0.15	30	-77.12	≤-33dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	1000	3000	-20.73	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-16QA M	L	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.73	≤-43dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	0.15	30	-75.25	≤-33dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	1000	3000	-24.96	≤-13dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-64QA M	L	Edge_1RB_Left	12000	20000	-36.16	≤-13dBm	PASS

n25	15	10	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-75.81	≤-33dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-33.04	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-65.96	≤-43dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-75.74	≤-33dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.16	≤-23dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-29.93	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-74.43	≤-33dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-30.62	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	0.15	30	-76.53	≤-33dBm	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	1000	3000	-21.47	≤-13dBm	PASS

			M							
n25	15	10	DFT-64QAM	L	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-64QAM	L	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-76.11	≤-33dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-26.99	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.63	≤-43dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	0.15	30	-75.07	≤-33dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	1000	3000	-34.79	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	0.15	30	-76.30	≤-33dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	1000	3000	-31.33	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-256QAM	L	Edge_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS

n25	15	10	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-75.61	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-33.60	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	0.15	30	-76.34	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	1000	3000	-23.64	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	L	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	0.15	30	-76.04	≤-33dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	1000	3000	-25.90	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	0.15	30	-75.34	≤-33dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	1000	3000	-31.59	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	0.15	30	-73.23	≤-33dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	1000	3000	-28.79	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.23	≤-33dBm	PASS

n25	15	10	CP-QPSK	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Right	1000	3000	-31.63	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	0.15	30	-76.75	≤-33dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	1000	3000	-20.26	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	CP-QPSK	L	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	0.15	30	-75.98	≤-33dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	1000	3000	-25.62	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	0.15	30	-74.39	≤-33dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	1000	3000	-31.91	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Right	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Right	0.15	30	-74.70	≤-33dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	10	CP-16QAM	L	Inner_1RB_Right	1000	3000	-29.59	≤-13dBm	PASS

n25	15	10	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	0.15	30	-74.80	≤-33dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	1000	3000	-30.93	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	0.15	30	-76.28	≤-33dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	1000	3000	-20.02	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-16QA M	L	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	0.15	30	-75.15	≤-33dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	1000	3000	-25.63	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	10	CP-64QA	L	Inner_1RB_Left	0.15	30	-76.02	≤-33dBm	PASS

			M							
n25	15	10	CP-64QA M	L	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Left	1000	3000	-33.31	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-65.91	≤-43dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	0.15	30	-76.00	≤-33dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	1000	3000	-30.96	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.98	≤-43dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	0.15	30	-75.27	≤-33dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	1000	3000	-32.07	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Outer_Full	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	10	CP-64QA M	L	Outer_Full	0.15	30	-76.79	≤-33dBm	PASS
n25	15	10	CP-64QA M	L	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-64QA M	L	Outer_Full	1000	3000	-21.08	≤-13dBm	PASS
n25	15	10	CP-64QA M	L	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS

n25	15	10	CP-64QA M	L	Outer_Full	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	0.15	30	-76.76	≤-33dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	1000	3000	-28.62	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-67.03	≤-43dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	0.15	30	-76.35	≤-33dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	1000	3000	-35.74	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.63	≤-43dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	0.15	30	-75.94	≤-33dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	1000	3000	-34.42	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Inner_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Right	0.15	30	-75.79	≤-33dBm	PASS
n25	15	10	CP-256QA M	L	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS

			M							
n25	15	10	CP-256QAM	L	Edge_1RB_Right	1000	3000	-34.80	≤-13dBm	PASS
n25	15	10	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	0.15	30	-76.35	≤-33dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	1000	3000	-24.79	≤-13dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-256QAM	L	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.44	≤-33dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-44.27	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-74.06	≤-33dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-44.22	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.10	≤-43dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.55	≤-33dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-44.29	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-75.50	≤-33dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS

n25	15	10	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.08	≤-43dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	0.15	30	-76.22	≤-33dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	1000	3000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-BPSK	M	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-75.30	≤-33dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-52.90	≤-23dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-44.11	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-73.71	≤-33dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-44.24	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-65.80	≤-43dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.94	≤-33dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-44.23	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-76.33	≤-33dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	0.15	30	-77.12	≤-33dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	1000	3000	-44.16	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-QPSK	M	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	10	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-73.89	≤-33dBm	PASS
n25	15	10	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS

			M							
n25	15	10	DFT-16QA M	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	0.15	30	-73.78	≤-33dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	1000	3000	-44.26	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-74.29	≤-33dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-44.24	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-75.10	≤-33dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-44.25	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS

n25	15	10	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	10	DFT-16QA M	M	Outer_Full	0.15	30	-75.41	≤-33dBm	PASS
n25	15	10	DFT-16QA M	M	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	DFT-16QA M	M	Outer_Full	1000	3000	-44.21	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Outer_Full	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-16QA M	M	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.15	≤-43dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-76.14	≤-33dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-75.69	≤-33dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-44.21	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-64QA	M	Inner_1RB_Right	1000	3000	-44.19	≤-13dBm	PASS

			M							
n25	15	10	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-75.80	≤-33dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-44.21	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	0.15	30	-76.68	≤-33dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	1000	3000	-44.26	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-64QA M	M	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	0.009	0.15	-66.54	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-76.34	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-66.52	≤-43dBm	PASS

n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-75.49	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-44.19	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-66.49	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-75.87	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-75.66	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	M	Outer_Full	0.15	30	-76.92	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	M	Outer_Full	1000	3000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	M	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS

			AM							
n25	15	10	DFT-256Q AM	M	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	0.15	30	-75.92	≤-33dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	1000	3000	-44.25	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-65.79	≤-43dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.36	≤-33dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	1000	3000	-44.27	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-65.94	≤-43dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	0.15	30	-75.74	≤-33dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	30	1000	-52.89	≤-23dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	1000	3000	-44.27	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-65.57	≤-43dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	0.15	30	-76.13	≤-33dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	1000	3000	-44.09	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	0.15	30	-76.44	≤-33dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	30	1000	-52.90	≤-23dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	1000	3000	-44.27	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	CP-QPSK	M	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Left	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Left	0.15	30	-75.95	≤-33dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Left	1000	3000	-44.30	≤-13dBm	PASS
n25	15	10	CP-16QA	M	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS

			M							
n25	15	10	CP-16QA M	M	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	0.15	30	-74.92	≤-33dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	1000	3000	-44.22	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	0.15	30	-75.97	≤-33dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	1000	3000	-44.14	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	0.15	30	-75.75	≤-33dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	1000	3000	-44.22	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.41	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Outer_Full	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	10	CP-16QA M	M	Outer_Full	0.15	30	-76.87	≤-33dBm	PASS

n25	15	10	CP-16QA M	M	Outer_Full	30	1000	-52.89	≤-23dBm	PASS
n25	15	10	CP-16QA M	M	Outer_Full	1000	3000	-44.28	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	CP-16QA M	M	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	0.15	30	-75.41	≤-33dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	1000	3000	-44.16	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.28	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.07	≤-43dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	0.15	30	-76.65	≤-33dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	0.15	30	-75.02	≤-33dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	1000	3000	-44.19	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS

			M							
n25	15	10	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Right	0.15	30	-75.48	≤-33dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Right	1000	3000	-44.18	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	0.15	30	-75.88	≤-33dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	1000	3000	-44.26	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	CP-64QA M	M	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	0.15	30	-76.28	≤-33dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	30	1000	-52.94	≤-23dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	1000	3000	-44.26	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-67.01	≤-43dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Left	0.15	30	-75.87	≤-33dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Left	30	1000	-53.13	≤-23dBm	PASS

n25	15	10	CP-256QA M	M	Inner_1RB_Left	1000	3000	-44.27	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	0.15	30	-76.70	≤-33dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	30	1000	-53.15	≤-23dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	1000	3000	-44.13	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	0.15	30	-76.52	≤-33dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	1000	3000	-44.31	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	0.15	30	-76.92	≤-33dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	1000	3000	-44.16	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-256QA M	M	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.49	≤-43dBm	PASS

n25	15	10	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-76.09	≤-33dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-41.82	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-74.87	≤-33dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-41.68	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.12	≤-43dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-75.34	≤-33dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-31.59	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-75.96	≤-33dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-24.66	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	1000	3000	-26.28	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS
n25	15	10	DFT-BPSK	H	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-75.31	≤-33dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-42.17	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-74.01	≤-33dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-41.44	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.22	≤-43dBm	PASS

n25	15	10	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-75.18	≤-33dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	30	1000	-52.87	≤-23dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-44.22	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.99	≤-33dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-24.44	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	0.15	30	-77.18	≤-33dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	1000	3000	-25.01	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	DFT-QPSK	H	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-76.28	≤-33dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-42.23	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-74.72	≤-33dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	30	1000	-52.91	≤-23dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-41.30	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.63	≤-43dBm	PASS

			M							
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-73.69	≤-33dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-31.95	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-74.38	≤-33dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-24.99	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	0.15	30	-76.57	≤-33dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	1000	3000	-25.32	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	DFT-16QAM	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-75.70	≤-33dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-42.29	≤-13dBm	PASS

n25	15	10	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-66.15	≤-43dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-76.18	≤-33dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	30	1000	-52.89	≤-23dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-42.27	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-76.20	≤-33dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-33.15	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.31	≤-33dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-26.07	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	0.15	30	-75.94	≤-33dBm	PASS

			M							
n25	15	10	DFT-64QAM	H	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	1000	3000	-26.13	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS
n25	15	10	DFT-64QAM	H	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.71	≤-33dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-43.15	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-76.19	≤-33dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-42.66	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	0.15	30	-76.40	≤-33dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	1000	3000	-35.26	≤-13dBm	PASS
n25	15	10	DFT-256QAM	H	Inner_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS

n25	15	10	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-76.37	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-27.41	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	0.15	30	-76.72	≤-33dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	1000	3000	-28.69	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	DFT-256Q AM	H	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-65.84	≤-43dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	0.15	30	-76.62	≤-33dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	1000	3000	-41.85	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.90	≤-43dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	0.15	30	-75.72	≤-33dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	1000	3000	-40.70	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.80	≤-43dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Right	0.15	30	-75.15	≤-33dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Right	1000	3000	-32.18	≤-13dBm	PASS

n25	15	10	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.89	≤-33dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	30	1000	-52.80	≤-23dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	1000	3000	-26.25	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.15	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	0.15	30	-76.39	≤-33dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	1000	3000	-24.16	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-QPSK	H	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	0.15	30	-75.53	≤-33dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	1000	3000	-41.50	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.13	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	0.15	30	-76.16	≤-33dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	1000	3000	-40.92	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Right	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	10	CP-16QAM	H	Inner_1RB_Right	0.15	30	-74.47	≤-33dBm	PASS

n25	15	10	CP-16QA M	H	Inner_1RB_Right	30	1000	-53.14	≤-23dBm	PASS
n25	15	10	CP-16QA M	H	Inner_1RB_Right	1000	3000	-32.67	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	0.15	30	-75.86	≤-33dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	1000	3000	-25.50	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	0.15	30	-75.82	≤-33dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	1000	3000	-23.83	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	CP-16QA M	H	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	0.15	30	-75.17	≤-33dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	1000	3000	-42.22	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Left	12000	20000	-36.15	≤-13dBm	PASS

			M							
n25	15	10	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Left	0.15	30	-75.46	≤-33dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Left	1000	3000	-42.13	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	0.15	30	-75.83	≤-33dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	1000	3000	-33.56	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	0.15	30	-74.47	≤-33dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	1000	3000	-26.43	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	10	CP-64QA M	H	Outer_Full	0.15	30	-76.09	≤-33dBm	PASS
n25	15	10	CP-64QA M	H	Outer_Full	30	1000	-52.99	≤-23dBm	PASS

n25	15	10	CP-64QA M	H	Outer_Full	1000	3000	-25.11	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	10	CP-64QA M	H	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	0.15	30	-76.40	≤-33dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	1000	3000	-42.88	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	0.15	30	-75.98	≤-33dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	1000	3000	-42.64	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	0.15	30	-75.99	≤-33dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	1000	3000	-36.38	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	10	CP-256QA M	H	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	10	CP-256QA	H	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS

			M							
n25	15	10	CP-256QAM	H	Edge_1RB_Right	0.15	30	-76.74	≤-33dBm	PASS
n25	15	10	CP-256QAM	H	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	10	CP-256QAM	H	Edge_1RB_Right	1000	3000	-29.88	≤-13dBm	PASS
n25	15	10	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-256QAM	H	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	0.009	0.15	-66.50	≤-43dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	0.15	30	-76.66	≤-33dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	1000	3000	-29.35	≤-13dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	10	CP-256QAM	H	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-75.10	≤-33dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	30	1000	-53.13	≤-23dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-25.25	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-73.79	≤-33dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-33.28	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-73.48	≤-33dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-29.35	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.26	≤-43dBm	PASS

n25	15	15	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-74.18	≤-33dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-30.69	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	0.15	30	-76.63	≤-33dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	1000	3000	-23.65	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-BPSK	L	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-74.73	≤-33dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-26.93	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-73.74	≤-33dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-33.68	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.05	≤-43dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-73.78	≤-33dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	30	1000	-53.14	≤-23dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-29.70	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.28	≤-43dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-75.44	≤-33dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-31.43	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	0.15	30	-77.29	≤-33dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	1000	3000	-22.02	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-QPSK	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-16QA	L	Edge_1RB_Left	0.009	0.15	-66.58	≤-43dBm	PASS

			M							
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.13	≤-33dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-27.66	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-73.20	≤-33dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-34.14	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-65.61	≤-43dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-73.44	≤-33dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-30.49	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-74.57	≤-33dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-32.25	≤-13dBm	PASS

n25	15	15	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	0.15	30	-76.17	≤-33dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	1000	3000	-21.77	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-16QAM	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-65.84	≤-43dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-76.22	≤-33dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-27.49	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-74.88	≤-33dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-34.72	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-66.11	≤-43dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-75.07	≤-33dBm	PASS

			M							
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-32.70	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-74.41	≤-33dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-32.91	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.47	≤-43dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	0.15	30	-76.75	≤-33dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	1000	3000	-22.18	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-64QAM	L	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-75.05	≤-33dBm	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	30	1000	-52.85	≤-23dBm	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-29.82	≤-13dBm	PASS
n25	15	15	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS

n25	15	15	DFT-256Q AM	L	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	0.009	0.15	-66.50	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	0.15	30	-75.47	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	30	1000	-52.93	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	1000	3000	-36.89	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-75.54	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-34.39	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-76.03	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-35.00	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.14	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	L	Outer_Full	0.15	30	-76.17	≤-33dBm	PASS
n25	15	15	DFT-256Q	L	Outer_Full	30	1000	-53.14	≤-23dBm	PASS

			AM							
n25	15	15	DFT-256Q AM	L	Outer_Full	1000	3000	-24.45	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Outer_Full	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	L	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.57	≤-43dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	0.15	30	-75.02	≤-33dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	1000	3000	-28.77	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.13	≤-43dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	0.15	30	-75.24	≤-33dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	1000	3000	-33.94	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	0.15	30	-74.82	≤-33dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	1000	3000	-30.89	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.88	≤-33dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	1000	3000	-33.44	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	0.009	0.15	-66.12	≤-43dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	1000	3000	-21.22	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	CP-QPSK	L	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Left	0.15	30	-75.16	≤-33dBm	PASS
n25	15	15	CP-16QA	L	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS

			M							
n25	15	15	CP-16QA M	L	Edge_1RB_Left	1000	3000	-28.33	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	0.15	30	-74.93	≤-33dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	1000	3000	-34.41	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.41	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-65.92	≤-43dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	0.15	30	-74.69	≤-33dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	1000	3000	-31.20	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	0.15	30	-75.18	≤-33dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	1000	3000	-33.13	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS

n25	15	15	CP-16QA M	L	Outer_Full	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	15	CP-16QA M	L	Outer_Full	0.15	30	-76.41	≤-33dBm	PASS
n25	15	15	CP-16QA M	L	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n25	15	15	CP-16QA M	L	Outer_Full	1000	3000	-20.98	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Outer_Full	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-16QA M	L	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	0.15	30	-75.18	≤-33dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	1000	3000	-28.42	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-65.81	≤-43dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	0.15	30	-76.29	≤-33dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	1000	3000	-35.45	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Right	0.15	30	-76.76	≤-33dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	15	CP-64QA	L	Inner_1RB_Right	1000	3000	-33.67	≤-13dBm	PASS

			M							
n25	15	15	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Inner_1RB_Right	12000	20000	-36.13	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.09	≤-43dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	0.15	30	-76.08	≤-33dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	1000	3000	-33.74	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	0.15	30	-76.78	≤-33dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	1000	3000	-21.93	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	CP-64QA M	L	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	0.15	30	-76.70	≤-33dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	1000	3000	-31.35	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Left	12000	20000	-36.14	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS

n25	15	15	CP-256QA M	L	Inner_1RB_Left	0.15	30	-76.43	≤-33dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Left	1000	3000	-38.39	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.62	≤-43dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	0.15	30	-76.10	≤-33dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	1000	3000	-37.06	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	0.15	30	-76.75	≤-33dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	1000	3000	-37.08	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Edge_1RB_Right	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	CP-256QA M	L	Outer_Full	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	15	CP-256QA M	L	Outer_Full	0.15	30	-76.95	≤-33dBm	PASS
n25	15	15	CP-256QA M	L	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	CP-256QA M	L	Outer_Full	1000	3000	-25.36	≤-13dBm	PASS
n25	15	15	CP-256QA	L	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS

			M							
n25	15	15	CP-256QAM	L	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.50	≤-33dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-44.26	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.49	≤-43dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-73.51	≤-33dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-44.22	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-74.47	≤-33dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-43.89	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-74.41	≤-33dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-43.24	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	0.15	30	-75.86	≤-33dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	1000	3000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-BPSK	M	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-75.64	≤-33dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-44.23	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.33	≤-43dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-73.82	≤-33dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS

n25	15	15	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-44.28	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.29	≤-33dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-43.60	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-75.03	≤-33dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-44.24	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.14	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.46	≤-43dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	0.15	30	-76.56	≤-33dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	1000	3000	-44.28	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-QPSK	M	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	0.009	0.15	-66.62	≤-43dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	0.15	30	-74.42	≤-33dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Left	0.009	0.15	-65.95	≤-43dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Left	0.15	30	-73.66	≤-33dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Left	1000	3000	-43.65	≤-13dBm	PASS
n25	15	15	DFT-16QA	M	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS

			M							
n25	15	15	DFT-16QA M	M	Inner_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	0.009	0.15	-66.15	≤-43dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-74.31	≤-33dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-44.13	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-74.00	≤-33dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-44.26	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.54	≤-43dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	0.15	30	-76.52	≤-33dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	1000	3000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	DFT-16QA M	M	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-75.37	≤-33dBm	PASS

n25	15	15	DFT-64QA M	M	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.29	≤-43dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-44.09	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-75.32	≤-33dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-44.18	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.78	≤-43dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-75.60	≤-33dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-43.86	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Edge_1RB_Right	12000	20000	-36.11	≤-13dBm	PASS

			M							
n25	15	15	DFT-64QA M	M	Outer_Full	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	15	DFT-64QA M	M	Outer_Full	0.15	30	-77.02	≤-33dBm	PASS
n25	15	15	DFT-64QA M	M	Outer_Full	30	1000	-53.05	≤-23dBm	PASS
n25	15	15	DFT-64QA M	M	Outer_Full	1000	3000	-44.21	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Outer_Full	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-64QA M	M	Outer_Full	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-76.37	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-52.92	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-40.83	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-76.31	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-40.98	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.39	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-76.07	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS

n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-44.18	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-76.51	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-36.16	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	0.15	30	-76.77	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	1000	3000	-44.22	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	M	Outer_Full	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	0.15	30	-75.82	≤-33dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	1000	3000	-44.31	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.20	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	0.15	30	-74.43	≤-33dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	1000	3000	-44.20	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.43	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS

n25	15	15	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.07	≤-43dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Right	0.15	30	-75.30	≤-33dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Right	1000	3000	-44.27	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.27	≤-43dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	0.15	30	-76.43	≤-33dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	1000	3000	-44.24	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	0.009	0.15	-66.57	≤-43dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	0.15	30	-75.86	≤-33dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	1000	3000	-44.11	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	CP-QPSK	M	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.46	≤-43dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	0.15	30	-74.23	≤-33dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.11	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.98	≤-43dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	0.15	30	-74.85	≤-33dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	1000	3000	-44.23	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS

n25	15	15	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	15	CP-16QA M	M	Inner_1RB_Right	0.15	30	-75.50	≤-33dBm	PASS
n25	15	15	CP-16QA M	M	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	CP-16QA M	M	Inner_1RB_Right	1000	3000	-43.20	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.02	≤-43dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	0.15	30	-75.44	≤-33dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	1000	3000	-44.24	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	0.009	0.15	-66.15	≤-43dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	0.15	30	-76.48	≤-33dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	1000	3000	-44.20	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-16QA M	M	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.63	≤-43dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Left	0.15	30	-74.91	≤-33dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Left	1000	3000	-44.30	≤-13dBm	PASS

			M							
n25	15	15	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.11	≤-43dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	1000	3000	-44.28	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	0.15	30	-76.29	≤-33dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	1000	3000	-44.34	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	0.15	30	-76.84	≤-33dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	1000	3000	-44.29	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.40	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Outer_Full	0.009	0.15	-66.47	≤-43dBm	PASS

n25	15	15	CP-64QA M	M	Outer_Full	0.15	30	-76.39	≤-33dBm	PASS
n25	15	15	CP-64QA M	M	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-64QA M	M	Outer_Full	1000	3000	-44.18	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Outer_Full	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	CP-64QA M	M	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	0.15	30	-76.43	≤-33dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Edge_1RB_Left	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	0.15	30	-76.94	≤-33dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	1000	3000	-44.33	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-65.79	≤-43dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Right	0.15	30	-76.12	≤-33dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Right	1000	3000	-44.27	≤-13dBm	PASS
n25	15	15	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS

			M							
n25	15	15	CP-256QAM	M	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	0.009	0.15	-66.26	≤-43dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	0.15	30	-75.81	≤-33dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	1000	3000	-44.17	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	0.15	30	-77.16	≤-33dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	30	1000	-53.14	≤-23dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	1000	3000	-44.30	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	CP-256QAM	M	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-42.06	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.13	≤-43dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-74.78	≤-33dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-41.93	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.24	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-74.48	≤-33dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS

n25	15	15	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-33.98	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-74.72	≤-33dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-27.59	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.63	≤-43dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	0.15	30	-76.48	≤-33dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	1000	3000	-30.42	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	3000	12000	-44.23	≤-13dBm	PASS
n25	15	15	DFT-BPSK	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-74.87	≤-33dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-42.14	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-75.03	≤-33dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-41.46	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.41	≤-43dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-74.92	≤-33dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-34.36	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.24	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-74.65	≤-33dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-27.73	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	0.15	30	-77.08	≤-33dBm	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	30	1000	-53.11	≤-23dBm	PASS

n25	15	15	DFT-QPSK	H	Outer_Full	1000	3000	-26.33	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	DFT-QPSK	H	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-74.34	≤-33dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-41.92	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-73.63	≤-33dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-41.49	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-36.12	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-65.73	≤-43dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-74.08	≤-33dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-34.48	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	15	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-74.86	≤-33dBm	PASS

			M							
n25	15	15	DFT-16QA M	H	Edge_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n25	15	15	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-28.94	≤-13dBm	PASS
n25	15	15	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-36.10	≤-13dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	0.15	30	-76.10	≤-33dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	1000	3000	-27.53	≤-13dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	DFT-16QA M	H	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	0.009	0.15	-66.91	≤-43dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	0.15	30	-75.66	≤-33dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	1000	3000	-42.15	≤-13dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-64QA M	H	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	DFT-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	15	DFT-64QA M	H	Inner_1RB_Left	0.15	30	-75.41	≤-33dBm	PASS
n25	15	15	DFT-64QA M	H	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	15	DFT-64QA M	H	Inner_1RB_Left	1000	3000	-42.31	≤-13dBm	PASS
n25	15	15	DFT-64QA M	H	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS

n25	15	15	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-66.35	≤-43dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-76.52	≤-33dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-36.37	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.46	≤-33dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-29.32	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.65	≤-43dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	0.15	30	-76.88	≤-33dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	1000	3000	-27.87	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	DFT-64QAM	H	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n25	15	15	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-65.82	≤-43dBm	PASS
n25	15	15	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.00	≤-33dBm	PASS
n25	15	15	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.83	≤-23dBm	PASS

			AM							
n25	15	15	DFT-256Q AM	H	Edge_1RB_Left	1000	3000	-42.95	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	0.15	30	-75.22	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	1000	3000	-42.93	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-75.72	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-37.45	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-76.97	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-29.87	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS

n25	15	15	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.65	≤-43dBm	PASS
n25	15	15	DFT-256Q AM	H	Outer_Full	0.15	30	-76.50	≤-33dBm	PASS
n25	15	15	DFT-256Q AM	H	Outer_Full	30	1000	-52.95	≤-23dBm	PASS
n25	15	15	DFT-256Q AM	H	Outer_Full	1000	3000	-30.95	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Outer_Full	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	DFT-256Q AM	H	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	0.15	30	-75.44	≤-33dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	1000	3000	-41.24	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	0.15	30	-74.24	≤-33dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	1000	3000	-40.53	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.08	≤-43dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	0.15	30	-74.56	≤-33dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	1000	3000	-34.90	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.73	≤-43dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	0.15	30	-76.57	≤-33dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	1000	3000	-30.19	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	0.15	30	-76.24	≤-33dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	1000	3000	-26.20	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-QPSK	H	Outer_Full	12000	20000	-36.09	≤-13dBm	PASS

n25	15	15	CP-16QA M	H	Edge_1RB_Left	0.009	0.15	-66.77	≤-43dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Left	0.15	30	-75.32	≤-33dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Left	1000	3000	-41.34	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	0.15	30	-75.52	≤-33dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	1000	3000	-40.89	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	0.15	30	-75.71	≤-33dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	30	1000	-52.94	≤-23dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	1000	3000	-34.63	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Right	0.15	30	-76.17	≤-33dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-16QA	H	Edge_1RB_Right	1000	3000	-29.24	≤-13dBm	PASS

			M							
n25	15	15	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Edge_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	0.009	0.15	-66.37	≤-43dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	0.15	30	-76.15	≤-33dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	30	1000	-52.97	≤-23dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	1000	3000	-26.00	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	3000	12000	-44.32	≤-13dBm	PASS
n25	15	15	CP-16QA M	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-65.95	≤-43dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	0.15	30	-75.93	≤-33dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	1000	3000	-41.89	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	0.15	30	-74.74	≤-33dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	1000	3000	-41.93	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-65.97	≤-43dBm	PASS

n25	15	15	CP-64QA M	H	Inner_1RB_Right	0.15	30	-75.31	≤-33dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Right	1000	3000	-36.52	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-66.55	≤-43dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	0.15	30	-76.53	≤-33dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	1000	3000	-30.61	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	0.15	30	-76.60	≤-33dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	1000	3000	-26.97	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	3000	12000	-44.36	≤-13dBm	PASS
n25	15	15	CP-64QA M	H	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-66.52	≤-43dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Left	0.15	30	-77.04	≤-33dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Left	1000	3000	-42.97	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS

			M							
n25	15	15	CP-256QA M	H	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.66	≤-43dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	0.15	30	-76.66	≤-33dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	1000	3000	-42.94	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.31	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Left	12000	20000	-36.09	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.82	≤-43dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	0.15	30	-76.52	≤-33dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	1000	3000	-38.81	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.35	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.46	≤-43dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	0.15	30	-76.27	≤-33dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	30	1000	-52.91	≤-23dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	1000	3000	-32.77	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Edge_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	15	CP-256QA M	H	Outer_Full	0.009	0.15	-66.07	≤-43dBm	PASS
n25	15	15	CP-256QA M	H	Outer_Full	0.15	30	-76.54	≤-33dBm	PASS

n25	15	15	CP-256QAM	H	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	15	CP-256QAM	H	Outer_Full	1000	3000	-30.80	≤-13dBm	PASS
n25	15	15	CP-256QAM	H	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS
n25	15	15	CP-256QAM	H	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-75.34	≤-33dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-28.91	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.60	≤-43dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-73.73	≤-33dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-34.33	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-74.28	≤-33dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-34.18	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.00	≤-43dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-73.93	≤-33dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-35.38	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.31	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	0.15	30	-77.00	≤-33dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	30	1000	-52.91	≤-23dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	1000	3000	-24.48	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-BPSK	L	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-74.33	≤-33dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-29.20	≤-13dBm	PASS

n25	15	20	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-66.71	≤-43dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-72.54	≤-33dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-35.21	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.81	≤-43dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-74.74	≤-33dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-34.18	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-74.78	≤-33dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-36.28	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	30	1000	-53.12	≤-23dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	1000	3000	-22.55	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	20	DFT-QPSK	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-74.67	≤-33dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-30.01	≤-13dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.32	≤-13dBm	PASS
n25	15	20	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.36	≤-43dBm	PASS
n25	15	20	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-72.80	≤-33dBm	PASS

n25	15	20	DFT-16QA M	L	Inner_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Left	1000	3000	-35.74	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	0.15	30	-73.68	≤-33dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	30	1000	-52.97	≤-23dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	1000	3000	-35.43	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	0.15	30	-75.04	≤-33dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	1000	3000	-36.96	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	0.009	0.15	-66.32	≤-43dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	0.15	30	-77.01	≤-33dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	30	1000	-52.92	≤-23dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	1000	3000	-22.71	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	DFT-16QA M	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS

			M							
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	0.009	0.15	-65.98	≤-43dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	0.15	30	-74.55	≤-33dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	1000	3000	-30.07	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	0.009	0.15	-66.69	≤-43dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	0.15	30	-74.58	≤-33dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	1000	3000	-36.84	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	0.15	30	-75.02	≤-33dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	30	1000	-53.01	≤-23dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	1000	3000	-37.26	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Right	0.15	30	-74.34	≤-33dBm	PASS
n25	15	20	DFT-64QA M	L	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS

n25	15	20	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-37.56	≤-13dBm	PASS
n25	15	20	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	0.15	30	-76.15	≤-33dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	30	1000	-52.84	≤-23dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	1000	3000	-23.08	≤-13dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-64QAM	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-76.40	≤-33dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	30	1000	-53.07	≤-23dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-33.51	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-66.43	≤-43dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	0.15	30	-76.42	≤-33dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	1000	3000	-37.97	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	20	DFT-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.88	≤-43dBm	PASS

			AM							
n25	15	20	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-75.62	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-38.57	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-66.51	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-76.58	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-39.03	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.32	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.44	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	0.15	30	-76.51	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	1000	3000	-25.30	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	3000	12000	-44.31	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-65.84	≤-43dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	0.15	30	-74.74	≤-33dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	1000	3000	-31.14	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-65.24	≤-43dBm	PASS

n25	15	20	CP-QPSK	L	Inner_1RB_Left	0.15	30	-74.17	≤-33dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Left	1000	3000	-35.81	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	0.15	30	-73.54	≤-33dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	1000	3000	-35.97	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	0.15	30	-75.88	≤-33dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	1000	3000	-38.31	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	0.009	0.15	-66.48	≤-43dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	0.15	30	-75.65	≤-33dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	1000	3000	-22.32	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-QPSK	L	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-66.20	≤-43dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	0.15	30	-75.08	≤-33dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	30	1000	-52.98	≤-23dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	1000	3000	-30.15	≤-13dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	20	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-65.70	≤-43dBm	PASS
n25	15	20	CP-16QAM	L	Inner_1RB_Left	0.15	30	-75.72	≤-33dBm	PASS
n25	15	20	CP-16QAM	L	Inner_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	CP-16QAM	L	Inner_1RB_Left	1000	3000	-34.47	≤-13dBm	PASS

			M							
n25	15	20	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.01	≤-43dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	0.15	30	-75.16	≤-33dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	1000	3000	-36.67	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-65.79	≤-43dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	0.15	30	-74.37	≤-33dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	1000	3000	-37.64	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	0.009	0.15	-66.56	≤-43dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	0.15	30	-77.07	≤-33dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	1000	3000	-21.56	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-16QA M	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.01	≤-43dBm	PASS

n25	15	20	CP-64QA M	L	Edge_1RB_Left	0.15	30	-74.69	≤-33dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Left	30	1000	-53.18	≤-23dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Left	1000	3000	-31.56	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-65.40	≤-43dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	0.15	30	-74.56	≤-33dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	1000	3000	-35.72	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.18	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.14	≤-43dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	0.15	30	-75.35	≤-33dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	1000	3000	-38.43	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Right	0.15	30	-75.72	≤-33dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Right	1000	3000	-38.39	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS

			M							
n25	15	20	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	0.009	0.15	-66.70	≤-43dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	0.15	30	-76.29	≤-33dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	1000	3000	-22.72	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-64QA M	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-66.33	≤-43dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	0.15	30	-76.51	≤-33dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	30	1000	-53.14	≤-23dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	1000	3000	-33.87	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Edge_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	0.15	30	-74.85	≤-33dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	1000	3000	-39.53	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	20	CP-256QA M	L	Inner_1RB_Right	0.15	30	-77.06	≤-33dBm	PASS

n25	15	20	CP-256QAM	L	Inner_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	20	CP-256QAM	L	Inner_1RB_Right	1000	3000	-40.50	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-65.62	≤-43dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	0.15	30	-76.56	≤-33dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	1000	3000	-40.93	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	0.15	30	-76.97	≤-33dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	30	1000	-53.15	≤-23dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	1000	3000	-26.57	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-256QAM	L	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-66.25	≤-43dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-74.43	≤-33dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-52.89	≤-23dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-65.93	≤-43dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-73.25	≤-33dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-44.35	≤-13dBm	PASS

n25	15	20	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.18	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.03	≤-43dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-75.38	≤-33dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.38	≤-43dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-73.75	≤-33dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-44.32	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-35.90	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	0.15	30	-77.19	≤-33dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	1000	3000	-42.60	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	3000	12000	-44.19	≤-13dBm	PASS
n25	15	20	DFT-BPSK	M	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-73.35	≤-33dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-72.67	≤-33dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-74.96	≤-33dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-44.22	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.19	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.29	≤-43dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-75.16	≤-33dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Right	30	1000	-52.89	≤-23dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-44.22	≤-13dBm	PASS