

n25	15	20	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.29	≤-43dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	0.15	30	-76.03	≤-33dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	1000	3000	-40.88	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	DFT-QPSK	M	Outer_Full	12000	20000	-35.91	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-65.80	≤-43dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-73.91	≤-33dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-72.26	≤-33dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	0.15	30	-73.40	≤-33dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	1000	3000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-16QAM	M	Inner_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS

n25	15	20	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.94	≤-43dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-74.51	≤-33dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-44.37	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.61	≤-43dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	0.15	30	-76.94	≤-33dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	30	1000	-52.88	≤-23dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	1000	3000	-41.16	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-16QA M	M	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.23	≤-43dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-75.44	≤-33dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	30	1000	-53.10	≤-23dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-44.24	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.68	≤-43dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-75.47	≤-33dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS

			M							
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-44.17	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-65.90	≤-43dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-75.19	≤-33dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	30	1000	-53.10	≤-23dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-44.30	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-75.35	≤-33dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	0.15	30	-76.28	≤-33dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	1000	3000	-41.90	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	3000	12000	-44.14	≤-13dBm	PASS
n25	15	20	DFT-64QA M	M	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS

n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-75.41	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-66.67	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-75.23	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-44.31	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-66.07	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-75.84	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-44.27	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.39	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-76.48	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-44.13	≤-13dBm	PASS

			AM							
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.72	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	0.15	30	-76.58	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	1000	3000	-43.47	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	M	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.06	≤-43dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	0.15	30	-74.56	≤-33dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	1000	3000	-44.30	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-65.88	≤-43dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	0.15	30	-73.54	≤-33dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	30	1000	-53.15	≤-23dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	1000	3000	-44.28	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-65.99	≤-43dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	0.15	30	-75.35	≤-33dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	30	1000	-52.98	≤-23dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	1000	3000	-44.26	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-65.71	≤-43dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	0.15	30	-75.11	≤-33dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	1000	3000	-44.19	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Outer_Full	0.009	0.15	-66.13	≤-43dBm	PASS

n25	15	20	CP-QPSK	M	Outer_Full	0.15	30	-77.11	≤-33dBm	PASS
n25	15	20	CP-QPSK	M	Outer_Full	30	1000	-52.79	≤-23dBm	PASS
n25	15	20	CP-QPSK	M	Outer_Full	1000	3000	-44.30	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Outer_Full	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-QPSK	M	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.42	≤-43dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	0.15	30	-74.78	≤-33dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	30	1000	-53.05	≤-23dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	1000	3000	-44.29	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-66.27	≤-43dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	0.15	30	-73.95	≤-33dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	1000	3000	-44.26	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	0.15	30	-73.95	≤-33dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	1000	3000	-44.29	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-16QAM	M	Edge_1RB_Right	0.009	0.15	-66.65	≤-43dBm	PASS

			M							
n25	15	20	CP-16QA M	M	Edge_1RB_Right	0.15	30	-75.77	≤-33dBm	PASS
n25	15	20	CP-16QA M	M	Edge_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	CP-16QA M	M	Edge_1RB_Right	1000	3000	-44.32	≤-13dBm	PASS
n25	15	20	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	0.15	30	-75.79	≤-33dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	1000	3000	-41.19	≤-13dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	3000	12000	-44.15	≤-13dBm	PASS
n25	15	20	CP-16QA M	M	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	0.15	30	-75.53	≤-33dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	30	1000	-52.97	≤-23dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	1000	3000	-44.26	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-65.94	≤-43dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Left	0.15	30	-76.13	≤-33dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Left	1000	3000	-44.20	≤-13dBm	PASS

n25	15	20	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.30	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-65.58	≤-43dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	0.15	30	-75.37	≤-33dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	1000	3000	-44.23	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-65.92	≤-43dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	0.15	30	-75.38	≤-33dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	30	1000	-53.03	≤-23dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	1000	3000	-44.21	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	0.009	0.15	-65.92	≤-43dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	0.15	30	-76.29	≤-33dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	1000	3000	-41.63	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	CP-64QA M	M	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.02	≤-43dBm	PASS
n25	15	20	CP-256QA	M	Edge_1RB_Left	0.15	30	-76.46	≤-33dBm	PASS

			M							
n25	15	20	CP-256QA M	M	Edge_1RB_Left	30	1000	-53.12	≤-23dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Left	1000	3000	-44.18	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.58	≤-43dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	0.15	30	-75.73	≤-33dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	1000	3000	-44.36	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.23	≤-43dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	0.15	30	-76.11	≤-33dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	1000	3000	-44.31	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Right	0.15	30	-75.86	≤-33dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Right	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Right	1000	3000	-44.23	≤-13dBm	PASS
n25	15	20	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS

n25	15	20	CP-256QAM	M	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	0.15	30	-77.87	≤-33dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	1000	3000	-44.02	≤-13dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-256QAM	M	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.00	≤-43dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-74.97	≤-33dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-42.42	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-73.99	≤-33dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-42.25	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-73.35	≤-33dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	30	1000	-52.86	≤-23dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-35.11	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-66.00	≤-43dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-74.67	≤-33dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	30	1000	-53.13	≤-23dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-30.87	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.19	≤-43dBm	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	0.15	30	-77.04	≤-33dBm	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	30	1000	-52.97	≤-23dBm	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	1000	3000	-31.49	≤-13dBm	PASS

n25	15	20	DFT-BPSK	H	Outer_Full	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-BPSK	H	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-75.23	≤-33dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-42.07	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.19	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.12	≤-43dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-74.50	≤-33dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-41.50	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.24	≤-43dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-75.15	≤-33dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-35.29	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.18	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.08	≤-43dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-76.12	≤-33dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	30	1000	-52.93	≤-23dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-29.82	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.17	≤-43dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	0.15	30	-76.93	≤-33dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	1000	3000	-27.59	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	3000	12000	-44.29	≤-13dBm	PASS
n25	15	20	DFT-QPSK	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-65.96	≤-43dBm	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-75.84	≤-33dBm	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-42.15	≤-13dBm	PASS
n25	15	20	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS

n25	15	20	DFT-16QA M	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	0.009	0.15	-66.40	≤-43dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	0.15	30	-73.66	≤-33dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	1000	3000	-41.92	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	0.009	0.15	-66.68	≤-43dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	0.15	30	-74.21	≤-33dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	1000	3000	-35.70	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.59	≤-43dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	0.15	30	-75.52	≤-33dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	30	1000	-53.05	≤-23dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-30.80	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.19	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Outer_Full	0.009	0.15	-66.69	≤-43dBm	PASS
n25	15	20	DFT-16QA M	H	Outer_Full	0.15	30	-76.27	≤-33dBm	PASS
n25	15	20	DFT-16QA	H	Outer_Full	30	1000	-53.03	≤-23dBm	PASS

			M							
n25	15	20	DFT-16QA M	H	Outer_Full	1000	3000	-28.22	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Outer_Full	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	DFT-16QA M	H	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	0.009	0.15	-65.95	≤-43dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	0.15	30	-74.26	≤-33dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	1000	3000	-42.48	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.65	≤-43dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	0.15	30	-74.94	≤-33dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	1000	3000	-42.49	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	0.009	0.15	-65.78	≤-43dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	0.15	30	-75.85	≤-33dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	30	1000	-53.09	≤-23dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	1000	3000	-36.64	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-64QA M	H	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS

n25	15	20	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-75.25	≤-33dBm	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	30	1000	-53.02	≤-23dBm	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-31.50	≤-13dBm	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.74	≤-43dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	0.15	30	-76.91	≤-33dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	30	1000	-53.11	≤-23dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	1000	3000	-28.93	≤-13dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	DFT-64QAM	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-66.45	≤-43dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-75.74	≤-33dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-43.23	≤-13dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-66.22	≤-43dBm	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-75.05	≤-33dBm	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	20	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-43.19	≤-13dBm	PASS

			AM							
n25	15	20	DFT-256Q AM	H	Inner_1RB_Left	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-66.64	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-75.94	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-38.59	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-66.04	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-76.80	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-33.64	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.34	≤-43dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	0.15	30	-76.51	≤-33dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	30	1000	-53.08	≤-23dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	1000	3000	-31.98	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	DFT-256Q AM	H	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-65.82	≤-43dBm	PASS

n25	15	20	CP-QPSK	H	Edge_1RB_Left	0.15	30	-75.28	≤-33dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Left	30	1000	-52.85	≤-23dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Left	1000	3000	-43.62	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.27	≤-43dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	0.15	30	-73.90	≤-33dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	1000	3000	-40.79	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	0.15	30	-75.01	≤-33dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	30	1000	-53.07	≤-23dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	1000	3000	-36.57	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-65.68	≤-43dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	0.15	30	-76.00	≤-33dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	30	1000	-53.12	≤-23dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	1000	3000	-31.60	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.23	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	0.009	0.15	-65.84	≤-43dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	0.15	30	-76.97	≤-33dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	30	1000	-52.93	≤-23dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	1000	3000	-27.66	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-QPSK	H	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.64	≤-43dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	0.15	30	-75.00	≤-33dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	1000	3000	-41.77	≤-13dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.18	≤-43dBm	PASS





			M							
n25	15	20	CP-16QA M	H	Inner_1RB_Left	0.15	30	-75.34	≤-33dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Left	30	1000	-53.03	≤-23dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Left	1000	3000	-41.13	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.20	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-66.31	≤-43dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	0.15	30	-75.78	≤-33dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	1000	3000	-35.93	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.53	≤-43dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	0.15	30	-74.72	≤-33dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	1000	3000	-31.79	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Outer_Full	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	CP-16QA M	H	Outer_Full	0.15	30	-76.11	≤-33dBm	PASS
n25	15	20	CP-16QA M	H	Outer_Full	30	1000	-53.10	≤-23dBm	PASS
n25	15	20	CP-16QA M	H	Outer_Full	1000	3000	-27.14	≤-13dBm	PASS


n25	15	20	CP-16QA M	H	Outer_Full	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-16QA M	H	Outer_Full	12000	20000	-35.93	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-66.47	≤-43dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	0.15	30	-75.82	≤-33dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	30	1000	-53.01	≤-23dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	1000	3000	-42.09	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.21	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.21	≤-43dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	0.15	30	-74.93	≤-33dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	30	1000	-53.04	≤-23dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	1000	3000	-42.06	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.22	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-65.83	≤-43dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	0.15	30	-76.16	≤-33dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	30	1000	-52.92	≤-23dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	1000	3000	-38.00	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	20	CP-64QA	H	Edge_1RB_Right	0.15	30	-76.01	≤-33dBm	PASS


			M							
n25	15	20	CP-64QA M	H	Edge_1RB_Right	30	1000	-52.96	≤-23dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Right	1000	3000	-31.99	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.25	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	0.009	0.15	-65.91	≤-43dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	0.15	30	-76.38	≤-33dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	1000	3000	-28.41	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS
n25	15	20	CP-64QA M	H	Outer_Full	12000	20000	-35.91	≤-13dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-66.30	≤-43dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	0.15	30	-76.04	≤-33dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	30	1000	-52.95	≤-23dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	1000	3000	-43.03	≤-13dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.17	≤-13dBm	PASS
n25	15	20	CP-256QA M	H	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n25	15	20	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	20	CP-256QA M	H	Inner_1RB_Left	0.15	30	-76.48	≤-33dBm	PASS
n25	15	20	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.00	≤-23dBm	PASS
n25	15	20	CP-256QA M	H	Inner_1RB_Left	1000	3000	-43.24	≤-13dBm	PASS
n25	15	20	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.27	≤-13dBm	PASS





n25	15	20	CP-256QAM	H	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	0.009	0.15	-66.69	≤-43dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	0.15	30	-76.20	≤-33dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	30	1000	-53.06	≤-23dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	0.009	0.15	-66.03	≤-43dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	0.15	30	-76.84	≤-33dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	30	1000	-52.99	≤-23dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	1000	3000	-35.52	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	3000	12000	-44.27	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	0.009	0.15	-66.16	≤-43dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	0.15	30	-76.50	≤-33dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	30	1000	-53.01	≤-23dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	1000	3000	-32.40	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	3000	12000	-44.24	≤-13dBm	PASS
n25	15	20	CP-256QAM	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS


Test Graphs




 Date: 26.AUG.2025 18:26:45 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Le ft-0.009-0.15-PASS	 Date: 26.AUG.2025 18:27:00 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Le ft-0.15-30-PASS
 Date: 26.AUG.2025 18:27:15 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Le ft-30-1000-PASS	 Date: 8 SEP 2025 16:21:07 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Le ft-1000-3000-PASS











 NTNV-n25-PC3-15-5-L-DFT-BPSK-Inner_1RB_Ri ght-0.009-0.15-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Inner_1RB_Ri ght-0.15-30-PASS
 NTNV-n25-PC3-15-5-L-DFT-BPSK-Inner_1RB_Ri ght-30-1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Inner_1RB_Ri ght-1000-3000-PASS








 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Ri ght-30-1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Ri ght-1000-3000-PASS
 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Ri ght-3000-12000-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Edge_1RB_Ri ght-12000-20000-PASS


 NTNV-n25-PC3-15-5-L-DFT-BPSK-Outter_Full-0.0 09-0.15-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Outter_Full-0.1 5-30-PASS
 NTNV-n25-PC3-15-5-L-DFT-BPSK-Outter_Full-30- 1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-BPSK-Outter_Full-100 0-3000-PASS











 Ref 0 dBm *Att 20 dB *SMT 1 s *RBW 1 kHz Marker 1 [T1] -66.36 dBm Offset 4.7 dB LIMIT CHECK PASS Start 9 kHz 14.1 kHz/ Stop 150 kHz Date: 26.AUG.2025 18:37:57	 Ref 0 dBm *Att 20 dB *SMT 1 s *RBW 10 kHz Marker 1 [T1] -76.57 dBm Offset 5.1 dB LIMIT CHECK PASS Start 150 kHz 2.995 MHz/ Stop 30 MHz Date: 26.AUG.2025 18:38:12
NTNV-n25-PC3-15-5-L-DFT-QPSK-Inner_1RB_Le ft-0.009-0.15-PASS	NTNV-n25-PC3-15-5-L-DFT-QPSK-Inner_1RB_Le ft-0.15-30-PASS
 Ref 25 dBm *Att 40 dB *SMT 1 s *RBW 100 kHz Marker 1 [T1] -53.09 dBm Offset 8.4 dB LIMIT CHECK PASS Start 30 MHz 97 MHz/ Stop 1 GHz Date: 26.AUG.2025 18:38:26	 Spectrum Ref Level 25.00 dBm Offset 11.27 dB RBW 1 MHz Att 35 dB SWT 1 s VBW 3 MHz Mode Sweep SQL Count 5/5 15m AvgPwr Limit check Limit PASS PASS M1[1] -26.92 dBm 1.848400 GHz Start 1.0 GHz 10001 pts Stop 3.0 GHz Date: 8 SEP 2025 16:23:55
NTNV-n25-PC3-15-5-L-DFT-QPSK-Inner_1RB_Le ft-30-1000-PASS	NTNV-n25-PC3-15-5-L-DFT-QPSK-Inner_1RB_Le ft-1000-3000-PASS








 NTNV-n25-PC3-15-5-L-DFT-QPSK-Edge_1RB_Ri ght-0.009-0.15-PASS	 NTNV-n25-PC3-15-5-L-DFT-QPSK-Edge_1RB_Ri ght-0.15-30-PASS
 NTNV-n25-PC3-15-5-L-DFT-QPSK-Edge_1RB_Ri ght-30-1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-QPSK-Edge_1RB_Ri ght-1000-3000-PASS























 NTNV-n25-PC3-15-5-L-DFT-16QAM-Inner_1RB_ Right-0.009-0.15-PASS	 NTNV-n25-PC3-15-5-L-DFT-16QAM-Inner_1RB_ Right-0.15-30-PASS
 NTNV-n25-PC3-15-5-L-DFT-16QAM-Inner_1RB_ Right-30-1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-16QAM-Inner_1RB_ Right-1000-3000-PASS








 NTNV-n25-PC3-15-5-L-DFT-16QAM-Outer_Full-0. 009-0.15-PASS	 NTNV-n25-PC3-15-5-L-DFT-16QAM-Outer_Full-0. 15-30-PASS
 NTNV-n25-PC3-15-5-L-DFT-16QAM-Outer_Full-3 0-1000-PASS	 NTNV-n25-PC3-15-5-L-DFT-16QAM-Outer_Full-1 000-3000-PASS
























 Ref 0 dBm *Att 20 dB *RBW 1 kHz Marker 1 [T1] -66.65 dBm *VSW 3 kHz *SMT 1 s 67.65000000 kHz Offset 4.7 dB LIMIT CHECK PASS Start 9 kHz 14.1 kHz/ Stop 150 kHz Date: 26.AUG.2025 18:52:08	 Ref 0 dBm *Att 20 dB *RBW 10 kHz Marker 1 [T1] -75.11 dBm *VSW 30 kHz *SMT 1 s 150.00000000 kHz Offset 5.1 dB LIMIT CHECK PASS Start 150 kHz 2.985 MHz/ Stop 30 MHz Date: 26.AUG.2025 18:52:23
NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-0.009-0.15-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-0.15-30-PASS
 Ref 25 dBm *Att 40 dB *RBW 100 kHz Marker 1 [T1] -52.98 dBm *VSW 300 kHz *SMT 1 s 97.00000000 MHz Offset 8.4 dB LIMIT CHECK PASS Start 30 MHz 97 MHz/ Stop 1 GHz Date: 26.AUG.2025 18:52:37	 Spectrum Ref Level 25.00 dBm Offset 11.27 dB RBW 1 MHz Att 35 dB SWT 1 s VSW 3 MHz Mode Sweep SQL Count 5/5 15m AvgPwr Limit check PASS M1[1] -28.18 dBm 1.846200 GHz Start 1.0 GHz 10001 pts Stop 3.0 GHz Date: 8 SEP 2025 16:25:36
NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-30-1000-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-1000-3000-PASS


 Date: 26.AUG.2025 18:53:10	 Date: 26.AUG.2025 18:53:25
NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-3000-12000-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Edge_1RB_ Right-12000-20000-PASS
 Date: 26.AUG.2025 18:49:00	 Date: 26.AUG.2025 18:49:15
NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-0. 009-0.15-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-0. 15-30-PASS


 Date: 26.AUG.2025 18:49:29	 Date: 8 SEP 2025 16:25:14
NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-3 0-1000-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-1 000-3000-PASS
 Date: 26.AUG.2025 18:50:02	 Date: 26.AUG.2025 18:50:17
NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-3 000-12000-PASS	NTNV-n25-PC3-15-5-L-DFT-64QAM-Outer_Full-1 2000-20000-PASS





































NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Left -0.009-0.15-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Left -0.15-30-PASS
NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Left -30-1000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Left -1000-3000-PASS





 Ref 25 dBm *Att 40 dB *RBW 100 kHz Marker 1 [T1] -50.99 dBm *VSW 300 kHz *SMT 1 s 783.69000000 MHz Offset 8.4 dB LIMIT CHECK PASS Start 30 MHz 97 MHz/ Stop 1 GHz Date: 26.AUG.2025 19:11:49	 Spectrum Ref Level 25.00 dBm Offset 11.27 dB RBW 1 MHz Att 35 dB SWT 1 s VBW 3 MHz Mode Sweep SQL Count 5/5 Limit check PASS M1[1] -27.15 dBm 1.846800 GHz Start 1.0 GHz 10001 pts Stop 3.0 GHz Date: 8 SEP.2025 16:28:07
NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Rig ht-30-1000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Rig ht-1000-3000-PASS
 Ref 10 dBm *Att 20 dB *RBW 1 MHz Marker 1 [T1] -44.39 dBm *VSW 3 MHz *SMT 1 s 30.85700000 GHz Offset 20.6 dB LIMIT CHECK PASS Start 3 GHz 900 MHz/ Stop 12 GHz Date: 26.AUG.2025 19:12:21	 Ref 10 dBm *Att 20 dB *RBW 1 MHz Marker 1 [T1] -36.13 dBm *VSW 3 MHz *SMT 1 s 19.91200000 GHz Offset 18 dB LIMIT CHECK PASS Start 12 GHz 800 MHz/ Stop 20 GHz Date: 26.AUG.2025 19:12:36
NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Rig ht-3000-12000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Inner_1RB_Rig ht-12000-20000-PASS





 Date: 26.AUG.2025 19:09:12	 Date: 26.AUG.2025 19:09:28
NTNV-n25-PC3-15-5-L-CP-QPSK-Edge_1RB_Rig ht-3000-12000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Edge_1RB_Rig ht-12000-20000-PASS
 Date: 26.AUG.2025 19:05:02	 Date: 26.AUG.2025 19:05:17
NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-0.00 9-0.15-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-0.15 -30-PASS


 Date: 26.AUG.2025 19:05:31	 Date: 8 SEP 2025 16:27:22
NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-30-1 000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-100 0-3000-PASS
 Date: 26.AUG.2025 19:06:04	 Date: 26.AUG.2025 19:06:19
NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-300 0-12000-PASS	NTNV-n25-PC3-15-5-L-CP-QPSK-Outer_Full-120 00-20000-PASS



















Date: 26.AUG.2025 19:12:54	Date: 26.AUG.2025 19:13:09
NTNV-n25-PC3-15-5-L-CP-16QAM-Outter_Full-0.0 09-0.15-PASS	NTNV-n25-PC3-15-5-L-CP-16QAM-Outter_Full-0.1 5-30-PASS
Date: 26.AUG.2025 19:13:24	Date: 8 SEP 2025 16:28:19
NTNV-n25-PC3-15-5-L-CP-16QAM-Outter_Full-30- 1000-PASS	NTNV-n25-PC3-15-5-L-CP-16QAM-Outter_Full-10 00-3000-PASS







NTNV-n25-PC3-15-5-L-CP-16QAM-Outer_Full-30
00-12000-PASS

NTNV-n25-PC3-15-5-L-CP-16QAM-Outer_Full-12
000-20000-PASS

NTNV-n25-PC3-15-5-L-CP-64QAM-Edge_1RB_Le
ft-0.009-0.15-PASSNTNV-n25-PC3-15-5-L-CP-64QAM-Edge_1RB_Le
ft-0.15-30-PASS



 NTNV-n25-PC3-15-5-L-CP-64QAM-Inner_1RB_Le ft-0.009-0.15-PASS	 NTNV-n25-PC3-15-5-L-CP-64QAM-Inner_1RB_Le ft-0.15-30-PASS
 NTNV-n25-PC3-15-5-L-CP-64QAM-Inner_1RB_Le ft-30-1000-PASS	 NTNV-n25-PC3-15-5-L-CP-64QAM-Inner_1RB_Le ft-1000-3000-PASS