































Appendix D: Band Edge for SA

Test Result


Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	Result (dBm)	Verdict
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	-16.26	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	-30.67	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	-17.63	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	-30.70	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	-19.11	PASS
n5	15	5	DFT-16QAM	L	Outer_Full	-31.32	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	-18.96	PASS
n5	15	5	DFT-64QAM	L	Outer_Full	-31.55	PASS
n5	15	5	DFT-256QAM	L	Edge_1RB_Left	-27.99	PASS
n5	15	5	DFT-256QAM	L	Outer_Full	-34.99	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	-19.95	PASS
n5	15	5	CP-QPSK	L	Outer_Full	-30.32	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	-20.83	PASS
n5	15	5	CP-16QAM	L	Outer_Full	-31.11	PASS
n5	15	5	CP-64QAM	L	Edge_1RB_Left	-19.71	PASS
n5	15	5	CP-64QAM	L	Outer_Full	-31.48	PASS
n5	15	5	CP-256QAM	L	Edge_1RB_Left	-22.66	PASS
n5	15	5	CP-256QAM	L	Outer_Full	-33.81	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	-16.98	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	-28.23	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	-19.61	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	-28.26	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Right	-19.10	PASS
n5	15	5	DFT-16QAM	H	Outer_Full	-30.54	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Right	-20.46	PASS
n5	15	5	DFT-64QAM	H	Outer_Full	-30.63	PASS
n5	15	5	DFT-256QAM	H	Edge_1RB_Right	-21.01	PASS
n5	15	5	DFT-256QAM	H	Outer_Full	-33.05	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	-19.96	PASS
n5	15	5	CP-QPSK	H	Outer_Full	-29.50	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Right	-19.28	PASS
n5	15	5	CP-16QAM	H	Outer_Full	-29.88	PASS
n5	15	5	CP-64QAM	H	Edge_1RB_Right	-19.04	PASS
n5	15	5	CP-64QAM	H	Outer_Full	-31.40	PASS
n5	15	5	CP-256QAM	H	Edge_1RB_Right	-22.63	PASS
n5	15	5	CP-256QAM	H	Outer_Full	-35.20	PASS


n5	15	10	DFT-BPSK	L	Edge_1RB_Left	-14.68	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	-30.66	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	-15.53	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	-29.38	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	-17.64	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	-31.21	PASS
n5	15	10	DFT-64QAM	L	Edge_1RB_Left	-17.66	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	-32.15	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	-53.61	PASS
n5	15	10	DFT-256QAM	L	Outer_Full	-33.74	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	-17.49	PASS
n5	15	10	CP-QPSK	L	Outer_Full	-32.12	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	-18.50	PASS
n5	15	10	CP-16QAM	L	Outer_Full	-32.31	PASS
n5	15	10	CP-64QAM	L	Edge_1RB_Left	-17.24	PASS
n5	15	10	CP-64QAM	L	Outer_Full	-32.79	PASS
n5	15	10	CP-256QAM	L	Edge_1RB_Left	-53.62	PASS
n5	15	10	CP-256QAM	L	Outer_Full	-36.77	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	-15.12	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	-35.76	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	-15.54	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	-35.54	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Right	-17.47	PASS
n5	15	10	DFT-16QAM	H	Outer_Full	-36.06	PASS
n5	15	10	DFT-64QAM	H	Edge_1RB_Right	-18.33	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	-36.48	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Right	-52.84	PASS
n5	15	10	DFT-256QAM	H	Outer_Full	-42.63	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	-20.22	PASS
n5	15	10	CP-QPSK	H	Outer_Full	-32.39	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Right	-18.35	PASS
n5	15	10	CP-16QAM	H	Outer_Full	-30.81	PASS
n5	15	10	CP-64QAM	H	Edge_1RB_Right	-18.10	PASS
n5	15	10	CP-64QAM	H	Outer_Full	-33.63	PASS
n5	15	10	CP-256QAM	H	Edge_1RB_Right	-52.59	PASS
n5	15	10	CP-256QAM	H	Outer_Full	-41.43	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	-16.03	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	-28.85	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	-49.84	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	-29.49	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	-49.68	PASS
n5	15	15	DFT-16QAM	L	Outer_Full	-30.39	PASS


n5	15	15	DFT-64QAM	L	Edge_1RB_Left	-49.50	PASS
n5	15	15	DFT-64QAM	L	Outer_Full	-49.41	PASS
n5	15	15	DFT-256QAM	L	Edge_1RB_Left	-29.51	PASS
n5	15	15	DFT-256QAM	L	Outer_Full	-36.99	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	-19.97	PASS
n5	15	15	CP-QPSK	L	Outer_Full	-32.74	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	-19.70	PASS
n5	15	15	CP-16QAM	L	Outer_Full	-33.20	PASS
n5	15	15	CP-64QAM	L	Edge_1RB_Left	-18.99	PASS
n5	15	15	CP-64QAM	L	Outer_Full	-34.09	PASS
n5	15	15	CP-256QAM	L	Edge_1RB_Left	-48.10	PASS
n5	15	15	CP-256QAM	L	Outer_Full	-38.79	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	-17.20	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	-27.45	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	-17.07	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	-29.67	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Right	-18.32	PASS
n5	15	15	DFT-16QAM	H	Outer_Full	-32.42	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	-21.48	PASS
n5	15	15	DFT-64QAM	H	Outer_Full	-34.40	PASS
n5	15	15	DFT-256QAM	H	Edge_1RB_Right	-20.89	PASS
n5	15	15	DFT-256QAM	H	Outer_Full	-38.11	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	-49.77	PASS
n5	15	15	CP-QPSK	H	Outer_Full	-30.23	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Right	-49.81	PASS
n5	15	15	CP-16QAM	H	Outer_Full	-32.76	PASS
n5	15	15	CP-64QAM	H	Edge_1RB_Right	-19.43	PASS
n5	15	15	CP-64QAM	H	Outer_Full	-32.03	PASS
n5	15	15	CP-256QAM	H	Edge_1RB_Right	-22.61	PASS
n5	15	15	CP-256QAM	H	Outer_Full	-38.37	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	-14.94	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	-27.73	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	-14.52	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	-28.87	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	-15.40	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	-31.05	PASS
n5	15	20	DFT-64QAM	L	Edge_1RB_Left	-15.84	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	-30.75	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	-26.87	PASS
n5	15	20	DFT-256QAM	L	Outer_Full	-34.11	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	-16.25	PASS
n5	15	20	CP-QPSK	L	Outer_Full	-30.84	PASS


n5	15	20	CP-16QAM	L	Edge_1RB_Left	-15.90	PASS
n5	15	20	CP-16QAM	L	Outer_Full	-31.62	PASS
n5	15	20	CP-64QAM	L	Edge_1RB_Left	-15.03	PASS
n5	15	20	CP-64QAM	L	Outer_Full	-31.91	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Left	-19.02	PASS
n5	15	20	CP-256QAM	L	Outer_Full	-37.35	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	-13.13	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	-30.66	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	-13.32	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	-46.90	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	-14.93	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	-34.62	PASS
n5	15	20	DFT-64QAM	H	Edge_1RB_Right	-16.99	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	-34.33	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Right	-17.36	PASS
n5	15	20	DFT-256QAM	H	Outer_Full	-40.60	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	-15.45	PASS
n5	15	20	CP-QPSK	H	Outer_Full	-30.91	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Right	-16.34	PASS
n5	15	20	CP-16QAM	H	Outer_Full	-30.81	PASS
n5	15	20	CP-64QAM	H	Edge_1RB_Right	-16.05	PASS
n5	15	20	CP-64QAM	H	Outer_Full	-33.06	PASS
n5	15	20	CP-256QAM	H	Edge_1RB_Right	-18.79	PASS
n5	15	20	CP-256QAM	H	Outer_Full	-37.54	PASS


Test Graphs



























































NTNV-n5-PC2-15-15-L-DFT-BPSK-Edge_1RB_Le
ft-PASSNTNV-n5-PC2-15-15-L-DFT-BPSK-Outer_Full-PA
SSNTNV-n5-PC2-15-15-L-DFT-QPSK-Edge_1RB_Le
ft-PASSNTNV-n5-PC2-15-15-L-DFT-QPSK-Outer_Full-PA
SS















































Appendix E: Conducted Spurious Emission for SA

Test Result

Band	SCS (kHz)	Bandwidth (MHz)	Modulation	Channel	RB Config	StartFreq (MHz)	StopFreq (MHz)	Result (dBm)	Limit	Verdict
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-54.03	≤-33dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-54.82	≤-23dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	30	1000	-46.29	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-52.87	≤-33dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-55.09	≤-23dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	30	1000	-45.43	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-52.81	≤-33dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-54.13	≤-23dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	30	1000	-46.14	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-53.39	≤-33dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-54.43	≤-23dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	30	1000	-46.08	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.53	≤-33dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	0.15	30	-55.35	≤-23dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	30	1000	-38.45	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-BPSK	L	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-54.76	≤-33dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-57.22	≤-23dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-46.20	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-39.44	≤-13dBm	PASS

n5	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-52.71	≤-33dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-55.81	≤-23dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	30	1000	-45.68	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-39.47	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.78	≤-33dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-55.33	≤-23dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	30	1000	-46.21	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-39.47	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-54.63	≤-33dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-57.12	≤-23dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	30	1000	-46.11	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.13	≤-33dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	0.15	30	-60.54	≤-23dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	30	1000	-35.55	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-QPSK	L	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-54.34	≤-33dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-53.82	≤-23dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	30	1000	-45.90	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-39.46	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-61.57	≤-33dBm	PASS
n5	15	5	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-76.45	≤-23dBm	PASS

			M							
n5	15	5	DFT-16QA M	L	Inner_1RB_Left	30	1000	-46.37	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	0.009	0.15	-61.21	≤-33dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	0.15	30	-63.39	≤-23dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	30	1000	-48.51	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	0.009	0.15	-66.50	≤-33dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	0.15	30	-53.25	≤-23dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	30	1000	-40.24	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Outer_Full	0.009	0.15	-62.57	≤-33dBm	PASS
n5	15	5	DFT-16QA M	L	Outer_Full	0.15	30	-76.58	≤-23dBm	PASS
n5	15	5	DFT-16QA M	L	Outer_Full	30	1000	-36.81	≤-13dBm	PASS
n5	15	5	DFT-16QA M	L	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS

n5	15	5	DFT-16QAM	L	Outer_Full	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	DFT-16QAM	L	Outer_Full	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-54.79	≤-33dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-57.30	≤-23dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	30	1000	-47.12	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-39.43	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-66.45	≤-33dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-71.72	≤-23dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	30	1000	-44.36	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-61.07	≤-33dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-76.88	≤-23dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	30	1000	-47.02	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	5	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-54.71	≤-33dBm	PASS

			M							
n5	15	5	DFT-64QA M	L	Edge_1RB_Right	0.15	30	-57.12	≤-23dBm	PASS
n5	15	5	DFT-64QA M	L	Edge_1RB_Right	30	1000	-46.56	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Edge_1RB_Right	1000	3000	-39.43	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	0.009	0.15	-60.58	≤-33dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	0.15	30	-58.26	≤-23dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	30	1000	-37.26	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-64QA M	L	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	0.009	0.15	-66.34	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	0.15	30	-61.33	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	30	1000	-49.08	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	0.009	0.15	-59.64	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	0.15	30	-61.18	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	30	1000	-51.80	≤-13dBm	PASS

n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	0.009	0.15	-58.53	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-60.03	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-40.60	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-62.49	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-76.83	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-49.40	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Outer_Full	0.009	0.15	-65.91	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	L	Outer_Full	0.15	30	-64.26	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	L	Outer_Full	30	1000	-40.23	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	L	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	DFT-256Q	L	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS

			AM							
n5	15	5	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-53.88	≤-33dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	0.15	30	-59.76	≤-23dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	30	1000	-45.24	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-51.68	≤-33dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	0.15	30	-56.45	≤-23dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	30	1000	-44.25	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-61.04	≤-33dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	0.15	30	-64.62	≤-23dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	30	1000	-44.62	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Inner_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.50	≤-33dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	0.15	30	-58.42	≤-23dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	30	1000	-45.81	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	1000	3000	-39.43	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Edge_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	0.009	0.15	-64.83	≤-33dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	0.15	30	-61.75	≤-23dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	30	1000	-36.30	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	CP-QPSK	L	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-55.29	≤-33dBm	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	0.15	30	-58.39	≤-23dBm	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	30	1000	-45.27	≤-13dBm	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS

n5	15	5	CP-16QA M	L	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	0.009	0.15	-66.51	≤-33dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	0.15	30	-56.10	≤-23dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	30	1000	-39.36	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	1000	3000	-39.43	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.32	≤-33dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	0.15	30	-55.35	≤-23dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	30	1000	-44.57	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.09	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-54.41	≤-33dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	0.15	30	-58.51	≤-23dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	30	1000	-45.86	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Outer_Full	0.009	0.15	-66.11	≤-33dBm	PASS
n5	15	5	CP-16QA	L	Outer_Full	0.15	30	-63.84	≤-23dBm	PASS

			M							
n5	15	5	CP-16QA M	L	Outer_Full	30	1000	-35.19	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Outer_Full	1000	3000	-39.46	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-16QA M	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-56.69	≤-33dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	0.15	30	-59.97	≤-23dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	30	1000	-47.62	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-56.79	≤-33dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	0.15	30	-59.68	≤-23dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	30	1000	-47.03	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-56.82	≤-33dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Right	0.15	30	-58.97	≤-23dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Right	30	1000	-45.90	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Right	1000	3000	-39.47	≤-13dBm	PASS

n5	15	5	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-55.64	≤-33dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	0.15	30	-58.22	≤-23dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	30	1000	-45.84	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.75	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	0.009	0.15	-66.40	≤-33dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	0.15	30	-70.37	≤-23dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	30	1000	-37.49	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	CP-64QA M	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-61.60	≤-33dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	0.15	30	-67.02	≤-23dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	30	1000	-49.13	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-256QA	L	Inner_1RB_Left	0.009	0.15	-60.92	≤-33dBm	PASS

			M							
n5	15	5	CP-256QA M	L	Inner_1RB_Left	0.15	30	-65.29	≤-23dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Left	30	1000	-52.19	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-60.50	≤-33dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	0.15	30	-65.07	≤-23dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	30	1000	-49.03	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	1000	3000	-39.46	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	0.009	0.15	-62.35	≤-33dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	0.15	30	-76.41	≤-23dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	30	1000	-52.34	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	1000	3000	-38.72	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-256QA M	L	Outer_Full	0.009	0.15	-66.36	≤-33dBm	PASS
n5	15	5	CP-256QA M	L	Outer_Full	0.15	30	-68.11	≤-23dBm	PASS
n5	15	5	CP-256QA M	L	Outer_Full	30	1000	-41.97	≤-13dBm	PASS

n5	15	5	CP-256QAM	L	Outer_Full	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	CP-256QAM	L	Outer_Full	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	CP-256QAM	L	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-53.07	≤-33dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-54.03	≤-23dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	30	1000	-54.18	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-39.47	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-66.20	≤-33dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-72.13	≤-23dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.88	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-65.98	≤-33dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-53.00	≤-23dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	30	1000	-53.86	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-38.67	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-66.41	≤-33dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-53.44	≤-23dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	30	1000	-53.90	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	0.009	0.15	-64.46	≤-33dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	0.15	30	-58.86	≤-23dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	30	1000	-54.10	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	3000	12000	-44.77	≤-13dBm	PASS
n5	15	5	DFT-BPSK	M	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.40	≤-33dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-70.90	≤-23dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Left	30	1000	-54.09	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS

n5	15	5	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.42	≤-33dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-74.71	≤-23dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	30	1000	-54.04	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.75	≤-33dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-71.45	≤-23dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	30	1000	-54.46	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-61.56	≤-33dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-76.57	≤-23dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	30	1000	-54.71	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.16	≤-33dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	0.15	30	-55.22	≤-23dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	30	1000	-53.76	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	5	DFT-QPSK	M	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.45	≤-33dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-67.83	≤-23dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	30	1000	-53.41	≤-13dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-65.68	≤-33dBm	PASS
n5	15	5	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-57.57	≤-23dBm	PASS

n5	15	5	DFT-16QA M	M	Inner_1RB_Left	30	1000	-54.08	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	0.009	0.15	-60.14	≤-33dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-62.62	≤-23dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	30	1000	-54.39	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.24	≤-33dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-68.74	≤-23dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	30	1000	-54.14	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.17	≤-33dBm	PASS
n5	15	5	DFT-16QA M	M	Outer_Full	0.15	30	-67.47	≤-23dBm	PASS
n5	15	5	DFT-16QA M	M	Outer_Full	30	1000	-53.72	≤-13dBm	PASS
n5	15	5	DFT-16QA M	M	Outer_Full	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	DFT-16QA	M	Outer_Full	3000	12000	-44.66	≤-13dBm	PASS

			M							
n5	15	5	DFT-16QA M	M	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-54.29	≤-33dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-56.79	≤-23dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	30	1000	-54.01	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.81	≤-33dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-63.08	≤-23dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	30	1000	-53.79	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.26	≤-33dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-63.48	≤-23dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	30	1000	-54.63	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.30	≤-33dBm	PASS

n5	15	5	DFT-64QAM	M	Edge_1RB_Right	0.15	30	-70.72	≤-23dBm	PASS
n5	15	5	DFT-64QAM	M	Edge_1RB_Right	30	1000	-54.31	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	0.009	0.15	-65.34	≤-33dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	0.15	30	-65.40	≤-23dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	30	1000	-54.14	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	1000	3000	-39.35	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-64QAM	M	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.78	≤-33dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	0.15	30	-71.34	≤-23dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	30	1000	-53.86	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Edge_1RB_Left	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Inner_1RB_Left	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	5	DFT-256QAM	M	Inner_1RB_Left	0.15	30	-61.00	≤-23dBm	PASS
n5	15	5	DFT-256QAM	M	Inner_1RB_Left	30	1000	-50.66	≤-13dBm	PASS
n5	15	5	DFT-256QAM	M	Inner_1RB_Left	1000	3000	-38.78	≤-13dBm	PASS

			AM							
n5	15	5	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-58.88	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-60.01	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-55.84	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-37.84	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.45	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-60.19	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-50.79	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-38.88	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.43	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	0.15	30	-63.08	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	30	1000	-54.02	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	M	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS

n5	15	5	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.12	≤-33dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Left	0.15	30	-58.31	≤-23dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Left	30	1000	-54.17	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-49.99	≤-33dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	0.15	30	-54.53	≤-23dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	30	1000	-54.31	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.41	≤-33dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	0.15	30	-63.74	≤-23dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	30	1000	-54.14	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-62.06	≤-33dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	0.15	30	-77.13	≤-23dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	30	1000	-53.93	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Edge_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	0.009	0.15	-64.74	≤-33dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	0.15	30	-61.12	≤-23dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	30	1000	-54.38	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	1000	3000	-39.38	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-QPSK	M	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-57.15	≤-33dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	0.15	30	-57.52	≤-23dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	30	1000	-54.21	≤-13dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	1000	3000	-39.45	≤-13dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS

			M							
n5	15	5	CP-16QA M	M	Inner_1RB_Left	0.009	0.15	-60.16	≤-33dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Left	0.15	30	-59.66	≤-23dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Left	30	1000	-54.12	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-61.12	≤-33dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	0.15	30	-59.86	≤-23dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	30	1000	-51.49	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	1000	3000	-39.43	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.76	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-60.80	≤-33dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	0.15	30	-76.92	≤-23dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	30	1000	-54.30	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Outer_Full	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	5	CP-16QA M	M	Outer_Full	0.15	30	-75.54	≤-23dBm	PASS

n5	15	5	CP-16QA M	M	Outer_Full	30	1000	-53.92	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Outer_Full	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-16QA M	M	Outer_Full	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-66.05	≤-33dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	0.15	30	-61.06	≤-23dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	30	1000	-54.04	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.06	≤-33dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	0.15	30	-67.22	≤-23dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	30	1000	-54.20	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	1000	3000	-39.46	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-65.76	≤-33dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Right	0.15	30	-64.09	≤-23dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Right	30	1000	-54.18	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	CP-64QA	M	Inner_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS

			M							
n5	15	5	CP-64QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.33	≤-33dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	0.15	30	-65.87	≤-23dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	30	1000	-53.86	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	0.009	0.15	-64.84	≤-33dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	0.15	30	-65.72	≤-23dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	30	1000	-53.91	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	CP-64QA M	M	Outer_Full	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.51	≤-33dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	0.15	30	-64.98	≤-23dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	30	1000	-54.10	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	1000	3000	-39.49	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.72	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-62.19	≤-33dBm	PASS

n5	15	5	CP-256QA M	M	Inner_1RB_Left	0.15	30	-65.45	≤-23dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Left	30	1000	-52.73	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-61.78	≤-33dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	0.15	30	-65.62	≤-23dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	30	1000	-53.89	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	1000	3000	-36.90	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-61.44	≤-33dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	0.15	30	-65.26	≤-23dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	30	1000	-55.65	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	1000	3000	-38.86	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	CP-256QA M	M	Outer_Full	0.009	0.15	-65.72	≤-33dBm	PASS
n5	15	5	CP-256QA M	M	Outer_Full	0.15	30	-66.77	≤-23dBm	PASS
n5	15	5	CP-256QA M	M	Outer_Full	30	1000	-54.26	≤-13dBm	PASS
n5	15	5	CP-256QA	M	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS

			M							
n5	15	5	CP-256QAM	M	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-256QAM	M	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.44	≤-33dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-69.27	≤-23dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	30	1000	-47.98	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-38.14	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-61.80	≤-33dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-55.24	≤-23dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	30	1000	-48.44	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-39.22	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-35.65	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-52.18	≤-33dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-53.08	≤-23dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	30	1000	-41.10	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-38.20	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-65.75	≤-33dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-69.05	≤-23dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	30	1000	-42.60	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-39.47	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.75	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	0.15	30	-56.98	≤-23dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	30	1000	-33.42	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	1000	3000	-38.69	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	DFT-BPSK	H	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.44	≤-33dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-56.00	≤-23dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	30	1000	-48.73	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-34.92	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS

n5	15	5	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.59	≤-33dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-54.13	≤-23dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Left	30	1000	-47.04	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-62.56	≤-33dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-76.69	≤-23dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	30	1000	-39.44	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-61.26	≤-33dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-56.39	≤-23dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	30	1000	-43.11	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.45	≤-33dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	0.15	30	-55.67	≤-23dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	30	1000	-32.27	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-QPSK	H	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.64	≤-33dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-64.96	≤-23dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	30	1000	-48.11	≤-13dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.40	≤-33dBm	PASS
n5	15	5	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-66.71	≤-23dBm	PASS
n5	15	5	DFT-16QAM	H	Inner_1RB_Left	30	1000	-47.80	≤-13dBm	PASS

			M							
n5	15	5	DFT-16QA M	H	Inner_1RB_Left	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	0.009	0.15	-49.87	≤-33dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	0.15	30	-50.83	≤-23dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	30	1000	-40.18	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.01	≤-33dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	0.15	30	-74.82	≤-23dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	30	1000	-43.58	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Outer_Full	0.009	0.15	-62.70	≤-33dBm	PASS
n5	15	5	DFT-16QA M	H	Outer_Full	0.15	30	-71.77	≤-23dBm	PASS
n5	15	5	DFT-16QA M	H	Outer_Full	30	1000	-34.21	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	DFT-16QA M	H	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS

n5	15	5	DFT-16QAM	H	Outer_Full	12000	20000	-36.10	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-66.51	≤-33dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-70.38	≤-23dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	30	1000	-48.96	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-37.76	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-58.37	≤-33dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-76.87	≤-23dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	30	1000	-48.75	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-36.18	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-51.76	≤-33dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-54.06	≤-23dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	30	1000	-44.84	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-39.14	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.39	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-35.66	≤-13dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-61.87	≤-33dBm	PASS
n5	15	5	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-76.43	≤-23dBm	PASS

			M							
n5	15	5	DFT-64QA M	H	Edge_1RB_Right	30	1000	-45.89	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Edge_1RB_Right	1000	3000	-36.65	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Edge_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Edge_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	0.009	0.15	-66.35	≤-33dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	0.15	30	-76.47	≤-23dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	30	1000	-33.27	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	3000	12000	-44.73	≤-13dBm	PASS
n5	15	5	DFT-64QA M	H	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	0.009	0.15	-66.22	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	0.15	30	-59.64	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	30	1000	-50.14	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	1000	3000	-35.23	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	0.009	0.15	-66.03	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	0.15	30	-73.97	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	30	1000	-52.48	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS

n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-58.62	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-60.30	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-48.43	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.71	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-64.56	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-65.63	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-49.22	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	0.009	0.15	-65.71	≤-33dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	0.15	30	-63.49	≤-23dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	30	1000	-41.42	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	DFT-256Q AM	H	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-50.93	≤-33dBm	PASS

n5	15	5	CP-QPSK	H	Edge_1RB_Left	0.15	30	-56.65	≤-23dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Left	30	1000	-47.66	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Left	1000	3000	-39.22	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.28	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Left	12000	20000	-35.64	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.35	≤-33dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	0.15	30	-53.92	≤-23dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	30	1000	-45.66	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	1000	3000	-39.49	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-47.78	≤-33dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	0.15	30	-53.49	≤-23dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	30	1000	-39.12	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	1000	3000	-39.21	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Inner_1RB_Right	12000	20000	-35.72	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-52.64	≤-33dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	0.15	30	-57.71	≤-23dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	30	1000	-43.40	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	0.009	0.15	-65.56	≤-33dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	0.15	30	-60.35	≤-23dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	30	1000	-31.73	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-QPSK	H	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-66.41	≤-33dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	0.15	30	-63.46	≤-23dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	30	1000	-47.17	≤-13dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.75	≤-13dBm	PASS
n5	15	5	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS

n5	15	5	CP-16QA M	H	Inner_1RB_Left	0.009	0.15	-65.59	≤-33dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Left	0.15	30	-71.91	≤-23dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Left	30	1000	-47.09	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-51.45	≤-33dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	0.15	30	-55.28	≤-23dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	30	1000	-40.71	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.08	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-64.85	≤-33dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	0.15	30	-72.22	≤-23dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	30	1000	-43.94	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	1000	3000	-39.44	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Outer_Full	0.009	0.15	-65.72	≤-33dBm	PASS
n5	15	5	CP-16QA M	H	Outer_Full	0.15	30	-63.51	≤-23dBm	PASS
n5	15	5	CP-16QA	H	Outer_Full	30	1000	-32.48	≤-13dBm	PASS

			M							
n5	15	5	CP-16QA M	H	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	CP-16QA M	H	Outer_Full	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-64.68	≤-33dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	0.15	30	-68.13	≤-23dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	30	1000	-47.58	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	1000	3000	-39.17	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.37	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Left	12000	20000	-35.70	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-66.40	≤-33dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	0.15	30	-63.39	≤-23dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	30	1000	-47.58	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Left	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-65.41	≤-33dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Right	0.15	30	-76.44	≤-23dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Right	30	1000	-43.32	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Right	1000	3000	-39.24	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS

n5	15	5	CP-64QA M	H	Inner_1RB_Right	12000	20000	-35.77	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-62.69	≤-33dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	0.15	30	-70.66	≤-23dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	30	1000	-43.68	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	1000	3000	-39.20	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.37	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Edge_1RB_Right	12000	20000	-35.73	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	0.009	0.15	-66.50	≤-33dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	0.15	30	-63.76	≤-23dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	30	1000	-34.13	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	5	CP-64QA M	H	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-60.10	≤-33dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	0.15	30	-63.86	≤-23dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	30	1000	-50.04	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Left	12000	20000	-36.07	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-63.95	≤-33dBm	PASS
n5	15	5	CP-256QA	H	Inner_1RB_Left	0.15	30	-63.59	≤-23dBm	PASS

			M							
n5	15	5	CP-256QA M	H	Inner_1RB_Left	30	1000	-49.91	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-66.17	≤-33dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	0.15	30	-63.44	≤-23dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	30	1000	-49.58	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	0.009	0.15	-66.50	≤-33dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	0.15	30	-64.41	≤-23dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	30	1000	-52.99	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Edge_1RB_Right	12000	20000	-36.06	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Outer_Full	0.009	0.15	-65.74	≤-33dBm	PASS
n5	15	5	CP-256QA M	H	Outer_Full	0.15	30	-67.59	≤-23dBm	PASS
n5	15	5	CP-256QA M	H	Outer_Full	30	1000	-42.36	≤-13dBm	PASS
n5	15	5	CP-256QA M	H	Outer_Full	1000	3000	-39.43	≤-13dBm	PASS

n5	15	5	CP-256QAM	H	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	5	CP-256QAM	H	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-52.46	≤-33dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-53.55	≤-23dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	30	1000	-46.13	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-39.25	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.34	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-35.72	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-66.21	≤-33dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-69.61	≤-23dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	30	1000	-44.00	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-39.18	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.40	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-35.72	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-66.23	≤-33dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-63.86	≤-23dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	30	1000	-49.24	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.07	≤-33dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-59.64	≤-23dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	30	1000	-48.97	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-39.19	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-35.73	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.71	≤-33dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	0.15	30	-54.17	≤-23dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	30	1000	-35.80	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-BPSK	L	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-54.79	≤-33dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-57.15	≤-23dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	30	1000	-46.80	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-58.92	≤-33dBm	PASS

n5	15	10	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-56.06	≤-23dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Left	30	1000	-46.20	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-36.74	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-50.93	≤-33dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-53.40	≤-23dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	30	1000	-48.61	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-39.28	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-35.70	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-54.91	≤-33dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-56.11	≤-23dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	30	1000	-49.22	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.61	≤-33dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	0.15	30	-55.00	≤-23dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	30	1000	-35.61	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-QPSK	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-54.77	≤-33dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-54.31	≤-23dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	30	1000	-47.79	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-52.25	≤-33dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-52.42	≤-23dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Left	30	1000	-47.75	≤-13dBm	PASS

n5	15	10	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-50.01	≤-33dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-52.13	≤-23dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	30	1000	-48.69	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-39.20	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-35.79	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-56.39	≤-33dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-55.04	≤-23dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	30	1000	-49.38	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	0.009	0.15	-66.04	≤-33dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	0.15	30	-64.74	≤-23dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	30	1000	-37.95	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	10	DFT-16QAM	L	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS

			M							
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	0.009	0.15	-65.13	≤-33dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	0.15	30	-60.27	≤-23dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	30	1000	-48.02	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	0.009	0.15	-66.35	≤-33dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	0.15	30	-62.75	≤-23dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	30	1000	-50.25	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.59	≤-33dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	0.15	30	-68.74	≤-23dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	30	1000	-50.24	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.28	≤-33dBm	PASS
n5	15	10	DFT-64QA M	L	Edge_1RB_Right	0.15	30	-66.04	≤-23dBm	PASS

n5	15	10	DFT-64QAM	L	Edge_1RB_Right	30	1000	-50.06	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-39.23	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Edge_1RB_Right	3000	12000	-44.43	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-35.75	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	0.009	0.15	-65.85	≤-33dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	0.15	30	-76.23	≤-23dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	30	1000	-36.79	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	10	DFT-64QAM	L	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-66.29	≤-33dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-62.38	≤-23dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	30	1000	-50.96	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-58.03	≤-33dBm	PASS
n5	15	10	DFT-256QAM	L	Inner_1RB_Left	0.15	30	-60.33	≤-23dBm	PASS
n5	15	10	DFT-256QAM	L	Inner_1RB_Left	30	1000	-49.66	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-256QAM	L	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS

			AM							
n5	15	10	DFT-256Q AM	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	0.009	0.15	-66.32	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-70.40	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-51.83	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-66.31	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-76.74	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-51.56	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.29	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	0.15	30	-66.01	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	30	1000	-41.57	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	L	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-54.05	≤-33dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	0.15	30	-59.66	≤-23dBm	PASS

n5	15	10	CP-QPSK	L	Edge_1RB_Left	30	1000	-48.04	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-51.86	≤-33dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	0.15	30	-57.76	≤-23dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	30	1000	-46.48	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	1000	3000	-37.83	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-51.28	≤-33dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	0.15	30	-61.30	≤-23dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	30	1000	-46.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-53.03	≤-33dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	0.15	30	-59.46	≤-23dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	30	1000	-48.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	0.009	0.15	-66.01	≤-33dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	0.15	30	-63.35	≤-23dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	30	1000	-38.21	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	1000	3000	-39.47	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	CP-QPSK	L	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-54.57	≤-33dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	0.15	30	-58.03	≤-23dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	30	1000	-47.05	≤-13dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-16QAM	L	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	10	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-65.96	≤-33dBm	PASS

			M							
n5	15	10	CP-16QA M	L	Inner_1RB_Left	0.15	30	-63.27	≤-23dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Left	30	1000	-46.87	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-66.34	≤-33dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	0.15	30	-56.27	≤-23dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	30	1000	-48.38	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-53.74	≤-33dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	0.15	30	-57.12	≤-23dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	30	1000	-49.15	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Outer_Full	0.009	0.15	-66.10	≤-33dBm	PASS
n5	15	10	CP-16QA M	L	Outer_Full	0.15	30	-63.25	≤-23dBm	PASS
n5	15	10	CP-16QA M	L	Outer_Full	30	1000	-37.67	≤-13dBm	PASS

n5	15	10	CP-16QA M	L	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-16QA M	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-56.02	≤-33dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	0.15	30	-66.36	≤-23dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	30	1000	-48.65	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	1000	3000	-39.44	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-66.04	≤-33dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	0.15	30	-76.37	≤-23dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	30	1000	-48.23	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-54.88	≤-33dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Right	0.15	30	-57.87	≤-23dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Right	30	1000	-48.78	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	CP-64QA	L	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS

			M							
n5	15	10	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-54.75	≤-33dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Right	0.15	30	-57.49	≤-23dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Right	30	1000	-49.00	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	0.009	0.15	-66.03	≤-33dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	0.15	30	-63.98	≤-23dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	30	1000	-38.99	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	1000	3000	-39.44	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	3000	12000	-44.70	≤-13dBm	PASS
n5	15	10	CP-64QA M	L	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-61.00	≤-33dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	0.15	30	-64.92	≤-23dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	30	1000	-51.14	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-65.23	≤-33dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Left	0.15	30	-66.84	≤-23dBm	PASS

n5	15	10	CP-256QA M	L	Inner_1RB_Left	30	1000	-51.19	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-66.31	≤-33dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	0.15	30	-68.23	≤-23dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	30	1000	-46.51	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	0.009	0.15	-66.03	≤-33dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	0.15	30	-67.77	≤-23dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	30	1000	-51.36	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Outer_Full	0.009	0.15	-65.72	≤-33dBm	PASS
n5	15	10	CP-256QA M	L	Outer_Full	0.15	30	-69.61	≤-23dBm	PASS
n5	15	10	CP-256QA M	L	Outer_Full	30	1000	-37.94	≤-13dBm	PASS
n5	15	10	CP-256QA M	L	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-256QA	L	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS

			M							
n5	15	10	CP-256QAM	L	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-52.75	≤-33dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-53.82	≤-23dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	30	1000	-52.63	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-61.58	≤-33dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-76.48	≤-23dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	30	1000	-53.48	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-66.49	≤-33dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-64.15	≤-23dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	30	1000	-51.58	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-65.74	≤-33dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-66.62	≤-23dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	30	1000	-49.41	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.73	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.37	≤-33dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	0.15	30	-59.39	≤-23dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	30	1000	-47.02	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	3000	12000	-44.72	≤-13dBm	PASS
n5	15	10	DFT-BPSK	M	Outer_Full	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.48	≤-33dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-60.29	≤-23dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	30	1000	-50.51	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.56	≤-33dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-69.82	≤-23dBm	PASS

n5	15	10	DFT-QPSK	M	Inner_1RB_Left	30	1000	-52.91	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-61.24	≤-33dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-76.49	≤-23dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	30	1000	-50.90	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-36.79	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-52.90	≤-33dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-55.39	≤-23dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	30	1000	-55.83	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-36.43	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	0.009	0.15	-65.85	≤-33dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	0.15	30	-58.97	≤-23dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	30	1000	-45.97	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	1000	3000	-39.45	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-QPSK	M	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-66.04	≤-33dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-71.32	≤-23dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	30	1000	-50.87	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-65.57	≤-33dBm	PASS
n5	15	10	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-62.52	≤-23dBm	PASS
n5	15	10	DFT-16QAM	M	Inner_1RB_Left	30	1000	-53.40	≤-13dBm	PASS
n5	15	10	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS

			M							
n5	15	10	DFT-16QA M	M	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	0.009	0.15	-50.17	≤-33dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-50.83	≤-23dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	30	1000	-50.74	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.46	≤-33dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-64.74	≤-23dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	30	1000	-47.97	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.26	≤-33dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	0.15	30	-70.07	≤-23dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	30	1000	-48.93	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	10	DFT-16QA M	M	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS

n5	15	10	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-62.98	≤-33dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-62.85	≤-23dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Left	30	1000	-50.92	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-39.06	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-53.72	≤-33dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-60.08	≤-23dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	30	1000	-51.23	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-39.19	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-70.74	≤-23dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	30	1000	-52.50	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.52	≤-33dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-71.11	≤-23dBm	PASS
n5	15	10	DFT-64QA	M	Edge_1RB_Right	30	1000	-50.73	≤-13dBm	PASS

			M							
n5	15	10	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-39.44	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	0.009	0.15	-66.34	≤-33dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	0.15	30	-66.55	≤-23dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	30	1000	-50.65	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	DFT-64QA M	M	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	0.009	0.15	-58.13	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-60.15	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-53.12	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-57.95	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-59.70	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-54.28	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-39.45	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS

n5	15	10	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-66.57	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-68.58	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-53.34	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-66.57	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-65.85	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-52.68	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	0.009	0.15	-66.00	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	0.15	30	-61.75	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	30	1000	-53.99	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	M	Outer_Full	12000	20000	-35.92	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.22	≤-33dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Left	0.15	30	-63.95	≤-23dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Left	30	1000	-50.37	≤-13dBm	PASS

n5	15	10	CP-QPSK	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-49.78	≤-33dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	0.15	30	-56.47	≤-23dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	30	1000	-50.75	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-49.00	≤-33dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	0.15	30	-54.45	≤-23dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	30	1000	-49.46	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-61.93	≤-33dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	0.15	30	-58.04	≤-23dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	30	1000	-45.48	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	0.009	0.15	-65.98	≤-33dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	0.15	30	-62.45	≤-23dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	30	1000	-46.33	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	CP-QPSK	M	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-59.56	≤-33dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	0.15	30	-57.89	≤-23dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	30	1000	-50.71	≤-13dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-65.85	≤-33dBm	PASS

n5	15	10	CP-16QA M	M	Inner_1RB_Left	0.15	30	-64.70	≤-23dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Left	30	1000	-52.94	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-66.36	≤-33dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	0.15	30	-75.51	≤-23dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	30	1000	-49.25	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	1000	3000	-39.32	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-53.30	≤-33dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	0.15	30	-57.53	≤-23dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	30	1000	-46.59	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	1000	3000	-38.59	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Outer_Full	0.009	0.15	-66.25	≤-33dBm	PASS
n5	15	10	CP-16QA M	M	Outer_Full	0.15	30	-61.71	≤-23dBm	PASS
n5	15	10	CP-16QA M	M	Outer_Full	30	1000	-46.81	≤-13dBm	PASS
n5	15	10	CP-16QA	M	Outer_Full	1000	3000	-39.35	≤-13dBm	PASS

			M							
n5	15	10	CP-16QA M	M	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-16QA M	M	Outer_Full	12000	20000	-36.04	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-64.57	≤-33dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	0.15	30	-77.06	≤-23dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	30	1000	-50.02	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	1000	3000	-38.00	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.61	≤-33dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	0.15	30	-66.44	≤-23dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	30	1000	-51.96	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-65.53	≤-33dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	0.15	30	-72.90	≤-23dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	30	1000	-50.82	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Inner_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS

n5	15	10	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.39	≤-33dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Right	0.15	30	-64.90	≤-23dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Right	30	1000	-47.60	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	0.009	0.15	-64.66	≤-33dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	0.15	30	-64.25	≤-23dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	30	1000	-47.19	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS
n5	15	10	CP-64QA M	M	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-66.14	≤-33dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	0.15	30	-62.23	≤-23dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	30	1000	-51.93	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Left	12000	20000	-35.87	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-66.05	≤-33dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Left	0.15	30	-68.78	≤-23dBm	PASS
n5	15	10	CP-256QA	M	Inner_1RB_Left	30	1000	-54.95	≤-13dBm	PASS

			M							
n5	15	10	CP-256QA M	M	Inner_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-66.32	≤-33dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	0.15	30	-70.25	≤-23dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	30	1000	-54.07	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-66.17	≤-33dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	0.15	30	-63.61	≤-23dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	30	1000	-51.42	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Outer_Full	0.009	0.15	-65.68	≤-33dBm	PASS
n5	15	10	CP-256QA M	M	Outer_Full	0.15	30	-69.88	≤-23dBm	PASS
n5	15	10	CP-256QA M	M	Outer_Full	30	1000	-54.09	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	CP-256QA M	M	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS

n5	15	10	CP-256QAM	M	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-52.44	≤-33dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-58.01	≤-23dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	30	1000	-50.52	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-51.34	≤-33dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-52.64	≤-23dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	30	1000	-49.61	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-51.50	≤-33dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-53.96	≤-23dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	30	1000	-48.19	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-52.93	≤-33dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-54.04	≤-23dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	30	1000	-48.68	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-33.14	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	0.009	0.15	-65.96	≤-33dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	0.15	30	-52.87	≤-23dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	30	1000	-39.86	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-BPSK	H	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-56.71	≤-33dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-59.21	≤-23dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	30	1000	-50.54	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-52.31	≤-33dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-54.61	≤-23dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Left	30	1000	-49.39	≤-13dBm	PASS

n5	15	10	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-52.20	≤-33dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-54.86	≤-23dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	30	1000	-47.63	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-35.68	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-53.81	≤-33dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-56.24	≤-23dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	30	1000	-48.91	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.51	≤-33dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	0.15	30	-52.67	≤-23dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	30	1000	-35.97	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	DFT-QPSK	H	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-53.15	≤-33dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-52.98	≤-23dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	30	1000	-50.48	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-49.90	≤-33dBm	PASS
n5	15	10	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-50.57	≤-23dBm	PASS
n5	15	10	DFT-16QAM	H	Inner_1RB_Left	30	1000	-49.40	≤-13dBm	PASS
n5	15	10	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS

n5	15	10	DFT-16QA M	H	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	0.009	0.15	-49.79	≤-33dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	0.15	30	-51.37	≤-23dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	30	1000	-48.01	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	0.009	0.15	-51.73	≤-33dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	0.15	30	-51.64	≤-23dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	30	1000	-47.58	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-35.90	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	0.009	0.15	-66.03	≤-33dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	0.15	30	-54.77	≤-23dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	30	1000	-39.06	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	3000	12000	-44.56	≤-13dBm	PASS
n5	15	10	DFT-16QA M	H	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	DFT-64QA	H	Edge_1RB_Left	0.009	0.15	-62.54	≤-33dBm	PASS

			M							
n5	15	10	DFT-64QA M	H	Edge_1RB_Left	0.15	30	-75.78	≤-23dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Left	30	1000	-50.62	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	0.009	0.15	-54.06	≤-33dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	0.15	30	-56.57	≤-23dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	30	1000	-50.19	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	0.009	0.15	-66.01	≤-33dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	0.15	30	-63.86	≤-23dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	30	1000	-49.55	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Right	0.009	0.15	-66.44	≤-33dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Right	0.15	30	-56.74	≤-23dBm	PASS
n5	15	10	DFT-64QA M	H	Edge_1RB_Right	30	1000	-49.04	≤-13dBm	PASS

n5	15	10	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Edge_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.53	≤-33dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	0.15	30	-76.68	≤-23dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	30	1000	-39.98	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	DFT-64QAM	H	Outer_Full	12000	20000	-35.91	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-58.27	≤-33dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-59.83	≤-23dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	30	1000	-51.81	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-58.86	≤-33dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-60.56	≤-23dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	30	1000	-52.43	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-37.95	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	10	DFT-256QAM	H	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS

			AM							
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-61.70	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-63.03	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-51.06	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-58.17	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-60.27	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-50.98	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-35.88	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.63	≤-33dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	0.15	30	-60.95	≤-23dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	30	1000	-46.35	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	DFT-256Q AM	H	Outer_Full	12000	20000	-35.86	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-66.49	≤-33dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Left	0.15	30	-57.42	≤-23dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Left	30	1000	-49.72	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS

n5	15	10	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.59	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-65.95	≤-33dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	0.15	30	-54.81	≤-23dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	30	1000	-48.19	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-66.11	≤-33dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	0.15	30	-54.26	≤-23dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	30	1000	-46.49	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-52.26	≤-33dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	0.15	30	-57.64	≤-23dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	30	1000	-47.61	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Edge_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	0.009	0.15	-65.64	≤-33dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	0.15	30	-62.41	≤-23dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	30	1000	-36.31	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	10	CP-QPSK	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-53.66	≤-33dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	0.15	30	-56.69	≤-23dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	30	1000	-50.02	≤-13dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	10	CP-16QAM	H	Edge_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS
n5	15	10	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-52.08	≤-33dBm	PASS
n5	15	10	CP-16QAM	H	Inner_1RB_Left	0.15	30	-56.79	≤-23dBm	PASS

			M							
n5	15	10	CP-16QA M	H	Inner_1RB_Left	30	1000	-47.99	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Left	1000	3000	-39.28	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Left	12000	20000	-35.87	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-51.13	≤-33dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	0.15	30	-54.30	≤-23dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	30	1000	-46.69	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-52.98	≤-33dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	0.15	30	-60.73	≤-23dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	30	1000	-47.90	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Edge_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Outer_Full	0.009	0.15	-65.91	≤-33dBm	PASS
n5	15	10	CP-16QA M	H	Outer_Full	0.15	30	-61.71	≤-23dBm	PASS
n5	15	10	CP-16QA M	H	Outer_Full	30	1000	-37.08	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS

n5	15	10	CP-16QA M	H	Outer_Full	3000	12000	-44.53	≤-13dBm	PASS
n5	15	10	CP-16QA M	H	Outer_Full	12000	20000	-35.89	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-56.34	≤-33dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	0.15	30	-58.37	≤-23dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	30	1000	-49.59	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	1000	3000	-37.71	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-56.40	≤-33dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	0.15	30	-57.94	≤-23dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	30	1000	-49.65	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-62.00	≤-33dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	0.15	30	-59.02	≤-23dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	30	1000	-48.93	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Inner_1RB_Right	12000	20000	-35.90	≤-13dBm	PASS
n5	15	10	CP-64QA	H	Edge_1RB_Right	0.009	0.15	-60.80	≤-33dBm	PASS

			M							
n5	15	10	CP-64QA M	H	Edge_1RB_Right	0.15	30	-71.30	≤-23dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Right	30	1000	-44.31	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Right	1000	3000	-38.86	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.51	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	0.009	0.15	-66.33	≤-33dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	0.15	30	-63.22	≤-23dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	30	1000	-38.32	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	1000	3000	-39.30	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	3000	12000	-44.56	≤-13dBm	PASS
n5	15	10	CP-64QA M	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-66.29	≤-33dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	0.15	30	-64.90	≤-23dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	30	1000	-52.13	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-60.65	≤-33dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Left	0.15	30	-64.24	≤-23dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Left	30	1000	-52.02	≤-13dBm	PASS

n5	15	10	CP-256QA M	H	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-59.40	≤-33dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	0.15	30	-64.90	≤-23dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	30	1000	-51.85	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	0.009	0.15	-61.85	≤-33dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	0.15	30	-69.77	≤-23dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	30	1000	-50.76	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	1000	3000	-39.30	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Outer_Full	0.009	0.15	-66.68	≤-33dBm	PASS
n5	15	10	CP-256QA M	H	Outer_Full	0.15	30	-68.91	≤-23dBm	PASS
n5	15	10	CP-256QA M	H	Outer_Full	30	1000	-47.61	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Outer_Full	1000	3000	-39.32	≤-13dBm	PASS
n5	15	10	CP-256QA M	H	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	10	CP-256QA	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS

			M							
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-66.34	≤-33dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-59.15	≤-23dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	30	1000	-45.50	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-52.28	≤-33dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-53.95	≤-23dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	30	1000	-43.86	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-58.49	≤-33dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-60.00	≤-23dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	30	1000	-49.68	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-35.87	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-66.67	≤-33dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-59.80	≤-23dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	30	1000	-47.83	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	0.009	0.15	-65.80	≤-33dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	0.15	30	-61.71	≤-23dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	30	1000	-35.53	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	DFT-BPSK	L	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-57.89	≤-33dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-60.82	≤-23dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	30	1000	-47.10	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-53.22	≤-33dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-56.47	≤-23dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Left	30	1000	-44.80	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-39.00	≤-13dBm	PASS

n5	15	15	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-54.88	≤-33dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-58.62	≤-23dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	30	1000	-48.79	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-66.28	≤-33dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-55.88	≤-23dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	30	1000	-48.45	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.03	≤-33dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	0.15	30	-60.10	≤-23dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	30	1000	-34.96	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	3000	12000	-44.56	≤-13dBm	PASS
n5	15	15	DFT-QPSK	L	Outer_Full	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-54.45	≤-33dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-54.24	≤-23dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	30	1000	-47.25	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-38.86	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-52.73	≤-33dBm	PASS
n5	15	15	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-54.59	≤-23dBm	PASS
n5	15	15	DFT-16QAM	L	Inner_1RB_Left	30	1000	-45.52	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-37.36	≤-13dBm	PASS
n5	15	15	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS

			M							
n5	15	15	DFT-16QA M	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	0.009	0.15	-65.52	≤-33dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	0.15	30	-76.88	≤-23dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	30	1000	-48.62	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	1000	3000	-37.50	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	0.009	0.15	-55.03	≤-33dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	0.15	30	-55.00	≤-23dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	30	1000	-49.48	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Edge_1RB_Right	12000	20000	-35.90	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	0.009	0.15	-66.31	≤-33dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	0.15	30	-65.60	≤-23dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	30	1000	-38.09	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	15	DFT-16QA M	L	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Edge_1RB_Left	0.009	0.15	-56.30	≤-33dBm	PASS

n5	15	15	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-58.61	≤-23dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Left	30	1000	-48.63	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	0.009	0.15	-54.54	≤-33dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	0.15	30	-56.63	≤-23dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	30	1000	-46.73	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	0.009	0.15	-53.04	≤-33dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	0.15	30	-55.60	≤-23dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	30	1000	-50.15	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Right	0.009	0.15	-66.37	≤-33dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Right	0.15	30	-56.28	≤-23dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Right	30	1000	-49.89	≤-13dBm	PASS
n5	15	15	DFT-64QAM	L	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS

			M							
n5	15	15	DFT-64QA M	L	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Edge_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	0.009	0.15	-66.23	≤-33dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	0.15	30	-62.45	≤-23dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	30	1000	-36.74	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	DFT-64QA M	L	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	0.009	0.15	-59.38	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	0.15	30	-60.94	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	30	1000	-49.36	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	0.009	0.15	-59.46	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	0.15	30	-61.24	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	30	1000	-49.46	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS

n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	0.009	0.15	-57.93	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	0.15	30	-59.80	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-51.34	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-39.26	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-66.47	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-68.42	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-51.43	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.23	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	0.15	30	-66.69	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	30	1000	-43.88	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	L	Outer_Full	12000	20000	-35.88	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-66.28	≤-33dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	0.15	30	-59.25	≤-23dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	30	1000	-47.72	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.59	≤-13dBm	PASS

n5	15	15	CP-QPSK	L	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-51.60	≤-33dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	0.15	30	-57.77	≤-23dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	30	1000	-44.81	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	1000	3000	-38.25	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-66.27	≤-33dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	0.15	30	-54.50	≤-23dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	30	1000	-47.55	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Inner_1RB_Right	12000	20000	-35.89	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-62.10	≤-33dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	0.15	30	-76.84	≤-23dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	30	1000	-48.61	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	0.009	0.15	-65.85	≤-33dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	0.15	30	-65.32	≤-23dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	30	1000	-37.01	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	CP-QPSK	L	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-55.00	≤-33dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	0.15	30	-63.76	≤-23dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	30	1000	-47.04	≤-13dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	CP-16QAM	L	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-52.56	≤-33dBm	PASS
n5	15	15	CP-16QAM	L	Inner_1RB_Left	0.15	30	-56.32	≤-23dBm	PASS

n5	15	15	CP-16QA M	L	Inner_1RB_Left	30	1000	-44.70	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-53.54	≤-33dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	0.15	30	-62.14	≤-23dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	30	1000	-47.61	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Inner_1RB_Right	12000	20000	-35.90	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-53.26	≤-33dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	0.15	30	-56.31	≤-23dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	30	1000	-48.75	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Outer_Full	0.009	0.15	-66.20	≤-33dBm	PASS
n5	15	15	CP-16QA M	L	Outer_Full	0.15	30	-64.09	≤-23dBm	PASS
n5	15	15	CP-16QA M	L	Outer_Full	30	1000	-37.11	≤-13dBm	PASS
n5	15	15	CP-16QA M	L	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	CP-16QA	L	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS

			M							
n5	15	15	CP-16QA M	L	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-66.27	≤-33dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	0.15	30	-60.20	≤-23dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	30	1000	-47.82	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-58.35	≤-33dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	0.15	30	-59.72	≤-23dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	30	1000	-46.91	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-65.78	≤-33dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	0.15	30	-64.46	≤-23dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	30	1000	-49.32	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-66.43	≤-33dBm	PASS

n5	15	15	CP-64QA M	L	Edge_1RB_Right	0.15	30	-71.68	≤-23dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Right	30	1000	-49.61	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Edge_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	0.009	0.15	-62.64	≤-33dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	0.15	30	-73.45	≤-23dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	30	1000	-39.47	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	3000	12000	-44.66	≤-13dBm	PASS
n5	15	15	CP-64QA M	L	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-62.78	≤-33dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	0.15	30	-66.09	≤-23dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	30	1000	-50.82	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-66.37	≤-33dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Left	0.15	30	-65.62	≤-23dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Left	30	1000	-50.05	≤-13dBm	PASS
n5	15	15	CP-256QA	L	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS

			M							
n5	15	15	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Left	12000	20000	-35.89	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	0.009	0.15	-62.15	≤-33dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	0.15	30	-65.86	≤-23dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	30	1000	-51.82	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	1000	3000	-38.83	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	0.009	0.15	-58.43	≤-33dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	0.15	30	-63.66	≤-23dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	30	1000	-51.67	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	0.009	0.15	-66.57	≤-33dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	0.15	30	-71.41	≤-23dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	30	1000	-45.37	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	CP-256QA M	L	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS

n5	15	15	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-53.91	≤-33dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-54.68	≤-23dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Left	30	1000	-47.81	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-38.06	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-53.24	≤-33dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-54.40	≤-23dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	30	1000	-47.84	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-57.03	≤-33dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-58.30	≤-23dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	30	1000	-43.55	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-43.80	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-53.25	≤-33dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-53.69	≤-23dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	30	1000	-44.22	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.46	≤-33dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	0.15	30	-58.42	≤-23dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	30	1000	-39.70	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	DFT-BPSK	M	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-66.43	≤-33dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-73.66	≤-23dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	30	1000	-48.44	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-66.16	≤-33dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-65.48	≤-23dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Left	30	1000	-47.45	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS

n5	15	15	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-50.83	≤-33dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-53.19	≤-23dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	30	1000	-43.97	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-39.13	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.29	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-35.62	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-66.42	≤-33dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-69.01	≤-23dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	30	1000	-45.85	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.19	≤-33dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	0.15	30	-58.36	≤-23dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	30	1000	-36.42	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	1000	3000	-39.20	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	3000	12000	-44.30	≤-13dBm	PASS
n5	15	15	DFT-QPSK	M	Outer_Full	12000	20000	-35.64	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-53.63	≤-33dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-53.57	≤-23dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	30	1000	-49.33	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-51.21	≤-33dBm	PASS
n5	15	15	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-51.50	≤-23dBm	PASS
n5	15	15	DFT-16QAM	M	Inner_1RB_Left	30	1000	-48.44	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-37.03	≤-13dBm	PASS
n5	15	15	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS

n5	15	15	DFT-16QA M	M	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	0.009	0.15	-51.43	≤-33dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-51.57	≤-23dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	30	1000	-44.19	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-34.90	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-51.88	≤-33dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-52.33	≤-23dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	30	1000	-46.09	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	0.009	0.15	-66.25	≤-33dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	0.15	30	-66.58	≤-23dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	30	1000	-37.07	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	DFT-16QA M	M	Outer_Full	12000	20000	-35.89	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-54.82	≤-33dBm	PASS
n5	15	15	DFT-64QA	M	Edge_1RB_Left	0.15	30	-57.42	≤-23dBm	PASS

			M							
n5	15	15	DFT-64QA M	M	Edge_1RB_Left	30	1000	-49.42	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-55.03	≤-33dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-57.17	≤-23dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	30	1000	-50.17	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-53.35	≤-33dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-56.38	≤-23dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	30	1000	-46.90	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-38.14	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-35.88	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-53.69	≤-33dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-56.39	≤-23dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Right	30	1000	-47.39	≤-13dBm	PASS
n5	15	15	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-38.92	≤-13dBm	PASS

n5	15	15	DFT-64QAM	M	Edge_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	DFT-64QAM	M	Edge_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	0.009	0.15	-66.28	≤-33dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	0.15	30	-62.89	≤-23dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	30	1000	-38.16	≤-13dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	1000	3000	-39.29	≤-13dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-64QAM	M	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	0.009	0.15	-66.06	≤-33dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	0.15	30	-61.41	≤-23dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	30	1000	-51.10	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	1000	3000	-39.20	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Edge_1RB_Left	12000	20000	-35.88	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	0.009	0.15	-59.86	≤-33dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	0.15	30	-61.98	≤-23dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	30	1000	-51.38	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	1000	3000	-35.74	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	DFT-256QAM	M	Inner_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	DFT-256Q	M	Inner_1RB_Right	0.009	0.15	-65.96	≤-33dBm	PASS

			AM							
n5	15	15	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-60.63	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-48.48	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-37.91	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-57.57	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-59.89	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-49.05	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-39.15	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-35.85	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	0.009	0.15	-65.97	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	0.15	30	-67.36	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	30	1000	-43.32	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	1000	3000	-39.28	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	3000	12000	-44.52	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	M	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-53.89	≤-33dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	0.15	30	-59.49	≤-23dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	30	1000	-46.72	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Left	12000	20000	-35.90	≤-13dBm	PASS

n5	15	15	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-50.15	≤-33dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Left	0.15	30	-55.29	≤-23dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Left	30	1000	-47.69	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Left	1000	3000	-39.17	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.29	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Left	12000	20000	-35.59	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-66.62	≤-33dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	0.15	30	-68.83	≤-23dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	30	1000	-44.47	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-65.39	≤-33dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	0.15	30	-58.52	≤-23dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	30	1000	-47.34	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	1000	3000	-37.54	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.50	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	0.009	0.15	-66.50	≤-33dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	0.15	30	-65.16	≤-23dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	30	1000	-37.78	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	15	CP-QPSK	M	Outer_Full	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-65.55	≤-33dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	0.15	30	-64.79	≤-23dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	30	1000	-49.88	≤-13dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	1000	3000	-38.85	≤-13dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	CP-16QAM	M	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	15	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-51.98	≤-33dBm	PASS
n5	15	15	CP-16QAM	M	Inner_1RB_Left	0.15	30	-55.46	≤-23dBm	PASS
n5	15	15	CP-16QAM	M	Inner_1RB_Left	30	1000	-48.27	≤-13dBm	PASS

			M							
n5	15	15	CP-16QA M	M	Inner_1RB_Left	1000	3000	-39.12	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Left	3000	12000	-44.33	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Left	12000	20000	-35.68	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-64.70	≤-33dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	0.15	30	-75.96	≤-23dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	30	1000	-45.25	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	1000	3000	-39.20	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.33	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Inner_1RB_Right	12000	20000	-35.72	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-52.62	≤-33dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	0.15	30	-56.41	≤-23dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	30	1000	-46.19	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	1000	3000	-39.17	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.26	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Edge_1RB_Right	12000	20000	-35.66	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Outer_Full	0.009	0.15	-66.15	≤-33dBm	PASS
n5	15	15	CP-16QA M	M	Outer_Full	0.15	30	-75.72	≤-23dBm	PASS
n5	15	15	CP-16QA M	M	Outer_Full	30	1000	-38.14	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Outer_Full	1000	3000	-39.14	≤-13dBm	PASS
n5	15	15	CP-16QA M	M	Outer_Full	3000	12000	-44.28	≤-13dBm	PASS

n5	15	15	CP-16QA M	M	Outer_Full	12000	20000	-35.62	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	0.009	0.15	-55.62	≤-33dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	0.15	30	-59.27	≤-23dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	30	1000	-49.47	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	1000	3000	-39.16	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.36	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Left	12000	20000	-35.72	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-55.33	≤-33dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	0.15	30	-72.85	≤-23dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	30	1000	-49.85	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	1000	3000	-39.16	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.38	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Left	12000	20000	-35.70	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-54.25	≤-33dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	0.15	30	-55.91	≤-23dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	30	1000	-47.95	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	1000	3000	-39.22	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.34	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Inner_1RB_Right	12000	20000	-35.70	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-54.10	≤-33dBm	PASS
n5	15	15	CP-64QA	M	Edge_1RB_Right	0.15	30	-56.69	≤-23dBm	PASS

			M							
n5	15	15	CP-64QA M	M	Edge_1RB_Right	30	1000	-48.14	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Right	1000	3000	-39.21	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.42	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Edge_1RB_Right	12000	20000	-35.70	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	0.009	0.15	-62.90	≤-33dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	0.15	30	-76.94	≤-23dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	30	1000	-38.83	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	1000	3000	-39.23	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	3000	12000	-44.39	≤-13dBm	PASS
n5	15	15	CP-64QA M	M	Outer_Full	12000	20000	-35.69	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-59.43	≤-33dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	0.15	30	-65.05	≤-23dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	30	1000	-51.13	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	1000	3000	-39.15	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.35	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Left	12000	20000	-35.67	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-59.37	≤-33dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Left	0.15	30	-63.81	≤-23dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Left	30	1000	-50.73	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Left	1000	3000	-39.12	≤-13dBm	PASS

n5	15	15	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.42	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Left	12000	20000	-35.76	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-58.46	≤-33dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	0.15	30	-62.02	≤-23dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	30	1000	-49.71	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	1000	3000	-39.19	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Inner_1RB_Right	12000	20000	-35.79	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-65.85	≤-33dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	0.15	30	-62.42	≤-23dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	30	1000	-50.64	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	1000	3000	-39.23	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.38	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Edge_1RB_Right	12000	20000	-35.73	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	0.009	0.15	-66.46	≤-33dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	0.15	30	-69.66	≤-23dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	30	1000	-45.55	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	1000	3000	-39.19	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	3000	12000	-44.37	≤-13dBm	PASS
n5	15	15	CP-256QA M	M	Outer_Full	12000	20000	-35.68	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-66.31	≤-33dBm	PASS

n5	15	15	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-52.85	≤-23dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Left	30	1000	-50.57	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-39.24	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-35.71	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-66.22	≤-33dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-58.35	≤-23dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	30	1000	-48.98	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-35.79	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-66.07	≤-33dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-50.92	≤-23dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	30	1000	-48.32	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-39.17	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.44	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-35.81	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-60.24	≤-33dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-52.72	≤-23dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	30	1000	-46.55	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-39.25	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-35.75	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.31	≤-33dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	0.15	30	-56.87	≤-23dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	30	1000	-30.35	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	1000	3000	-39.25	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	3000	12000	-44.42	≤-13dBm	PASS
n5	15	15	DFT-BPSK	H	Outer_Full	12000	20000	-35.79	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-52.61	≤-33dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-54.87	≤-23dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	30	1000	-50.32	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-39.24	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.45	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-35.84	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-51.98	≤-33dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-54.52	≤-23dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	30	1000	-47.61	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-35.79	≤-13dBm	PASS

n5	15	15	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-50.98	≤-33dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-51.97	≤-23dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Right	30	1000	-48.29	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-39.21	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-35.81	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-52.04	≤-33dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-54.82	≤-23dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	30	1000	-47.65	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.46	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-35.82	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.24	≤-33dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	0.15	30	-57.49	≤-23dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	30	1000	-32.52	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	1000	3000	-39.27	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	3000	12000	-44.46	≤-13dBm	PASS
n5	15	15	DFT-QPSK	H	Outer_Full	12000	20000	-35.84	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-65.62	≤-33dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-53.26	≤-23dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	30	1000	-51.75	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-39.25	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.44	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-35.83	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-66.34	≤-33dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-50.70	≤-23dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	30	1000	-47.95	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n5	15	15	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-35.83	≤-13dBm	PASS

			M							
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	0.009	0.15	-60.82	≤-33dBm	PASS
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	0.15	30	-76.69	≤-23dBm	PASS
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	30	1000	-47.37	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	1000	3000	-39.29	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Inner_1RB_Right	12000	20000	-35.85	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	0.009	0.15	-51.90	≤-33dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	0.15	30	-57.47	≤-23dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	30	1000	-48.40	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	1000	3000	-39.26	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Edge_1RB_Right	12000	20000	-35.80	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	0.009	0.15	-66.23	≤-33dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	0.15	30	-59.57	≤-23dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	30	1000	-34.82	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	1000	3000	-39.27	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	3000	12000	-44.48	≤-13dBm	PASS
n5	15	15	DFT-16QA M	H	Outer_Full	12000	20000	-35.81	≤-13dBm	PASS
n5	15	15	DFT-64QA M	H	Edge_1RB_Left	0.009	0.15	-53.53	≤-33dBm	PASS
n5	15	15	DFT-64QA M	H	Edge_1RB_Left	0.15	30	-63.56	≤-23dBm	PASS

n5	15	15	DFT-64QAM	H	Edge_1RB_Left	30	1000	-51.32	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Left	3000	12000	-44.49	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Left	12000	20000	-35.83	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	0.009	0.15	-53.13	≤-33dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	0.15	30	-55.67	≤-23dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	30	1000	-51.69	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Left	12000	20000	-35.85	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	0.009	0.15	-52.55	≤-33dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	0.15	30	-54.92	≤-23dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	30	1000	-48.87	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Inner_1RB_Right	12000	20000	-35.89	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	0.009	0.15	-52.74	≤-33dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	0.15	30	-61.07	≤-23dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	30	1000	-46.90	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	1000	3000	-39.28	≤-13dBm	PASS
n5	15	15	DFT-64QAM	H	Edge_1RB_Right	3000	12000	-44.49	≤-13dBm	PASS

			M							
n5	15	15	DFT-64QA M	H	Edge_1RB_Right	12000	20000	-35.87	≤-13dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	0.009	0.15	-60.78	≤-33dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	0.15	30	-73.83	≤-23dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	30	1000	-36.44	≤-13dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	1000	3000	-39.27	≤-13dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	DFT-64QA M	H	Outer_Full	12000	20000	-35.82	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	0.009	0.15	-57.46	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	0.15	30	-59.13	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	30	1000	-53.62	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	3000	12000	-44.51	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Left	12000	20000	-35.83	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	0.009	0.15	-57.55	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	0.15	30	-76.04	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	30	1000	-53.94	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	3000	12000	-44.56	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Left	12000	20000	-35.82	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	0.009	0.15	-66.24	≤-33dBm	PASS

n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	0.15	30	-58.04	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	30	1000	-51.50	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-35.86	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-56.93	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-58.29	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-51.37	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.47	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-35.82	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	0.009	0.15	-65.99	≤-33dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	0.15	30	-64.54	≤-23dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	30	1000	-42.58	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	1000	3000	-39.26	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	3000	12000	-44.51	≤-13dBm	PASS
n5	15	15	DFT-256Q AM	H	Outer_Full	12000	20000	-35.87	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-52.27	≤-33dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	0.15	30	-57.66	≤-23dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	30	1000	-49.75	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.07	≤-33dBm	PASS

n5	15	15	CP-QPSK	H	Inner_1RB_Left	0.15	30	-54.97	≤-23dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Left	30	1000	-46.93	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Left	12000	20000	-35.83	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-49.24	≤-33dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	0.15	30	-76.36	≤-23dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	30	1000	-46.35	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Inner_1RB_Right	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-66.11	≤-33dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	0.15	30	-57.86	≤-23dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	30	1000	-48.42	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.48	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	0.009	0.15	-65.87	≤-33dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	0.15	30	-63.92	≤-23dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	30	1000	-34.56	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	CP-QPSK	H	Outer_Full	12000	20000	-35.88	≤-13dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-53.45	≤-33dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	0.15	30	-57.80	≤-23dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	30	1000	-50.30	≤-13dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS
n5	15	15	CP-16QAM	H	Edge_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-62.27	≤-33dBm	PASS
n5	15	15	CP-16QAM	H	Inner_1RB_Left	0.15	30	-64.39	≤-23dBm	PASS
n5	15	15	CP-16QAM	H	Inner_1RB_Left	30	1000	-47.56	≤-13dBm	PASS

n5	15	15	CP-16QA M	H	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Left	3000	12000	-44.50	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-60.70	≤-33dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	0.15	30	-62.44	≤-23dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	30	1000	-46.00	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Inner_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-53.09	≤-33dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	0.15	30	-76.28	≤-23dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	30	1000	-45.36	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	1000	3000	-39.27	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.52	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Edge_1RB_Right	12000	20000	-35.88	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Outer_Full	0.009	0.15	-65.29	≤-33dBm	PASS
n5	15	15	CP-16QA M	H	Outer_Full	0.15	30	-63.05	≤-23dBm	PASS
n5	15	15	CP-16QA M	H	Outer_Full	30	1000	-34.74	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	15	CP-16QA M	H	Outer_Full	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	CP-16QA	H	Outer_Full	12000	20000	-35.89	≤-13dBm	PASS

			M							
n5	15	15	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-54.96	≤-33dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Left	0.15	30	-57.02	≤-23dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Left	30	1000	-51.28	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-61.58	≤-33dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	0.15	30	-65.76	≤-23dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	30	1000	-50.92	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-54.31	≤-33dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	0.15	30	-58.02	≤-23dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	30	1000	-47.73	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-55.09	≤-33dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Right	0.15	30	-57.75	≤-23dBm	PASS

n5	15	15	CP-64QA M	H	Edge_1RB_Right	30	1000	-48.67	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	0.009	0.15	-65.59	≤-33dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	0.15	30	-64.40	≤-23dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	30	1000	-36.23	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	3000	12000	-44.54	≤-13dBm	PASS
n5	15	15	CP-64QA M	H	Outer_Full	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-60.34	≤-33dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	0.15	30	-64.70	≤-23dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	30	1000	-53.24	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.59	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-60.00	≤-33dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Left	0.15	30	-76.72	≤-23dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.11	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	15	CP-256QA	H	Inner_1RB_Left	3000	12000	-44.55	≤-13dBm	PASS

			M							
n5	15	15	CP-256QA M	H	Inner_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-59.10	≤-33dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	0.15	30	-63.18	≤-23dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	30	1000	-50.86	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	1000	3000	-39.32	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	0.009	0.15	-58.89	≤-33dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	0.15	30	-62.78	≤-23dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	30	1000	-50.96	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	3000	12000	-44.56	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	0.009	0.15	-65.81	≤-33dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	0.15	30	-70.55	≤-23dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	30	1000	-45.42	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	1000	3000	-39.25	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	3000	12000	-44.57	≤-13dBm	PASS
n5	15	15	CP-256QA M	H	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-53.58	≤-33dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-54.94	≤-23dBm	PASS

n5	15	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-47.02	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	3000	12000	-44.56	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	0.009	0.15	-52.63	≤-33dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	0.15	30	-54.03	≤-23dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	30	1000	-46.03	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	0.009	0.15	-53.17	≤-33dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	0.15	30	-76.45	≤-23dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	30	1000	-48.90	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	0.009	0.15	-51.94	≤-33dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	0.15	30	-76.50	≤-23dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	30	1000	-49.39	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	1000	3000	-39.31	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Edge_1RB_Right	12000	20000	-35.86	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	0.009	0.15	-66.16	≤-33dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	0.15	30	-57.88	≤-23dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	30	1000	-33.10	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	DFT-BPSK	L	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-60.58	≤-33dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-55.99	≤-23dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-48.32	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	0.009	0.15	-53.66	≤-33dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	0.15	30	-76.34	≤-23dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	30	1000	-48.04	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Right	0.009	0.15	-50.31	≤-33dBm	PASS

n5	15	20	DFT-QPSK	L	Inner_1RB_Right	0.15	30	-76.40	≤-23dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Right	30	1000	-48.06	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-52.84	≤-33dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-56.00	≤-23dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	30	1000	-49.14	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-35.91	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	0.009	0.15	-66.27	≤-33dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	0.15	30	-57.94	≤-23dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	30	1000	-34.74	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	1000	3000	-39.30	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-QPSK	L	Outer_Full	12000	20000	-35.90	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	0.009	0.15	-53.50	≤-33dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	0.15	30	-53.46	≤-23dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	30	1000	-49.26	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	0.009	0.15	-56.75	≤-33dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	0.15	30	-56.78	≤-23dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	30	1000	-47.98	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Left	12000	20000	-35.91	≤-13dBm	PASS

n5	15	20	DFT-16QAM	L	Inner_1RB_Right	0.009	0.15	-49.78	≤-33dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Right	0.15	30	-50.21	≤-23dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Right	30	1000	-49.21	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Right	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Inner_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	0.009	0.15	-51.74	≤-33dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	0.15	30	-76.66	≤-23dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	30	1000	-49.78	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	3000	12000	-44.58	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	0.009	0.15	-67.26	≤-33dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	0.15	30	-59.37	≤-23dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	30	1000	-36.33	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-16QAM	L	Outer_Full	12000	20000	-35.91	≤-13dBm	PASS
n5	15	20	DFT-64QAM	L	Edge_1RB_Left	0.009	0.15	-54.43	≤-33dBm	PASS
n5	15	20	DFT-64QAM	L	Edge_1RB_Left	0.15	30	-58.01	≤-23dBm	PASS
n5	15	20	DFT-64QAM	L	Edge_1RB_Left	30	1000	-49.79	≤-13dBm	PASS

			M							
n5	15	20	DFT-64QA M	L	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Left	3000	12000	-44.59	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	0.009	0.15	-54.24	≤-33dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	0.15	30	-56.89	≤-23dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	30	1000	-50.66	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	0.009	0.15	-52.71	≤-33dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	0.15	30	-55.60	≤-23dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	30	1000	-50.63	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Right	0.009	0.15	-52.58	≤-33dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Right	0.15	30	-55.41	≤-23dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Right	30	1000	-50.34	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	DFT-64QA M	L	Edge_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS

n5	15	20	DFT-64QAM	L	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	0.009	0.15	-66.05	≤-33dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	0.15	30	-60.63	≤-23dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	30	1000	-37.16	≤-13dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	1000	3000	-39.32	≤-13dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	3000	12000	-44.59	≤-13dBm	PASS
n5	15	20	DFT-64QAM	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	0.009	0.15	-58.85	≤-33dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	0.15	30	-60.15	≤-23dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	30	1000	-53.55	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Edge_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	0.009	0.15	-58.51	≤-33dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	0.15	30	-60.76	≤-23dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	30	1000	-51.12	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Right	0.009	0.15	-56.93	≤-33dBm	PASS
n5	15	20	DFT-256QAM	L	Inner_1RB_Right	0.15	30	-59.54	≤-23dBm	PASS

			AM							
n5	15	20	DFT-256Q AM	L	Inner_1RB_Right	30	1000	-47.34	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Inner_1RB_Right	1000	3000	-39.32	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Inner_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	0.009	0.15	-56.99	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	0.15	30	-59.31	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	30	1000	-52.07	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	0.009	0.15	-66.08	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	0.15	30	-64.20	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	30	1000	-41.13	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	L	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	0.009	0.15	-53.42	≤-33dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	0.15	30	-59.21	≤-23dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	30	1000	-47.08	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Left	0.009	0.15	-50.92	≤-33dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Left	0.15	30	-55.95	≤-23dBm	PASS

n5	15	20	CP-QPSK	L	Inner_1RB_Left	30	1000	-45.88	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Left	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	0.009	0.15	-48.06	≤-33dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	0.15	30	-54.12	≤-23dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	30	1000	-47.38	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	3000	12000	-44.57	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	0.009	0.15	-52.60	≤-33dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	0.15	30	-76.45	≤-23dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	30	1000	-48.52	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	0.009	0.15	-65.68	≤-33dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	0.15	30	-65.68	≤-23dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	30	1000	-37.56	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	CP-QPSK	L	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	0.009	0.15	-54.83	≤-33dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	0.15	30	-58.29	≤-23dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	30	1000	-47.36	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	1000	3000	-39.30	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Edge_1RB_Left	12000	20000	-35.89	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Inner_1RB_Left	0.009	0.15	-66.44	≤-33dBm	PASS
n5	15	20	CP-16QAM	L	Inner_1RB_Left	0.15	30	-56.69	≤-23dBm	PASS
n5	15	20	CP-16QAM	L	Inner_1RB_Left	30	1000	-47.73	≤-13dBm	PASS
n5	15	20	CP-16QAM	L	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS

			M							
n5	15	20	CP-16QA M	L	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	0.009	0.15	-51.34	≤-33dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	0.15	30	-55.01	≤-23dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	30	1000	-47.75	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	0.009	0.15	-52.62	≤-33dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	0.15	30	-56.42	≤-23dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	30	1000	-48.62	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Edge_1RB_Right	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	0.009	0.15	-65.63	≤-33dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	0.15	30	-76.11	≤-23dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	30	1000	-36.47	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	1000	3000	-39.31	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-16QA M	L	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS

n5	15	20	CP-64QA M	L	Edge_1RB_Left	0.009	0.15	-56.37	≤-33dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Left	0.15	30	-58.66	≤-23dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Left	30	1000	-49.16	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Left	3000	12000	-44.58	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	0.009	0.15	-57.18	≤-33dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	0.15	30	-59.66	≤-23dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	30	1000	-49.02	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	0.009	0.15	-66.62	≤-33dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	0.15	30	-57.45	≤-23dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	30	1000	-48.93	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Right	0.009	0.15	-54.24	≤-33dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Right	0.15	30	-56.57	≤-23dBm	PASS
n5	15	20	CP-64QA	L	Edge_1RB_Right	30	1000	-49.37	≤-13dBm	PASS

			M							
n5	15	20	CP-64QA M	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Right	3000	12000	-44.62	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Edge_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	0.009	0.15	-64.96	≤-33dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	0.15	30	-66.08	≤-23dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	30	1000	-37.76	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	1000	3000	-39.30	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-64QA M	L	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	0.009	0.15	-61.48	≤-33dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	0.15	30	-65.53	≤-23dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	30	1000	-51.66	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Inner_1RB_Left	0.009	0.15	-62.05	≤-33dBm	PASS
n5	15	20	CP-256QA M	L	Inner_1RB_Left	0.15	30	-77.16	≤-23dBm	PASS
n5	15	20	CP-256QA M	L	Inner_1RB_Left	30	1000	-52.04	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	CP-256QA M	L	Inner_1RB_Left	3000	12000	-44.53	≤-13dBm	PASS

n5	15	20	CP-256QAM	L	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	0.009	0.15	-66.36	≤-33dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	0.15	30	-63.49	≤-23dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	30	1000	-53.07	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	0.009	0.15	-59.05	≤-33dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	0.15	30	-64.28	≤-23dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	30	1000	-52.38	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	3000	12000	-44.55	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	0.009	0.15	-66.24	≤-33dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	0.15	30	-71.79	≤-23dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	30	1000	-45.47	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	1000	3000	-39.34	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	CP-256QAM	L	Outer_Full	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-53.21	≤-33dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-55.02	≤-23dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-49.27	≤-13dBm	PASS