

n5	15	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-39.31	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	0.009	0.15	-52.42	≤-33dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	0.15	30	-53.51	≤-23dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	30	1000	-47.65	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	0.009	0.15	-51.09	≤-33dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	0.15	30	-52.09	≤-23dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	30	1000	-49.55	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	0.009	0.15	-52.17	≤-33dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	0.15	30	-53.54	≤-23dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	30	1000	-49.27	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	1000	3000	-35.83	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	0.009	0.15	-66.24	≤-33dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	0.15	30	-56.69	≤-23dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	30	1000	-38.81	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	3000	12000	-44.58	≤-13dBm	PASS
n5	15	20	DFT-BPSK	M	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-57.99	≤-33dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-56.77	≤-23dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-49.66	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Left	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	0.009	0.15	-57.63	≤-33dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	0.15	30	-59.78	≤-23dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	30	1000	-41.09	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	3000	12000	-44.57	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Right	0.009	0.15	-51.36	≤-33dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Right	0.15	30	-53.52	≤-23dBm	PASS

n5	15	20	DFT-QPSK	M	Inner_1RB_Right	30	1000	-49.99	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	0.009	0.15	-53.05	≤-33dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	0.15	30	-55.19	≤-23dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	30	1000	-50.62	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	0.009	0.15	-66.37	≤-33dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	0.15	30	-76.46	≤-23dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	30	1000	-35.16	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-QPSK	M	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	0.009	0.15	-53.84	≤-33dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	0.15	30	-76.83	≤-23dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	30	1000	-48.71	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Edge_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	0.009	0.15	-51.95	≤-33dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	0.15	30	-51.91	≤-23dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	30	1000	-46.88	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-16QAM	M	Inner_1RB_Right	0.009	0.15	-66.46	≤-33dBm	PASS

			M							
n5	15	20	DFT-16QA M	M	Inner_1RB_Right	0.15	30	-50.88	≤-23dBm	PASS
n5	15	20	DFT-16QA M	M	Inner_1RB_Right	30	1000	-50.70	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Inner_1RB_Right	1000	3000	-37.17	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Inner_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Inner_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	0.009	0.15	-51.97	≤-33dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	0.15	30	-51.93	≤-23dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	30	1000	-50.20	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	0.009	0.15	-65.74	≤-33dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	0.15	30	-61.03	≤-23dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	30	1000	-37.63	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	DFT-16QA M	M	Outer_Full	12000	20000	-35.93	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Left	0.009	0.15	-54.83	≤-33dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Left	0.15	30	-56.80	≤-23dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Left	30	1000	-50.99	≤-13dBm	PASS

n5	15	20	DFT-64QA M	M	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	0.009	0.15	-66.28	≤-33dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	0.15	30	-57.10	≤-23dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	30	1000	-52.14	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	1000	3000	-38.81	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	3000	12000	-44.56	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	0.009	0.15	-54.40	≤-33dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	0.15	30	-56.45	≤-23dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	30	1000	-51.60	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Right	0.009	0.15	-52.81	≤-33dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Right	0.15	30	-62.43	≤-23dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Right	30	1000	-51.18	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	DFT-64QA	M	Edge_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS

			M							
n5	15	20	DFT-64QA M	M	Outer_Full	0.009	0.15	-65.94	≤-33dBm	PASS
n5	15	20	DFT-64QA M	M	Outer_Full	0.15	30	-60.52	≤-23dBm	PASS
n5	15	20	DFT-64QA M	M	Outer_Full	30	1000	-37.84	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Outer_Full	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-64QA M	M	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	0.009	0.15	-58.84	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	0.15	30	-60.33	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	30	1000	-51.86	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	0.009	0.15	-58.83	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	0.15	30	-60.57	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	30	1000	-52.14	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	0.009	0.15	-57.62	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	0.15	30	-59.62	≤-23dBm	PASS

n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	30	1000	-52.52	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	0.009	0.15	-57.79	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	0.15	30	-59.28	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	30	1000	-51.53	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	1000	3000	-39.44	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	0.009	0.15	-65.99	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	0.15	30	-64.65	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	30	1000	-42.52	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	M	Outer_Full	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	0.009	0.15	-53.42	≤-33dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	0.15	30	-59.11	≤-23dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	30	1000	-46.54	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Left	0.009	0.15	-51.22	≤-33dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Left	0.15	30	-56.00	≤-23dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Left	30	1000	-48.68	≤-13dBm	PASS

n5	15	20	CP-QPSK	M	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	0.009	0.15	-48.50	≤-33dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	0.15	30	-54.89	≤-23dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	30	1000	-50.12	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Inner_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	0.009	0.15	-52.67	≤-33dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	0.15	30	-57.52	≤-23dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	30	1000	-50.90	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Edge_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	0.009	0.15	-65.84	≤-33dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	0.15	30	-65.79	≤-23dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	30	1000	-38.09	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	CP-QPSK	M	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	0.009	0.15	-54.83	≤-33dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	0.15	30	-62.71	≤-23dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	30	1000	-49.98	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Inner_1RB_Left	0.009	0.15	-52.86	≤-33dBm	PASS
n5	15	20	CP-16QAM	M	Inner_1RB_Left	0.15	30	-56.12	≤-23dBm	PASS
n5	15	20	CP-16QAM	M	Inner_1RB_Left	30	1000	-48.54	≤-13dBm	PASS
n5	15	20	CP-16QAM	M	Inner_1RB_Left	1000	3000	-39.40	≤-13dBm	PASS

n5	15	20	CP-16QA M	M	Inner_1RB_Left	3000	12000	-43.13	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Left	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	0.009	0.15	-51.42	≤-33dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	0.15	30	-54.41	≤-23dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	30	1000	-49.51	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	0.009	0.15	-66.43	≤-33dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	0.15	30	-56.83	≤-23dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	30	1000	-50.38	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	0.009	0.15	-65.45	≤-33dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	0.15	30	-65.18	≤-23dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	30	1000	-37.59	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	CP-16QA M	M	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n5	15	20	CP-64QA	M	Edge_1RB_Left	0.009	0.15	-56.27	≤-33dBm	PASS

			M							
n5	15	20	CP-64QA M	M	Edge_1RB_Left	0.15	30	-77.14	≤-23dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Left	30	1000	-50.32	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Left	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Left	12000	20000	-36.03	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	0.009	0.15	-57.34	≤-33dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	0.15	30	-58.56	≤-23dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	30	1000	-49.35	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	0.009	0.15	-55.39	≤-33dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	0.15	30	-56.90	≤-23dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	30	1000	-51.14	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	1000	3000	-39.44	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Right	0.009	0.15	-66.06	≤-33dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Right	0.15	30	-57.23	≤-23dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Right	30	1000	-49.84	≤-13dBm	PASS

n5	15	20	CP-64QA M	M	Edge_1RB_Right	1000	3000	-39.26	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	0.009	0.15	-64.93	≤-33dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	0.15	30	-65.87	≤-23dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	30	1000	-38.09	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	CP-64QA M	M	Outer_Full	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	0.009	0.15	-61.84	≤-33dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	0.15	30	-65.55	≤-23dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	30	1000	-53.71	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Left	0.009	0.15	-62.70	≤-33dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Left	0.15	30	-65.39	≤-23dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Left	30	1000	-52.49	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	CP-256QA	M	Inner_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS

			M							
n5	15	20	CP-256QA M	M	Inner_1RB_Right	0.009	0.15	-60.86	≤-33dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Right	0.15	30	-69.13	≤-23dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Right	30	1000	-52.38	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	0.009	0.15	-59.81	≤-33dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	0.15	30	-64.44	≤-23dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	30	1000	-53.25	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Edge_1RB_Right	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	0.009	0.15	-65.92	≤-33dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	0.15	30	-71.46	≤-23dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	30	1000	-45.77	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	CP-256QA M	M	Outer_Full	12000	20000	-36.03	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-52.94	≤-33dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-54.09	≤-23dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-50.78	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-39.39	≤-13dBm	PASS

n5	15	20	DFT-BPSK	H	Edge_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	0.009	0.15	-65.91	≤-33dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	0.15	30	-53.34	≤-23dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	30	1000	-49.52	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	1000	3000	-39.32	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Left	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	0.009	0.15	-51.77	≤-33dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	0.15	30	-52.70	≤-23dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	30	1000	-47.85	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	1000	3000	-39.39	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	0.009	0.15	-52.89	≤-33dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	0.15	30	-53.73	≤-23dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	30	1000	-46.78	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	1000	3000	-37.95	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	0.009	0.15	-66.44	≤-33dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	0.15	30	-54.34	≤-23dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	30	1000	-32.61	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-BPSK	H	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-53.99	≤-33dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-57.10	≤-23dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-50.87	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	0.009	0.15	-52.78	≤-33dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	0.15	30	-55.08	≤-23dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	30	1000	-49.87	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	1000	3000	-37.96	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Right	0.009	0.15	-51.76	≤-33dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Right	0.15	30	-54.40	≤-23dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Right	30	1000	-49.00	≤-13dBm	PASS

n5	15	20	DFT-QPSK	H	Inner_1RB_Right	1000	3000	-35.96	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Right	3000	12000	-44.72	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Inner_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	0.009	0.15	-53.94	≤-33dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	0.15	30	-55.88	≤-23dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	30	1000	-48.71	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	0.15	30	-57.05	≤-23dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	30	1000	-35.49	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	DFT-QPSK	H	Outer_Full	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	0.009	0.15	-53.73	≤-33dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	0.15	30	-53.57	≤-23dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	30	1000	-51.78	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	0.009	0.15	-51.13	≤-33dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	0.15	30	-76.58	≤-23dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	30	1000	-49.99	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Left	12000	20000	-35.92	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Right	0.009	0.15	-62.01	≤-33dBm	PASS

n5	15	20	DFT-16QAM	H	Inner_1RB_Right	0.15	30	-63.71	≤-23dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Right	30	1000	-48.13	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Right	1000	3000	-39.45	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Inner_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	0.009	0.15	-60.12	≤-33dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	0.15	30	-58.71	≤-23dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	30	1000	-48.15	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Edge_1RB_Right	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	0.009	0.15	-65.57	≤-33dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	0.15	30	-76.98	≤-23dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	30	1000	-38.18	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-16QAM	H	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-64QAM	H	Edge_1RB_Left	0.009	0.15	-53.80	≤-33dBm	PASS
n5	15	20	DFT-64QAM	H	Edge_1RB_Left	0.15	30	-76.65	≤-23dBm	PASS
n5	15	20	DFT-64QAM	H	Edge_1RB_Left	30	1000	-51.92	≤-13dBm	PASS
n5	15	20	DFT-64QAM	H	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS

			M							
n5	15	20	DFT-64QA M	H	Edge_1RB_Left	3000	12000	-44.68	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Left	12000	20000	-36.05	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	0.009	0.15	-53.98	≤-33dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	0.15	30	-56.52	≤-23dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	30	1000	-52.54	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Left	12000	20000	-35.93	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	0.009	0.15	-53.37	≤-33dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	0.15	30	-55.51	≤-23dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	30	1000	-49.83	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Inner_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	0.009	0.15	-66.19	≤-33dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	0.15	30	-55.57	≤-23dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	30	1000	-44.37	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	1000	3000	-38.72	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	DFT-64QA M	H	Edge_1RB_Right	12000	20000	-36.00	≤-13dBm	PASS

n5	15	20	DFT-64QAM	H	Outer_Full	0.009	0.15	-66.82	≤-33dBm	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	0.15	30	-60.07	≤-23dBm	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	30	1000	-38.93	≤-13dBm	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	3000	12000	-44.68	≤-13dBm	PASS
n5	15	20	DFT-64QAM	H	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	0.009	0.15	-58.98	≤-33dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	0.15	30	-61.00	≤-23dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	30	1000	-52.06	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Edge_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	0.009	0.15	-62.74	≤-33dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	0.15	30	-60.33	≤-23dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	30	1000	-52.72	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	1000	3000	-39.45	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Left	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Right	0.009	0.15	-57.56	≤-33dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Right	0.15	30	-59.34	≤-23dBm	PASS
n5	15	20	DFT-256QAM	H	Inner_1RB_Right	30	1000	-51.48	≤-13dBm	PASS

			AM							
n5	15	20	DFT-256Q AM	H	Inner_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Inner_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Inner_1RB_Right	12000	20000	-35.96	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	0.009	0.15	-61.69	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	0.15	30	-76.46	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	30	1000	-50.99	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	1000	3000	-39.45	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Edge_1RB_Right	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	0.009	0.15	-66.59	≤-33dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	0.15	30	-64.20	≤-23dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	30	1000	-44.28	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	1000	3000	-39.37	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	DFT-256Q AM	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	0.009	0.15	-62.54	≤-33dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	0.15	30	-76.58	≤-23dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	30	1000	-51.32	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Left	12000	20000	-35.98	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Left	0.009	0.15	-66.37	≤-33dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Left	0.15	30	-55.50	≤-23dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Left	30	1000	-49.13	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Left	1000	3000	-39.37	≤-13dBm	PASS

n5	15	20	CP-QPSK	H	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Left	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	0.009	0.15	-48.63	≤-33dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	0.15	30	-53.94	≤-23dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	30	1000	-48.56	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	1000	3000	-39.43	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Inner_1RB_Right	12000	20000	-35.94	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	0.009	0.15	-62.52	≤-33dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	0.15	30	-75.73	≤-23dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	30	1000	-49.63	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	1000	3000	-39.40	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	3000	12000	-44.68	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Edge_1RB_Right	12000	20000	-36.03	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	0.009	0.15	-65.81	≤-33dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	0.15	30	-67.12	≤-23dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	30	1000	-36.19	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	1000	3000	-39.43	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	3000	12000	-44.65	≤-13dBm	PASS
n5	15	20	CP-QPSK	H	Outer_Full	12000	20000	-36.00	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	0.009	0.15	-54.23	≤-33dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	0.15	30	-57.57	≤-23dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	30	1000	-50.75	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Edge_1RB_Left	12000	20000	-36.04	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Inner_1RB_Left	0.009	0.15	-51.86	≤-33dBm	PASS
n5	15	20	CP-16QAM	H	Inner_1RB_Left	0.15	30	-55.26	≤-23dBm	PASS
n5	15	20	CP-16QAM	H	Inner_1RB_Left	30	1000	-48.36	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Inner_1RB_Left	1000	3000	-39.43	≤-13dBm	PASS
n5	15	20	CP-16QAM	H	Inner_1RB_Left	3000	12000	-44.65	≤-13dBm	PASS


			M							
n5	15	20	CP-16QA M	H	Inner_1RB_Left	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	0.009	0.15	-51.48	≤-33dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	0.15	30	-54.27	≤-23dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	30	1000	-45.50	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	3000	12000	-44.59	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Inner_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	0.009	0.15	-66.52	≤-33dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	0.15	30	-56.32	≤-23dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	30	1000	-49.35	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	1000	3000	-39.49	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	3000	12000	-44.60	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Edge_1RB_Right	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	0.009	0.15	-66.36	≤-33dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	0.15	30	-65.57	≤-23dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	30	1000	-36.26	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-16QA M	H	Outer_Full	12000	20000	-35.97	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Left	0.009	0.15	-55.46	≤-33dBm	PASS


n5	15	20	CP-64QA M	H	Edge_1RB_Left	0.15	30	-76.15	≤-23dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Left	30	1000	-52.17	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Left	1000	3000	-39.38	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Left	12000	20000	-36.02	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	0.009	0.15	-56.56	≤-33dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	0.15	30	-58.87	≤-23dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	30	1000	-51.98	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	1000	3000	-39.42	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	3000	12000	-44.61	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	0.009	0.15	-55.23	≤-33dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	0.15	30	-57.67	≤-23dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	30	1000	-49.39	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	3000	12000	-44.63	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Inner_1RB_Right	12000	20000	-36.05	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Right	0.009	0.15	-58.49	≤-33dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Right	0.15	30	-57.23	≤-23dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Right	30	1000	-50.52	≤-13dBm	PASS
n5	15	20	CP-64QA	H	Edge_1RB_Right	1000	3000	-39.37	≤-13dBm	PASS


			M							
n5	15	20	CP-64QA M	H	Edge_1RB_Right	3000	12000	-44.66	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	0.009	0.15	-66.00	≤-33dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	0.15	30	-66.31	≤-23dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	30	1000	-38.84	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	1000	3000	-39.36	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	3000	12000	-44.70	≤-13dBm	PASS
n5	15	20	CP-64QA M	H	Outer_Full	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	0.009	0.15	-62.39	≤-33dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	0.15	30	-65.39	≤-23dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	30	1000	-53.48	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	1000	3000	-39.33	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	3000	12000	-44.64	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	0.009	0.15	-62.11	≤-33dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	0.15	30	-65.55	≤-23dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	30	1000	-53.54	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	1000	3000	-39.43	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	3000	12000	-44.71	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Left	12000	20000	-35.99	≤-13dBm	PASS


n5	15	20	CP-256QA M	H	Inner_1RB_Right	0.009	0.15	-59.75	≤-33dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Right	0.15	30	-64.07	≤-23dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Right	30	1000	-54.60	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Right	1000	3000	-39.41	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Right	3000	12000	-44.69	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Inner_1RB_Right	12000	20000	-35.95	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	0.009	0.15	-59.98	≤-33dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	0.15	30	-65.17	≤-23dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	30	1000	-51.44	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	1000	3000	-38.21	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Edge_1RB_Right	12000	20000	-36.01	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	0.009	0.15	-66.58	≤-33dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	0.15	30	-71.47	≤-23dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	30	1000	-46.39	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	1000	3000	-39.35	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	3000	12000	-44.67	≤-13dBm	PASS
n5	15	20	CP-256QA M	H	Outer_Full	12000	20000	-35.98	≤-13dBm	PASS


Test Graphs
































 NTNV-n5-PC2-15-5-L-DFT-QPSK-Inner_1RB_Left -0.009-0.15-PASS	 NTNV-n5-PC2-15-5-L-DFT-QPSK-Inner_1RB_Left -0.15-30-PASS
 NTNV-n5-PC2-15-5-L-DFT-QPSK-Inner_1RB_Left -30-1000-PASS	 NTNV-n5-PC2-15-5-L-DFT-QPSK-Inner_1RB_Left -1000-3000-PASS



























































































































 Date: 13.AUG.2025 12:42:16 NTNV-n5-PC2-15-5-L-CP-16QAM-Outer_Full-0.00 9-0.15-PASS	 Date: 13.AUG.2025 12:42:30 NTNV-n5-PC2-15-5-L-CP-16QAM-Outer_Full-0.15 -30-PASS
 Date: 10 SEP 2025 01:00:48 NTNV-n5-PC2-15-5-L-CP-16QAM-Outer_Full-30-1 000-PASS	 Date: 13.AUG.2025 12:42:59 NTNV-n5-PC2-15-5-L-CP-16QAM-Outer_Full-100 0-3000-PASS

