

Appendix A: Test Results of 2.4GHz Wi-Fi

APPENDIX A: TEST RESULTS OF 2.4GHZ WI-FI	1
APPENDIX A.1: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	2
APPENDIX A.2: TEST RESULTS OF 6dB BANDWIDTH	7
APPENDIX A.3: TEST RESULTS OF 99% BANDWIDTH	12
APPENDIX A.4: TEST RESULTS OF CONDUCTED SPURIOUS EMISSIONS MEASURED IN 100 kHz BANDWIDTH	17
<i>Conducted Spurious Emission</i>	17
<i>Bandedge</i>	30
APPENDIX A.5: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	34
30MHz - 1GHz	34
1GHz - 18GHz	35
APPENDIX A.6: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	47
APPENDIX A.7: TEST RESULTS OF AC CONDUCTED EMISSIONS	64

Appendix A.1: Test Results of Conducted Power Spectral Density

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-6.17	≤8.00	PASS
		2437	-7.10	≤8.00	PASS
		2462	-9.34	≤8.00	PASS
11G	Ant1	2412	-2.41	≤8.00	PASS
		2437	-2.23	≤8.00	PASS
		2462	-1.97	≤8.00	PASS
11N20SISO	Ant1	2412	-2.81	≤8.00	PASS
		2437	-2.60	≤8.00	PASS
		2462	-2.22	≤8.00	PASS
11N40SISO	Ant1	2422	-6.50	≤8.00	PASS
		2437	-6.43	≤8.00	PASS
		2452	-6.85	≤8.00	PASS

11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2412




11G_Ant1_2437



11G_Ant1_2462



11N20SISO Ant1 2412




11N20SISO Ant1 2437




11N20SISO Ant1 2462



11N40SISO Ant1 2422



11N40SISO Ant1 2437



11N40SISO Ant1 2452



Appendix A.2: Test Results of 6dB Bandwidth

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	8.040	2408.960	2417.000	0.5	PASS
		2437	8.040	2433.960	2442.000	0.5	PASS
		2462	9.520	2457.000	2466.520	0.5	PASS
11G	Ant1	2412	16.400	2403.800	2420.200	0.5	PASS
		2437	16.400	2428.800	2445.200	0.5	PASS
		2462	16.400	2453.800	2470.200	0.5	PASS
11N20SISO	Ant1	2412	17.680	2403.160	2420.840	0.5	PASS
		2437	17.680	2428.160	2445.840	0.5	PASS
		2462	17.680	2453.160	2470.840	0.5	PASS
11N40SISO	Ant1	2422	36.400	2403.760	2440.160	0.5	PASS
		2437	36.400	2418.760	2455.160	0.5	PASS
		2452	36.400	2433.760	2470.160	0.5	PASS

11B_Ant1_2412



11B_Ant1_2437



11B_Ant1_2462



11G_Ant1_2412






11G_Ant1_2437



11G_Ant1_2462





11N40SISO Ant1 2422



11N40SISO Ant1 2437




11N40SISO Ant1 2452



Appendix A.3: Test Results of 99% Bandwidth

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	13.124	2406.1341	2419.2581	---	---
		2437	13.857	2430.8530	2444.7100	---	---
		2462	14.930	2454.4972	2469.4272	---	---
11G	Ant1	2412	16.494	2403.7497	2420.2437	---	---
		2437	16.474	2428.7597	2445.2337	---	---
		2462	16.465	2453.7591	2470.2241	---	---
11N20SISO	Ant1	2412	17.771	2403.1156	2420.8866	---	---
		2437	17.738	2428.1282	2445.8662	---	---
		2462	17.725	2453.1296	2470.8546	---	---
11N40SISO	Ant1	2422	36.517	2403.6623	2440.1793	---	---
		2437	36.502	2418.6671	2455.1691	---	---
		2452	36.458	2433.6643	2470.1223	---	---


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO Ant1 2412






11N20SISO Ant1 2437



11N20SISO Ant1 2462






Appendix A.4: Test Results of Conducted Spurious Emissions Measured in 100 kHz Bandwidth

Conducted Spurious Emission

TestMode	Antenna	Channel	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	4.72	4.72	---	PASS
			30~1000	4.72	-57.63	≤-15.28	PASS
			1000~26500	4.72	-38.06	≤-15.28	PASS
		2437	Reference	4.33	4.33	---	PASS
			30~1000	4.33	-58.21	≤-15.67	PASS
			1000~26500	4.33	-36.55	≤-15.67	PASS
		2462	Reference	3.56	3.56	---	PASS
			30~1000	3.56	-57.93	≤-16.44	PASS
			1000~26500	3.56	-37.52	≤-16.44	PASS
11G	Ant1	2412	Reference	-3.08	-3.08	---	PASS
			30~1000	-3.08	-58.14	≤-23.08	PASS
			1000~26500	-3.08	-47.23	≤-23.08	PASS
		2437	Reference	-2.51	-2.51	---	PASS
			30~1000	-2.51	-57.18	≤-22.51	PASS
			1000~26500	-2.51	-47.54	≤-22.51	PASS
		2462	Reference	-2.19	-2.19	---	PASS
			30~1000	-2.19	-58.47	≤-22.19	PASS
			1000~26500	-2.19	-46.87	≤-22.19	PASS
11N20SISO	Ant1	2412	Reference	-3.43	-3.43	---	PASS
			30~1000	-3.43	-58.27	≤-23.43	PASS
			1000~26500	-3.43	-47.74	≤-23.43	PASS
		2437	Reference	-2.87	-2.87	---	PASS
			30~1000	-2.87	-58.03	≤-22.87	PASS
			1000~26500	-2.87	-48.22	≤-22.87	PASS
		2462	Reference	-2.63	-2.63	---	PASS
			30~1000	-2.63	-57.46	≤-22.63	PASS
			1000~26500	-2.63	-45.78	≤-22.63	PASS
11N40SISO	Ant1	2422	Reference	-7.05	-7.05	---	PASS
			30~1000	-7.05	-58.25	≤-27.05	PASS
			1000~26500	-7.05	-48.79	≤-27.05	PASS
		2437	Reference	-6.83	-6.83	---	PASS
			30~1000	-6.83	-58.57	≤-26.83	PASS
			1000~26500	-6.83	-47.73	≤-26.83	PASS
		2452	Reference	-6.95	-6.95	---	PASS
			30~1000	-6.95	-57.82	≤-26.95	PASS
			1000~26500	-6.95	-47.15	≤-26.95	PASS

11B_Ant1_2412_0~Reference



11B_Ant1_2412_30~1000



11B_Ant1_2412_1000~26500



11B_Ant1_2437_0~Reference



11B_Ant1_2437_30~1000



11B_Ant1_2437_1000~26500



11B_Ant1_2462_0~Reference



11B_Ant1_2462_30~1000



11B_Ant1_2462_1000~26500



11G_Ant1_2412_0~Reference



11G_Ant1_2412_30~1000



11G_Ant1_2412_1000~26500



11G_Ant1_2437_0~Reference



11G_Ant1_2437_30~1000



11G_Ant1_2437_1000~26500



11G_Ant1_2462_0~Reference



11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500



11N20SISO Ant1 2412 0~Reference




11N20SISO Ant1 2412 30~1000



11N20SISO Ant1 2412 1000~26500



11N20SISO Ant1 2437 0~Reference




11N20SISO Ant1 2437 30~1000




11N20SISO Ant1 2437 1000~26500






11N40SISO Ant1 2422 0~Reference



11N40SISO Ant1 2422 30~1000



11N40SISO Ant1 2422 1000~26500



11N40SISO Ant1 2437 0~Reference



11N40SISO Ant1 2437 30~1000



11N40SISO Ant1 2437 1000~26500



11N40SISO Ant1 2452 0~Reference



11N40SISO Ant1 2452 30~1000



11N40SISO Ant1 2452 1000~26500



Bandedge

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	6.20	-37.34	≤-13.8	PASS
		High	2462	5.11	-36.06	≤-14.89	PASS
11G	Ant1	Low	2412	-3.01	-35.79	≤-23.01	PASS
		High	2462	-2.17	-36.68	≤-22.17	PASS
11N20SISO	Ant1	Low	2412	-3.43	-35.48	≤-23.43	PASS
		High	2462	-2.58	-37.23	≤-22.58	PASS
11N40SISO	Ant1	Low	2422	-7.04	-36.91	≤-27.04	PASS
		High	2452	-6.91	-35.76	≤-26.91	PASS

11B_Ant1_Low_2412




11B_Ant1_High_2462



11G_Ant1_Low_2412



11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412



11N20SISO_Ant1_High_2462



11N40SISO Ant1 Low 2422



11N40SISO Ant1 High 2452



Appendix A.5: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30MHz - 1GHz

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
49.064231	13.83	40.00	26.17	100.0	H	234.0	-18.4
103.682692	11.65	43.50	31.85	100.0	H	211.0	-19.0
246.421923	19.31	46.00	26.69	100.0	H	294.0	-17.5
405.016923	26.33	46.00	19.67	100.0	H	171.0	-13.6
742.465000	25.81	46.00	20.19	100.0	H	40.0	-7.2

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Unmanned Aircraft
Model: FMAWZVM
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168575451/A004089180-009
Test Voltage:: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
46.303462	15.75	40.00	24.25	100.0	V	47.0	-18.7
108.234231	12.65	43.50	30.85	100.0	V	219.0	-19.1
366.776539	17.33	46.00	28.67	100.0	V	199.0	-14.5
742.465000	26.14	46.00	19.86	100.0	V	146.0	-7.2

Final_Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz


Note: The highest waveform in the figure is 2.4GHz Wi-Fi Fundamental.

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
-----	-----	-----	-----	-----	-----		-----	-----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
-----	-----	-----	-----	-----	-----		-----	-----

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
7232.500000	44.63	---	74.00	29.37	150.0	H	275.0	8.6
7234.958333	---	37.66	54.00	16.34	150.0	H	199.0	8.6
12137.366667	---	42.89	54.00	11.11	150.0	H	241.0	16.4
12156.050000	50.70	---	74.00	23.30	150.0	H	188.0	16.4

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	PoI	Azimuth (deg)	Corr. (dB/m)
7239.875000	---	35.98	54.00	18.02	150.0	V	212.0	8.6
7251.183333	43.21	---	74.00	30.79	150.0	V	2.0	8.5
11770.091667	50.25	---	74.00	23.75	150.0	V	31.0	15.3
11775.500000	---	42.12	54.00	11.88	150.0	V	85.0	15.2

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch6
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	52.68	---	74.00	21.32	150.0	H	192.0	13.3
4874.000000	---	47.65	54.00	6.35	150.0	H	192.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
100.0	100.0	100.0	100.0	100.0	100.0		100.0	100.0

EUT Information

EUT Name: Unmanned Aircraft
Model: FMAWZVM
Test Mode: WIFI 2.4G_11b_Ch6
Order No/Sample No: 168575451/A004089180-009
Test Voltage:: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4874.000000	55.12	---	74.00	18.88	150.0	V	41.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4873.919444	---	50.80	54.00	3.20	150.0	V	41.0	13.3

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch11
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4924.000000	55.18	---	74.00	18.82	150.0	H	195.0	13.3
4924.000000	---	50.04	54.00	3.96	150.0	H	195.0	13.3


Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
-----	-----	-----	-----	-----	-----		-----	-----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

EUT Information

EUT Name: Unmanned Aircraft
Model: FMAWZVM
Test Mode: WIFI 2.4G_11b_Ch11
Order No/Sample No: 168575451/A004089180-009
Test Voltage:: Battery
Remark: Temp 24 Humi:50%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7401.141667	43.98	---	74.00	30.02	150.0	V	104.0	8.3
7422.775000	---	36.82	54.00	17.18	150.0	V	208.0	8.4
12136.383333	51.05	---	74.00	22.95	150.0	V	104.0	16.4
12148.675000	---	42.98	54.00	11.02	150.0	V	301.0	16.7

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---		---	---

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11b_Ch1
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2371.176471	---	40.47	54.00	13.53	150.0	H	121.0	8.5
2375.882353	52.12	---	74.00	21.88	150.0	H	84.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
100.00	100.00	100.00	100.00	100.00	100.00		100.00	100.00


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11g_Ch1
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2320.294118	51.50	---	74.00	22.50	150.0	H	155.0	8.2
2364.705882	---	42.14	54.00	11.86	150.0	H	149.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
-----	-----	-----	-----	-----	-----		-----	-----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

EUT Information

EUT Name:	Unmanned Aircraft
Model:	FMAWZVM
Test Mode:	WIFI 2.4G_11n40_Ch3
Order No/Sample No:	168575451/A004089180-009
Test Voltage::	Battery
Remark:	Temp 24 Humi:50%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2378.235294	51.59	---	74.00	22.41	150.0	H	257.0	8.5
2382.352941	---	41.97	54.00	12.03	150.0	H	154.0	8.5

Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
100.000000	100.000000	100.000000	100.000000	100.000000	100.000000		100.000000	

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
-----	-----	-----	-----	-----	-----		-----	-----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
----	----	----	----	----	----		----	----

