




802.11b_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	57.10	27.84	-29.43	-	55.51	74.00	18.49
4 943.72 ¹⁾	V	56.90	32.97	-42.50	-	47.37	74.00	26.63
7 411.62 ¹⁾	H	52.70	36.48	-40.33	-	48.85	74.00	25.15
Average Data								
2 483.51 ¹⁾	H	49.86	27.84	-29.43	-	48.27	54.00	5.73



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.90 ¹⁾	H	47.00	27.20	-29.55	-	44.65	74.00	29.35
4 826.75 ¹⁾	V	56.60	32.46	-42.67	-	46.39	74.00	27.61
7 285.95 ¹⁾	H	52.60	36.97	-40.35	-	49.22	74.00	24.78
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 878.95 ¹⁾	V	53.80	32.77	-42.59	-	43.98	74.00	30.02
7 310.60 ¹⁾	V	53.20	36.66	-40.35	-	49.51	74.00	24.49
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.52 ¹⁾	H	55.40	27.84	-29.43	-	53.81	74.00	20.19
4 920.03 ¹⁾	V	53.50	32.88	-42.54	-	43.84	74.00	30.16
7 432.40 ¹⁾	H	52.70	36.44	-40.32	-	48.82	74.00	25.18
Average Data								
2 483.52 ¹⁾	H	42.98	27.84	-29.43	-	41.39	54.00	12.61



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 467 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.52 ¹⁾	H	62.80	27.84	-29.43	-	61.21	74.00	12.79
4 935.98 ¹⁾	H	53.80	32.94	-42.51	-	44.23	74.00	29.77
7 438.20 ¹⁾	V	52.70	36.42	-40.32	-	48.80	74.00	25.20
Average Data								
2 483.52 ¹⁾	H	51.35	27.84	-29.43	-	49.76	54.00	4.24



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11g_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.51 ¹⁾	H	62.90	27.84	-29.43	-	61.31	74.00	12.69
4 901.67 ¹⁾	V	53.20	32.81	-42.56	-	43.45	74.00	30.55
7 458.50 ¹⁾	H	53.00	36.38	-40.32	-	49.06	74.00	24.94
Average Data								
2 483.51 ¹⁾	H	51.74	27.84	-29.43	-	50.15	54.00	3.85



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 412 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 348.07 ¹⁾	V	47.50	27.10	-29.60	-	45.00	74.00	29.00
4 816.60 ¹⁾	V	54.50	32.40	-42.68	-	44.22	74.00	29.78
7 207.17	H	52.50	36.83	-40.29	-	49.04	74.00	24.96
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 437 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
4 870.73 ¹⁾	H	54.60	32.72	-42.61	-	44.71	74.00	29.29
7 278.70 ¹⁾	V	52.50	36.96	-40.35	-	49.11	74.00	24.89
Average Data								
No spurious emissions were detected within 20 dB of the limit.								

Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 462 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.50 ¹⁾	H	54.90	27.84	-29.43	-	53.31	74.00	20.69
4 925.83 ¹⁾	H	54.00	32.90	-42.53	-	44.37	74.00	29.63
7 354.10 ¹⁾	V	52.30	36.59	-40.34	-	48.55	74.00	25.45
Average Data								
2 483.50 ¹⁾	H	44.42	27.84	-29.43	-	42.83	54.00	11.17



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 467 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 483.52 ¹⁾	H	63.20	27.84	-29.43	-	61.61	74.00	12.39
4 968.85 ¹⁾	V	53.80	33.08	-42.46	-	44.42	74.00	29.58
7 450.28 ¹⁾	H	52.50	36.40	-40.32	-	48.58	74.00	25.42
Average Data								
2 483.52 ¹⁾	H	51.42	27.84	-29.43	-	49.83	54.00	4.17


Average data




Horizontal/Vertical for Band-edge



Horizontal/Vertical for 1 GHz ~ 3.5 GHz





Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT20_2 472 MHz


Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μ V))	(dB)	(dB)	(dB)	(dB(μ V/m))	(dB(μ V/m))	(dB)
Peak data								
2 483.50 ¹⁾	H	65.40	27.84	-29.43	-	63.81	74.00	10.19
4 915.20 ¹⁾	H	53.70	32.86	-42.54	-	44.02	74.00	29.98
7 456.08 ¹⁾	V	53.00	36.39	-40.32	-	49.07	74.00	24.93
Average Data								
2 483.50 ¹⁾	H	51.62	27.84	-29.43	-	50.03	54.00	3.97



Horizontal/Vertical for 1 GHz ~ 3.5 GHz




Horizontal/Vertical for 3.5 GHz ~ 18 GHz




802.11n HT40_2 422 MHz

Frequency	Pol.	Reading	Ant. Factor	Amp. + Cable	DCF	Result	Limit	Margin
(MHz)	(V/H)	(dB(μV))	(dB)	(dB)	(dB)	(dB(μV/m))	(dB(μV/m))	(dB)
Peak data								
2 389.77 ¹⁾	H	49.80	27.20	-29.55	-	47.45	74.00	26.55
4 854.78 ¹⁾	H	55.10	32.63	-42.63	-	45.10	74.00	28.90
7 258.88 ¹⁾	H	53.20	36.92	-40.36	-	49.76	74.00	24.24
Average Data								
No spurious emissions were detected within 20 dB of the limit.								



Horizontal/Vertical for 1 GHz ~ 3.5 GHz



Horizontal/Vertical for 3.5 GHz ~ 18 GHz

