

Appendix A: Test Results of Bluetooth LE

APPENDIX A: TEST RESULTS OF BLUETOOTH LE	1
APPENDIX A.1: TEST RESULTS OF 6dB BANDWIDTH	2
Test Result	2
Test Graphs	3
APPENDIX A.2: TEST RESULTS OF 99% BANDWIDTH	4
Test Result	4
Test Graphs	5
APPENDIX A.3: TEST RESULTS OF CONDUCTED POWER SPECTRAL DENSITY	6
Test Result	6
Test Graphs	7
APPENDIX A.4: TEST RESULTS OF BAND EDGE MEASUREMENTS	8
Test Result	8
Test Graphs	9
APPENDIX A.5: TEST RESULTS OF CONDUCTED SPURIOUS EMISSION	10
Test Result	10
Test Graphs	11
APPENDIX A.6: TEST RESULTS OF RADIATED SPURIOUS EMISSIONS	14
30 MHz - 1GHz	14
1GHz - 18GHz	16
APPENDIX A.7: TEST RESULTS OF RADIATED EMISSIONS IN RESTRICTED BANDS	28
APPENDIX A.8: TEST RESULTS OF CONDUCTED EMISSION ON AC MAINS	32

Appendix A.1: Test Results of 6dB Bandwidth

Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.512	2401.728	2402.240	0.5	PASS
		2440	0.504	2439.732	2440.236	0.5	PASS
		2480	0.508	2479.732	2480.240	0.5	PASS

Test Graphs



Appendix A.2: Test Results of 99% Bandwidth

Test Result

TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.96600	2401.4992	2402.4652	---	PASS
		2440	0.96363	2439.5016	2440.4652	---	PASS
		2480	0.99154	2479.4873	2480.4788	---	PASS

Test Graphs




Appendix A.3: Test Results of Conducted Power Spectral Density

Test Result

TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-4.23	≤8.00	PASS
		2440	-4.73	≤8.00	PASS
		2480	-5.66	≤8.00	PASS

Test Graphs



Appendix A.4: Test Results of Band Edge Measurements

Test Result

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	3.01	-39.61	≤-16.99	PASS
		High	2480	3.75	-38.73	≤-16.25	PASS

Test Graphs




Appendix A.5: Test Results of Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	Reference	3.05	3.05	---	PASS
			30~1000	3.05	-37.05	≤-16.95	PASS
			1000~26500	3.05	-28.44	≤-16.95	PASS
		2440	Reference	4.71	4.71	---	PASS
			30~1000	4.71	-34.6	≤-15.29	PASS
			1000~26500	4.71	-26.67	≤-15.29	PASS
		2480	Reference	3.78	3.78	---	PASS
			30~1000	3.78	-35.42	≤-16.22	PASS
			1000~26500	3.78	-26.64	≤-16.22	PASS

Test Graphs

BLE 1M Ant1 2402 0~Reference



BLE 1M Ant1 2402 30~1000



BLE 1M Ant1 2402 1000~26500







Appendix A.6: Test Results of Radiated Spurious Emissions


Note:

- 1) This testing was carried out on different modulations, but only the worst case was presented in this report.
- 2) Testing was carried out within frequency range 9kHz to the tenth harmonics. The measurement results below 30MHz and 18GHz - 26.5GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz were reported.

30 MHz - 1GHz

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	RB05-A
Test Mode:	BLE 1M_Mid channel
Order No/Sample No:	A004027463-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:43%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
38.468846	14.55	40.00	25.45	100.0	H	41.0	-20.7
104.764615	14.49	43.50	29.01	100.0	H	276.0	-18.9
294.884615	15.66	46.00	30.34	100.0	H	13.0	-16.4
742.502308	28.05	46.00	17.95	100.0	H	163.0	-7.2
1000.000000	32.41	54.00	21.59	100.0	H	5.0	-3.4

Final Result

Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---	---	---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Mid channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
45.855769	14.40	40.00	25.60	100.0	V	0.0	-18.8
104.801923	14.03	43.50	29.47	100.0	V	322.0	-18.9
209.375385	14.24	43.50	29.26	100.0	V	228.0	-18.9
418.858077	19.03	46.00	26.97	100.0	V	298.0	-13.3
1000.000000	31.93	54.00	22.07	100.0	V	219.0	-3.4

Final_Result


Frequency (MHz)	QuasiPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

1GHz - 18GHz

Note: The highest waveform in the figure is Bluetooth Fundamental.

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	RB05-A
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	A004027463-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:43%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4803.500000	51.84	---	74.00	22.16	150.0	H	26.0	13.3
4807.000000	---	40.97	54.00	13.03	150.0	H	156.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Low channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	51.96	---	74.00	22.04	150.0	V	278.0	13.3
4810.000000	---	40.64	54.00	13.36	150.0	V	278.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Low channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7215.783333	---	35.39	54.00	18.61	150.0	H	43.0	8.7
7218.241667	44.06	---	74.00	29.94	150.0	H	10.0	8.7
12134.416667	---	42.23	54.00	11.77	150.0	H	103.0	16.3
12151.133333	51.23	---	74.00	22.77	150.0	H	0.0	16.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Low channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7219.225000	---	35.30	54.00	18.70	150.0	V	203.0	8.7
7226.600000	44.04	---	74.00	29.96	150.0	V	316.0	8.7
12148.183333	51.23	---	74.00	22.77	150.0	V	340.0	16.7
12148.183333	---	43.35	54.00	10.65	150.0	V	340.0	16.7

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Mid channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4862.000000	51.76	---	74.00	22.24	150.0	H	185.0	13.3
4898.500000	---	40.56	54.00	13.44	150.0	H	295.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Mid channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4877.500000	51.40	---	74.00	22.60	150.0	V	72.0	13.3
4897.000000	---	40.51	54.00	13.49	150.0	V	116.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Mid channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7309.691667	---	34.90	54.00	19.10	150.0	H	101.0	8.2
7323.950000	42.77	---	74.00	31.23	150.0	H	179.0	8.2
12144.250000	---	42.82	54.00	11.18	150.0	H	236.0	16.6
12155.558333	50.71	---	74.00	23.29	150.0	H	157.0	16.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Mid channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7297.400000	43.31	---	74.00	30.69	150.0	V	143.0	8.3
7325.916667	---	35.46	54.00	18.54	150.0	V	0.0	8.2
12150.641667	51.50	---	74.00	22.50	150.0	V	75.0	16.7
12159.491667	---	44.09	54.00	9.91	150.0	V	0.0	16.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4952.500000	51.37	---	74.00	22.63	150.0	H	211.0	13.3
4958.500000	---	40.69	54.00	13.31	150.0	H	237.0	13.3

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4954.500000	51.65	---	74.00	22.35	150.0	V	183.0	13.3
4955.000000	---	40.70	54.00	13.30	150.0	V	274.0	13.3

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7419.825000	43.51	---	74.00	30.49	150.0	H	187.0	8.4
7433.591667	---	35.98	54.00	18.02	150.0	H	34.0	8.4
12140.808333	50.55	---	74.00	23.45	150.0	H	0.0	16.5
12159.491667	---	43.17	54.00	10.83	150.0	H	211.0	16.2

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
7460.633333	44.07	---	74.00	29.93	150.0	V	127.0	8.5
7489.641667	---	35.99	54.00	18.01	150.0	V	218.0	8.7
12143.758333	---	42.99	54.00	11.01	150.0	V	345.0	16.6
12146.708333	50.95	---	74.00	23.05	150.0	V	218.0	16.6


Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix A.7: Test Results of Radiated Emissions in Restricted Bands

EUT Information

EUT Name:	Robot Vacuum Cleaner
Model:	RB05-A
Test Mode:	BLE 1M_Low channel
Order No/Sample No:	A004027463-003
Test Voltage:	Battery
Remark:	Temp 23 Humi:43%
Test Standard:	FCC 15.247
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2357.588235	50.34	---	74.00	23.66	150.0	H	294.0	8.4
2358.323530	---	40.66	54.00	13.34	150.0	H	130.0	8.4

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_Low channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2370.058824	51.53	---	74.00	22.47	150.0	V	98.0	8.4
2377.397059	---	40.80	54.00	13.20	150.0	V	186.0	8.4

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.518382	55.12	---	74.00	18.88	150.0	H	308.0	8.9
2483.522059	---	42.17	54.00	11.83	150.0	H	217.0	8.9

Final_Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Robot Vacuum Cleaner
Model: RB05-A
Test Mode: BLE 1M_High channel
Order No/Sample No: A004027463-003
Test Voltage: Battery
Remark: Temp 23 Humi:43%
Test Standard: FCC 15.247
Tested By: Kei Zhang
Reviewed By: Terry Yin




Critical Freqs

Frequency (MHz)	MaxPeak (dBµV/m)	Average (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2483.639706	55.64	---	74.00	18.36	150.0	V	111.0	8.9
2484.577206	---	42.52	54.00	11.48	150.0	V	147.0	8.9

Final Result

Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Name:	Dyson Spot+Scrub Ai
Order Number:	168569215
Model:	RB05-A
Test Mode:	Charging
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15
Test By:/Review By:	Simon Feng/ Murphy Chen
Tem./Hum./Pressure:	24.3°C/51.5%/101kPa
Remark:	SR2




Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.150	44.37	---	66.00	21.63	L1	10.2
0.425	36.64	---	57.34	20.71	L1	10.2
0.478	36.57	---	56.37	19.80	L1	10.2
0.586	---	22.75	46.00	23.25	L1	10.2
0.745	34.03	---	56.00	21.97	L1	10.3
21.708	36.22	---	60.00	23.78	L1	11.1
21.713	---	29.61	50.00	20.39	L1	11.1
22.295	---	29.66	50.00	20.34	L1	11.2
23.471	---	33.61	50.00	16.39	L1	11.2
24.058	---	36.94	50.00	13.06	L1	11.2
24.060	43.21	---	60.00	16.79	L1	11.2
25.818	---	32.84	50.00	17.16	L1	11.3

Frequency (MHz)	QuasiPeak (dBµV)	CAverage (dBµV)	Limit (dBµV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
----	----	----	----	----	-----	----		---

EUT Information

EUT Name:	Dyson Spot+Scrub Ai
Order Number:	168569215
Model:	RB05-A
Test Mode:	Charging
Test Voltage:	AC 120V/60Hz
Test Standard:	FCC Part 15
Test By:/Review By:	Simon Feng/ Murphy Chen
Tem./Hum./Pressure:	24.3°C/51.5%/101kPa
Remark:	SR2



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.177	---	32.57	54.65	22.08	N	10.2
0.183	48.46	---	64.34	15.89	N	10.2
0.359	---	28.64	48.75	20.12	N	10.2
0.377	40.64	---	58.34	17.70	N	10.2
0.505	35.39	---	56.00	20.61	N	10.3
0.515	---	23.24	46.00	22.76	N	10.3
1.936	35.99	---	56.00	20.01	N	10.3
2.077	---	23.42	46.00	22.58	N	10.3
2.168	35.74	---	56.00	20.26	N	10.3
2.530	---	24.20	46.00	21.80	N	10.3
24.048	43.37	---	60.00	16.63	N	11.2
24.053	---	36.63	50.00	13.37	N	11.2

Final Result

[illegible]