

BORN TO EXPLORE
BUILT TO ENDURE

MUCA LYCANSOUT

Outdoor speaker

ENGINEERED FOR THE WILD



User Manual

CONTENTS

PRODUCT HIGHLIGHTS	02
WHAT'S IN THE BOX	03
BASIC CONTROLS	04
BLUETOOTH PAIRING	05
BATTERY & CHARGING	06
POWER BANK FUNCTION	07
IP68 PROTECTION RATING	08
MAGNETIC MOUNT READY WHEN YOU ARE	09
AMBIENT LIGHT	10
CAMPING LIGHT	11
SLEEP SOUNDS	12
TRUE WIRELESS STEREO (TWS)	13
MULTI-SPEAKER CONNECTION	14
IMPORTANT SAFETY NOTICE	15
SPECIFICATIONS	16

BORN TO EXPLORE BUILT TO ENDURE

50W PEAK POWER

Louder Volume. Deeper Bass. More Immersive Sound.

High-performance audio system delivers powerful, stable, low-latency sound for an immersive listening experience.

IP68 WEATHER PROTECTION

Water & Dust Resistance. Outdoor Ready.

IP68-rated protection keeps your speaker safe from water, dust, drops, and impacts in outdoor environments.

RUGGED METAL CONSTRUCTION

Durable Build. Premium Feel. Ready for Anywhere.

Aluminum alloy body with a portable handle for reliable durability and easy carrying.

STRONG MAGNETIC CONNECTION

Powerful Hold. Quick Attach. Hassle-Free Setup.

Magnetic mounting design makes installation fast and secure, keeping your speaker ready whenever and wherever you go.

SMART OUTDOOR EXPERIENCE

Camping light features 7 selectable colors including emergency SOS light

The ambient light features 3 modes for various experience

Natural white noise sleep sounds for relaxation

Multi-functional stand hole design for various usage scenarios

ADDITIONAL FEATURES

Supports TWS and Auracast wireless multi-speaker pairing

USB-C reverse charging for powering your devices on the go

GETTING STARTED

Fully charge the speaker before first use

Press and hold the Power button for 3 seconds to turn the speaker on or off


A sound prompt indicate the speaker is ready for pairing

Note: For safety information, please refer to the Safety section at the end of this manual


WHAT'S IN THE BOX



Portable Speaker



USB-C Cable



User Manual

BASIC CONTROLS

Each button supports multiple actions depending on press duration



+ **VOLUME UP** Short press: Increase volume Short press twice : Previous track

PLAY/PAUSE Short press: Play or pause music

- **VOLUME DOWN** Short press: Decrease volume Short press twice: Next track

POWER BUTTON Long press for 3s: Power On / Off
Short press: Check battery level

AURACAST Short press: Enable/Exit Auracast multi-speaker grouping
 Long press 3s: Disconnect current Bluetooth connection

BASS **BASS BUTTON (SOUND MODE SWITCH)**
Short press: Switch between Outdoor Mode and Indoor Mode.

BLUETOOTH PAIRING



< Settings

Bluetooth



DEVICES

OMUCA LYCANS�OUT

Connected ⓘ

Now Discoverable




- Long press the power button for 3s to turn on the speaker. Bluetooth pairing mode will activate automatically.
- On your mobile device, go to **Settings → Bluetooth**.
- Select OMCUA LYCANS�OUT from the list of available devices.
- After successful Bluetooth pairing, the battery level will be displayed after the Bluetooth name.

Note:

- Long press the "Ⓢ" button for 3s to disconnect current Bluetooth connection
- If phone and speaker volumes are not synchronized, enable "Device Volume Sync" in the Bluetooth device settings.
- After the Bluetooth connection is disconnected for 10 minutes, the speaker will automatically shut down.



BATTERY & CHARGING



Checking Battery Level

- Short press the Power button to check the current battery level
- After successful Bluetooth pairing, the battery level will be displayed after the Bluetooth name.
- A full charge is indicated by four points

Charging

- Charge the speaker using the included USB-C cable
- A power adapter with an output of 20W or higher is recommended
- Supports USB-C PD fast charging up to 30W
- Full charging time is approximately 4 hours

Charging Status Indicator

- One red indicator: Charging in progress
- Four indicators solid on: Fully charged

Power-saving Mode

When the battery level drops below 25%, the speaker will automatically activate the Adaptive Power-Saving Mode to extend

