




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	6.05	<=11	Pass
		5200	6.21	<=11	Pass
		5240	6.17	<=11	Pass
		5260	6.22	<=11	Pass
		5300	6.25	<=11	Pass
		5320	6.15	<=11	Pass
802.11ac (VHT20)	SISO	5180	4.54	<=11	Pass
		5200	4.64	<=11	Pass
		5240	4.64	<=11	Pass
		5260	4.64	<=11	Pass
		5300	4.66	<=11	Pass
		5320	4.79	<=11	Pass
802.11ac (VHT40)	SISO	5190	1.91	<=11	Pass
		5230	1.79	<=11	Pass
		5270	1.77	<=11	Pass
		5310	1.88	<=11	Pass
802.11ac (VHT80)	SISO	5210	-2.16	<=11	Pass
		5290	-1.46	<=11	Pass
Note1: Antenna Gain: - Band: 2A Ant1: 3.30dBi; - Band: 1 Ant1: 3.30dBi; - Band: 3 Ant1: 3.40dBi;					

4.1.2 PSD-Band3

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	3.26	<=30	Pass
		5785	3.14	<=30	Pass
		5825	3.19	<=30	Pass
802.11ac (VHT20)	SISO	5745	2.12	<=30	Pass
		5785	1.69	<=30	Pass
		5825	1.95	<=30	Pass
802.11ac (VHT40)	SISO	5755	-1.08	<=30	Pass
		5795	-0.94	<=30	Pass
802.11ac (VHT80)	SISO	5775	-4.37	<=30	Pass


Note1: Antenna Gain:

- Band: 1 Ant1: 3.30dBi;
- Band: 3 Ant1: 3.40dBi;
- Band: 2A Ant1: 3.30dBi;


4.2 Test Graph

4.2.1 PSD


802.11a_LCH_5180MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




4.2.2 PSD-Band3


802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant1

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	20	11.475	5179.980	5150 to 5250	Pass
				13.5	5180.040	5150 to 5250	Pass
				15.525	5180.060	5150 to 5250	Pass
			-30	13.5	5180.040	5150 to 5250	Pass
			-20	13.5	5180.060	5150 to 5250	Pass
			-10	13.5	5180.020	5150 to 5250	Pass
			0	13.5	5180.120	5150 to 5250	Pass
			10	13.5	5180.140	5150 to 5250	Pass
			30	13.5	5180.040	5150 to 5250	Pass
			40	13.5	5180.100	5150 to 5250	Pass
			50	13.5	5180.100	5150 to 5250	Pass
		5200	20	11.475	5199.980	5150 to 5250	Pass
				13.5	5200.140	5150 to 5250	Pass
				15.525	5200.120	5150 to 5250	Pass
			-30	13.5	5200.020	5150 to 5250	Pass
			-20	13.5	5200.020	5150 to 5250	Pass
			-10	13.5	5200.060	5150 to 5250	Pass
			0	13.5	5200.060	5150 to 5250	Pass
			10	13.5	5200.080	5150 to 5250	Pass
			30	13.5	5200.020	5150 to 5250	Pass
			40	13.5	5200.080	5150 to 5250	Pass
			50	13.5	5200.060	5150 to 5250	Pass
		5240	20	11.475	5240.040	5150 to 5250	Pass
				13.5	5240.040	5150 to 5250	Pass
				15.525	5239.980	5150 to 5250	Pass
			-30	13.5	5239.980	5150 to 5250	Pass
			-20	13.5	5240.100	5150 to 5250	Pass
			-10	13.5	5240.060	5150 to 5250	Pass
			0	13.5	5240.020	5150 to 5250	Pass
			10	13.5	5240.100	5150 to 5250	Pass
			30	13.5	5240.040	5150 to 5250	Pass
			40	13.5	5240.080	5150 to 5250	Pass
			50	13.5	5240.080	5150 to 5250	Pass

		5260	20	11.475	5260.020	5250 to 5350	Pass
				13.5	5260.060	5250 to 5350	Pass
				15.525	5260.040	5250 to 5350	Pass
			-30	13.5	5260.020	5250 to 5350	Pass
			-20	13.5	5260.020	5250 to 5350	Pass
			-10	13.5	5259.940	5250 to 5350	Pass
			0	13.5	5260.040	5250 to 5350	Pass
			10	13.5	5260.040	5250 to 5350	Pass
			30	13.5	5260.060	5250 to 5350	Pass
			40	13.5	5260.060	5250 to 5350	Pass
			50	13.5	5260.020	5250 to 5350	Pass
		5300	20	11.475	5299.980	5250 to 5350	Pass
				13.5	5300.060	5250 to 5350	Pass
				15.525	5300.060	5250 to 5350	Pass
			-30	13.5	5300.100	5250 to 5350	Pass
			-20	13.5	5300.100	5250 to 5350	Pass
			-10	13.5	5300.120	5250 to 5350	Pass
			0	13.5	5300.080	5250 to 5350	Pass
			10	13.5	5299.960	5250 to 5350	Pass
			30	13.5	5300.020	5250 to 5350	Pass
			40	13.5	5299.960	5250 to 5350	Pass
			50	13.5	5300.020	5250 to 5350	Pass
		5320	20	11.475	5320.060	5250 to 5350	Pass
				13.5	5320.040	5250 to 5350	Pass
				15.525	5319.980	5250 to 5350	Pass
			-30	13.5	5320.020	5250 to 5350	Pass
			-20	13.5	5320.060	5250 to 5350	Pass
			-10	13.5	5320.020	5250 to 5350	Pass
			0	13.5	5319.980	5250 to 5350	Pass
			10	13.5	5320.000	5250 to 5350	Pass
			30	13.5	5320.040	5250 to 5350	Pass
			40	13.5	5319.940	5250 to 5350	Pass
			50	13.5	5320.100	5250 to 5350	Pass
		5745	20	11.475	5745.040	5725 to 5850	Pass
				13.5	5745.120	5725 to 5850	Pass
				15.525	5745.040	5725 to 5850	Pass
			-30	13.5	5745.000	5725 to 5850	Pass
			-20	13.5	5745.040	5725 to 5850	Pass
			-10	13.5	5745.060	5725 to 5850	Pass
			0	13.5	5744.980	5725 to 5850	Pass
			10	13.5	5745.020	5725 to 5850	Pass
			30	13.5	5745.020	5725 to 5850	Pass
			40	13.5	5745.000	5725 to 5850	Pass

			50	13.5	5745.040	5725 to 5850	Pass
			20	11.475	5785.060	5725 to 5850	Pass
				13.5	5785.080	5725 to 5850	Pass
				15.525	5785.000	5725 to 5850	Pass
			-30	13.5	5785.020	5725 to 5850	Pass
			-20	13.5	5785.000	5725 to 5850	Pass
			-10	13.5	5784.980	5725 to 5850	Pass
			0	13.5	5785.080	5725 to 5850	Pass
			10	13.5	5785.040	5725 to 5850	Pass
			30	13.5	5785.020	5725 to 5850	Pass
			40	13.5	5785.040	5725 to 5850	Pass
			50	13.5	5785.080	5725 to 5850	Pass
		5825	20	11.475	5825.060	5725 to 5850	Pass
				13.5	5825.140	5725 to 5850	Pass
				15.525	5825.020	5725 to 5850	Pass
			-30	13.5	5825.040	5725 to 5850	Pass
			-20	13.5	5824.980	5725 to 5850	Pass
			-10	13.5	5825.000	5725 to 5850	Pass
			0	13.5	5824.980	5725 to 5850	Pass
			10	13.5	5824.960	5725 to 5850	Pass
			30	13.5	5825.060	5725 to 5850	Pass
			40	13.5	5825.040	5725 to 5850	Pass
			50	13.5	5825.000	5725 to 5850	Pass
		5180	20	11.475	5180.100	5150 to 5250	Pass
				13.5	5180.060	5150 to 5250	Pass
				15.525	5180.040	5150 to 5250	Pass
			-30	13.5	5180.040	5150 to 5250	Pass
			-20	13.5	5180.100	5150 to 5250	Pass
			-10	13.5	5180.000	5150 to 5250	Pass
			0	13.5	5180.080	5150 to 5250	Pass
			10	13.5	5180.060	5150 to 5250	Pass
			30	13.5	5179.960	5150 to 5250	Pass
			40	13.5	5180.060	5150 to 5250	Pass
			50	13.5	5180.000	5150 to 5250	Pass
		5200	20	11.475	5200.000	5150 to 5250	Pass
				13.5	5200.060	5150 to 5250	Pass
				15.525	5200.140	5150 to 5250	Pass
			-30	13.5	5200.060	5150 to 5250	Pass
			-20	13.5	5200.060	5150 to 5250	Pass
			-10	13.5	5200.020	5150 to 5250	Pass
			0	13.5	5200.060	5150 to 5250	Pass
			10	13.5	5200.020	5150 to 5250	Pass
			30	13.5	5200.020	5150 to 5250	Pass

			40	13.5	5200.100	5150 to 5250	Pass
			50	13.5	5200.020	5150 to 5250	Pass
		5240	20	11.475	5240.000	5150 to 5250	Pass
				13.5	5240.080	5150 to 5250	Pass
				15.525	5240.080	5150 to 5250	Pass
			-30	13.5	5240.040	5150 to 5250	Pass
			-20	13.5	5240.060	5150 to 5250	Pass
			-10	13.5	5240.020	5150 to 5250	Pass
			0	13.5	5240.040	5150 to 5250	Pass
			10	13.5	5240.120	5150 to 5250	Pass
			30	13.5	5240.060	5150 to 5250	Pass
			40	13.5	5240.080	5150 to 5250	Pass
			50	13.5	5240.040	5150 to 5250	Pass
		5260	20	11.475	5260.020	5250 to 5350	Pass
				13.5	5260.020	5250 to 5350	Pass
				15.525	5259.960	5250 to 5350	Pass
			-30	13.5	5260.040	5250 to 5350	Pass
			-20	13.5	5260.060	5250 to 5350	Pass
			-10	13.5	5260.040	5250 to 5350	Pass
			0	13.5	5260.080	5250 to 5350	Pass
			10	13.5	5259.980	5250 to 5350	Pass
			30	13.5	5260.040	5250 to 5350	Pass
			40	13.5	5260.040	5250 to 5350	Pass
			50	13.5	5260.020	5250 to 5350	Pass
		5300	20	11.475	5300.020	5250 to 5350	Pass
				13.5	5300.040	5250 to 5350	Pass
				15.525	5300.040	5250 to 5350	Pass
			-30	13.5	5300.060	5250 to 5350	Pass
			-20	13.5	5300.020	5250 to 5350	Pass
			-10	13.5	5299.980	5250 to 5350	Pass
			0	13.5	5300.020	5250 to 5350	Pass
			10	13.5	5300.040	5250 to 5350	Pass
			30	13.5	5300.060	5250 to 5350	Pass
			40	13.5	5300.040	5250 to 5350	Pass
			50	13.5	5300.080	5250 to 5350	Pass
		5320	20	11.475	5320.020	5250 to 5350	Pass
				13.5	5320.000	5250 to 5350	Pass
				15.525	5319.960	5250 to 5350	Pass
			-30	13.5	5320.020	5250 to 5350	Pass
			-20	13.5	5320.020	5250 to 5350	Pass
			-10	13.5	5320.000	5250 to 5350	Pass
			0	13.5	5320.060	5250 to 5350	Pass
			10	13.5	5319.960	5250 to 5350	Pass

			30	13.5	5320.020	5250 to 5350	Pass
			40	13.5	5319.940	5250 to 5350	Pass
			50	13.5	5320.020	5250 to 5350	Pass
		5745	20	11.475	5745.000	5725 to 5850	Pass
				13.5	5745.040	5725 to 5850	Pass
				15.525	5744.980	5725 to 5850	Pass
			-30	13.5	5745.100	5725 to 5850	Pass
			-20	13.5	5745.060	5725 to 5850	Pass
			-10	13.5	5745.020	5725 to 5850	Pass
			0	13.5	5745.080	5725 to 5850	Pass
			10	13.5	5745.060	5725 to 5850	Pass
			30	13.5	5745.060	5725 to 5850	Pass
			40	13.5	5745.040	5725 to 5850	Pass
			50	13.5	5745.080	5725 to 5850	Pass
		5785	20	11.475	5784.960	5725 to 5850	Pass
				13.5	5784.940	5725 to 5850	Pass
				15.525	5785.040	5725 to 5850	Pass
			-30	13.5	5785.020	5725 to 5850	Pass
			-20	13.5	5785.080	5725 to 5850	Pass
			-10	13.5	5785.060	5725 to 5850	Pass
			0	13.5	5785.020	5725 to 5850	Pass
			10	13.5	5785.040	5725 to 5850	Pass
			30	13.5	5784.960	5725 to 5850	Pass
			40	13.5	5785.020	5725 to 5850	Pass
			50	13.5	5785.040	5725 to 5850	Pass
		5825	20	11.475	5825.080	5725 to 5850	Pass
				13.5	5825.020	5725 to 5850	Pass
				15.525	5824.960	5725 to 5850	Pass
			-30	13.5	5824.960	5725 to 5850	Pass
			-20	13.5	5824.960	5725 to 5850	Pass
			-10	13.5	5824.980	5725 to 5850	Pass
			0	13.5	5825.040	5725 to 5850	Pass
			10	13.5	5825.020	5725 to 5850	Pass
			30	13.5	5825.000	5725 to 5850	Pass
			40	13.5	5825.040	5725 to 5850	Pass
			50	13.5	5825.040	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	11.475	5190.080	5150 to 5250	Pass
				13.5	5190.080	5150 to 5250	Pass
				15.525	5190.080	5150 to 5250	Pass
			-30	13.5	5190.120	5150 to 5250	Pass
			-20	13.5	5190.120	5150 to 5250	Pass
			-10	13.5	5190.120	5150 to 5250	Pass
			0	13.5	5190.080	5150 to 5250	Pass

			10	13.5	5190.120	5150 to 5250	Pass
			30	13.5	5190.080	5150 to 5250	Pass
			40	13.5	5190.080	5150 to 5250	Pass
			50	13.5	5190.040	5150 to 5250	Pass
		5230	20	11.475	5230.080	5150 to 5250	Pass
				13.5	5230.080	5150 to 5250	Pass
				15.525	5230.080	5150 to 5250	Pass
			-30	13.5	5230.160	5150 to 5250	Pass
			-20	13.5	5230.080	5150 to 5250	Pass
			-10	13.5	5230.080	5150 to 5250	Pass
			0	13.5	5230.040	5150 to 5250	Pass
			10	13.5	5230.120	5150 to 5250	Pass
			30	13.5	5230.120	5150 to 5250	Pass
			40	13.5	5230.080	5150 to 5250	Pass
			50	13.5	5230.120	5150 to 5250	Pass
		5270	20	11.475	5270.080	5250 to 5350	Pass
				13.5	5270.080	5250 to 5350	Pass
				15.525	5270.040	5250 to 5350	Pass
			-30	13.5	5270.040	5250 to 5350	Pass
			-20	13.5	5270.080	5250 to 5350	Pass
			-10	13.5	5270.080	5250 to 5350	Pass
			0	13.5	5270.080	5250 to 5350	Pass
			10	13.5	5270.080	5250 to 5350	Pass
			30	13.5	5270.160	5250 to 5350	Pass
			40	13.5	5270.080	5250 to 5350	Pass
		5310	20	11.475	5310.040	5250 to 5350	Pass
				13.5	5310.040	5250 to 5350	Pass
				15.525	5310.120	5250 to 5350	Pass
			-30	13.5	5310.120	5250 to 5350	Pass
			-20	13.5	5310.040	5250 to 5350	Pass
			-10	13.5	5310.080	5250 to 5350	Pass
			0	13.5	5310.080	5250 to 5350	Pass
			10	13.5	5310.080	5250 to 5350	Pass
			30	13.5	5310.080	5250 to 5350	Pass
			40	13.5	5310.080	5250 to 5350	Pass
		5755	20	11.475	5755.040	5725 to 5850	Pass
				13.5	5755.040	5725 to 5850	Pass
				15.525	5755.080	5725 to 5850	Pass
			-30	13.5	5755.080	5725 to 5850	Pass
			-20	13.5	5755.080	5725 to 5850	Pass
			-10	13.5	5755.080	5725 to 5850	Pass

802.11ac (VHT80)	SISO		0	13.5	5755.080	5725 to 5850	Pass
			10	13.5	5755.040	5725 to 5850	Pass
			30	13.5	5755.080	5725 to 5850	Pass
			40	13.5	5755.080	5725 to 5850	Pass
			50	13.5	5755.120	5725 to 5850	Pass
		5795	20	11.475	5795.080	5725 to 5850	Pass
				13.5	5795.080	5725 to 5850	Pass
				15.525	5795.120	5725 to 5850	Pass
			-30	13.5	5795.080	5725 to 5850	Pass
			-20	13.5	5795.120	5725 to 5850	Pass
			-10	13.5	5795.040	5725 to 5850	Pass
			0	13.5	5795.080	5725 to 5850	Pass
			10	13.5	5795.040	5725 to 5850	Pass
			30	13.5	5795.080	5725 to 5850	Pass
			40	13.5	5795.120	5725 to 5850	Pass
			50	13.5	5795.080	5725 to 5850	Pass
		5210	20	11.475	5210.150	5150 to 5250	Pass
				13.5	5210.075	5150 to 5250	Pass
				15.525	5210.150	5150 to 5250	Pass
			-30	13.5	5210.075	5150 to 5250	Pass
			-20	13.5	5210.150	5150 to 5250	Pass
			-10	13.5	5210.075	5150 to 5250	Pass
			0	13.5	5210.075	5150 to 5250	Pass
			10	13.5	5210.150	5150 to 5250	Pass
			30	13.5	5210.075	5150 to 5250	Pass
			40	13.5	5210.075	5150 to 5250	Pass
			50	13.5	5210.150	5150 to 5250	Pass
		5290	20	11.475	5290.075	5250 to 5350	Pass
				13.5	5290.075	5250 to 5350	Pass
				15.525	5290.075	5250 to 5350	Pass
			-30	13.5	5290.075	5250 to 5350	Pass
			-20	13.5	5290.075	5250 to 5350	Pass
			-10	13.5	5290.075	5250 to 5350	Pass
			0	13.5	5290.075	5250 to 5350	Pass
			10	13.5	5290.075	5250 to 5350	Pass
			30	13.5	5290.075	5250 to 5350	Pass
			40	13.5	5290.075	5250 to 5350	Pass
			50	13.5	5290.075	5250 to 5350	Pass
		5775	20	11.475	5775.075	5725 to 5850	Pass
				13.5	5775.150	5725 to 5850	Pass
				15.525	5775.075	5725 to 5850	Pass
			-30	13.5	5775.075	5725 to 5850	Pass
			-20	13.5	5775.075	5725 to 5850	Pass



			-10	13.5	5775.075	5725 to 5850	Pass
			0	13.5	5775.075	5725 to 5850	Pass
			10	13.5	5775.075	5725 to 5850	Pass
			30	13.5	5775.075	5725 to 5850	Pass
			40	13.5	5775.075	5725 to 5850	Pass
			50	13.5	5775.075	5725 to 5850	Pass

6. Signal Calibration

6.1 Test Result


6.1.1 SC

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11ac (VHT80)	80	5290	0	0	Refer To Test Graph		Pass
802.11ac (VHT20)	20	5320	0	0	Refer To Test Graph		Pass


6.2 Test Graph

6.2.1 SC

Signal Calibration_802.11ac(VHT80)_2A_5290MHz_RadarType0_Trial0



Signal Calibration_802.11ac(VHT20)_2A_5320MHz_RadarType0_Trial0





Report No.: KSCR260100014802

Page: 204 of 209

7. Channel Loading (Payload)

7.1 Test Result


7.1.1 Payload

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	95.04	≥ 17	Pass
802.11ac (VHT20)	20	5320	94.86	≥ 17	Pass


7.2 Test Graph

7.2.1 Payload

Channel Loading (Payload)_802.11ac(VHT80)_2A_5290MHz



Channel Loading (Payload)_802.11ac(VHT20)_2A_5320MHz



8. Channel Move Time and Closing Transmission Time

8.1 Test Result


8.1.1 CMT_CTT

Band: 2A							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11ac (VHT80)	80	5290	7.000	≤ 60	0.827	≤ 10	Pass
802.11ac (VHT20)	20	5320	6.500	≤ 60	0.865	≤ 10	Pass


8.2 Test Graph

8.2.1 CMT_CTT

Channel Move Time and Closing Transmission Time_802.11ac(VHT80)_2A_5290MHz



Channel Move Time and Closing Transmission Time_802.11ac(VHT20)_2A_5320MHz





Report No.: KSCR260100014802

Page: 208 of 209

9. Non-Occupancy Period

9.1 Test Result


9.1.1 Period

Band: 2A					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5290	Refer To Test Graph		Pass
802.11ac (VHT20)	20	5320	Refer To Test Graph		Pass


9.2 Test Graph

9.2.1 Period

Non-Occupancy Period_802.11ac(VHT80)_2A_5290MHz



Non-Occupancy Period_802.11ac(VHT20)_2A_5320MHz



- End of the Report -