



莞市石碣聚源电子制品厂

Dongguan Shijie Juyuan Electronic products factory

产品规格承认书

SPECIFICATON APPROVAL

客户名称:

CUSTOMER _____

客户品名:

Product Name ofCustomer A11G47 Single-layer L-shaped Launch Module

我方产品名 (材质):

product Mame ofOurs(Maternal) A11G47 Single-layer L-shaped Launch Module

承 认:

APPROVED _____

核准:

制表:

日期:

APPROVED _____ **DRAWN** Yang Min **DATE** 2018-3-20

Address: 4th Floor, Building A, Central Industrial Zone, Shijie Village Committee, Dongguan City

Telephone: 0769-82297538

Fax: 0769-82297548

Specification 规格内容		CISTOMEP/N: 客户品名	A11G47 Single-layer
		PARTNUMBER: 制造商料号	L-shaped Launch Module

1.DIMENSIONS(外形尺寸): mm

A	20.5±0.5
B	39±0.5
C	43±0.5
D	3 MAX
E	185±2
F	0.8±0.1
G	1.5 MAX

APPROVED BY 承 认	CHECKED BY 审 查	PREPARED BY 制 作	DATE 日 期	PACE 页 码
		杨 敏	2018-3-20	2 of 4

Specifcation 规格内容				CUSTOMERP/N:		A11G47 Single-layer	
				客户名称		L-shaped Launch Module	
				PARTNUMBER:			
				制造商料号			
5.WINDING DETAILS(绕线详细说明):							
Wdy.NO. 绕组	Start 开始	Finish 结束	Turns 圈数	Wire Dia 线径	Wdg.TypeSprad/lose 绕线方法疏/密绕	Wdg.Direction 绕线方向	Turns/Layer 层数/每层圈数
	S	F	10TS	0.08 × 24 × 2	Single-layer tightly wound	Counter-c lockwise	1st floor /10TS
6.ELECTRICAL CHARACTERISTICS(电气特性):							
PARAMETERS			UNIN		LIMTI		
Inductance Is@100KHz/1v			uh		6.3 ± 10%		
Q @100KHz/1v					75Min		
DCR @100KHz/1v			m Ω		55Max		
APPROVED BY 承认		CHECKED BY 审查		PREPARED BY 制作		DATE 日期	
				Yang Min		2018-3-20	
						PAGE 页码	
						3 of 4	

MATERIAL LIST 材 料 清 单			CUSTOMER P/N: 客 户 品 名		A11G47 Single-layer <u>L-shaped Launch Module</u>	
			PARTNUMBER: 制造商料号			
NO.	Material name 材料名称	Description 品名描述	Manufacturer 制造商		Material 材质	
1	Silk-covered wire	0.08×24×2				
2	Lead-free tin rod	High temperature				
3	magnetic sheet	40*1.0			Ferrite. Manganese zinc. PC40	
4	Glue	Resin glue				
5	High-temperature adhesive tape	8mm				
6	Pearly foam	270*380*55				
7	Carton box	280*390*190				
8						
9						
10						
APPROVED BY 承 认		CHECKED BY 审 查	PREPARED BY 制 作		DATE 日期	PAGE 页码
			Yang Min		2018-3-20	4 of 4