
















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	2401.836	2402.838	1.002	0.679	Pass
NVNT	1-DH1	2440.836	2441.836	1	0.695	Pass
NVNT	1-DH1	2478.834	2479.836	1.002	0.685	Pass
NVNT	2-DH1	2401.992	2402.994	1.002	0.88	Pass
NVNT	2-DH1	2440.992	2441.992	1	0.869	Pass
NVNT	2-DH1	2479.16	2480.162	1.002	0.885	Pass
NVNT	3-DH1	2401.834	2402.836	1.002	0.871	Pass
NVNT	3-DH1	2440.836	2441.836	1	0.866	Pass
NVNT	3-DH1	2478.836	2479.836	1	0.855	Pass

















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	No-Hopping	-51.19	-20	Pass
NVNT	1-DH1	2480	No-Hopping	-51.93	-20	Pass
NVNT	2-DH1	2402	No-Hopping	-51.29	-20	Pass
NVNT	2-DH1	2480	No-Hopping	-51.43	-20	Pass
NVNT	3-DH1	2402	No-Hopping	-51.12	-20	Pass
NVNT	3-DH1	2480	No-Hopping	-51.95	-20	Pass


















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Hopping	-43.21	-20	Pass
NVNT	1-DH1	2480	Hopping	-41.11	-20	Pass
NVNT	2-DH1	2402	Hopping	-44.19	-20	Pass
NVNT	2-DH1	2480	Hopping	-45.07	-20	Pass
NVNT	3-DH1	2402	Hopping	-44.18	-20	Pass
NVNT	3-DH1	2480	Hopping	-44.76	-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	-40.39	-20	Pass
NVNT	1-DH1	2441	-40.32	-20	Pass
NVNT	1-DH1	2480	-40.52	-20	Pass
NVNT	2-DH1	2402	-39.65	-20	Pass
NVNT	2-DH1	2441	-39.75	-20	Pass
NVNT	2-DH1	2480	-40.7	-20	Pass
NVNT	3-DH1	2402	-40.03	-20	Pass
NVNT	3-DH1	2441	-39.56	-20	Pass
NVNT	3-DH1	2480	-40.04	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH1	79	15	Pass
NVNT	2-DH1	79	15	Pass
NVNT	3-DH1	79	15	Pass












Dwell Time


Condition	Mode	Frequency (MHz)	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	0.376	119.568	318	31600	400	Pass
NVNT	1-DH3	2441	1.633	249.849	153	31600	400	Pass
NVNT	1-DH5	2441	2.88	319.68	111	31600	400	Pass
NVNT	2-DH1	2441	0.383	120.645	315	31600	400	Pass
NVNT	2-DH3	2441	1.638	257.166	157	31600	400	Pass
NVNT	2-DH5	2441	2.883	282.534	98	31600	400	Pass
NVNT	3-DH1	2441	0.387	121.131	313	31600	400	Pass
NVNT	3-DH3	2441	1.637	258.646	158	31600	400	Pass
NVNT	3-DH5	2441	2.887	303.135	105	31600	400	Pass

























APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****