

6 RF Certification Marking

6.1 E-Label

6.1.1 Location

e-label for RF Certification Marking shall display on the Cluster screen at Regulatory page as shown below.

Page 1:



Page 2:



6.1.2 Instruction to Access the e-label.


The Instruction to access the e-label shall be include in vehicle User's Manual, below is the steps how the user shall access to e-label at the "Regulatory" page:

- 1) At Main Page, user shall switch to "Menu" page.



Confidential		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
		© Continental AG RF Technical Specification		Page 13 of 22

2) At “Menu” page, scroll to select “Bluetooth”



3) At “Bluetooth” page, scroll to Select “Regulatory”. The RF marking will be display at dedicated area on right side.



For detail refer to document “27MY_5852-Menu Design instructions-20240930.pdf”

6.1.3 Marking and Dimension

This chapter describe the marking and dimension of e-label used for this product.

6.1.3.1 Japan



6.1.3.2 USA




The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization are prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Confidential		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
	© Continental AG			Page 14 of 22
	RF Technical Specification			

6.1.3.3 Canada



6.1.3.4 Mexico




Note: The approval number is an example for illustration only.

6.1.3.5 Australia



6.1.3.6 China

6.1.3.7 Brazil



Note: The approval number is an example for illustration only.


Confidential		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
 © Continental AG		RF Technical Specification		Page 15 of 22

6.1.3.8 Indonesia




Note: The approval number is an example for ilustration only.

6.1.3.9 Philippines



Note: The approval number is an example for ilustration only.

6.1.3.10 Malaysia



Note: The approval number is an example for ilustration only.

Confidential		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
		© Continental AG RF Technical Specification		Page 16 of 22

6.2 Physical Label

6.2.1 EU


6.2.1.1 Location

EU RF marking (CE mark) shall display on the product label that place on back side of the Cluster, for detail refer to [Chapter 4.3](#) Product Label

6.2.1.2 Marking and Dimension



6.2.1.3 Dimension



6.2.2 Thailand

6.2.2.1 Location

RF Certification marking shall display on the Product, Product package or user's manual.

6.2.2.2 Marking


The label marking can be purchase at NBTC when customer imported product to Thailand, the running number will be certificate number (YYYYYY-ZZ for Class A certificate) or (AAAAAA-BB for Class B certificate) and company ID assigned by NBTC (XXXX).

Confidential		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
		© Continental AG RF Technical Specification		Page 17 of 22

CLASS A



CLASS B



6.2.2.3 Dimension

Not applicable because the label will be purchase at NBTC.

6.2.3 Indonesia

6.2.3.1 Location

Need all this logo?



6.2.4 China

Required full name of the applicant (manufacturer) in Simplified Chinese at Prodcut Label.

6.3 Not Required

6.3.1 India

Used CE or FCC.

6.3.2 Vietnam

C o n f i d e n t i a l		Date	Department	Signature
Designed by	Zaidi.Bakar@continental-corporation.com	2025-06-10	CSV	
Released by	Zaidi.Bakar@continental-corporation.com	2025-08-15	CSV	
		© Continental AG		Page 18 of 22
		RF Technical Specification		