



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5200.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

99 % Bandwidth





Date: 25.DEC.2025 16:21:14

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





10:22:43 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5280.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





10:46:20 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





10:55:03 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





11:11:17 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5580.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:




11:26:43 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:



11:35:29 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5745.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5785.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

99 % Bandwidth





Date: 25.DEC.2025 17:07:36

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5825.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

99 % Bandwidth



Date: 25.DEC.2025 17:22:39

Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)

Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1	5180.00000	18.100
		5200.00000	18.100
		5240.00000	18.000
		5260.00000	17.544
		5280.00000	17.544
		5320.00000	17.544
		5500.00000	17.544
		5580.00000	17.544
		5700.00000	17.544
		5745.00000	17.900
		5785.00000	17.900
		5825.00000	17.900
	2	5180.00000	18.000
		5200.00000	18.000
		5240.00000	18.000
		5260.00000	17.544
		5280.00000	17.544
		5320.00000	17.544
		5500.00000	17.544
		5580.00000	17.544
		5700.00000	17.544
		5745.00000	17.900
		5785.00000	17.900
		5825.00000	17.900

Verdict



Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



Date: 20.DEC.2025 16:50:20



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 20 DEC 2025 18:40:57

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 20 DEC 2025 19:14:28



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





03:53:56 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:05:31 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



04:12:01 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth




04:21:24 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:31:16 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:37:43 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 20 DEC 2025 19:32:49

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 20 DEC 2025 21:07:08

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5825.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



Date: 20 DEC 2025 21:50:40



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5180.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 21.DEC.2025 17:19:21



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5200.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 21.DEC.2025 18:04:55

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 21.DEC.2025 18:31:36



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5260.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





10:16:43 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



10:22:49 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





10:32:29 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





10:41:42 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



10:48:04 PM 01/01/2026


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 21.DEC.2025 18:52:05



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 21.DEC.2025 19:39:05



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 21.DEC.2025 19:55:52

Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)
Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1+2	5180.00000	18.000
		5200.00000	18.100
		5240.00000	18.000
		5260.00000	17.544
		5280.00000	17.544
		5320.00000	17.544
		5500.00000	17.544
		5580.00000	17.544
		5700.00000	17.544
		5745.00000	17.900
		5785.00000	17.900
		5825.00000	17.800

Verdict

Pass


Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth




Date: 25 DEC 2025 19:52:49

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5200.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 25.DEC.2025 20:17:44

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



99 % Bandwidth



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





01:55:13 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





02:13:42 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



02:22:53 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





02:39:30 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



02:56:09 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 25.DEC.2025 20:55:11

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth





Date: 25.DEC.2025 21:24:24

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

99 % Bandwidth



Date: 25.DEC.2025 22:23:52

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)

Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1	5190.00000	36.113
		5230.00000	36.113
		5270.00000	36.364
		5310.00000	36.364
		5510.00000	36.113
		5550.00000	36.113
		5670.00000	36.113
		5755.00000	36.364
		5795.00000	36.364
	2	5190.00000	36.364
		5230.00000	36.113
		5270.00000	36.113
		5310.00000	36.364
		5510.00000	36.364
		5550.00000	36.113
		5670.00000	36.113
		5755.00000	36.113
		5795.00000	36.364

Verdict


Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	76 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.19 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5230.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	76 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.19 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5270.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





12:01:30 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5310.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



12:16:09 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5510.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

99 % Bandwidth





12:30:17 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





12:45:22 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




12:53:39 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	76 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.19 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	76 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.19 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5190.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5230.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:



Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:03:21 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:16:12 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5510.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:29:53 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5550.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:43:36 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




07:51:10 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)
Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1+2	5190.00000	36.113
		5230.00000	36.113
		5270.00000	36.113
		5310.00000	36.364
		5510.00000	36.113
		5550.00000	35.862
		5670.00000	36.113
		5755.00000	36.113
		5795.00000	36.113

Verdict


Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:


Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.14 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.14 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5270.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





10:58:35 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5310.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



11:23:02 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5510.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

99 % Bandwidth



11:44:11 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



99 % Bandwidth



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5670.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




12:18:00 PM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:


Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.14 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5795.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	500.000 kHz	>= 400.000 kHz
VBW	2.000 MHz	>= 1.500 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	42 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.14 dB	0.30 dB

Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)
Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1	5210.00000	75.000
		5290.00000	75.500
		5530.00000	75.000
		5610.00000	75.500
		5775.00000	75.500
	2	5210.00000	75.500
		5290.00000	75.500
		5530.00000	75.000
		5610.00000	75.500
		5775.00000	75.500

Verdict

Pass



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5290.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5530.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5610.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5775.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5210.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:



99 % Bandwidth



Date: 17.JAN.2026 10:36:16

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5775.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth



Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)
Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1+2	5210.00000	75.500
		5290.00000	75.500
		5530.00000	75.000
		5610.00000	75.500
		5775.00000	75.500

Verdict

Pass



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Date: 17 JAN 2026 13:57:30

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth




Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5530.00000


Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth




Gain




Connector1 Connector2

Attenuation




Connector1 Connector2



Date: 17. JAN. 2026 15:10:09



Date: 17.JAN.2026 15:11:19



Date: 17.JAN.2026 15:11:37





Date: 17.JAN.2026 15:13:27

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

99 % Bandwidth



Modulation: 802.11ax HE20 SS1 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1	5180.00000	19.000
		5200.00000	18.900
		5240.00000	19.000
		5260.00000	16.300
		5280.00000	16.300
		5320.00000	16.300
		5500.00000	16.300
		5580.00000	16.300
		5700.00000	16.300
		5745.00000	18.900
		5785.00000	18.900
		5825.00000	18.900
	2	5180.00000	18.900
		5200.00000	18.900
		5240.00000	18.900
		5260.00000	16.300
		5280.00000	16.300
		5320.00000	16.300
		5500.00000	16.300
		5580.00000	16.300
		5700.00000	16.300
		5745.00000	18.900
		5785.00000	18.900
		5825.00000	18.900

Verdict


Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 20.DEC.2025 22:11:02


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth



Date: 21.DEC.2025 08:40:02


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 21.DEC.2025 08:49:37

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 12 JAN 2026 23:58:35

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 13. JAN. 2026 00:05:56



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 13. JAN. 2026 00:11:27

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 13.JAN.2026 00:18:16



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 13. JAN. 2026 00:24:59

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 13. JAN. 2026 00:30:28

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5745.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 21.DEC.2025 09:28:17

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5785.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 21.DEC.2025 09:43:49

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5825.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 21.DEC.2025 10:06:40

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5180.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 21.DEC.2025 13:09:45


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5200.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 21.DEC.2025 13:36:22

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:





Date: 21.DEC.2025 15:47:02

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5260.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 13.JAN.2026 00:53:11

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5280.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 13.JAN.2026 01:00:46

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5320.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 13. JAN. 2026 01:06:29

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5500.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:





Date: 13. JAN. 2026 01:12:58

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5580.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 13.JAN.2026 01:19:41



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5700.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth




Date: 13. JAN. 2026 01:24:33

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 21.DEC.2025 16:08:08

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 21.DEC.2025 16:40:35

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 21.DEC.2025 16:50:35

Modulation: 802.11ax HE20 SS1 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Occ Ch BW (MHz)
[5150, 5850]	1+2	5180.00000	18.900
		5200.00000	18.900
		5240.00000	18.900
		5260.00000	17.544
		5280.00000	17.544
		5320.00000	17.544
		5500.00000	17.544
		5580.00000	17.544
		5700.00000	17.544
		5745.00000	18.900
		5785.00000	18.900
		5825.00000	18.900

Verdict

Pass



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth





Date: 25 DEC 2025 22:53:58

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

99 % Bandwidth



Date: 25.DEC.2025 23:13:11