



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 17. DEC. 2025 17:59:40


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 17.DEC.2025 18:33:25



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 17.DEC.2025 18:56:42



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:



01:49:50 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



01:54:59 PM 01/01/2026


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





02:02:23 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:




Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



02:15:34 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5745.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 18.DEC.2025 10:16:49


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5785.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 18.DEC.2025 10:37:58



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5825.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 18.DEC.2025 11:06:15



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5180.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 23 DEC 2025 19:56:37



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5200.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 23. DEC. 2025 21:45:59


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5240.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 23 DEC 2025 21:56:14


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5260.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





08:01:37 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5280.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





08:14:15 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5320.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:



08:19:18 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5500.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5580.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:





08:35:44 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5700.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:




08:40:58 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:



Date: 23 DEC 2025 22:12:30


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 23 DEC 2025 22:39:45


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 23 DEC 2025 22:49:43



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 25.DEC.2025 15:18:34



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5200.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





10:14:50 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5280.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:



10:38:32 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



10:47:04 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5580.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



11:18:18 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





11:27:38 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5745.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Date: 25.DEC.2025 16:27:08



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5785.00000

Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth





Date: 25.DEC.2025 16:53:27

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5825.00000 Modulation = 802.11a (OFDM 6 Mbit/s)

Images:

26 dB Bandwidth



Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1	5180.00000	35.900
		5200.00000	31.500
		5240.00000	28.000
		5260.00000	20.852
		5280.00000	20.852
		5320.00000	20.852
		5500.00000	20.852
		5580.00000	20.852
		5700.00000	20.852
		5745.00000	23.200
		5785.00000	22.900
		5825.00000	22.900
	2	5180.00000	36.100
		5200.00000	27.100
		5240.00000	27.500
		5260.00000	20.852
		5280.00000	20.652
		5320.00000	20.852
		5500.00000	20.351
		5580.00000	20.852
		5700.00000	20.852
		5745.00000	22.900
		5785.00000	23.000
		5825.00000	22.500

Verdict



Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



Date: 20.DEC.2025 15:26:58



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 20. DEC. 2025 17:16:04



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Date: 20. DEC. 2025 19:00:38

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





03:48:49 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:00:30 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:07:03 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





04:16:42 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



04:26:09 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5745.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 20.DEC.2025 19:24:17



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5785.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Date: 20. DEC. 2025 19:46:23

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



Date: 20 DEC 2025 21:43:11



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5180.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 21.DEC.2025 17:04:04



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5200.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 21.DEC.2025 17:52:30


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5240.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Date: 21.DEC.2025 18:20:59

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5260.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5320.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





10:17:51 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





10:27:41 PM 01/01/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



10:36:52 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



10:43:13 PM 01/01/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 21.DEC.2025 18:41:17


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Date: 21.DEC.2025 19:25:38

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



Date: 21.DEC.2025 19:48:24

Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)
Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1+2	5180.00000	36.300
		5200.00000	29.400
		5240.00000	27.100
		5260.00000	20.351
		5280.00000	20.251
		5320.00000	20.551
		5500.00000	20.251
		5580.00000	20.150
		5700.00000	20.251
		5745.00000	23.600
		5785.00000	23.000
		5825.00000	22.800

Verdict

Pass



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 25 DEC 2025 19:35:08



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5200.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



26 dB Bandwidth



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





01:46:59 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5280.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





02:05:28 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





02:14:48 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:





02:31:35 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5580.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:



02:47:28 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)


Images:

26 dB Bandwidth



02:57:24 AM 01/03/2026

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5785.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth





Date: 25.DEC.2025 21:10:09

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

Images:

26 dB Bandwidth



Date: 25.DEC.2025 22:11:09

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1	5190.00000	40.150
		5230.00000	39.850
		5270.00000	39.850
		5310.00000	40.150
		5510.00000	40.000
		5550.00000	39.699
		5670.00000	39.850
		5755.00000	40.000
		5795.00000	40.000
	2	5190.00000	40.000
		5230.00000	39.850
		5270.00000	39.850
		5310.00000	40.150
		5510.00000	40.150
		5550.00000	39.699
		5670.00000	39.850
		5755.00000	39.850
		5795.00000	40.150

Verdict


Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	93 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5230.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	93 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

26 dB Bandwidth





11:55:29 AM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

26 dB Bandwidth





12:10:22 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5510.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





12:24:18 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5550.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





12:39:29 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




12:47:36 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	93 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	93 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5190.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	89 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5230.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:



Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	89 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





06:57:20 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:10:11 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5510.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:23:25 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





07:37:41 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




07:45:09 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5755.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	89 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	89 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)
Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1+2	5190.00000	40.150
		5230.00000	40.150
		5270.00000	39.850
		5310.00000	40.150
		5510.00000	40.150
		5550.00000	40.150
		5670.00000	39.850
		5755.00000	40.000
		5795.00000	40.150

Verdict


Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:


Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
Sweptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	57 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.17 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	57 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.17 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

26 dB Bandwidth





10:48:05 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

26 dB Bandwidth





11:12:28 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5510.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:

26 dB Bandwidth





11:33:24 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:





11:55:13 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:




12:07:29 PM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	57 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.17 dB	0.30 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.15000 GHz	5.15000 GHz
Stop Frequency	5.23000 GHz	5.23000 GHz
Span	80.000 MHz	80.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	>= 900.000 kHz
SweepPoints	533	~ 533
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	57 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.17 dB	0.30 dB

Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)
Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1	5210.00000	160.000
		5290.00000	82.500
		5530.00000	81.500
		5610.00000	82.500
		5775.00000	81.500
	2	5210.00000	160.000
		5290.00000	82.000
		5530.00000	82.000
		5610.00000	82.500
		5775.00000	82.000

Verdict

Pass



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth




Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5530.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Date: 16 JAN 2026 20:29:24

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth



Date: 17.JAN.2026 11:08:36

Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)
Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1+2	5210.00000	160.000
		5290.00000	82.500
		5530.00000	82.000
		5610.00000	83.000
		5775.00000	83.000

Verdict

Pass


Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5290.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5610.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

Images:

26 dB Bandwidth



Modulation: 802.11ax HE20 SS1 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	Ebw (MHz)
[5150, 5850]	1	5180.00000	26.100
		5200.00000	22.700
		5240.00000	21.900
		5260.00000	30.200
		5280.00000	19.900
		5320.00000	20.000
		5500.00000	20.100
		5580.00000	20.000
		5700.00000	19.000
		5745.00000	21.500
		5785.00000	21.500
		5825.00000	21.000
	2	5180.00000	23.100
		5200.00000	21.600
		5240.00000	21.500
		5260.00000	30.200
		5280.00000	19.900
		5320.00000	20.200
		5500.00000	20.100
		5580.00000	19.900
		5700.00000	19.900
		5745.00000	21.500
		5785.00000	20.900
		5825.00000	21.000

Verdict



Pass

Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 20. DEC. 2025 22:02:01


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

26 dB Bandwidth



Date: 21.DEC.2025 08:32:07



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

26 dB Bandwidth



Date: 21.DEC.2025 08:42:52



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

26 dB Bandwidth




Date: 12 JAN 2026 23:54:03

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 13 JAN 2026 00:01:26



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

26 dB Bandwidth



Date: 13 JAN 2026 00:07:06


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:

26 dB Bandwidth





Date: 13. JAN. 2026 00:13:59

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:




Date: 13 JAN 2026 00:20:44

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

Images:



Date: 13 JAN 2026 00:26:11