



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



Date: 21.DEC.2025 18:44:29



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



Date: 21.DEC.2025 19:31:39



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



Date: 21.DEC.2025 19:51:36

Modulation: 802.11ac VHT20 SS1 (OFDM MCS8)
Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1+2	5180.00000	No	5172.277228	5.02
		5200.00000		5207.722772	4.68
		5240.00000		5232.277228	4.88
		5260.00000		5261.200000	2.35
		5280.00000		5281.200000	2.38
		5320.00000		5321.200000	2.13
		5500.00000		5501.200000	2.04
		5580.00000		5581.200000	1.66
		5700.00000		5701.200000	2.23
		5745.00000		5752.524752	2.82
		5785.00000		5781.039604	2.77
		5825.00000		5832.524752	3.60

Verdict

Pass

Attachments


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)


TPC = No

Images:

Power Spectral Density (SA-3)



— Limit ◆ PSD — Sum Level





Date: 25 DEC 2025 19:43:50



Operation Band MHz = [5150, 5850] Active Port = 1+2
Frequency MHz = 5200.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)
TPC = No

Images:

Power Spectral Density (SA-3)



Date: 25.DEC.2025 20:10:28





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 25.DEC.2025 20:23:50





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000


Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



01:50:56 AM 01/03/2026





01:54:19 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5280.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



02:09:26 AM 01/03/2026





02:12:49 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



02:18:46 AM 01/03/2026





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000


Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



02:35:32 AM 01/03/2026





02:38:54 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5580.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



02:51:25 AM 01/03/2026



02:54:47 AM 01/03/2026


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000


Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:



03:01:20 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2



Frequency MHz = 5745.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 25.DEC.2025 20:44:46



Date: 25. DEC. 2025 20:50:29

Operation Band MHz = [5150, 5850] Active Port = 1+2



Frequency MHz = 5785.00000

Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 25.DEC.2025 21:15:00





Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5825.00000 Modulation = 802.11ac VHT20 SS1 (OFDM MCS8)

TPC = No

Images:

Power Spectral Density (SA-3)





Date: 25. DEC. 2025 22:20:19

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1	5190.00000	No	5188.400000	-3.22
		5230.00000		5228.400000	-3.55
		5270.00000		5272.000000	-3.66
		5310.00000		5311.600000	-3.92
		5510.00000		5508.400000	-3.83
		5550.00000		5551.600000	-3.90
		5670.00000		5667.200000	-4.23
		5755.00000		5756.635220	-6.45
		5795.00000		5793.364780	-6.39
	2	5190.00000		5191.600000	-4.76
		5230.00000		5228.400000	-4.35
		5270.00000		5271.600000	-4.17
		5310.00000		5311.600000	-4.88
		5510.00000		5508.400000	-4.62
		5550.00000		5551.600000	-4.43
		5670.00000		5668.400000	-4.24
		5755.00000		5756.635220	-5.63
		5795.00000		5793.364780	-6.15

Verdict

Pass


Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.35 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.35 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:





12:00:16 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:





12:15:07 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5510.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



12:29:04 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:





12:44:14 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5670.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



12:52:21 PM 01/02/2026


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.35 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5795.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.35 dB	0.50 dB


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5190.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters


Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:





07:02:05 PM 01/02/2026

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



07:14:56 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5510.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



07:28:10 PM 01/02/2026



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5550.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5670.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



07:49:54 PM 01/02/2026


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5755.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB


Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.25 dB	0.50 dB

Modulation: 802.11ac VHT40 SS1 (OFDM MCS9)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1+2	5190.00000	No	5191.600000	-1.67
		5230.00000		5228.400000	-1.74
		5270.00000		5271.600000	-1.65
		5310.00000		5311.600000	-2.12
		5510.00000		5511.600000	-2.02
		5550.00000		5551.600000	-1.94
		5670.00000		5668.400000	-2.16
		5755.00000		5756.132075	-4.15
		5795.00000		5796.132075	-4.22

Verdict

Pass


Attachments

Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5190.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:




Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.24 dB	0.50 dB

Operation Band MHz = [5150, 5850] Active Port = 1+2
Frequency MHz = 5230.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)
TPC = No

Images:



Tables:

Spectrum Analyzer Parameters



Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.24 dB	0.50 dB


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5270.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:







10:57:34 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5310.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



11:17:31 AM 01/03/2026



11:21:58 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5510.00000


Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



11:38:27 AM 01/03/2026






Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5550.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:







Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5670.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



12:12:32 PM 01/03/2026




Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5755.00000 Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
Sweeptime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.24 dB	0.50 dB


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5795.00000

Modulation = 802.11ac VHT40 SS1 (OFDM MCS9)

TPC = No

Images:



Tables:

Spectrum Analyzer Parameters

Setting	Instrument Value	Target Value
Start Frequency	5.17000 GHz	5.17000 GHz
Stop Frequency	5.21000 GHz	5.21000 GHz
Span	40.000 MHz	40.000 MHz
RBW	1.000 MHz	<= 1.000 MHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	101	~ 80
SweepTime	2.020 ms	2.020 ms
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	29703	29703
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	Sweep
Preamplifier	off	off
Stablemode	Trace	Trace
Stablevalue	0.50 dB	0.50 dB
Run	2 / max. 15	max. 15
Stable	1 / 1	1
Max Stable Difference	0.24 dB	0.50 dB

Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1	5210.00000	No	5212.250000	-5.92
				5211.750000	-1.74
		5290.00000		5288.250000	-5.67
		5530.00000		5532.250000	-5.08
		5610.00000		5605.250000	-5.79
		5775.00000		5772.625000	-7.86
	2			5772.625000	-3.73
		5210.00000		5212.250000	-7.14
		5290.00000		5287.250000	-6.18
		5530.00000		5532.250000	-4.57
		5610.00000		5605.250000	-5.40
		5775.00000		5772.625000	-6.63

Verdict

Pass

Attachments


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



— Limit — Sum Level ◆ PSD





Date: 16 JAN 2026 19:13:49

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:



Date: 28.DEC.2025 17:50:47

Operation Band MHz = [5150, 5850] Active Port = 1



Frequency MHz = 5290.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 16 JAN 2026 19:47:50



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 16 JAN 2026 20:12:28



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 16 JAN 2026 20:32:19

Operation Band MHz = [5150, 5850] Active Port = 1



Frequency MHz = 5775.00000

Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)





Date: 16 JAN 2026 20:54:44

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:



Date: 28.DEC.2025 21:14:30



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17 JAN 2026 09:30:29



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 10:00:27



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)





Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17 JAN 2026 10:46:14



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 11:11:19

Modulation: 802.11ac VHT80 SS1 (OFDM MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1+2	5210.00000	No	5207.250000	-2.26
		5290.00000		5287.250000	-1.86
		5530.00000		5527.250000	-0.83
		5610.00000		5605.250000	-1.46
		5775.00000		5770.125000	-3.15

Verdict

Pass

Attachments


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5210.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)


TPC = No

Images:


Power Spectral Density (SA-3)



— Limit ◆ PSD — Sum Level



Date: 17 JAN 2026 13:40:33





Date: 17. JAN. 2026 13:45:48


Operation Band MHz = [5150, 5850] Active Port = 1+2
Frequency MHz = 5290.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)
TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 14:25:13



Date: 17. JAN. 2026 14:29:29



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5530.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 14:57:10



Date: 17. JAN. 2026 14:59:49



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5610.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 15:22:18



Date: 17. JAN. 2026 15:26:14



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5775.00000 Modulation = 802.11ac VHT80 SS1 (OFDM MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 17.JAN.2026 15:54:34



Date: 17. JAN. 2026 15:59:20

Modulation: 802.11ax HE20 SS1 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1	5180.00000	No	5179.009901	1.52
		5200.00000		5199.207921	1.43
		5240.00000		5239.009901	1.44
		5260.00000		5259.009901	1.69
		5280.00000		5279.009901	1.99
		5320.00000		5319.009901	1.85
		5500.00000		5499.009901	2.51
		5580.00000		5581.188119	1.01
		5700.00000		5701.188119	1.70
		5745.00000		5743.811881	-1.01
		5785.00000		5783.811881	-0.96
		5825.00000		5823.811881	0.31
	2	5180.00000		5179.009901	0.30
		5200.00000		5199.009901	0.36
		5240.00000		5239.207921	0.80
		5260.00000		5259.207921	0.87
		5280.00000		5279.009901	1.05
		5320.00000		5319.207921	0.87
		5500.00000		5500.990099	2.23
		5580.00000		5579.009901	1.01
		5700.00000		5701.188119	2.17
		5745.00000		5743.811881	-0.36
		5785.00000		5783.811881	-0.76
		5825.00000		5823.811881	-0.01

Verdict

Pass



Attachments

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 20.DEC.2025 22:07:49

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 21.DEC.2025 08:35:24

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 08:46:06



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5260.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 12 JAN 2026 23:57:18



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5280.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 13 JAN 2026 00:04:40



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5320.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 00:10:20

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5500.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13.JAN.2026 00:17:12

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5580.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 00:23:57

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5700.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 00:29:23

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5745.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 21.DEC.2025 09:02:16

Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 09:39:12



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5825.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 10:02:43



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5180.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 12:49:46



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5200.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 13:29:55



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5240.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 13:53:55



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5260.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 13 JAN 2026 00:52:01



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5280.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 00:59:31

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5320.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 01:05:22

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5500.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 13.JAN.2026 01:12:16



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5580.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 13 JAN 2026 01:18:21

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5700.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 13.JAN.2026 01:23:40



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5745.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:





Date: 21.DEC.2025 16:03:23

Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 16:36:24



Operation Band MHz = [5150, 5850] Active Port = 2

Frequency MHz = 5825.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



Date: 21.DEC.2025 16:47:23

Modulation: 802.11ax HE20 SS1 (OFDMA MCS0)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1+2	5180.00000	No	5179.009901	2.65
		5200.00000		5201.386139	2.26
		5240.00000		5239.009901	2.30
		5260.00000		5261.200000	2.32
		5280.00000		5281.200000	2.42
		5320.00000		5321.400000	2.03
		5500.00000		5501.200000	2.08
		5580.00000		5581.200000	1.66
		5700.00000		5701.200000	2.28
		5745.00000		5743.811881	0.62
		5785.00000		5783.811881	0.55
		5825.00000		5823.811881	1.72

Verdict

Pass

Attachments


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5180.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)


TPC = No

Images:


Power Spectral Density (SA-3)



— Limit ◆ PSD — Sum Level



Date: 25.DEC.2025 22:43:18





Date: 25. DEC. 2025 22:48:48


Operation Band MHz = [5150, 5850] Active Port = 1+2
Frequency MHz = 5200.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)
TPC = No

Images:

Power Spectral Density (SA-3)



Date: 25.DEC.2025 23:05:28



Date: 25. DEC. 2025 23:08:27



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5240.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 26.DEC.2025 10:31:26



Date: 26.DEC.2025 10:34:24



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5260.00000


Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



03:39:52 AM 01/03/2026



03:43:14 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5280.00000


Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



04:07:51 AM 01/03/2026



04:11:14 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5320.00000


Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



04:17:13 AM 01/03/2026



04:20:36 AM 01/03/2026



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5500.00000


Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



04:32:55 AM 01/03/2026





04:36:18 AM 01/03/2026

Operation Band MHz = [5150, 5850] Active Port = 1+2


Frequency MHz = 5580.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



04:50:40 AM 01/03/2026



04:55:39 AM 01/03/2026


Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5700.00000


Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)

TPC = No

Images:



05:02:01 AM 01/03/2026





Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5745.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 26.DEC.2025 11:04:08



Date: 26.DEC.2025 11:07:00



Operation Band MHz = [5150, 5850] Active Port = 1+2

Frequency MHz = 5785.00000 Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 26.DEC.2025 14:31:25



Date: 26.DEC.2025 14:34:20

Operation Band MHz = [5150, 5850] Active Port = 1+2



Frequency MHz = 5825.00000

Modulation = 802.11ax HE20 SS1 (OFDMA MCS0)


TPC = No

Images:

Power Spectral Density (SA-3)



Date: 26.DEC.2025 14:44:39



Date: 26.DEC.2025 14:47:33

Modulation: 802.11ax HE40 SS1 (OFDMA MCS11)

Results

Operation Band (MHz)	Port	Freq (MHz)	TPC	Freq (MHz)	PSD (dBm)
[5150, 5850]	1	5190.00000	No	5191.188119	-1.33
		5230.00000		5228.415842	-1.85
		5270.00000		5268.415842	-1.89
		5310.00000		5311.584158	-1.86
		5510.00000		5508.415842	-0.99
		5550.00000		5551.584158	-1.04
		5670.00000		5671.584158	-1.88
		5755.00000		5756.625000	-5.00
		5795.00000		5793.375000	-5.08
	2	5190.00000		5188.415842	-4.29
		5230.00000		5231.584158	-3.21
		5270.00000		5271.584158	-3.39
		5310.00000		5311.584158	-4.24
		5510.00000		5511.584158	-1.58
		5550.00000		5551.584158	-1.91
		5670.00000		5671.584158	-2.06
		5755.00000		5753.375000	-3.86
		5795.00000		5793.375000	-4.41

Verdict

Pass

Attachments


Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5190.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS11)


TPC = No

Images:

Power Spectral Density (SA-3)



— Limit — Sum Level ◆ PSD



Date: 15 JAN 2026 11:08:17

Operation Band MHz = [5150, 5850] Active Port = 1



Frequency MHz = 5230.00000

Modulation = 802.11ax HE40 SS1 (OFDMA MCS11)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 15.JAN.2026 11:25:25

Operation Band MHz = [5150, 5850] Active Port = 1



Frequency MHz = 5270.00000

Modulation = 802.11ax HE40 SS1 (OFDMA MCS11)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 15 JAN 2026 11:39:57



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5310.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS11)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 15.JAN.2026 11:54:06



Operation Band MHz = [5150, 5850] Active Port = 1

Frequency MHz = 5510.00000 Modulation = 802.11ax HE40 SS1 (OFDMA MCS11)

TPC = No

Images:

Power Spectral Density (SA-3)



Date: 15 JAN 2026 12:07:52