



PORTABLE PROJECTOR
USER'S GUIDE



Smart Projector



Before using the projector, please read this guidance carefully and keep it safely

Microsoft and Windows is the registered trademark of Microsoft Corporation(US and other country).

Apple is the trademark of Apple Computer Inc.(U.S.A)

Cautious: The trademarks and product trademarks of the above company will all get stern treatment even under the situation without annotation.

Caution

1. It is necessary to use the standard power adapter of the device. Improper use of the power adapter can cause serious damage to the device;
2. If the device is not used for a long time, please ensure to turn off the power switch;
3. Please avoid foreign objects entering or obstructing the fan outlet to avoid affecting the fan's operation;
4. The equipment is in working condition, please do not directly power off or shut down;
5. When connecting external devices with high power consumption, please confirm if the power consumption can be supported;
6. The device is equipped with a built-in power supply. Please do not place it in a high temperature or damp place to avoid danger;
7. Suitable for safe use in non tropical climate conditions with an altitude of 2000 meters and below;

Caution

To prevent electric shock, do not open the casing. There are no components inside the aircraft that customers can repair. Please entrust qualified professional maintenance personnel to carry out maintenance matters.

Warning

This label warns users that there is voltage inside the unit that has not been insulated, which may cause surface magnetic fields to cause electric shock. Therefore, it is very dangerous to come into contact with any components inside the unit.

Warning

To prevent fire or electric shock, do not expose this machine to rainwater or moisture.

Warning

This is an A-grade product that may cause radio interference in living environments. In this case, it may be necessary for users to take practical and feasible measures to interfere with it.

Packing

After opening the package, please check if the content inside is in good condition. If there's any missing parts, please contact the manufactur for replacement.



Projector



Remote



Power cord



Instruction

Installing


The guidance below makes sure the long service life of the device. To prevent fire and electronic shock, please read the instruction carefully and be cautious about the warning below.



Do not install into places with poor ventilation



Do not install into places are hot and humid



Do not install in smoky and dusty environment



Do not plugged the vent(Intake and exhaust)




Do not install nearby temperature sensor or smog sensor.
It may cause the sensor failed



Do not install somewhere directly blown by the warm/cold wind of the A/C, or it may cause the breakdown because of the water vapor condensation


Note for Heat Dissipation

To maintain the projector's performance and reliability, please leave at least 30cm space between the projector and the objects around.



Note for eyes

The projector is with high brightness, please do not directly look into it or do not let the projector's light shine through the eyes, to avoid eyesight damage.




Start Using

For best projection effect, we suggest you to choose the following method to install the projector.

Horizontally

Easy to install and easy to adjust



! Precautions

When the projector is suspended from the ceiling or in a rear projection system, please change the projection mode.



Hanger installation

Does not take up space, long-term use


Hanger is a non-included accessory




Focus Adjustment

When the image is blurry, it is recommended to use the One Click Autofocus function of the remote control to improve the clarity of the image.



If satisfactory clarity cannot be achieved, it can also be adjusted again through F+/F fine tuning. Alternatively, please move the product forward or backward in moderation.



Parts Info




External Device



Remote Control

Audio version: Bluetooth voice remote
(Only for audio version)




Auto pairing:

1. Press the voice button to enter bluetooth audio pairing page;
2. Long press the left/right button ◀/▶ to enter auto pairing mode.

Manual pairing:

1. Press the home button "■", choose setting in the pop-up interface.
2. Enter the interface, choose bluetooth settings, press OK to enter manual pairing mode.
3. Longpress the left/right button ◀/▶, the instruction light shines and enter pairing mode, search for the bluetooth device and start pairing.

Projection




Indicator light status at the switch on/off position:

Standby: red light


Power on: blue light

Press the voice button on the remote control to enter the pairing page;
Press and hold the left and right buttons on the remote control simultaneously;
Release the remote control indicator light until it flashes;
Wait for the automatic pairing to succeed before exiting the pairing page.

Appendix: Comparison table of projection distance and screen size



Screen Size (inches)	Screen Size length X height (m)	Projection distance (m)
22 inches	length 0.49m X height 0.27m	0.47m
50 inches	length 1.11m X height 0.61m	1.04m
100 inches	length 2.21m X height 1.24m	2m
150 inches	length 3.34m X height 1.87m	3m



Design tolerance +/-8%

This table uses the front end of the lens and the center of the lens as the measuring points, and assumes that the projector is placed horizontally (the front and rear adjusters are fully drawn out).

Appendix:Warranty Card

1. This product follows the "Three Guarantee" policy since the purchasing date(according to the record),the projector is within 1 year warranty(nonhuman damage).
2. During the warrant period, all faults caused by technical problem of the product, our company will offer warranty service.
3. The following conditions are not covered by the warranty.
 - ①The accessories apart from the mainframe machine.
 - ②The disassembled and repaired product without permission
 - ③ External force and other damage caused by natural distater.
4. When failures occur, please contact the dealer or online service staff, send the product and filled-in warrant card to us, we will repair and send back as soon as possible.
5. This warrant responsibility only limited to repairing for products within warrant period, not responsible for any other problem.

Client's name: _____ Shop for purchase: _____

Customer ID: _____ Customer Phone: _____

Return address: _____

Problem Description:(For quick repairing, please carefully discribe the problem):



FCC Warning

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.

- Increase the separation between the equipment and receiver.

- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

- Consult the dealer or an experienced radio/TV technician for help.

Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.