


EShare Wireless Presentation Button

User Guide



EShare Technology Co., Ltd.

1. REQUIREMENT

1) LAPTOP

Windows 7/8/10/11


macOS, Chrome OS, Linux OS, Android OS

2) IFP

ESharePro is installed and activated in the IFP.

2. ACTIVATE ESHAREPRO

If ESharePro on your IFP is not activated, launch ESharePro and tap "Activation", enter the license key and tap  to activate. (Be sure IFP has internet access)




Enter the license key

3. PAIRING

You can pair the EShare Button with the IFP in the following ways.

1) AUTO-PAIRING

Be sure that the Wi-Fi hotspot is enabled on IFP, launch ESharePro, then plug EShare Button into the USB port, wait for the pairing complete prompt to appear on the screen, then unplug it.



Auto-pairing

2) MANUALLY PAIRING

If the Wi-Fi hotspot is not available on IFP, please launch ESharePro, plug EShare Button into the USB port, a manual pairing window will pop up, enter the Wi-Fi SSID and password, then click OK to complete the pairing.



Enter SSID and password for pairing

4. WIRELESS SCREEN SHARING


- 1) Plug the EShare Button into the laptop **via Type-C port** and wait for LED from flash to static white. Click the button to start screen sharing.
- 2) Extend display mode

For Windows, press “Win+P” to switch the display mode to PC screen only, Duplicate, Extend, Second screen only.

For macOS, launch System Preferences>Displays>Display settings (EShare 4K), choose the projection mode according to your needs, e.g. Use As Separate Display, Mirror Built-in Retina Display.


5. AV VIRTUALIZATION FEATURES

- 1) Ensure the microphone, camera, speaker are enabled on IFP.



Enable the microphone, camera, speaker on IFP

- 2) Plug the EShare Button into the laptop and wait for LED from flash to static white.
- 3) Use video conferencing software (such as Zoom/Teams/Skype/Google Meet...) to join/host a meeting, and choose EShare camera, microphone, speaker, you will be able to directly use the A/V equipment on the large display to conduct video conferences.



A/V settings

6. LED STATUS

LED Status	Definition
OFF	OFF (Powered Off)
Flash White	Connecting or pairing
Static White	Connected (ready for screen sharing), or paired
Flash White Quickly	Connection timeout

7. CAUTIONS

- 1) Please ensure ESharePro has been activated on the IFP, if not, the EShare Button will not work.
- 2) The 2.4Ghz Wi-Fi frequency band is susceptible to interference from surrounding electronic devices, resulting in bad network quality and affecting user experience. Please use the Wi-Fi signal working at the 5Ghz channels for a good user experience.
- 3) Please insert the Button to a Type-C port that supports display output (Full-featured Type-C) on the laptop.

FCC

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance.

The device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA). These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body is 1.266 W/kg.

ISED

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- 1) L'appareil ne doit pas produire de brouillage;
- 2) L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Cet émetteur ne doit pas être colocalisé ou fonctionner en conjonction avec une autre antenne ou un autre émetteur.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.

Le matériel a été évalué pour répondre aux exigences générales d'exposition aux radiofréquences. Le dispositif peut être utilisé dans des conditions d'exposition portables illimitées.

The device is designed to meet the requirements for exposure to radio waves established by the Innovation, Science and Economic Development Canada's. These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body is 1.266 W/kg.

L'appareil est conçu pour répondre aux exigences d'exposition aux ondes radio établies par l'Innovation, Sciences et Développement économique Canada. Ces exigences fixent une limite DAS de 1.6 W / kg en moyenne sur un gramme de tissu. La valeur DAS la plus élevée rapportée selon cette norme lors de la certification du produit pour une utilisation lorsqu'il est correctement porté sur le corps est 1.266 W/kg.