

FCC Test Report

Report No.: AGC15733251202FR01

FCC ID : 2BSIIHD-67D

APPLICATION PURPOSE : Original Equipment

PRODUCT DESIGNATION : DIGITAL TWO WAY RADIO

BRAND NAME : MOHANTON , LISHENG , YSHON, AIRITON

MODEL NAME : HD-67D, 5L, DM-188

APPLICANT : SkyConnex Communications Limited

DATE OF ISSUE : Feb. 27, 2026

STANDARD(S) : FCC Part 90 Subpart I

REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



Report Revise Record

Report Version	Revise Time	Issued Date	Valid Version	Notes
V1.0	/	Feb. 27, 2026	Valid	Initial Release

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Table of Contents

1. General Information	5
2. Product Information	6
2.1 Product Technical Description	6
2.2 Test Frequency List	8
2.3 Related Submittal(S) / Grant (S)	9
2.4 Test Methodology	9
2.5 Calculation of Emission Indicators	9
2.6 Special Accessories	9
2.7 Equipment Modifications	9
3. Test Environment	10
3.1 Address of The Test Laboratory	10
3.2 Test Facility	10
3.3 Environmental Conditions	11
3.4 Measurement Uncertainty	11
3.5 List of Equipment Used	12
4. System Test Configuration	13
4.1 EUT Configuration	13
4.2 EUT Exercise	13
4.3 Configuration of Tested System	13
4.4 Equipment Used in Tested System	13
4.5 Summary of Test Results	14
5. Description of Test Modes	15
6. Frequency Stability	16
6.1 Provisions Applicable	16
6.2 Measurement Procedure	16
6.3 Measurement Setup	16
6.4 Measurement Result	17
7. 26dB Emission Bandwidth and 99% Occupied Bandwidth	19
7.1 Provisions Applicable	19
7.2 Measurement Procedure	19
7.3 Measurement Setup	19
7.4 Measurement Result	20
8. Spurious Radiated Emission	27
8.1 Provisions Applicable	27
8.2 Measurement Procedure	27
8.3 Measurement Setup	28
8.4 Measurement Result	29
8.5 Emission Mask Measurement Part	46
9. Modulation Characteristics	52
9.1 Provisions Applicable	52

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


9.2 Measurement Procedure.....	52
9.3 Measurement Setup	52
9.4 Measurement Result	53
10. Maximum Transmitter Power	57
10.1 Provisions Applicable	57
10.2 Measurement Procedure.....	57
10.3 Measurement Setup	57
10.4 Measurement Result	59
11. Spurious Emission on Antenna Port.....	63
11.1 Provisions Applicable.....	63
11.2 Measurement Procedure	63
11.3 Measurement Setup	63
11.4 Measurement Result	64
12. Transmitter Frequency Behavior	74
12.1 Provisions Applicable	74
12.2 Measurement Setup	74
12.3 Measurement Procedure.....	75
12.4 Measurement Result	77
13. Audio Low Pass Filter Response	79
13.1 Provisions Applicable	79
13.2 Measurement Procedure.....	80
13.3 Measurement Setup	80
13.4 Measurement Result	81
Appendix I: Photographs of Test Setup.....	83
Appendix II: Photographs of Test EUT	83

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

1. General Information

Applicant	SkyConnex Communications Limited
Address	Room 3601, 36/F Lippo Centre, Tower Two, 89 Queensway, Hong Kong
Manufacturer	SkyConnex Communications Limited
Address	Room 3601, 36/F Lippo Centre, Tower Two, 89 Queensway, Hong Kong
Factory	Lisheng Communications Co., Ltd.
Address	5#, Chongxiang St., Econ & Tech. Area, Quanzhou, Fujian, China
Product Designation	DIGITAL TWO WAY RADIO
Brand Name	MOHANTON, LISHENG, YSHON, AIRITON
Test Model	HD-67D
Series Model(s)	5L, DM-188
Difference Description	Except for the model name and trademark, everything else is identical.
Date of receipt of test item	Dec. 12, 2025
Date of Test	Dec. 12, 2025~Jan. 20, 2026
Deviation from Standard	No any deviation from the test method
Condition of Test Sample	Normal
Test Result	Pass
Test Report Form No	AGCER-FCC-PMR-V1

Note: The test results of this report relate only to the tested sample identified in this report.

Prepared By		
	Bibo Zhang (Project Engineer)	Feb. 27, 2026
Reviewed By		
	Jack Gui (Reviewer)	Feb. 27, 2026
Approved By		
	Angela Li (Authorized Officer)	Feb. 27, 2026

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

2. Product Information

2.1 Product Technical Description

Communication Type	Voice / Data (Voice /Tone only)	
Operation Frequency Range	From 136MHz to 174MHz--VHF	
	From 400MHz to 470MHz--UHF	
Hardware Version	5L-UV V1.0_1	
Software Version	V1.14	
Modulation Type	Analog Voice:	FM
	Digital (Voice+ Data):	4FSK
Digital Type	DMR	
Channel Separation	Analog Voice:	12.5 kHz
	Digital (Voice+ Data):	12.5 kHz
Support Data Rate	9600bps	
Emission Designator	Analog Voice:	9K94F3E for VHF band--5W 9K94F3E for VHF band--1W 9K94F3E for UHF band--5W 9K94F3E for UHF band--1W
		7K84F1D/7K84F1W for VHF band--5W 7K72F1D/7K72F1W for VHF band--1W
	Digital (Voice+ Data):	8K03F1D/8K03F1W for UHF band--5W 7K97F1D/7K97F1W for UHF band--1W
Rated Output Power	VHF:5W/1W/UHF:5W/1W (It was fixed by the manufacturer, any individual can't arbitrarily change it.)	
Maximum Transmitter Power	VHF Band: 36.85dBm(Analog); 36.91dBm(Digital)	
	VHF Band: 29.83dBm(Analog); 29.95dBm(Digital)	
	UHF Band: 36.80dBm(Analog); 36.72dBm(Digital)	
	UHF Band: 30.06dBm(Analog); 29.83dBm(Digital)	
Antenna Designation	Detachable Antenna	
Antenna Gain	2.0dBi	
Frequency Tolerance	1.099ppm	
Power Supply	DC 7.4V 3000mAh by battery or DC 5V 2A from adapter	

Note:

The product has the same digital working characters when operating in both two digitized voice/data mode. So only one set of test results for digital modulation modes are provided in this test report.

This equipment is capable of supporting a minimum data rate of 4800 bits per second per 6.25 kHz of channel bandwidth. DMR interphone's bandwidth is 12.5 kHz, and it has a double time slot, one is the speech time slot, one is the data time slot, just language sequence is satisfied with 4800 bps/6.25 kHz BW.

The actual working frequency band of the device is UHF: 400-470MHz. According to the frequency division

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

requirements of KDB634817 and the federal frequency allocation requirements, the working frequency band that the device needs to meet is UHF: 406.1-470MHz.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2.2 Test Frequency List

Operation mode	Channel Separation	Operation Frequency Range	Test channel	Test Frequency
Analog/ Digital	12.5 kHz	400-470MHz	Bottom	406.125 MHz
	12.5 kHz	400-470MHz	Middle	453.2125 MHz
	12.5 kHz	400-470MHz	Middle	458.2125 MHz
	12.5 kHz	400-470MHz	Top	469.975 MHz
Analog/ Digital	12.5 kHz	136-174MHz	Bottom	136.025 MHz
	12.5 kHz	136-174MHz	Middle	155.7525 MHz
	12.5 kHz	136-174MHz	Top	173.975 MHz

Note:

In section KDB 634817 D01 Sections II) (f) (1) and (2):

Test at least one frequency in each band for each rule part applied under and ensure the device is capable of operating on the frequency under each rule part. This requirement may result in testing on multiple frequencies. Testing on one frequency may be acceptable if multiple listed bands for a rule part with a continuous frequency range are split to remove a conflict with other rules and the technical requirements in the split bands are the same. Additional requirements for RF exposure may apply.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

2.3 Related Submittal(S) / Grant (S)

This submittal(s) (test report) is intended for FCC ID: **2BSIIHD-67D**, filing to comply with Part 2, Part 90 of the Federal Communication Commission rules.

2.4 Test Methodology

The tests were performed according to following standards:

No.	Identity	Document Title
1	FCC 47 CFR Part 90	Private Land Mobile Radio Services
2	FCC 47 CFR Part 2	Frequency allocations and radio treaty matters; general rules and regulations
3	ANSI TIA-102.CAAA-E	Project 25 Digital C4FM/CQPSK Transceiver Measurement Methods
4	ANSI/TIA-603-E-2016	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards
5	ANSI C63.26-2015	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services
6	KDB 971168 D01	KDB 971168 D01 Power Meas License Digital Systems v03r01
7	KDB 579009 D03	KDB 579009 D03 Applications Part 90 Refarming Bands v01
8	KDB 634817 D01	KDB 634817 D01 Frequency Range Listing for Grants v04r01

2.5 Calculation of Emission Indicators

FCC Rules and Regulations Part 2.202: Necessary Bandwidth and Emission Bandwidth

For FM Mode (Channel Spacing: 12.5 kHz)

Emission Designator 11K0F3E

In this case, the maximum modulating frequency is 3.0 kHz with a 2.5 kHz deviation.

$$BW = 2(M+D) = 2*(3.0 \text{ kHz} + 2.5 \text{ kHz}) = 11 \text{ kHz} = 11K0$$

F3E portion of the designator represents an FM voice transmission.

Therefore, the entire designator for 12.5 kHz channel spacing FM mode is 11K0F3E.

For Digital Mode (Channel Spacing: 12.5 kHz)

Emission Designator 7K60F1D and 7K60F1W

The 99% energy rule was used for digital mode. It basically states that 99% of the modulation energy falls within X kHz, in this case, 7.60 kHz.

F1D and F1W portion of the designator indicates digital information.

Therefore, the entire designator for 12.5 kHz channel spacing digital mode is 7K60F1D and 7K60F1W.

2.6 Special Accessories

Not available for this EUT intended for grant.

2.7 Equipment Modifications

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

3. Test Environment

3.1 Address of The Test Laboratory

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd.

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

3.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to follow CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories.)

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to follow ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842(CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

3.3 Environmental Conditions

	Normal Conditions	Extreme Conditions
Temperature range (°C)	15 - 35	-20 - 50
Relative humidity range	20 % - 75 %	20 % - 75 %
Pressure range (kPa)	86 - 106	86 - 106
Power supply	DC 7.4V	LV DC 6.29V/HV DC 8.51V

Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer.

3.4 Measurement Uncertainty

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95%.

Test Items	Measurement Uncertainty
Frequency stability	$\pm 0.5\%$
Transmitter power conducted	$\pm 0.8\text{dB}$
Transmitter power Radiated	$\pm 1.3\text{dB}$
Conducted spurious emission 9kHz-40 GHz	$\pm 2.7\text{dB}$
Conducted Emission	$\pm 3.2\text{ dB}$
Radiated Emission below 1GHz	$\pm 3.9\text{ dB}$
Radiated Emission above 1GHz	$\pm 4.8\text{ dB}$
Occupied Channel Bandwidth	$\pm 2\%$
FM deviation	$\pm 2\%$
Audio level	$\pm 0.98\text{dB}$
Low Pass Filter Response	$\pm 0.65\text{dB}$
Modulation Limiting	0.42 %
Transient Frequency Behavior	6.8 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

3.5 List of Equipment Used

● RF Conducted Test System							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-ER-E086	Spectrum Analyzer	KEYSIGHT	N9020A	MY53300860	2025-05-08	2026-05-07
☒	AGC-EM-E002	Wireless Connectivity Tester	HP	8920B	US35010161	2025-05-08	2026-05-07
☒	AGC-ER-E075	Small Environmental Tester	SH-242	ESPEC	93008290	2024-07-24	2026-07-23
☒	AGC-EM-A007	30dB Attenuator	Weinachel	58-30-33	ML030	2025-05-31	2027-05-30
☒	AGC-EM-E001	Digital Connectivity Tester	Aeroflex	3920B	N/A	2025-05-09	2027-05-08
☒	--	RF Connection Cable	N/A	1#	N/A	Each time	N/A
☒	--	RF Connection Cable	N/A	2#	N/A	Each time	N/A
☒	AGC-ER-A004	Power Splitter	Agilent	11667B	N/A	2025-05-08	2027-05-07

● Radiated Spurious Emission							
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal. Date (YY-MM-DD)	Next Cal. Date (YY-MM-DD)
☒	AGC-EM-E046	EMI Test Receiver	R&S	ESCI	100096	2025-01-14	2026-01-13
☒	AGC-EM-E046	EMI Test Receiver	R&S	ESCI	100096	2026-01-13	2027-01-12
☒	AGC-EM-E061	Spectrum Analyzer	Agilent	N9010A	MY53470504	2025-05-08	2026-05-07
☒	AGC-EM-E001	Wideband Antenna	SCHWARZBECK	VULB9168	D69250	2025-03-14	2027-03-13
☒	AGC-EM-E005	Wideband Antenna	SCHWARZBECK	VULB9168	VULB9168-494	2025-01-15	2027-01-14
☒	AGC-EM-E029	Broadband Ridged Horn Antenna	ETS	3117	00034609	2025-03-27	2026-03-26
☒	AGC-EM-E102	Broadband Ridged Horn Antenna	ETS	3117	00154520	2025-05-18	2026-05-17
☒	AGC-EM-E146	Pre-amplifier	ETS	3117-PA	00246148	2024-07-24	2026-07-23
☐	AGC-EM-E021	Pre-amplifier	MITEQ	AM-4A-000115	1465421	2024-05-28	2026-05-27
☒	AGC-ER-E037	Signal Generator	Agilent	N5182A	MY50140530	2025-05-08	2026-05-07
☐	AGC-EM-A139	6dB Attenuator	Eeatsheep	LM-XX-6-1W	N/A	2025-05-16	2027-05-15
☒	AGC-EM-A088	UHF Filter	Microwave	N25155M2	498705	2025-05-21	2026-05-20

● Test Software					
Used	Equipment No.	Test Equipment	Manufacturer	Model No.	Version Information
☒	AGC-EM-S011	RSE Test System	Tonscend	TS ⁺ Ver2.1(JS36-RSE)	4.0.0.0

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

4. System Test Configuration

4.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

4.2 EUT Exercise

The Transmitter was operated in the normal operating mode. The TX frequency was fixed which was for the purpose of the measurements.

4.3 Configuration of Tested System

Fig. 2-1 Configuration of Tested System



Table 2-1 Equipment Used in Tested System

4.4 Equipment Used in Tested System

The following peripheral devices and interface cables were connected during the measurement:

☒ Test Accessories Come From The Laboratory

No.	Equipment	Manufacturer	Model No.	Specification Information	Cable
1	Adapter	Apple	A2452	USB-C/140W	

☒ Test Accessories Come From The Manufacturer

No.	Equipment	Manufacturer	Model No.	Specification Information	Cable
1	Battery	Lisheng Communications Co., Ltd.	HD-67D-BATT	DC 7.4V 3000mAh	--
2	Charger	SAMCOM	CHA-5L	Input: DC 5V 2A Output: DC 8.4V 0.8A	--

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

4.5 Summary of Test Results

Item	FCC Rules	Description Of Test	Result
1	47 CFR FCC PART 90	Antenna Equipment	Pass
2	§90.205& 2.1046	Maximum Transmitter Power	Pass
3	§90.207& 2.1047	Modulation Characteristic	Pass
4	§2.1047	Audio Low Pass Filter Response	Pass
5	§90.209& 2.1049	26dB Emission Bandwidth and 99% Occupied Bandwidth	Pass
6	§90.210& 2.1049	Emission Mask	Pass
7	§90.213& 2.1055	Frequency Tolerance	Pass
8	§90.214	Transmitter Frequency Behavior	Pass
9	§90.210& 2.1051	Spurious Emission on Antenna Port	Pass
10	§90.210& 2.1053	Spurious Radiated Emission	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

5. Description of Test Modes

The EUT (**Two-way radio**) has been tested under normal operating condition. (The top channel, the middle channel and the bottom channel) are chosen for testing at each channel separation.

No.	Test Mode Description	Channel Separation
1	TX Bottom channel-UHF	12.5 kHz
2	TX Middle channel-UHF	12.5 kHz
3	TX Middle channel-UHF	12.5 kHz
4	TX Top channel-UHF	12.5 kHz
5	TX Bottom channel-VHF	12.5 kHz
6	TX Middle channel-VHF	12.5 kHz
7	TX Middle channel-VHF	12.5 kHz

Note:

1. Only the result of the worst case was recorded in the report, if no other cases.
2. The battery is full-charged during the test.
3. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
4. For Conducted Test method, a temporary antenna connector is provided by the manufacture.
5. Manufacturers use computer PC programming software to switch and operate frequency points, refer to the instructions for details

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

6. Frequency Stability

6.1 Provisions Applicable

- According to FCC §2.1055, §90.213, the frequency stability shall be measured with variation of ambient temperature from -30°C to $+50^{\circ}\text{C}$ centigrade.
- According to FCC Part 2 Section 2.1055(d)(2), for battery powered equipment, the frequency stability shall be measured with reducing primary supply voltage to the battery operating end point, which is specified by the manufacturer.
- According to FCC Part 90 Section 90.213, the frequency tolerance must be maintained within 0.00025% for 12.5 kHz channel separation and 0.0001% for 6.25 kHz channel separation.

6.2 Measurement Procedure


6.2.1 Frequency stability versus environmental temperature

- Setup the configuration per figure 1 for frequencies measurement inside an environment chamber, Install new battery in the EUT.
- Turn on EUT and set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1kHz and Video Resolution Bandwidth to 1kHz and Frequency Span to 50kHz. Record this frequency as reference frequency.
- Set the temperature of chamber to 50°C . Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize. While maintaining a constant temperature inside the chamber, turn the EUT on and measure the EUT operating frequency.
- Repeat step 2 with a 10°C decreased per stage until the lowest temperature -30°C is measured, record all measured frequencies on each temperature step.

6.2.2 Frequency stability versus input voltage

- Setup the configuration per figure 1 for frequencies measured at temperature if it is within 15°C to 25°C . Otherwise, an environment chamber set for a temperature of 20°C shall be used. The EUT shall be powered by DC 7.4V.
- Set SA center frequency to the EUT radiated frequency. Set SA Resolution Bandwidth to 1 kHz and Video Resolution Bandwidth to 1kHz. Record this frequency as reference frequency.
- Supply the EUT primary voltage at the operating end point which is specified by manufacturer and record the frequency.

6.3 Measurement Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

6.4 Measurement Result

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency For VHF-5W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		136.025	155.7525	173.975		
7.40	-30	0.828	0.653	0.603	2.5	Pass
	-20	1.020	0.582	0.950		
	-10	0.641	0.793	0.977		
	0	0.629	1.095	0.539		
	10	0.853	0.990	1.078		
	20	0.959	0.518	0.558		
	30	0.776	0.698	0.941		
	40	0.937	0.803	0.877		
	50	0.931	0.521	0.557		
8.51	20	0.650	0.987	1.004		
6.29	20	0.731	0.737	0.560		

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency For VHF-1W						
Test conditions		Frequency error (ppm)			Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)				
		136.025	155.7525	173.975		
7.40	-30	0.694	0.677	0.519	2.5	Pass
	-20	0.610	0.891	0.525		
	-10	0.598	0.912	0.871		
	0	1.010	0.893	0.510		
	10	0.806	0.899	0.650		
	20	0.795	0.590	0.846		
	30	1.013	0.695	0.674		
	40	0.647	0.617	0.826		
	50	0.587	0.839	0.796		
8.51	20	0.705	0.710	1.019		
6.29	20	0.778	0.933	0.606		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency-5W							
Test conditions		Frequency error (ppm)				Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)					
		406.125	453.2125	458.2125	469.975		
7.40	-30	1.005	0.780	0.680	0.423	2.5	Pass
	-20	0.583	0.785	0.757	0.842		
	-10	0.662	0.823	0.554	0.751		
	0	0.801	1.033	0.664	0.524		
	10	0.713	0.524	0.987	0.513		
	20	0.900	1.073	0.842	0.963		
	30	0.536	0.935	0.502	0.853		
	40	0.590	0.661	1.050	0.561		
	50	1.095	0.800	0.803	0.666		
8.51	20	0.867	0.708	0.721	0.629	2.5	Pass
6.29	20	0.621	0.569	0.887	0.551		

12.5 kHz Channel Separation, Analog modulation, Assigned Frequency-1W							
Test conditions		Frequency error (ppm)				Limit (ppm)	Result
Voltage (V)	Temp (°C)	Test Frequency (MHz)					
		406.125	453.2125	458.2125	469.975		
7.40	-30	0.627	0.822	0.789	0.398	2.5	Pass
	-20	0.859	0.696	0.949	0.983		
	-10	0.723	1.031	0.547	0.933		
	0	0.717	0.537	0.925	0.882		
	10	0.718	0.571	0.540	0.741		
	20	0.790	0.596	0.946	0.393		
	30	0.585	0.567	0.517	0.343		
	40	1.093	0.779	0.986	0.998		
	50	0.749	1.063	0.823	0.568		
8.51	20	1.099	1.075	1.074	0.804	2.5	Pass
6.29	20	1.090	0.740	0.546	0.378		

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7. 26dB Emission Bandwidth and 99% Occupied Bandwidth

7.1 Provisions Applicable


FCC Part 90.209 & FCC Part 2.1049:

The authorized bandwidth shall be 11.25 kHz for 12.5 kHz channel separation and 6 kHz for 6.25 kHz channel separation.

7.2 Measurement Procedure

1. The EUT was modulated by 2.5kHz sine wave audio signal; the level of the audio signal employed is 16dB greater than that necessary to produce 50% of rated system deviation.
2. Rated system deviation is 2.5 kHz for 12.5kHz channel spacing.
3. Spectrum set as follow:
4. Centre frequency = fundamental frequency.
5. Span=50kHz for 12.5kHz channel spacing.
6. RBW=100Hz, VBW=300Hz, Sweep = auto.
7. Detector function = peak, Trace = max hold.
8. Set 99% Occupied Bandwidth and 26dB Occupied Bandwidth.
9. Measure and record the results in the test report.

7.3 Measurement Setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

7.4 Measurement Result

Measurement Result of VHF-Analog Modulation-5W				
Operating Frequency (MHz)	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
136.025	9.944	10.16	11.25	Pass
155.7525	9.938	10.16	11.25	Pass
173.975	9.939	10.16	11.25	Pass

Measurement Result of VHF-Analog Modulation-1W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
136.025	9.942	10.16	11.25	Pass
155.7525	9.938	10.16	11.25	Pass
173.975	9.940	10.16	11.25	Pass

Measurement Result of UHF-Analog Modulation-5W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
406.125	9.937	10.16	11.25	Pass
453.2125	9.938	10.16	11.25	Pass
458.2125	9.937	10.16	11.25	Pass
469.975	9.939	10.16	11.25	Pass

Measurement Result of UHF-Analog Modulation-1W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
406.125	9.939	10.16	11.25	Pass
453.2125	9.938	10.16	11.25	Pass
458.2125	9.943	10.16	11.25	Pass
469.975	9.943	10.16	11.25	Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Measurement Result of VHF-Digital Modulation-5W				
Operating Frequency (MHz)	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
136.025	7.668	10.20	11.25	Pass
155.7525	7.844	10.26	11.25	Pass
173.975	7.598	10.02	11.25	Pass


Measurement Result of VHF-Digital Modulation-1W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
136.025	7.394	9.421	11.25	Pass
155.7525	7.519	9.184	11.25	Pass
173.975	7.716	9.880	11.25	Pass

Measurement Result of UHF-Digital Modulation-5W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
406.125	8.026	11.01	11.25	Pass
453.2125	7.936	10.17	11.25	Pass
458.2125	7.739	9.048	11.25	Pass
469.975	7.974	10.41	11.25	Pass

Measurement Result of UHF-Digital Modulation-1W				
Operating Frequency	12.5 kHz Channel Separation			
	Occupied Bandwidth (kHz)	Emission Bandwidth (kHz)	Limits (kHz)	Result
406.125	7.874	9.727	11.25	Pass
453.2125	7.778	10.20	11.25	Pass
458.2125	7.969	10.13	11.25	Pass
469.975	7.884	9.841	11.25	Pass


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Test plot as follows:




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


12.5kHz, FM Modulation:406.125MHz-5W




12.5kHz, FM Modulation:453.2125MHz-5W




12.5kHz, FM Modulation:458.2125MHz-5W




12.5kHz, FM Modulation:469.975MHz-5W



12.5kHz, FM Modulation:406.125MHz-1W




12.5kHz, FM Modulation:453.2125MHz-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


12.5kHz, FM Modulation:458.2125MHz-1W




12.5kHz, FM Modulation:469.975MHz-1W




12.5kHz, 4FSK Modulation:136.025MHz-5W




12.5kHz, 4FSK Modulation:155.7525MHz-5W



12.5kHz, 4FSK Modulation:173.975MHz-5W




12.5kHz, 4FSK Modulation:136.025MHz-1W




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


12.5kHz, 4FSK Modulation:155.7525MHz-1W




12.5kHz, 4FSK Modulation:173.975MHz-1W




12.5kHz, 4FSK Modulation:406.125MHz-5W




12.5kHz, 4FSK Modulation:453.2125MHz-5W




12.5kHz, 4FSK Modulation:458.2125MHz-5W



12.5kHz, 4FSK Modulation:469.975MHz-5W



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8. Spurious Radiated Emission

8.1 Provisions Applicable

According to FCC §2.1053 and §90.210, the power of each unwanted emission shall be less than Transmitted Power as specified below for transmitters designed to operate with each channel separation.

Emission Mask D -for 12.5 kHz Channel Separation:

- (1) On any frequency removed from the center of the authorized bandwidth f_0 to 5.625 kHz removed from f_0 : Zero dB.
- (2) On any frequency removed from the center of the authorized bandwidth by a displacement Frequency (f_d in kHz) f_0 of more than 5.625 kHz but no more than 12.5 kHz: At least $7.27(f_d - 2.88 \text{ kHz})$ dB
- (3) On any frequency removed from the center of the authorized bandwidth by a displacement Frequency (f_d in kHz) f_0 of more than 12.5 kHz: At least $50 + 10 \log(P)$ dB or 70 dB, whichever is lesser attenuation.

8.2 Measurement Procedure

1. On a test site, the EUT shall be placed on a turntable, and in the position closest to the normal use as declared by the user.
2. The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
3. The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
4. The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
5. The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
6. The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
7. The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
8. The maximum signal level detected by the measuring receiver shall be noted.
9. The measurement shall be repeated with the test antenna set to horizontal polarization.
10. (Replace the antenna with a proper Antenna (substitution antenna)).
11. The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
12. The substitution antenna shall be connected to a calibrated signal generator.
13. If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
14. The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
15. The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
16. The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
17. The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd



Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

8.3 Measurement Setup

Radiated Emissions 30MHz to 1GHz Test setup



Radiated Emissions Above 1GHz Test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

8.4 Measurement Result

The RF output of the EUT was connected to a spectrum analyzer through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 100 kHz for below 1GHz, and 1MHz for above 1GHz. Sufficient scans were taken to show any out of band emissions up to 10 harmonic.

In the semi-anechoic chamber, setup as illustrated above the DUT placed on the 0.8m height of Turn Table, rotated the table 45 degree each interval to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum polar radiated power for each degree interval. The "Read Value" is the spectrum reading of maximum power value.

The substitution antenna is substituted for DUT at the same position and signals generator (S.G) export the CW signal to the substitution antenna via a TX cable. The receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1m to 4m to find the maximum radiation power. Record the power level of maximum radiation power from spectrum. So, the Measured substitution value = Ref level of S.G + TX cables loss – Substituted Antenna Gain.


EIRP = "Read Value" + Measured substitution value + 2.15.


Test limit calculation:

Preliminary calculation	Final Result
At least $50+10 \log (P) = 50+10 \log (5) = 56.99$ (dB)	Limit=P- Preliminary calculation= $36.99-56.99=-20$ dBm
At least $50+10 \log (P) = 50+10 \log (1) = 50.00$ (dB)	Limit=P- Preliminary calculation= $30.00-50.00=-20$ dBm

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Radiated Emissions 30MHz to 1GHz								
Test Mode:	TX:136.025MHz-FM-5W			Polarity:			Horizontal	
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	141.55	-100.65	-73.83	-20.00	53.83	26.82	283	Horizontal
2	271.53	-95.43	-68.06	-20.00	48.06	27.37	124	Horizontal
3	408.3	-93.15	-64.24	-20.00	44.24	28.91	116	Horizontal
4	544.1	-88.15	-56.11	-20.00	36.11	32.04	274	Horizontal
5	680.87	-76.48	-42.26	-20.00	22.26	34.22	116	Horizontal
6	816.67	-87.58	-50.66	-20.00	30.66	36.92	80	Horizontal

Test Mode:	TX:136.025MHz-FM-5W			Polarity:			Vertical	
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	142.52	-101.81	-75.12	-20.00	55.12	26.69	253	Vertical
2	271.53	-91.71	-64.34	-20.00	44.34	27.37	15	Vertical
3	408.3	-79.55	-50.64	-20.00	30.64	28.91	0	Vertical
4	544.1	-79.47	-47.43	-20.00	27.43	32.04	235	Vertical
5	680.87	-69.93	-35.71	-20.00	15.71	34.22	208	Vertical
6	816.67	-83.44	-46.52	-20.00	26.52	36.92	200	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:136.025MHz-FM-5W	Polarity:	Horizontal
------------	---------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1224.4474	-35.46	-39.55	-20.00	19.55	-4.09	350	Horizontal
2	1495.8996	-35.66	-39.79	-20.00	19.79	-4.13	209	Horizontal
3	1632.2132	-38.36	-40.87	-20.00	20.87	-2.51	9	Horizontal
4	1768.5269	-44.47	-45.30	-20.00	25.30	-0.83	331	Horizontal
5	2041.1541	-48.35	-46.28	-20.00	26.28	2.07	323	Horizontal
6	2176.2926	-49.18	-46.98	-20.00	26.98	2.20	181	Horizontal

Test Mode:	TX:136.025MHz-FM-5W	Polarity:	Vertical
------------	---------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1224.4474	-36.14	-40.23	-20.00	20.23	-4.09	120	Vertical
2	1495.8996	-30.16	-34.29	-20.00	14.29	-4.13	140	Vertical
3	1632.2132	-41.58	-44.09	-20.00	24.09	-2.51	255	Vertical
4	1768.5269	-41.01	-41.84	-20.00	21.84	-0.83	359	Vertical
5	1904.8405	-50.07	-49.22	-20.00	29.22	0.85	110	Vertical
6	2041.1541	-46.08	-44.01	-20.00	24.01	2.07	130	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions 30MHz to 1GHz

Test Mode:	TX:136.025MHz-FM-1W	Polarity:	Horizontal
------------	---------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	574.17	-80.14	-47.11	-20.00	27.11	33.03	97	Horizontal
2	680.87	-76.72	-42.50	-20.00	22.50	34.22	115	Horizontal
3	710.94	-80.32	-45.94	-20.00	25.94	34.38	89	Horizontal
4	741.01	-82.35	-47.66	-20.00	27.66	34.69	247	Horizontal
5	771.08	-83.74	-47.92	-20.00	27.92	35.82	238	Horizontal
6	786.6	-83.58	-47.10	-20.00	27.10	36.48	273	Horizontal

Test Mode:	TX:136.025MHz-FM-1W	Polarity:	Vertical
------------	---------------------	-----------	----------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	544.1	-74.95	-42.91	-20.00	22.91	32.04	236	Vertical
2	574.17	-69.68	-36.65	-20.00	16.65	33.03	165	Vertical
3	635.28	-78.07	-43.63	-20.00	23.63	34.44	218	Vertical
4	680.87	-71.45	-37.23	-20.00	17.23	34.22	200	Vertical
5	710.94	-73.65	-39.27	-20.00	19.27	34.38	200	Vertical
6	741.01	-76.77	-42.08	-20.00	22.08	34.69	218	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:136.025MHz-FM-1W	Polarity:	Horizontal
------------	---------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1193.8944	-43.12	-47.20	-20.00	27.20	-4.08	328	Horizontal
2	1360.7611	-44.54	-48.64	-20.00	28.64	-4.10	205	Horizontal
3	1420.6921	-46.05	-50.17	-20.00	30.17	-4.12	159	Horizontal
4	1466.5217	-37.77	-41.90	-20.00	21.90	-4.13	177	Horizontal
5	1632.2132	-48.54	-51.05	-20.00	31.05	-2.51	338	Horizontal
6	1737.9738	-47.88	-49.08	-20.00	29.08	-1.20	9	Horizontal

Test Mode:	TX:136.025MHz-FM-1W	Polarity:	Vertical
------------	---------------------	-----------	----------





NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1193.8944	-44.91	-48.99	-20.00	28.99	-4.08	351	Vertical
2	1360.7611	-43.20	-47.30	-20.00	27.30	-4.10	123	Vertical
3	1466.5217	-36.69	-40.82	-20.00	20.82	-4.13	123	Vertical
4	1495.8996	-43.38	-47.51	-20.00	27.51	-4.13	153	Vertical
5	1526.4526	-44.70	-48.51	-20.00	28.51	-3.81	133	Vertical
6	1737.9738	-44.52	-45.72	-20.00	25.72	-1.20	279	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd


Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions 30MHz to 1GHz								
Test Mode:	TX:406.125MHz-FM-5W			Polarity:		Horizontal		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	36.79	-99.78	-70.16	-20.00	50.16	29.62	62	Horizontal
2	54.25	-100.35	-73.30	-20.00	53.30	27.05	238	Horizontal
3	139.61	-101.35	-74.38	-20.00	54.38	26.97	238	Horizontal
4	606.18	-99.53	-65.45	-20.00	45.45	34.08	97	Horizontal
5	812.79	-62.61	-25.59	-20.00	5.59	37.02	89	Horizontal
6	938.89	-100.20	-62.32	-20.00	42.32	37.88	345	Horizontal
Test Mode:	TX:406.125MHz-FM-5W			Polarity:		Vertical		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	31.94	-100.50	-70.93	-20.00	50.93	29.57	359	Vertical
2	39.7	-99.97	-70.31	-20.00	50.31	29.66	270	Vertical
3	142.52	-100.23	-73.54	-20.00	53.54	26.69	359	Vertical
4	609.09	-89.52	-55.42	-20.00	35.42	34.10	0	Vertical
5	812.79	-62.20	-25.18	-20.00	5.18	37.02	182	Vertical
6	966.05	-100.19	-62.21	-20.00	42.21	37.98	7	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:406.125MHz-FM-5W	Polarity:	Horizontal
------------	---------------------	-----------	------------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-24.52	-28.60	-20.00	8.60	-4.08	289	Horizontal
2	1625.1625	-22.90	-25.49	-20.00	5.49	-2.59	243	Horizontal
3	2030.5781	-27.45	-25.40	-20.00	5.40	2.05	9	Horizontal
4	2437.1687	-26.91	-24.44	-20.00	4.44	2.47	336	Horizontal
5	2842.5843	-26.34	-24.50	-20.00	4.50	1.84	346	Horizontal
6	4467.7718	-37.26	-32.95	-20.00	12.95	4.31	37	Horizontal


Test Mode:	TX:406.125MHz-FM-5W	Polarity:	Vertical
------------	---------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-23.86	-27.94	-20.00	7.94	-4.08	197	Vertical
2	1625.1625	-22.88	-25.47	-20.00	5.47	-2.59	121	Vertical
3	2030.5781	-27.60	-25.55	-20.00	5.55	2.05	159	Vertical
4	2437.1687	-27.23	-24.76	-20.00	4.76	2.47	169	Vertical
5	2842.5843	-27.01	-25.17	-20.00	5.17	1.84	149	Vertical
6	3655.7656	-35.52	-33.17	-20.00	13.17	2.35	215	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions 30MHz to 1GHz								
Test Mode:	TX:406.125MHz-FM-1W			Polarity:		Horizontal		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	37.76	-100.18	-70.55	-20.00	50.55	29.63	10	Horizontal
2	52.31	-100.51	-73.20	-20.00	53.20	27.31	106	Horizontal
3	142.52	-101.22	-74.53	-20.00	54.53	26.69	124	Horizontal
4	251.16	-101.04	-73.59	-20.00	53.59	27.45	44	Horizontal
5	620.73	-99.76	-65.59	-20.00	45.59	34.17	168	Horizontal
6	812.79	-62.10	-25.08	-20.00	5.08	37.02	89	Horizontal

Test Mode:	TX:406.125MHz-FM-1W			Polarity:		Vertical		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	31.94	-100.32	-70.75	-20.00	50.75	29.57	0	Vertical
2	55.22	-100.31	-73.46	-20.00	53.46	26.85	227	Vertical
3	140.58	-101.01	-74.04	-20.00	54.04	26.97	350	Vertical
4	287.05	-100.66	-73.43	-20.00	53.43	27.23	165	Vertical
5	609.09	-99.70	-65.60	-20.00	45.60	34.10	60	Vertical
6	812.79	-62.74	-25.72	-20.00	5.72	37.02	192	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:406.125MHz-FM-1W	Polarity:	Horizontal
------------	---------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-24.52	-28.60	-20.00	8.60	-4.08	289	Horizontal
2	1625.1625	-22.90	-25.49	-20.00	5.49	-2.59	243	Horizontal
3	2030.5781	-27.45	-25.40	-20.00	5.40	2.05	9	Horizontal
4	2437.1687	-26.91	-24.44	-20.00	4.44	2.47	336	Horizontal
5	2842.5843	-26.34	-24.50	-20.00	4.50	1.84	346	Horizontal
6	4467.7718	-37.26	-32.95	-20.00	12.95	4.31	37	Horizontal

Test Mode:	TX:406.125MHz-FM-1W	Polarity:	Vertical
------------	---------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-23.86	-27.94	-20.00	7.94	-4.08	197	Vertical
2	1625.1625	-22.88	-25.47	-20.00	5.47	-2.59	121	Vertical
3	2030.5781	-27.60	-25.55	-20.00	5.55	2.05	159	Vertical
4	2437.1687	-27.23	-24.76	-20.00	4.76	2.47	169	Vertical
5	2842.5843	-27.01	-25.17	-20.00	5.17	1.84	149	Vertical
6	3655.7656	-35.52	-33.17	-20.00	13.17	2.35	215	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions 30MHz to 1GHz								
Test Mode:	TX:136.025MHz-4FSK-5W			Polarity:			Horizontal	
FCC Part 90 OPER TX								

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:136.025MHz-4FSK-5W	Polarity:	Horizontal
------------	-----------------------	-----------	------------




NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1224.4474	-33.51	-37.60	-20.00	17.60	-4.09	9	Horizontal
2	1495.8996	-34.17	-38.30	-20.00	18.30	-4.13	209	Horizontal
3	1632.2132	-35.49	-38.00	-20.00	18.00	-2.51	9	Horizontal
4	2039.979	-40.78	-38.72	-20.00	18.72	2.06	133	Horizontal
5	2176.2926	-38.58	-36.38	-20.00	16.38	2.20	161	Horizontal
6	2312.6063	-37.73	-35.40	-20.00	15.40	2.33	324	Horizontal


Test Mode:	TX:136.025MHz-4FSK-5W	Polarity:	Vertical
------------	-----------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1224.4474	-30.95	-35.04	-20.00	15.04	-4.09	123	Vertical
2	1360.7611	-33.47	-37.57	-20.00	17.57	-4.10	151	Vertical
3	1495.8996	-27.26	-31.39	-20.00	11.39	-4.13	141	Vertical
4	1904.8405	-39.40	-38.55	-20.00	18.55	0.85	123	Vertical
5	2041.1541	-39.75	-37.68	-20.00	17.68	2.07	343	Vertical
6	2176.2926	-41.26	-39.06	-20.00	19.06	2.20	343	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions 30MHz to 1GHz								
Test Mode:	TX:136.025MHz-4FSK-1W			Polarity:		Horizontal		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	544.1	-87.90	-55.86	-20.00	35.86	32.04	274	Horizontal
2	649.83	-82.94	-48.71	-20.00	28.71	34.23	107	Horizontal
3	680.87	-67.01	-32.79	-20.00	12.79	34.22	116	Horizontal
4	773.02	-85.84	-49.97	-20.00	29.97	35.87	300	Horizontal
5	816.67	-77.31	-40.39	-20.00	20.39	36.92	151	Horizontal
6	952.47	-93.07	-54.90	-20.00	34.90	38.17	274	Horizontal

Test Mode:	TX:136.025MHz-4FSK-1W			Polarity:		Vertical		
FCC Part 90 OPER TX 								
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	408.3	-69.66	-40.75	-20.00	20.75	28.91	0	Vertical
2	574.17	-71.98	-38.95	-20.00	18.95	33.03	0	Vertical
3	680.87	-63.57	-29.35	-20.00	9.35	34.22	156	Vertical
4	709.97	-77.74	-43.36	-20.00	23.36	34.38	253	Vertical
5	741.01	-76.65	-41.96	-20.00	21.96	34.69	227	Vertical
6	816.67	-70.98	-34.06	-20.00	14.06	36.92	192	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:136.025MHz-4FSK-1W	Polarity:	Horizontal
------------	-----------------------	-----------	------------





NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1193.8944	-41.50	-45.58	-20.00	25.58	-4.08	328	Horizontal
2	1360.7611	-43.75	-47.85	-20.00	27.85	-4.10	163	Horizontal
3	1466.5217	-37.00	-41.13	-20.00	21.13	-4.13	183	Horizontal
4	1526.4526	-43.82	-47.63	-20.00	27.63	-3.81	328	Horizontal
5	1632.2132	-44.45	-46.96	-20.00	26.96	-2.51	338	Horizontal
6	1739.1489	-45.38	-46.56	-20.00	26.56	-1.18	39	Horizontal

Test Mode:	TX:136.025MHz-4FSK-1W	Polarity:	Vertical
------------	-----------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1360.7611	-42.56	-46.66	-20.00	26.66	-4.10	125	Vertical
2	1466.5217	-35.46	-39.59	-20.00	19.59	-4.13	125	Vertical
3	1512.3512	-40.21	-44.20	-20.00	24.20	-3.99	143	Vertical
4	1526.4526	-38.73	-42.54	-20.00	22.54	-3.81	125	Vertical
5	1632.2132	-44.66	-47.17	-20.00	27.17	-2.51	266	Vertical
6	1980.048	-47.51	-45.73	-20.00	25.73	1.78	351	Vertical


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions 30MHz to 1GHz																																																																							
Test Mode:	TX:406.125MHz-4FSK-5W			Polarity:		Horizontal																																																																	
FCC Part 90 OPER TX  <table><thead><tr><th>NO.</th><th>Freq. [MHz]</th><th>Reading [dBm]</th><th>Level [dBm]</th><th>Limit [dBm]</th><th>Margin [dB]</th><th>Factor [dB]</th><th>Angle [°]</th><th>Polarity</th></tr></thead><tbody><tr><td>1</td><td>34.85</td><td>-100.20</td><td>-70.69</td><td>-20.00</td><td>50.69</td><td>29.51</td><td>10</td><td>Horizontal</td></tr><tr><td>2</td><td>49.4</td><td>-100.23</td><td>-72.44</td><td>-20.00</td><td>52.44</td><td>27.79</td><td>239</td><td>Horizontal</td></tr><tr><td>3</td><td>134.76</td><td>-100.58</td><td>-74.61</td><td>-20.00</td><td>54.61</td><td>25.97</td><td>318</td><td>Horizontal</td></tr><tr><td>4</td><td>266.68</td><td>-101.32</td><td>-73.90</td><td>-20.00</td><td>53.90</td><td>27.42</td><td>257</td><td>Horizontal</td></tr><tr><td>5</td><td>696.39</td><td>-99.45</td><td>-65.12</td><td>-20.00</td><td>45.12</td><td>34.33</td><td>360</td><td>Horizontal</td></tr><tr><td>6</td><td>812.79</td><td>-61.17</td><td>-24.15</td><td>-20.00</td><td>4.15</td><td>37.02</td><td>80</td><td>Horizontal</td></tr></tbody></table>									NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity	1	34.85	-100.20	-70.69	-20.00	50.69	29.51	10	Horizontal	2	49.4	-100.23	-72.44	-20.00	52.44	27.79	239	Horizontal	3	134.76	-100.58	-74.61	-20.00	54.61	25.97	318	Horizontal	4	266.68	-101.32	-73.90	-20.00	53.90	27.42	257	Horizontal	5	696.39	-99.45	-65.12	-20.00	45.12	34.33	360	Horizontal	6	812.79	-61.17	-24.15	-20.00	4.15	37.02	80	Horizontal
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity																																																															
1	34.85	-100.20	-70.69	-20.00	50.69	29.51	10	Horizontal																																																															
2	49.4	-100.23	-72.44	-20.00	52.44	27.79	239	Horizontal																																																															
3	134.76	-100.58	-74.61	-20.00	54.61	25.97	318	Horizontal																																																															
4	266.68	-101.32	-73.90	-20.00	53.90	27.42	257	Horizontal																																																															
5	696.39	-99.45	-65.12	-20.00	45.12	34.33	360	Horizontal																																																															
6	812.79	-61.17	-24.15	-20.00	4.15	37.02	80	Horizontal																																																															
Test Mode:	TX:406.125MHz-4FSK-5W			Polarity:		Vertical																																																																	
FCC Part 90 OPER TX  <table><thead><tr><th>NO.</th><th>Freq. [MHz]</th><th>Reading [dBm]</th><th>Level [dBm]</th><th>Limit [dBm]</th><th>Margin [dB]</th><th>Factor [dB]</th><th>Angle [°]</th><th>Polarity</th></tr></thead><tbody><tr><td>1</td><td>30</td><td>-100.10</td><td>-70.65</td><td>-20.00</td><td>50.65</td><td>29.45</td><td>156</td><td>Vertical</td></tr><tr><td>2</td><td>55.22</td><td>-100.14</td><td>-73.29</td><td>-20.00</td><td>53.29</td><td>26.85</td><td>94</td><td>Vertical</td></tr><tr><td>3</td><td>141.55</td><td>-100.91</td><td>-74.09</td><td>-20.00</td><td>54.09</td><td>26.82</td><td>138</td><td>Vertical</td></tr><tr><td>4</td><td>264.74</td><td>-101.26</td><td>-73.83</td><td>-20.00</td><td>53.83</td><td>27.43</td><td>359</td><td>Vertical</td></tr><tr><td>5</td><td>609.09</td><td>-90.38</td><td>-56.28</td><td>-20.00</td><td>36.28</td><td>34.10</td><td>50</td><td>Vertical</td></tr><tr><td>6</td><td>812.79</td><td>-62.54</td><td>-25.52</td><td>-20.00</td><td>5.52</td><td>37.02</td><td>192</td><td>Vertical</td></tr></tbody></table>									NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity	1	30	-100.10	-70.65	-20.00	50.65	29.45	156	Vertical	2	55.22	-100.14	-73.29	-20.00	53.29	26.85	94	Vertical	3	141.55	-100.91	-74.09	-20.00	54.09	26.82	138	Vertical	4	264.74	-101.26	-73.83	-20.00	53.83	27.43	359	Vertical	5	609.09	-90.38	-56.28	-20.00	36.28	34.10	50	Vertical	6	812.79	-62.54	-25.52	-20.00	5.52	37.02	192	Vertical
NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity																																																															
1	30	-100.10	-70.65	-20.00	50.65	29.45	156	Vertical																																																															
2	55.22	-100.14	-73.29	-20.00	53.29	26.85	94	Vertical																																																															
3	141.55	-100.91	-74.09	-20.00	54.09	26.82	138	Vertical																																																															
4	264.74	-101.26	-73.83	-20.00	53.83	27.43	359	Vertical																																																															
5	609.09	-90.38	-56.28	-20.00	36.28	34.10	50	Vertical																																																															
6	812.79	-62.54	-25.52	-20.00	5.52	37.02	192	Vertical																																																															

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emissions Above 1GHz

Test Mode:	TX:406.125MHz-4FSK-5W	Polarity:	Horizontal
------------	-----------------------	-----------	------------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-23.83	-27.91	-20.00	7.91	-4.08	76	Horizontal
2	1625.1625	-25.63	-28.22	-20.00	8.22	-2.59	266	Horizontal
3	2030.5781	-28.84	-26.79	-20.00	6.79	2.05	324	Horizontal
4	2437.1687	-26.27	-23.80	-20.00	3.80	2.47	350	Horizontal
5	2842.5843	-26.15	-24.31	-20.00	4.31	1.84	358	Horizontal
6	3249.1749	-30.92	-29.02	-20.00	9.02	1.90	218	Horizontal

Test Mode:	TX:406.125MHz-4FSK-5W	Polarity:	Vertical
------------	-----------------------	-----------	----------



NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Angle [°]	Polarity
1	1218.5719	-23.82	-27.90	-20.00	7.90	-4.08	351	Vertical
2	1625.1625	-25.54	-28.13	-20.00	8.13	-2.59	166	Vertical
3	2030.5781	-26.05	-24.00	-20.00	4.00	2.05	184	Vertical
4	2437.1687	-27.41	-24.94	-20.00	4.94	2.47	313	Vertical
5	2842.5843	-25.57	-23.73	-20.00	3.73	1.84	184	Vertical
6	3249.1749	-33.65	-31.75	-20.00	11.75	1.90	323	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.