


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-25	Pass	2986
30	1000	0.1	RMS	987.1	-54.98	-25	Pass	9701
1000	2490	1	RMS	2490	-40.03	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.34	60	Pass	401
2580	3000	1	RMS	2670	-39.18	-25	Pass	421
3000	12000	1	RMS	11911	-44.23	-25	Pass	9001
12000	26000	1	RMS	25958	-26.54	-25	Pass	14001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-25	Pass	2986
30	1000	0.1	RMS	928.7	-54.79	-25	Pass	9701
1000	2490	1	RMS	2487	-40.59	-25	Pass	1491
2490	2580	1	RMS	2504.625	23.35	60	Pass	401
2580	3000	1	RMS	2669	-39.24	-25	Pass	421
3000	12000	1	RMS	5009	-43.14	-25	Pass	9001
12000	26000	1	RMS	25975	-26.52	-25	Pass	14001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.37	-25	Pass	2986
30	1000	0.1	RMS	983.6	-54.88	-25	Pass	9701
1000	2490	1	RMS	2490	-40.16	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.5	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11902	-44.24	-25	Pass	9001
12000	26000	1	RMS	25960	-26.45	-25	Pass	14001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-25	Pass	2986
30	1000	0.1	RMS	904.7	-54.73	-25	Pass	9701
1000	2490	1	RMS	2420	-40.61	-25	Pass	1491
2490	2580	1	RMS	2504.625	22.42	60	Pass	401
2580	3000	1	RMS	2670	-39.22	-25	Pass	421
3000	12000	1	RMS	11910	-44.21	-25	Pass	9001
12000	26000	1	RMS	25966	-26.46	-25	Pass	14001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-25	Pass	2986
30	1000	0.1	RMS	995.9	-54.82	-25	Pass	9701
1000	2490	1	RMS	2460	-40.6	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.4	60	Pass	401
2580	3000	1	RMS	2669	-39.23	-25	Pass	421
3000	12000	1	RMS	11908	-44.23	-25	Pass	9001
12000	26000	1	RMS	25945	-32.74	-25	Pass	14001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-25	Pass	2986
30	1000	0.1	RMS	915.9	-54.89	-25	Pass	9701
1000	2490	1	RMS	2423	-40.6	-25	Pass	1491
2490	2580	1	RMS	2537.25	23.25	60	Pass	401
2580	3000	1	RMS	2670	-39.21	-25	Pass	421
3000	12000	1	RMS	11902	-44.24	-25	Pass	9001
12000	26000	1	RMS	25959	-26.61	-25	Pass	14001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-25	Pass	2986
30	1000	0.1	RMS	935.6	-54.86	-25	Pass	9701
1000	2490	1	RMS	2420	-40.66	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.58	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11902	-44.19	-25	Pass	9001
12000	26000	1	RMS	25953	-26.49	-25	Pass	14001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-25	Pass	2986
30	1000	0.1	RMS	993.7	-54.66	-25	Pass	9701
1000	2490	1	RMS	2467	-40.56	-25	Pass	1491
2490	2580	1	RMS	2537.25	22.5	60	Pass	401
2580	3000	1	RMS	2670	-39.22	-25	Pass	421
3000	12000	1	RMS	11908	-44.33	-25	Pass	9001
12000	26000	1	RMS	25973	-26.58	-25	Pass	14001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.17	-25	Pass	2986
30	1000	0.1	RMS	1000	-54.73	-25	Pass	9701
1000	2490	1	RMS	2420	-40.59	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.53	60	Pass	401
2580	3000	1	RMS	2668	-39.25	-25	Pass	421
3000	12000	1	RMS	5131	-41.57	-25	Pass	9001
12000	26000	1	RMS	25971	-26.48	-25	Pass	14001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-25	Pass	2986
30	1000	0.1	RMS	953.6	-54.83	-25	Pass	9701
1000	2490	1	RMS	2421	-40.63	-25	Pass	1491
2490	2580	1	RMS	2569.65	23.56	60	Pass	401
2580	3000	1	RMS	2669	-39.21	-25	Pass	421
3000	12000	1	RMS	5139	-42.75	-25	Pass	9001
12000	26000	1	RMS	25975	-26.47	-25	Pass	14001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.7	-25	Pass	2986
30	1000	0.1	RMS	929.5	-54.97	-25	Pass	9701
1000	2490	1	RMS	2419	-40.63	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.74	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	5131	-42.47	-25	Pass	9001
12000	26000	1	RMS	25984	-26.6	-25	Pass	14001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-25	Pass	2986
30	1000	0.1	RMS	946.3	-54.92	-25	Pass	9701
1000	2490	1	RMS	2419	-40.61	-25	Pass	1491
2490	2580	1	RMS	2569.65	22.74	60	Pass	401
2580	3000	1	RMS	2670	-39.21	-25	Pass	421
3000	12000	1	RMS	5139	-44.08	-25	Pass	9001
12000	26000	1	RMS	25991	-26.53	-25	Pass	14001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.75	-25	Pass	2986
30	1000	0.1	RMS	995.6	-54.72	-25	Pass	9701
1000	2490	1	RMS	2490	-39.91	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.22	60	Pass	401
2580	3000	1	RMS	2669	-39.21	-25	Pass	421
3000	12000	1	RMS	5001	-44.02	-25	Pass	9001
12000	26000	1	RMS	25979	-26.47	-25	Pass	14001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.02	-25	Pass	2986
30	1000	0.1	RMS	938.3	-54.94	-25	Pass	9701
1000	2490	1	RMS	2421	-40.62	-25	Pass	1491
2490	2580	1	RMS	2509.35	23.4	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	5019	-43.2	-25	Pass	9001
12000	26000	1	RMS	25957	-26.42	-25	Pass	14001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.73	-25	Pass	2986
30	1000	0.1	RMS	965.4	-54.95	-25	Pass	9701
1000	2490	1	RMS	2483	-39.86	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.37	60	Pass	401
2580	3000	1	RMS	2669	-39.22	-25	Pass	421
3000	12000	1	RMS	11910	-44.25	-25	Pass	9001
12000	26000	1	RMS	25958	-26.59	-25	Pass	14001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-25	Pass	2986
30	1000	0.1	RMS	943.3	-54.9	-25	Pass	9701
1000	2490	1	RMS	2422	-40.62	-25	Pass	1491
2490	2580	1	RMS	2509.35	22.57	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	5019	-44.17	-25	Pass	9001
12000	26000	1	RMS	25959	-26.52	-25	Pass	14001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.58	-25	Pass	2986
30	1000	0.1	RMS	889	-54.68	-25	Pass	9701
1000	2490	1	RMS	2414	-40.61	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.22	60	Pass	401
2580	3000	1	RMS	2670	-39.21	-25	Pass	421
3000	12000	1	RMS	11901	-44.19	-25	Pass	9001
12000	26000	1	RMS	25961	-26.59	-25	Pass	14001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-25	Pass	2986
30	1000	0.1	RMS	913.2	-54.86	-25	Pass	9701
1000	2490	1	RMS	2421	-40.62	-25	Pass	1491
2490	2580	1	RMS	2539.5	23.06	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11911	-44.26	-25	Pass	9001
12000	26000	1	RMS	25956	-26.57	-25	Pass	14001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-25	Pass	2986
30	1000	0.1	RMS	904.8	-54.93	-25	Pass	9701
1000	2490	1	RMS	2457	-39.62	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.32	60	Pass	401
2580	3000	1	RMS	2671	-39.23	-25	Pass	421
3000	12000	1	RMS	11899	-44.18	-25	Pass	9001
12000	26000	1	RMS	25954	-26.55	-25	Pass	14001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-25	Pass	2986
30	1000	0.1	RMS	908	-54.52	-25	Pass	9701
1000	2490	1	RMS	2421	-40.63	-25	Pass	1491
2490	2580	1	RMS	2539.5	22.15	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11905	-44.2	-25	Pass	9001
12000	26000	1	RMS	25955	-26.61	-25	Pass	14001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-25	Pass	2986
30	1000	0.1	RMS	909.2	-54.71	-25	Pass	9701
1000	2490	1	RMS	2421	-40.64	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.45	60	Pass	401
2580	3000	1	RMS	2669	-39.24	-25	Pass	421
3000	12000	1	RMS	5121	-40.79	-25	Pass	9001
12000	26000	1	RMS	25975	-26.53	-25	Pass	14001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.17	-25	Pass	2986
30	1000	0.1	RMS	902.3	-54.96	-25	Pass	9701
1000	2490	1	RMS	2423	-40.61	-25	Pass	1491
2490	2580	1	RMS	2569.425	23.51	60	Pass	401
2580	3000	1	RMS	2670	-39.26	-25	Pass	421
3000	12000	1	RMS	5139	-42.4	-25	Pass	9001
12000	26000	1	RMS	25952	-26.62	-25	Pass	14001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-25	Pass	2986
30	1000	0.1	RMS	964.5	-54.9	-25	Pass	9701
1000	2490	1	RMS	2420	-40.63	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.47	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	5121	-42.45	-25	Pass	9001
12000	26000	1	RMS	25952	-26.49	-25	Pass	14001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-25	Pass	2986
30	1000	0.1	RMS	898.6	-54.99	-25	Pass	9701
1000	2490	1	RMS	2421	-40.62	-25	Pass	1491
2490	2580	1	RMS	2569.425	22.48	60	Pass	401
2580	3000	1	RMS	2587	-38.69	-25	Pass	421
3000	12000	1	RMS	5139	-43.84	-25	Pass	9001
12000	26000	1	RMS	25953	-26.55	-25	Pass	14001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.6	-25	Pass	2986
30	1000	0.1	RMS	945.1	-54.76	-25	Pass	9701
1000	2490	1	RMS	2488	-31.32	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.21	60	Pass	401
2580	3000	1	RMS	2669	-39.24	-25	Pass	421
3000	12000	1	RMS	11901	-44.23	-25	Pass	9001
12000	26000	1	RMS	25968	-26.62	-25	Pass	14001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-25	Pass	2986
30	1000	0.1	RMS	939.3	-54.94	-25	Pass	9701
1000	2490	1	RMS	2488	-37.84	-25	Pass	1491
2490	2580	1	RMS	2514.075	23.39	60	Pass	401
2580	3000	1	RMS	2670	-39.2	-25	Pass	421
3000	12000	1	RMS	5028	-44.2	-25	Pass	9001
12000	26000	1	RMS	25952	-26.59	-25	Pass	14001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-25	Pass	2986
30	1000	0.1	RMS	948.1	-55.01	-25	Pass	9701
1000	2490	1	RMS	2488	-32.3	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.36	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11906	-44.17	-25	Pass	9001
12000	26000	1	RMS	25940	-26.5	-25	Pass	14001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-25	Pass	2986
30	1000	0.1	RMS	965.2	-54.84	-25	Pass	9701
1000	2490	1	RMS	2488	-38.16	-25	Pass	1491
2490	2580	1	RMS	2514.075	22.65	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11902	-44.29	-25	Pass	9001
12000	26000	1	RMS	25931	-26.6	-25	Pass	14001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.82	-25	Pass	2986
30	1000	0.1	RMS	916.9	-54.85	-25	Pass	9701
1000	2490	1	RMS	2420	-40.63	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.3	60	Pass	401
2580	3000	1	RMS	2670	-39.23	-25	Pass	421
3000	12000	1	RMS	11910	-44.23	-25	Pass	9001
12000	26000	1	RMS	25939	-26.62	-25	Pass	14001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.87	-25	Pass	2986
30	1000	0.1	RMS	961.3	-54.86	-25	Pass	9701
1000	2490	1	RMS	2420	-40.63	-25	Pass	1491
2490	2580	1	RMS	2541.75	23.04	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	11906	-44.21	-25	Pass	9001
12000	26000	1	RMS	25951	-32.72	-25	Pass	14001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-25	Pass	2986
30	1000	0.1	RMS	998.1	-54.86	-25	Pass	9701
1000	2490	1	RMS	2419	-40.6	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.44	60	Pass	401
2580	3000	1	RMS	2668	-39.27	-25	Pass	421
3000	12000	1	RMS	11900	-44.17	-25	Pass	9001
12000	26000	1	RMS	25974	-26.51	-25	Pass	14001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.92	-25	Pass	401
0.15	30	0.01	RMS	0.16	-49.35	-25	Pass	2986
30	1000	0.1	RMS	931.2	-54.87	-25	Pass	9701
1000	2490	1	RMS	2420	-40.67	-25	Pass	1491
2490	2580	1	RMS	2541.75	22.21	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	3421	-40.89	-25	Pass	9001
12000	26000	1	RMS	25928	-26.67	-25	Pass	14001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.69	-25	Pass	2986
30	1000	0.1	RMS	895.6	-54.93	-25	Pass	9701
1000	2490	1	RMS	2421	-40.61	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.25	60	Pass	401
2580	3000	1	RMS	2582	-37.17	-25	Pass	421
3000	12000	1	RMS	5112	-42.86	-25	Pass	9001
12000	26000	1	RMS	25931	-26.49	-25	Pass	14001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-25	Pass	2986
30	1000	0.1	RMS	982.2	-54.89	-25	Pass	9701
1000	2490	1	RMS	2419	-40.58	-25	Pass	1491
2490	2580	1	RMS	2569.2	23.44	60	Pass	401
2580	3000	1	RMS	2582	-33.16	-25	Pass	421
3000	12000	1	RMS	5138	-42.84	-25	Pass	9001
12000	26000	1	RMS	25956	-26.7	-25	Pass	14001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49	-25	Pass	2986
30	1000	0.1	RMS	868.7	-54.86	-25	Pass	9701
1000	2490	1	RMS	2418	-40.66	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.45	60	Pass	401
2580	3000	1	RMS	2582	-37.19	-25	Pass	421
3000	12000	1	RMS	5112	-44.09	-25	Pass	9001
12000	26000	1	RMS	25970	-26.61	-25	Pass	14001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.55	-25	Pass	2986
30	1000	0.1	RMS	921.6	-55	-25	Pass	9701
1000	2490	1	RMS	2422	-40.62	-25	Pass	1491
2490	2580	1	RMS	2569.2	22.57	60	Pass	401
2580	3000	1	RMS	2582	-33.72	-25	Pass	421
3000	12000	1	RMS	5138	-43.68	-25	Pass	9001
12000	26000	1	RMS	25964	-26.39	-25	Pass	14001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.48	-25	Pass	2986
30	1000	0.1	RMS	963.7	-54.72	-25	Pass	9701
1000	2490	1	RMS	2483	-33.57	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.08	60	Pass	401
2580	3000	1	RMS	2670	-39.24	-25	Pass	421
3000	12000	1	RMS	5002	-43.92	-25	Pass	9001
12000	26000	1	RMS	25927	-26.57	-25	Pass	14001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-25	Pass	2986
30	1000	0.1	RMS	875.1	-54.76	-25	Pass	9701
1000	2490	1	RMS	2483	-37.27	-25	Pass	1491
2490	2580	1	RMS	2519.025	23.26	60	Pass	401
2580	3000	1	RMS	2670	-39.22	-25	Pass	421
3000	12000	1	RMS	11903	-44.17	-25	Pass	9001
12000	26000	1	RMS	25964	-26.54	-25	Pass	14001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-25	Pass	2986
30	1000	0.1	RMS	996.5	-54.85	-25	Pass	9701
1000	2490	1	RMS	2483	-34.42	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.3	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11911	-44.19	-25	Pass	9001
12000	26000	1	RMS	25959	-26.59	-25	Pass	14001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-25	Pass	2986
30	1000	0.1	RMS	989.9	-54.97	-25	Pass	9701
1000	2490	1	RMS	2483	-37.42	-25	Pass	1491
2490	2580	1	RMS	2518.8	22.44	60	Pass	401
2580	3000	1	RMS	2670	-39.21	-25	Pass	421
3000	12000	1	RMS	11908	-44.18	-25	Pass	9001
12000	26000	1	RMS	25978	-26.58	-25	Pass	14001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-25	Pass	2986
30	1000	0.1	RMS	969.3	-54.83	-25	Pass	9701
1000	2490	1	RMS	2490	-39.77	-25	Pass	1491
2490	2580	1	RMS	2526	23.16	60	Pass	401
2580	3000	1	RMS	2671	-39.26	-25	Pass	421
3000	12000	1	RMS	11911	-44.27	-25	Pass	9001
12000	26000	1	RMS	25976	-26.61	-25	Pass	14001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.32	-25	Pass	2986
30	1000	0.1	RMS	994.2	-54.95	-25	Pass	9701
1000	2490	1	RMS	2418	-40.66	-25	Pass	1491
2490	2580	1	RMS	2544	22.98	60	Pass	401
2580	3000	1	RMS	2670	-39.25	-25	Pass	421
3000	12000	1	RMS	11901	-44.19	-25	Pass	9001
12000	26000	1	RMS	25953	-26.43	-25	Pass	14001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.38	-25	Pass	2986
30	1000	0.1	RMS	986.6	-55	-25	Pass	9701
1000	2490	1	RMS	2490	-39.98	-25	Pass	1491
2490	2580	1	RMS	2526	22.23	60	Pass	401
2580	3000	1	RMS	2670	-39.26	-25	Pass	421
3000	12000	1	RMS	11915	-44.24	-25	Pass	9001
12000	26000	1	RMS	25934	-26.57	-25	Pass	14001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.17	-25	Pass	2986
30	1000	0.1	RMS	905	-54.84	-25	Pass	9701
1000	2490	1	RMS	2422	-40.61	-25	Pass	1491
2490	2580	1	RMS	2544	22.04	60	Pass	401
2580	3000	1	RMS	2670	-39.27	-25	Pass	421
3000	12000	1	RMS	11897	-44.28	-25	Pass	9001
12000	26000	1	RMS	25980	-26.58	-25	Pass	14001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-25	Pass	2986
30	1000	0.1	RMS	933.8	-54.78	-25	Pass	9701
1000	2490	1	RMS	2420	-40.68	-25	Pass	1491
2490	2580	1	RMS	2551.2	22.91	60	Pass	401
2580	3000	1	RMS	2587	-36.24	-25	Pass	421
3000	12000	1	RMS	11902	-44.18	-25	Pass	9001
12000	26000	1	RMS	25959	-26.6	-25	Pass	14001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-25	Pass	2986
30	1000	0.1	RMS	998.8	-54.97	-25	Pass	9701
1000	2490	1	RMS	2421	-40.64	-25	Pass	1491
2490	2580	1	RMS	2568.975	23.34	60	Pass	401
2580	3000	1	RMS	2587	-33.85	-25	Pass	421
3000	12000	1	RMS	5138	-42.16	-25	Pass	9001
12000	26000	1	RMS	25950	-26.45	-25	Pass	14001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-50.2	-25	Pass	2986
30	1000	0.1	RMS	930	-54.88	-25	Pass	9701
1000	2490	1	RMS	2418	-40.65	-25	Pass	1491
2490	2580	1	RMS	2551.2	21.98	60	Pass	401
2580	3000	1	RMS	2587	-36.39	-25	Pass	421
3000	12000	1	RMS	11906	-44.28	-25	Pass	9001
12000	26000	1	RMS	25968	-26.55	-25	Pass	14001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-25	Pass	2986
30	1000	0.1	RMS	905	-54.81	-25	Pass	9701
1000	2490	1	RMS	2420	-40.69	-25	Pass	1491
2490	2580	1	RMS	2568.975	22.34	60	Pass	401
2580	3000	1	RMS	2587	-35.25	-25	Pass	421
3000	12000	1	RMS	5138	-43.5	-25	Pass	9001
12000	26000	1	RMS	25965	-26.46	-25	Pass	14001



END