


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.27	-13	Pass	2986
30	1000	0.1	RMS	913.2	-54.36	-13	Pass	9701
1000	1830	1	RMS	1811	-43.68	-13	Pass	831
1830	1920	1	RMS	1850.25	23.65	60	Pass	401
1920	3000	1	RMS	2670	-38.77	-13	Pass	1081
3000	12000	1	RMS	11916	-44.14	-13	Pass	9001
12000	20000	1	RMS	16399	-29.9	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.76	-13	Pass	2986
30	1000	0.1	RMS	868.3	-54.1	-13	Pass	9701
1000	1830	1	RMS	1811	-43.65	-13	Pass	831
1830	1920	1	RMS	1851.15	23.69	60	Pass	401
1920	3000	1	RMS	2669	-38.82	-13	Pass	1081
3000	12000	1	RMS	11901	-44.18	-13	Pass	9001
12000	20000	1	RMS	16400	-29.9	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.86	-13	Pass	2986
30	1000	0.1	RMS	938.9	-54.47	-13	Pass	9701
1000	1830	1	RMS	1810	-43.75	-13	Pass	831
1830	1920	1	RMS	1850.25	22.79	60	Pass	401
1920	3000	1	RMS	2670	-38.78	-13	Pass	1081
3000	12000	1	RMS	11900	-44.33	-13	Pass	9001
12000	20000	1	RMS	16402	-29.59	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.28	-13	Pass	2986
30	1000	0.1	RMS	936.3	-54.25	-13	Pass	9701
1000	1830	1	RMS	1823	-43.73	-13	Pass	831
1830	1920	1	RMS	1851.15	22.77	60	Pass	401
1920	3000	1	RMS	2668	-38.81	-13	Pass	1081
3000	12000	1	RMS	11908	-44.15	-13	Pass	9001
12000	20000	1	RMS	16400	-29.86	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-13	Pass	2986
30	1000	0.1	RMS	975.8	-54.51	-13	Pass	9701
1000	1830	1	RMS	1811	-43.67	-13	Pass	831
1830	1920	1	RMS	1879.5	23.56	60	Pass	401
1920	3000	1	RMS	2670	-38.84	-13	Pass	1081
3000	12000	1	RMS	11917	-44.2	-13	Pass	9001
12000	20000	1	RMS	16402	-29.94	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.38	-13	Pass	2986
30	1000	0.1	RMS	994.8	-54.45	-13	Pass	9701
1000	1830	1	RMS	1808	-43.7	-13	Pass	831
1830	1920	1	RMS	1880.4	23.61	60	Pass	401
1920	3000	1	RMS	2667	-38.79	-13	Pass	1081
3000	12000	1	RMS	11898	-44.12	-13	Pass	9001
12000	20000	1	RMS	16404	-29.92	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.29	-13	Pass	2986
30	1000	0.1	RMS	984.2	-54.2	-13	Pass	9701
1000	1830	1	RMS	1810	-43.71	-13	Pass	831
1830	1920	1	RMS	1879.5	22.75	60	Pass	401
1920	3000	1	RMS	2669	-38.84	-13	Pass	1081
3000	12000	1	RMS	11905	-44.17	-13	Pass	9001
12000	20000	1	RMS	16401	-29.95	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	895.1	-54.57	-13	Pass	9701
1000	1830	1	RMS	1809	-43.7	-13	Pass	831
1830	1920	1	RMS	1880.4	22.72	60	Pass	401
1920	3000	1	RMS	2669	-38.8	-13	Pass	1081
3000	12000	1	RMS	11918	-44.2	-13	Pass	9001
12000	20000	1	RMS	15900	-29.79	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.42	-13	Pass	2986
30	1000	0.1	RMS	873.7	-54.29	-13	Pass	9701
1000	1830	1	RMS	1802	-43.74	-13	Pass	831
1830	1920	1	RMS	1908.75	23.56	60	Pass	401
1920	3000	1	RMS	2668	-38.83	-13	Pass	1081
3000	12000	1	RMS	3510	-43.14	-13	Pass	9001
12000	20000	1	RMS	16400	-29.68	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	1000	0.1	RMS	876.9	-54.16	-13	Pass	9701
1000	1830	1	RMS	1809	-43.73	-13	Pass	831
1830	1920	1	RMS	1909.65	23.68	60	Pass	401
1920	3000	1	RMS	2671	-38.77	-13	Pass	1081
3000	12000	1	RMS	11904	-44.14	-13	Pass	9001
12000	20000	1	RMS	16403	-29.86	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	1000	0.1	RMS	938.3	-54.46	-13	Pass	9701
1000	1830	1	RMS	1811	-43.7	-13	Pass	831
1830	1920	1	RMS	1908.975	22.64	60	Pass	401
1920	3000	1	RMS	2671	-38.84	-13	Pass	1081
3000	12000	1	RMS	11904	-44.11	-13	Pass	9001
12000	20000	1	RMS	16403	-29.7	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-13	Pass	2986
30	1000	0.1	RMS	980.4	-54.43	-13	Pass	9701
1000	1830	1	RMS	1808	-43.71	-13	Pass	831
1830	1920	1	RMS	1909.65	22.81	60	Pass	401
1920	3000	1	RMS	2671	-38.81	-13	Pass	1081
3000	12000	1	RMS	11910	-44.17	-13	Pass	9001
12000	20000	1	RMS	15899	-29.93	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.9	-13	Pass	2986
30	1000	0.1	RMS	896.9	-54.43	-13	Pass	9701
1000	1830	1	RMS	1812	-43.68	-13	Pass	831
1830	1920	1	RMS	1850.25	23.42	60	Pass	401
1920	3000	1	RMS	2670	-38.78	-13	Pass	1081
3000	12000	1	RMS	11903	-44.22	-13	Pass	9001
12000	20000	1	RMS	16398	-29.92	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.53	-13	Pass	2986
30	1000	0.1	RMS	903.4	-54.4	-13	Pass	9701
1000	1830	1	RMS	1811	-43.65	-13	Pass	831
1830	1920	1	RMS	1852.725	23.5	60	Pass	401
1920	3000	1	RMS	2669	-38.8	-13	Pass	1081
3000	12000	1	RMS	11919	-44.23	-13	Pass	9001
12000	20000	1	RMS	16401	-29.74	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-13	Pass	2986
30	1000	0.1	RMS	925.2	-54.6	-13	Pass	9701
1000	1830	1	RMS	1811	-43.68	-13	Pass	831
1830	1920	1	RMS	1850.25	22.69	60	Pass	401
1920	3000	1	RMS	2667	-38.79	-13	Pass	1081
3000	12000	1	RMS	3501	-38.41	-13	Pass	9001
12000	20000	1	RMS	16400	-29.77	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	1000	0.1	RMS	947.9	-54.42	-13	Pass	9701
1000	1830	1	RMS	1807	-43.71	-13	Pass	831
1830	1920	1	RMS	1852.725	22.71	60	Pass	401
1920	3000	1	RMS	2669	-38.81	-13	Pass	1081
3000	12000	1	RMS	11903	-44.18	-13	Pass	9001
12000	20000	1	RMS	16400	-29.87	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.46	-13	Pass	2986
30	1000	0.1	RMS	932.8	-54.23	-13	Pass	9701
1000	1830	1	RMS	1811	-43.66	-13	Pass	831
1830	1920	1	RMS	1878.825	23.29	60	Pass	401
1920	3000	1	RMS	2670	-38.82	-13	Pass	1081
3000	12000	1	RMS	11920	-44.26	-13	Pass	9001
12000	20000	1	RMS	16401	-29.75	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2986
30	1000	0.1	RMS	832.3	-50.41	-13	Pass	9701
1000	1830	1	RMS	1809	-43.67	-13	Pass	831
1830	1920	1	RMS	1881.3	23.52	60	Pass	401
1920	3000	1	RMS	2670	-38.75	-13	Pass	1081
3000	12000	1	RMS	11910	-44.2	-13	Pass	9001
12000	20000	1	RMS	15900	-29.74	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	929.6	-54.55	-13	Pass	9701
1000	1830	1	RMS	1816	-43.68	-13	Pass	831
1830	1920	1	RMS	1878.825	22.41	60	Pass	401
1920	3000	1	RMS	2673	-38.79	-13	Pass	1081
3000	12000	1	RMS	11905	-44.21	-13	Pass	9001
12000	20000	1	RMS	16401	-29.89	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.52	-13	Pass	2986
30	1000	0.1	RMS	915.5	-54.37	-13	Pass	9701
1000	1830	1	RMS	1810	-43.73	-13	Pass	831
1830	1920	1	RMS	1881.3	22.69	60	Pass	401
1920	3000	1	RMS	2671	-38.82	-13	Pass	1081
3000	12000	1	RMS	11917	-44.25	-13	Pass	9001
12000	20000	1	RMS	15900	-29.81	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.38	-13	Pass	2986
30	1000	0.1	RMS	826.6	-53.1	-13	Pass	9701
1000	1830	1	RMS	1807	-43.69	-13	Pass	831
1830	1920	1	RMS	1907.175	23.32	60	Pass	401
1920	3000	1	RMS	2670	-38.77	-13	Pass	1081
3000	12000	1	RMS	11899	-44.31	-13	Pass	9001
12000	20000	1	RMS	16406	-29.91	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.09	-13	Pass	2986
30	1000	0.1	RMS	828.4	-53.41	-13	Pass	9701
1000	1830	1	RMS	1810	-43.66	-13	Pass	831
1830	1920	1	RMS	1909.875	23.55	60	Pass	401
1920	3000	1	RMS	2668	-38.78	-13	Pass	1081
3000	12000	1	RMS	11897	-44.16	-13	Pass	9001
12000	20000	1	RMS	16398	-29.81	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	1000	0.1	RMS	953.7	-54.36	-13	Pass	9701
1000	1830	1	RMS	1811	-43.68	-13	Pass	831
1830	1920	1	RMS	1907.175	22.4	60	Pass	401
1920	3000	1	RMS	2670	-38.79	-13	Pass	1081
3000	12000	1	RMS	11902	-44.18	-13	Pass	9001
12000	20000	1	RMS	16403	-29.93	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.12	-13	Pass	2986
30	1000	0.1	RMS	997	-54.61	-13	Pass	9701
1000	1830	1	RMS	1811	-43.71	-13	Pass	831
1830	1920	1	RMS	1909.65	22.66	60	Pass	401
1920	3000	1	RMS	2670	-38.78	-13	Pass	1081
3000	12000	1	RMS	11907	-44.29	-13	Pass	9001
12000	20000	1	RMS	16399	-29.98	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.08	-13	Pass	2986
30	1000	0.1	RMS	960.4	-54.37	-13	Pass	9701
1000	1830	1	RMS	1812	-43.72	-13	Pass	831
1830	1920	1	RMS	1850.25	23.31	60	Pass	401
1920	3000	1	RMS	2669	-38.78	-13	Pass	1081
3000	12000	1	RMS	11900	-44.13	-13	Pass	9001
12000	20000	1	RMS	16401	-29.77	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.31	-13	Pass	2986
30	1000	0.1	RMS	921.5	-54.39	-13	Pass	9701
1000	1830	1	RMS	1810	-43.72	-13	Pass	831
1830	1920	1	RMS	1854.75	23.26	60	Pass	401
1920	3000	1	RMS	2669	-38.74	-13	Pass	1081
3000	12000	1	RMS	11915	-44.32	-13	Pass	9001
12000	20000	1	RMS	16401	-29.93	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	1000	0.1	RMS	990.6	-54.53	-13	Pass	9701
1000	1830	1	RMS	1811	-43.7	-13	Pass	831
1830	1920	1	RMS	1850.25	22.49	60	Pass	401
1920	3000	1	RMS	2670	-38.79	-13	Pass	1081
3000	12000	1	RMS	11901	-44.26	-13	Pass	9001
12000	20000	1	RMS	16401	-29.81	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.39	-13	Pass	2986
30	1000	0.1	RMS	892.7	-54.42	-13	Pass	9701
1000	1830	1	RMS	1808	-43.68	-13	Pass	831
1830	1920	1	RMS	1854.75	22.42	60	Pass	401
1920	3000	1	RMS	2670	-38.76	-13	Pass	1081
3000	12000	1	RMS	11902	-44.2	-13	Pass	9001
12000	20000	1	RMS	15901	-29.79	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.87	-13	Pass	2986
30	1000	0.1	RMS	900	-54.37	-13	Pass	9701
1000	1830	1	RMS	1810	-43.72	-13	Pass	831
1830	1920	1	RMS	1877.925	23.24	60	Pass	401
1920	3000	1	RMS	2670	-38.83	-13	Pass	1081
3000	12000	1	RMS	11908	-44.21	-13	Pass	9001
12000	20000	1	RMS	16399	-29.79	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.74	-13	Pass	2986
30	1000	0.1	RMS	942.2	-54.64	-13	Pass	9701
1000	1830	1	RMS	1811	-43.68	-13	Pass	831
1830	1920	1	RMS	1882.2	23.57	60	Pass	401
1920	3000	1	RMS	2671	-38.77	-13	Pass	1081
3000	12000	1	RMS	11909	-44.21	-13	Pass	9001
12000	20000	1	RMS	15900	-29.9	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.87	-13	Pass	2986
30	1000	0.1	RMS	979.1	-54.41	-13	Pass	9701
1000	1830	1	RMS	1816	-43.7	-13	Pass	831
1830	1920	1	RMS	1877.925	22.57	60	Pass	401
1920	3000	1	RMS	2670	-38.74	-13	Pass	1081
3000	12000	1	RMS	11919	-44.25	-13	Pass	9001
12000	20000	1	RMS	16400	-29.88	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.2	-13	Pass	2986
30	1000	0.1	RMS	898	-54.35	-13	Pass	9701
1000	1830	1	RMS	1807	-43.7	-13	Pass	831
1830	1920	1	RMS	1882.2	22.78	60	Pass	401
1920	3000	1	RMS	2670	-38.78	-13	Pass	1081
3000	12000	1	RMS	11906	-44.17	-13	Pass	9001
12000	20000	1	RMS	16398	-29.95	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	913.7	-54.53	-13	Pass	9701
1000	1830	1	RMS	1810	-43.72	-13	Pass	831
1830	1920	1	RMS	1905.375	23.22	60	Pass	401
1920	3000	1	RMS	2770	-38.82	-13	Pass	1081
3000	12000	1	RMS	11912	-44.09	-13	Pass	9001
12000	20000	1	RMS	16400	-29.9	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	950.4	-54.5	-13	Pass	9701
1000	1830	1	RMS	1825	-43.74	-13	Pass	831
1830	1920	1	RMS	1909.65	23.57	60	Pass	401
1920	3000	1	RMS	2669	-38.81	-13	Pass	1081
3000	12000	1	RMS	11901	-44.09	-13	Pass	9001
12000	20000	1	RMS	15900	-29.81	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.21	-13	Pass	2986
30	1000	0.1	RMS	917.8	-54.45	-13	Pass	9701
1000	1830	1	RMS	1808	-43.71	-13	Pass	831
1830	1920	1	RMS	1905.375	22.46	60	Pass	401
1920	3000	1	RMS	2671	-38.7	-13	Pass	1081
3000	12000	1	RMS	11901	-44.16	-13	Pass	9001
12000	20000	1	RMS	16401	-29.92	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-13	Pass	2986
30	1000	0.1	RMS	920.4	-54.56	-13	Pass	9701
1000	1830	1	RMS	1811	-43.74	-13	Pass	831
1830	1920	1	RMS	1909.65	22.8	60	Pass	401
1920	3000	1	RMS	2670	-38.82	-13	Pass	1081
3000	12000	1	RMS	11902	-44.25	-13	Pass	9001
12000	20000	1	RMS	16400	-29.71	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-13	Pass	2986
30	1000	0.1	RMS	899.9	-54.6	-13	Pass	9701
1000	1830	1	RMS	1827	-43.73	-13	Pass	831
1830	1920	1	RMS	1850.7	23.12	60	Pass	401
1920	3000	1	RMS	2671	-38.72	-13	Pass	1081
3000	12000	1	RMS	11917	-44.24	-13	Pass	9001
12000	20000	1	RMS	15899	-29.93	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	995.9	-54.02	-13	Pass	9701
1000	1830	1	RMS	1809	-43.68	-13	Pass	831
1830	1920	1	RMS	1859.475	23.43	60	Pass	401
1920	3000	1	RMS	2671	-38.82	-13	Pass	1081
3000	12000	1	RMS	11900	-44.2	-13	Pass	9001
12000	20000	1	RMS	16400	-29.79	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	920.2	-54.3	-13	Pass	9701
1000	1830	1	RMS	1809	-43.63	-13	Pass	831
1830	1920	1	RMS	1850.7	22.36	60	Pass	401
1920	3000	1	RMS	2666	-38.76	-13	Pass	1081
3000	12000	1	RMS	11902	-44.22	-13	Pass	9001
12000	20000	1	RMS	16400	-29.85	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	987.8	-54.24	-13	Pass	9701
1000	1830	1	RMS	1810	-43.69	-13	Pass	831
1830	1920	1	RMS	1859.475	22.75	60	Pass	401
1920	3000	1	RMS	2669	-38.82	-13	Pass	1081
3000	12000	1	RMS	11907	-44.15	-13	Pass	9001
12000	20000	1	RMS	15900	-29.94	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.04	-13	Pass	2986
30	1000	0.1	RMS	895.8	-54.47	-13	Pass	9701
1000	1830	1	RMS	1805	-43.72	-13	Pass	831
1830	1920	1	RMS	1875.675	23.08	60	Pass	401
1920	3000	1	RMS	2670	-38.75	-13	Pass	1081
3000	12000	1	RMS	11904	-44.12	-13	Pass	9001
12000	20000	1	RMS	16403	-29.89	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.54	-13	Pass	2986
30	1000	0.1	RMS	906.7	-54.63	-13	Pass	9701
1000	1830	1	RMS	1809	-43.69	-13	Pass	831
1830	1920	1	RMS	1884.45	23.61	60	Pass	401
1920	3000	1	RMS	2674	-38.84	-13	Pass	1081
3000	12000	1	RMS	11897	-44.3	-13	Pass	9001
12000	20000	1	RMS	16400	-29.66	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-13	Pass	2986
30	1000	0.1	RMS	936.3	-54.37	-13	Pass	9701
1000	1830	1	RMS	1807	-43.7	-13	Pass	831
1830	1920	1	RMS	1875.675	22.12	60	Pass	401
1920	3000	1	RMS	2770	-38.84	-13	Pass	1081
3000	12000	1	RMS	11908	-44.16	-13	Pass	9001
12000	20000	1	RMS	16399	-29.9	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.15	-13	Pass	2986
30	1000	0.1	RMS	944.6	-54.55	-13	Pass	9701
1000	1830	1	RMS	1813	-43.7	-13	Pass	831
1830	1920	1	RMS	1884.45	22.69	60	Pass	401
1920	3000	1	RMS	2669	-38.85	-13	Pass	1081
3000	12000	1	RMS	11903	-44.28	-13	Pass	9001
12000	20000	1	RMS	16400	-29.8	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.59	-13	Pass	2986
30	1000	0.1	RMS	906.1	-54.21	-13	Pass	9701
1000	1830	1	RMS	1827	-43.73	-13	Pass	831
1830	1920	1	RMS	1900.65	23.33	60	Pass	401
1920	3000	1	RMS	2671	-38.8	-13	Pass	1081
3000	12000	1	RMS	11897	-44.1	-13	Pass	9001
12000	20000	1	RMS	16400	-29.85	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2986
30	1000	0.1	RMS	882.6	-54.28	-13	Pass	9701
1000	1830	1	RMS	1812	-43.74	-13	Pass	831
1830	1920	1	RMS	1909.425	23.38	60	Pass	401
1920	3000	1	RMS	2673	-38.79	-13	Pass	1081
3000	12000	1	RMS	11899	-44.19	-13	Pass	9001
12000	20000	1	RMS	15898	-29.82	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.9	-13	Pass	2986
30	1000	0.1	RMS	908.8	-54.27	-13	Pass	9701
1000	1830	1	RMS	1808	-43.67	-13	Pass	831
1830	1920	1	RMS	1900.65	22.43	60	Pass	401
1920	3000	1	RMS	2770	-38.84	-13	Pass	1081
3000	12000	1	RMS	11915	-44.18	-13	Pass	9001
12000	20000	1	RMS	16400	-29.73	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	1000	0.1	RMS	912.3	-54.45	-13	Pass	9701
1000	1830	1	RMS	1814	-43.73	-13	Pass	831
1830	1920	1	RMS	1909.425	22.45	60	Pass	401
1920	3000	1	RMS	2669	-38.77	-13	Pass	1081
3000	12000	1	RMS	11912	-44.2	-13	Pass	9001
12000	20000	1	RMS	16401	-29.88	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	1000	0.1	RMS	900.7	-54.51	-13	Pass	9701
1000	1830	1	RMS	1824	-43.07	-13	Pass	831
1830	1920	1	RMS	1850.925	23.23	60	Pass	401
1920	3000	1	RMS	2667	-38.81	-13	Pass	1081
3000	12000	1	RMS	11906	-44.24	-13	Pass	9001
12000	20000	1	RMS	16400	-29.69	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.13	-13	Pass	2986
30	1000	0.1	RMS	994.7	-54.38	-13	Pass	9701
1000	1830	1	RMS	1807	-43.72	-13	Pass	831
1830	1920	1	RMS	1864.2	23.51	60	Pass	401
1920	3000	1	RMS	2770	-38.85	-13	Pass	1081
3000	12000	1	RMS	11895	-44.12	-13	Pass	9001
12000	20000	1	RMS	16400	-29.91	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.28	-13	Pass	2986
30	1000	0.1	RMS	941.8	-54.58	-13	Pass	9701
1000	1830	1	RMS	1824	-43.18	-13	Pass	831
1830	1920	1	RMS	1850.925	22.46	60	Pass	401
1920	3000	1	RMS	2671	-38.78	-13	Pass	1081
3000	12000	1	RMS	11903	-44.02	-13	Pass	9001
12000	20000	1	RMS	16401	-29.82	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.25	-13	Pass	2986
30	1000	0.1	RMS	986.1	-54.66	-13	Pass	9701
1000	1830	1	RMS	1810	-43.65	-13	Pass	831
1830	1920	1	RMS	1864.2	22.71	60	Pass	401
1920	3000	1	RMS	2666	-38.78	-13	Pass	1081
3000	12000	1	RMS	11916	-44.32	-13	Pass	9001
12000	20000	1	RMS	16401	-29.7	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.1	-13	Pass	2986
30	1000	0.1	RMS	983.8	-54.54	-13	Pass	9701
1000	1830	1	RMS	1808	-43.7	-13	Pass	831
1830	1920	1	RMS	1873.425	23.2	60	Pass	401
1920	3000	1	RMS	2670	-38.81	-13	Pass	1081
3000	12000	1	RMS	11893	-44.29	-13	Pass	9001
12000	20000	1	RMS	16402	-29.82	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.26	-13	Pass	2986
30	1000	0.1	RMS	886.6	-54.53	-13	Pass	9701
1000	1830	1	RMS	1814	-43.7	-13	Pass	831
1830	1920	1	RMS	1886.7	23.84	60	Pass	401
1920	3000	1	RMS	2668	-38.76	-13	Pass	1081
3000	12000	1	RMS	11901	-44.22	-13	Pass	9001
12000	20000	1	RMS	15899	-29.83	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.6	-13	Pass	2986
30	1000	0.1	RMS	895.6	-54.19	-13	Pass	9701
1000	1830	1	RMS	1812	-43.64	-13	Pass	831
1830	1920	1	RMS	1873.425	22.28	60	Pass	401
1920	3000	1	RMS	2672	-38.85	-13	Pass	1081
3000	12000	1	RMS	11904	-44.24	-13	Pass	9001
12000	20000	1	RMS	15901	-29.94	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2986
30	1000	0.1	RMS	895.1	-54.7	-13	Pass	9701
1000	1830	1	RMS	1812	-43.65	-13	Pass	831
1830	1920	1	RMS	1886.7	22.95	60	Pass	401
1920	3000	1	RMS	2670	-38.78	-13	Pass	1081
3000	12000	1	RMS	11915	-44.28	-13	Pass	9001
12000	20000	1	RMS	15900	-29.8	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	1000	0.1	RMS	927.5	-54.23	-13	Pass	9701
1000	1830	1	RMS	1810	-43.66	-13	Pass	831
1830	1920	1	RMS	1895.925	23.61	60	Pass	401
1920	3000	1	RMS	2669	-38.76	-13	Pass	1081
3000	12000	1	RMS	11906	-44.32	-13	Pass	9001
12000	20000	1	RMS	16402	-29.84	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.9	-13	Pass	2986
30	1000	0.1	RMS	884.9	-54.35	-13	Pass	9701
1000	1830	1	RMS	1812	-43.69	-13	Pass	831
1830	1920	1	RMS	1909.2	23.35	60	Pass	401
1920	3000	1	RMS	2668	-38.79	-13	Pass	1081
3000	12000	1	RMS	11896	-44.19	-13	Pass	9001
12000	20000	1	RMS	16399	-29.66	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.28	-13	Pass	2986
30	1000	0.1	RMS	873.5	-54.33	-13	Pass	9701
1000	1830	1	RMS	1808	-43.67	-13	Pass	831
1830	1920	1	RMS	1895.925	22.81	60	Pass	401
1920	3000	1	RMS	2770	-38.79	-13	Pass	1081
3000	12000	1	RMS	11909	-44.2	-13	Pass	9001
12000	20000	1	RMS	15900	-29.98	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.03	-13	Pass	2986
30	1000	0.1	RMS	982.4	-54.53	-13	Pass	9701
1000	1830	1	RMS	1808	-43.7	-13	Pass	831
1830	1920	1	RMS	1909.2	22.6	60	Pass	401
1920	3000	1	RMS	2670	-38.82	-13	Pass	1081
3000	12000	1	RMS	11899	-44.26	-13	Pass	9001
12000	20000	1	RMS	16401	-29.94	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	990.3	-54.38	-13	Pass	9701
1000	1830	1	RMS	1811	-43.65	-13	Pass	831
1830	1920	1	RMS	1851.15	23.18	60	Pass	401
1920	3000	1	RMS	2669	-38.7	-13	Pass	1081
3000	12000	1	RMS	11906	-44.19	-13	Pass	9001
12000	20000	1	RMS	16400	-29.98	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.65	-13	Pass	2986
30	1000	0.1	RMS	899.3	-54.5	-13	Pass	9701
1000	1830	1	RMS	1812	-43.69	-13	Pass	831
1830	1920	1	RMS	1868.925	23.36	60	Pass	401
1920	3000	1	RMS	2670	-38.76	-13	Pass	1081
3000	12000	1	RMS	11906	-44.1	-13	Pass	9001
12000	20000	1	RMS	16405	-29.83	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.93	-13	Pass	2986
30	1000	0.1	RMS	984	-54.4	-13	Pass	9701
1000	1830	1	RMS	1807	-43.71	-13	Pass	831
1830	1920	1	RMS	1851.15	22.43	60	Pass	401
1920	3000	1	RMS	2670	-38.75	-13	Pass	1081
3000	12000	1	RMS	11902	-44.21	-13	Pass	9001
12000	20000	1	RMS	16398	-29.95	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.84	-13	Pass	2986
30	1000	0.1	RMS	936.6	-54.55	-13	Pass	9701
1000	1830	1	RMS	1815	-43.72	-13	Pass	831
1830	1920	1	RMS	1868.925	22.6	60	Pass	401
1920	3000	1	RMS	2670	-38.77	-13	Pass	1081
3000	12000	1	RMS	11905	-44.18	-13	Pass	9001
12000	20000	1	RMS	16399	-29.79	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	902.9	-54.47	-13	Pass	9701
1000	1830	1	RMS	1812	-43.67	-13	Pass	831
1830	1920	1	RMS	1871.175	23.18	60	Pass	401
1920	3000	1	RMS	2670	-38.72	-13	Pass	1081
3000	12000	1	RMS	11902	-44.21	-13	Pass	9001
12000	20000	1	RMS	16399	-29.7	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	1000	0.1	RMS	945.1	-53.87	-13	Pass	9701
1000	1830	1	RMS	1811	-43.66	-13	Pass	831
1830	1920	1	RMS	1888.95	23.77	60	Pass	401
1920	3000	1	RMS	2671	-38.75	-13	Pass	1081
3000	12000	1	RMS	11898	-44.3	-13	Pass	9001
12000	20000	1	RMS	15900	-29.77	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	908	-54.45	-13	Pass	9701
1000	1830	1	RMS	1810	-43.71	-13	Pass	831
1830	1920	1	RMS	1871.175	22.25	60	Pass	401
1920	3000	1	RMS	2670	-38.72	-13	Pass	1081
3000	12000	1	RMS	11905	-44.19	-13	Pass	9001
12000	20000	1	RMS	15900	-29.89	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2986
30	1000	0.1	RMS	981	-54.51	-13	Pass	9701
1000	1830	1	RMS	1811	-43.71	-13	Pass	831
1830	1920	1	RMS	1888.95	22.87	60	Pass	401
1920	3000	1	RMS	2671	-38.78	-13	Pass	1081
3000	12000	1	RMS	11901	-44.2	-13	Pass	9001
12000	20000	1	RMS	16400	-29.7	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	1000	0.1	RMS	887	-54.32	-13	Pass	9701
1000	1830	1	RMS	1813	-43.67	-13	Pass	831
1830	1920	1	RMS	1891.2	23.73	60	Pass	401
1920	3000	1	RMS	2670	-38.79	-13	Pass	1081
3000	12000	1	RMS	11907	-44.09	-13	Pass	9001
12000	20000	1	RMS	15898	-29.79	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.17	-13	Pass	2986
30	1000	0.1	RMS	922.7	-54.24	-13	Pass	9701
1000	1830	1	RMS	1808	-43.7	-13	Pass	831
1830	1920	1	RMS	1908.975	23.24	60	Pass	401
1920	3000	1	RMS	2670	-38.82	-13	Pass	1081
3000	12000	1	RMS	11912	-44.11	-13	Pass	9001
12000	20000	1	RMS	15900	-29.86	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.16	-13	Pass	2986
30	1000	0.1	RMS	956.5	-54.46	-13	Pass	9701
1000	1830	1	RMS	1808	-43.63	-13	Pass	831
1830	1920	1	RMS	1891.2	22.74	60	Pass	401
1920	3000	1	RMS	2671	-38.79	-13	Pass	1081
3000	12000	1	RMS	11907	-44.21	-13	Pass	9001
12000	20000	1	RMS	16402	-29.81	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	1000	0.1	RMS	902.7	-54.6	-13	Pass	9701
1000	1830	1	RMS	1809	-43.67	-13	Pass	831
1830	1920	1	RMS	1908.975	22.28	60	Pass	401
1920	3000	1	RMS	2671	-38.76	-13	Pass	1081
3000	12000	1	RMS	3413	-41.26	-13	Pass	9001
12000	20000	1	RMS	16401	-29.92	-13	Pass	8001



END