1.119. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	7.72	13	Pass



1.120. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	10.41	13	Pass

1.121. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:36, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.66	13	Pass

1.122. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:36, RB Position:19)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.33	13	Pass

1.123. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:36, RB Position:39)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.52	13	Pass

1.124. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	9.2	13	Pass

1.125. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:37)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.57	13	Pass



1.126. LTE Peak to Average Ratio(Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2647.5	0.1	8.6	13	Pass

1.127. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	10.21	13	Pass



1.128. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.39	13	Pass



1.129. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.54	13	Pass



1.130. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.44	13	Pass



1.131. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	7.58	13	Pass



1.132. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.75	13	Pass



1.133. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.34	13	Pass



1.134. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	10.23	13	Pass

1.135. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	10.11	13	Pass



1.136. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.29	13	Pass

1.137. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.43	13	Pass



1.138. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	9.09	13	Pass



1.139. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.31	13	Pass



1.140. LTE Peak to Average Ratio(Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2545	0.1	8.16	13	Pass



1.141. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.34	13	Pass



1.142. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10.04	13	Pass

1.143. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.24	13	Pass



1.144. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.74	13	Pass



1.145. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.42	13	Pass



1.146. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.31	13	Pass



1.147. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	8.6	13	Pass



1.148. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10.32	13	Pass



1.149. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	10.56	13	Pass



1.150. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.54	13	Pass



1.151. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	11.64	13	Pass

1.152. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.77	13	Pass



1.153. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.8	13	Pass



1.154. LTE Peak to Average Ratio(Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	9.78	13	Pass



1.155. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.61	13	Pass



1.156. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.98	13	Pass



1.157. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.95	13	Pass



1.158. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.19	13	Pass



1.159. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	7.43	13	Pass



1.160. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	7.83	13	Pass



1.161. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	8.38	13	Pass



1.162. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.76	13	Pass



1.163. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	10.31	13	Pass



1.164. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:25)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.6	13	Pass



1.165. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:50, RB Position:50)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.23	13	Pass

1.166. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.07	13	Pass



1.167. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:49)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.23	13	Pass



1.168. LTE Peak to Average Ratio(Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2645	0.1	9.45	13	Pass



END