


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41 120M


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	Pass	2986
30	1000	0.1	RMS	849.3	-59.01	-25	Pass	9701
1000	2486	1	RMS	2418	-43.33	-25	Pass	1487
2486	2700	1	RMS	2535.22	17.99	60	Pass	401
2700	3000	1	RMS	2769.75	-42.67	-25	Pass	401
3000	12000	1	RMS	12000	-47.76	-25	Pass	9001
12000	27000	1	RMS	25745	-30.35	-25	Pass	15001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-25	Pass	2986
30	1000	0.1	RMS	887.6	-58.88	-25	Pass	9701
1000	2486	1	RMS	2404	-43.27	-25	Pass	1487
2486	2700	1	RMS	2539.5	17.98	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.71	-25	Pass	9001
12000	27000	1	RMS	25743	-30.25	-25	Pass	15001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-25	Pass	2986
30	1000	0.1	RMS	984.5	-58.98	-25	Pass	9701
1000	2486	1	RMS	2418	-43.31	-25	Pass	1487
2486	2700	1	RMS	2535.22	17.33	60	Pass	401
2700	3000	1	RMS	2768.25	-42.66	-25	Pass	401
3000	12000	1	RMS	11997	-47.72	-25	Pass	9001
12000	27000	1	RMS	25742	-30.25	-25	Pass	15001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-25	Pass	2986
30	1000	0.1	RMS	977.2	-59.04	-25	Pass	9701
1000	2486	1	RMS	2404	-43.26	-25	Pass	1487
2486	2700	1	RMS	2539.5	17.1	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.63	-25	Pass	9001
12000	27000	1	RMS	25744	-30.22	-25	Pass	15001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	864.4	-58.97	-25	Pass	9701
1000	2486	1	RMS	2409	-43.27	-25	Pass	1487
2486	2700	1	RMS	2593	17.79	60	Pass	401
2700	3000	1	RMS	2769	-42.68	-25	Pass	401
3000	12000	1	RMS	12000	-47.71	-25	Pass	9001
12000	27000	1	RMS	25738	-30.19	-25	Pass	15001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	872.2	-58.94	-25	Pass	9701
1000	2486	1	RMS	2409	-43.27	-25	Pass	1487
2486	2700	1	RMS	2597.28	17.92	60	Pass	401
2700	3000	1	RMS	2769.75	-42.66	-25	Pass	401
3000	12000	1	RMS	11994	-47.69	-25	Pass	9001
12000	27000	1	RMS	25729	-30.13	-25	Pass	15001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-25	Pass	2986
30	1000	0.1	RMS	855.2	-58.93	-25	Pass	9701
1000	2486	1	RMS	2401	-43.29	-25	Pass	1487
2486	2700	1	RMS	2593	16.91	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	11999	-47.68	-25	Pass	9001
12000	27000	1	RMS	25743	-30.19	-25	Pass	15001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-25	Pass	2986
30	1000	0.1	RMS	962.8	-58.98	-25	Pass	9701
1000	2486	1	RMS	2411	-43.3	-25	Pass	1487
2486	2700	1	RMS	2597.28	17.18	60	Pass	401
2700	3000	1	RMS	2769.75	-42.65	-25	Pass	401
3000	12000	1	RMS	11996	-47.66	-25	Pass	9001
12000	27000	1	RMS	25742	-30.18	-25	Pass	15001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.72	-25	Pass	2986
30	1000	0.1	RMS	983.4	-58.89	-25	Pass	9701
1000	2486	1	RMS	2417	-43.24	-25	Pass	1487
2486	2700	1	RMS	2650.245	18.51	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	11997	-47.62	-25	Pass	9001
12000	27000	1	RMS	25741	-30.16	-25	Pass	15001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-25	Pass	2986
30	1000	0.1	RMS	995	-59.03	-25	Pass	9701
1000	2486	1	RMS	2414	-43.29	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.32	60	Pass	401
2700	3000	1	RMS	2769.75	-42.67	-25	Pass	401
3000	12000	1	RMS	11998	-47.67	-25	Pass	9001
12000	27000	1	RMS	25744	-30.16	-25	Pass	15001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-25	Pass	2986
30	1000	0.1	RMS	900.5	-58.88	-25	Pass	9701
1000	2486	1	RMS	2405	-43.17	-25	Pass	1487
2486	2700	1	RMS	2650.245	17.61	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.69	-25	Pass	9001
12000	27000	1	RMS	25746	-30.16	-25	Pass	15001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-25	Pass	2986
30	1000	0.1	RMS	985.6	-58.87	-25	Pass	9701
1000	2486	1	RMS	2401	-43.16	-25	Pass	1487
2486	2700	1	RMS	2654.525	17.61	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	11999	-47.59	-25	Pass	9001
12000	27000	1	RMS	25746	-30.12	-25	Pass	15001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2986
30	1000	0.1	RMS	983.5	-58.94	-25	Pass	9701
1000	2486	1	RMS	2413	-43.22	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.71	60	Pass	401
2700	3000	1	RMS	2769	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.67	-25	Pass	9001
12000	27000	1	RMS	25739	-30.13	-25	Pass	15001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	982.2	-58.97	-25	Pass	9701
1000	2486	1	RMS	2413	-43.28	-25	Pass	1487
2486	2700	1	RMS	2544.315	17.95	60	Pass	401
2700	3000	1	RMS	2770.5	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.66	-25	Pass	9001
12000	27000	1	RMS	25737	-30.14	-25	Pass	15001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-25	Pass	2986
30	1000	0.1	RMS	988.5	-58.96	-25	Pass	9701
1000	2486	1	RMS	2405	-43.29	-25	Pass	1487
2486	2700	1	RMS	2535.755	16.97	60	Pass	401
2700	3000	1	RMS	2770.5	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.66	-25	Pass	9001
12000	27000	1	RMS	25745	-30.15	-25	Pass	15001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-25	Pass	2986
30	1000	0.1	RMS	893.5	-58.75	-25	Pass	9701
1000	2486	1	RMS	2404	-43.29	-25	Pass	1487
2486	2700	1	RMS	2544.315	17.03	60	Pass	401
2700	3000	1	RMS	2769.75	-42.67	-25	Pass	401
3000	12000	1	RMS	12000	-47.64	-25	Pass	9001
12000	27000	1	RMS	25747	-30.17	-25	Pass	15001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.91	-25	Pass	2986
30	1000	0.1	RMS	951.4	-58.96	-25	Pass	9701
1000	2486	1	RMS	2414	-43.28	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.26	60	Pass	401
2700	3000	1	RMS	2769.75	-42.65	-25	Pass	401
3000	12000	1	RMS	11994	-47.69	-25	Pass	9001
12000	27000	1	RMS	25748	-30.16	-25	Pass	15001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-25	Pass	2986
30	1000	0.1	RMS	867.9	-58.96	-25	Pass	9701
1000	2486	1	RMS	2402	-43.27	-25	Pass	1487
2486	2700	1	RMS	2599.42	18.04	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.68	-25	Pass	9001
12000	27000	1	RMS	25740	-30.15	-25	Pass	15001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-25	Pass	2986
30	1000	0.1	RMS	842.8	-58.89	-25	Pass	9701
1000	2486	1	RMS	2409	-43.25	-25	Pass	1487
2486	2700	1	RMS	2590.325	16.27	60	Pass	401
2700	3000	1	RMS	2769.75	-42.68	-25	Pass	401
3000	12000	1	RMS	11998	-47.69	-25	Pass	9001
12000	27000	1	RMS	25748	-30.17	-25	Pass	15001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	982.3	-58.95	-25	Pass	9701
1000	2486	1	RMS	2441	-43.01	-25	Pass	1487
2486	2700	1	RMS	2599.42	17.09	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.55	-25	Pass	9001
12000	27000	1	RMS	25738	-30.15	-25	Pass	15001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-25	Pass	2986
30	1000	0.1	RMS	886.9	-58.97	-25	Pass	9701
1000	2486	1	RMS	2416	-43.28	-25	Pass	1487
2486	2700	1	RMS	2645.43	18.47	60	Pass	401
2700	3000	1	RMS	2769.75	-42.6	-25	Pass	401
3000	12000	1	RMS	11999	-47.64	-25	Pass	9001
12000	27000	1	RMS	25745	-30.1	-25	Pass	15001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-25	Pass	2986
30	1000	0.1	RMS	983.2	-58.9	-25	Pass	9701
1000	2486	1	RMS	2404	-43.24	-25	Pass	1487
2486	2700	1	RMS	2654.525	18.52	60	Pass	401
2700	3000	1	RMS	2769.75	-42.66	-25	Pass	401
3000	12000	1	RMS	11998	-47.63	-25	Pass	9001
12000	27000	1	RMS	25744	-30.15	-25	Pass	15001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-25	Pass	2986
30	1000	0.1	RMS	983.9	-58.9	-25	Pass	9701
1000	2486	1	RMS	2403	-43.24	-25	Pass	1487
2486	2700	1	RMS	2645.43	17.46	60	Pass	401
2700	3000	1	RMS	2769.75	-42.62	-25	Pass	401
3000	12000	1	RMS	12000	-47.63	-25	Pass	9001
12000	27000	1	RMS	25745	-30.15	-25	Pass	15001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-25	Pass	2986
30	1000	0.1	RMS	998.1	-58.8	-25	Pass	9701
1000	2486	1	RMS	2414	-43.28	-25	Pass	1487
2486	2700	1	RMS	2654.525	17.5	60	Pass	401
2700	3000	1	RMS	2769.75	-42.61	-25	Pass	401
3000	12000	1	RMS	11997	-47.64	-25	Pass	9001
12000	27000	1	RMS	25747	-30.1	-25	Pass	15001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	878.4	-58.99	-25	Pass	9701
1000	2486	1	RMS	2408	-43.23	-25	Pass	1487
2486	2700	1	RMS	2535.755	18.17	60	Pass	401
2700	3000	1	RMS	2769	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.61	-25	Pass	9001
12000	27000	1	RMS	25744	-30.08	-25	Pass	15001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.52	-25	Pass	2986
30	1000	0.1	RMS	961.9	-58.95	-25	Pass	9701
1000	2486	1	RMS	2415	-43.19	-25	Pass	1487
2486	2700	1	RMS	2549.13	18.12	60	Pass	401
2700	3000	1	RMS	2770.5	-42.64	-25	Pass	401
3000	12000	1	RMS	11997	-47.67	-25	Pass	9001
12000	27000	1	RMS	25733	-30.13	-25	Pass	15001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	875.3	-58.83	-25	Pass	9701
1000	2486	1	RMS	2412	-43.21	-25	Pass	1487
2486	2700	1	RMS	2535.755	17.34	60	Pass	401
2700	3000	1	RMS	2769.75	-42.61	-25	Pass	401
3000	12000	1	RMS	11998	-47.65	-25	Pass	9001
12000	27000	1	RMS	25745	-30.12	-25	Pass	15001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.32	-25	Pass	2986
30	1000	0.1	RMS	967.9	-58.98	-25	Pass	9701
1000	2486	1	RMS	2403	-43.26	-25	Pass	1487
2486	2700	1	RMS	2549.13	17.33	60	Pass	401
2700	3000	1	RMS	2769.75	-42.62	-25	Pass	401
3000	12000	1	RMS	11996	-47.61	-25	Pass	9001
12000	27000	1	RMS	25744	-30.13	-25	Pass	15001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.86	-25	Pass	2986
30	1000	0.1	RMS	975.8	-58.79	-25	Pass	9701
1000	2486	1	RMS	2402	-43.06	-25	Pass	1487
2486	2700	1	RMS	2588.185	17.72	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.6	-25	Pass	9001
12000	27000	1	RMS	25738	-30.09	-25	Pass	15001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-25	Pass	2986
30	1000	0.1	RMS	967.3	-58.91	-25	Pass	9701
1000	2486	1	RMS	2409	-43.24	-25	Pass	1487
2486	2700	1	RMS	2601.56	18.01	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.64	-25	Pass	9001
12000	27000	1	RMS	25745	-30.12	-25	Pass	15001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.54	-25	Pass	2986
30	1000	0.1	RMS	981.8	-58.87	-25	Pass	9701
1000	2486	1	RMS	2410	-43.26	-25	Pass	1487
2486	2700	1	RMS	2588.185	16.82	60	Pass	401
2700	3000	1	RMS	2769.75	-42.6	-25	Pass	401
3000	12000	1	RMS	12000	-47.6	-25	Pass	9001
12000	27000	1	RMS	25744	-30.09	-25	Pass	15001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	984.2	-58.77	-25	Pass	9701
1000	2486	1	RMS	2409	-43.24	-25	Pass	1487
2486	2700	1	RMS	2601.56	17.11	60	Pass	401
2700	3000	1	RMS	2770.5	-42.65	-25	Pass	401
3000	12000	1	RMS	11998	-47.63	-25	Pass	9001
12000	27000	1	RMS	25744	-30.12	-25	Pass	15001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.67	-25	Pass	2986
30	1000	0.1	RMS	982.1	-58.87	-25	Pass	9701
1000	2486	1	RMS	2402	-42.99	-25	Pass	1487
2486	2700	1	RMS	2640.615	18.3	60	Pass	401
2700	3000	1	RMS	2769.75	-42.62	-25	Pass	401
3000	12000	1	RMS	12000	-47.64	-25	Pass	9001
12000	27000	1	RMS	25745	-30.09	-25	Pass	15001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-25	Pass	2986
30	1000	0.1	RMS	976.1	-58.96	-25	Pass	9701
1000	2486	1	RMS	2402	-43.1	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.45	60	Pass	401
2700	3000	1	RMS	2769.75	-42.61	-25	Pass	401
3000	12000	1	RMS	11999	-47.63	-25	Pass	9001
12000	27000	1	RMS	25741	-30.1	-25	Pass	15001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-25	Pass	2986
30	1000	0.1	RMS	981.2	-58.94	-25	Pass	9701
1000	2486	1	RMS	2408	-43.23	-25	Pass	1487
2486	2700	1	RMS	2640.615	17.53	60	Pass	401
2700	3000	1	RMS	2770.5	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.62	-25	Pass	9001
12000	27000	1	RMS	25743	-30.1	-25	Pass	15001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	Pass	2986
30	1000	0.1	RMS	869.9	-58.98	-25	Pass	9701
1000	2486	1	RMS	2412	-43.24	-25	Pass	1487
2486	2700	1	RMS	2653.99	17.59	60	Pass	401
2700	3000	1	RMS	2769.75	-42.66	-25	Pass	401
3000	12000	1	RMS	12000	-47.58	-25	Pass	9001
12000	27000	1	RMS	25746	-30.08	-25	Pass	15001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	Pass	2986
30	1000	0.1	RMS	863.5	-58.86	-25	Pass	9701
1000	2486	1	RMS	2411	-43.27	-25	Pass	1487
2486	2700	1	RMS	2536.29	17.79	60	Pass	401
2700	3000	1	RMS	2769	-42.61	-25	Pass	401
3000	12000	1	RMS	12000	-47.59	-25	Pass	9001
12000	27000	1	RMS	25738	-30.11	-25	Pass	15001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-25	Pass	2986
30	1000	0.1	RMS	987.2	-58.88	-25	Pass	9701
1000	2486	1	RMS	2418	-43.27	-25	Pass	1487
2486	2700	1	RMS	2553.945	18.18	60	Pass	401
2700	3000	1	RMS	2770.5	-42.66	-25	Pass	401
3000	12000	1	RMS	3498	-45.29	-25	Pass	9001
12000	27000	1	RMS	25743	-30.06	-25	Pass	15001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-25	Pass	2986
30	1000	0.1	RMS	991	-58.89	-25	Pass	9701
1000	2486	1	RMS	2414	-43.22	-25	Pass	1487
2486	2700	1	RMS	2536.29	17.04	60	Pass	401
2700	3000	1	RMS	2769.75	-42.59	-25	Pass	401
3000	12000	1	RMS	12000	-47.59	-25	Pass	9001
12000	27000	1	RMS	25748	-30.05	-25	Pass	15001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.87	-25	Pass	2986
30	1000	0.1	RMS	833.1	-58.76	-25	Pass	9701
1000	2486	1	RMS	2402	-42.63	-25	Pass	1487
2486	2700	1	RMS	2553.945	17.38	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.58	-25	Pass	9001
12000	27000	1	RMS	25739	-30.07	-25	Pass	15001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-25	Pass	2986
30	1000	0.1	RMS	981.2	-58.71	-25	Pass	9701
1000	2486	1	RMS	2402	-43.19	-25	Pass	1487
2486	2700	1	RMS	2586.045	17.88	60	Pass	401
2700	3000	1	RMS	2769.75	-42.64	-25	Pass	401
3000	12000	1	RMS	12000	-47.65	-25	Pass	9001
12000	27000	1	RMS	25736	-30.11	-25	Pass	15001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-25	Pass	2986
30	1000	0.1	RMS	995.4	-58.88	-25	Pass	9701
1000	2486	1	RMS	2402	-42.9	-25	Pass	1487
2486	2700	1	RMS	2603.7	17.71	60	Pass	401
2700	3000	1	RMS	2769	-42.64	-25	Pass	401
3000	12000	1	RMS	11999	-47.58	-25	Pass	9001
12000	27000	1	RMS	25724	-30.1	-25	Pass	15001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-25	Pass	2986
30	1000	0.1	RMS	983.4	-58.9	-25	Pass	9701
1000	2486	1	RMS	2411	-43.2	-25	Pass	1487
2486	2700	1	RMS	2586.045	16.95	60	Pass	401
2700	3000	1	RMS	2769	-42.64	-25	Pass	401
3000	12000	1	RMS	11996	-47.65	-25	Pass	9001
12000	27000	1	RMS	25740	-30.09	-25	Pass	15001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-25	Pass	2986
30	1000	0.1	RMS	970.4	-58.82	-25	Pass	9701
1000	2486	1	RMS	2421	-43.25	-25	Pass	1487
2486	2700	1	RMS	2603.7	16.69	60	Pass	401
2700	3000	1	RMS	2769.75	-42.65	-25	Pass	401
3000	12000	1	RMS	12000	-47.59	-25	Pass	9001
12000	27000	1	RMS	25744	-30.1	-25	Pass	15001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-25	Pass	2986
30	1000	0.1	RMS	983.9	-58.76	-25	Pass	9701
1000	2486	1	RMS	2417	-43.16	-25	Pass	1487
2486	2700	1	RMS	2636.335	17.71	60	Pass	401
2700	3000	1	RMS	2769.75	-42.61	-25	Pass	401
3000	12000	1	RMS	12000	-47.57	-25	Pass	9001
12000	27000	1	RMS	25744	-30.11	-25	Pass	15001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-25	Pass	2986
30	1000	0.1	RMS	863	-58.85	-25	Pass	9701
1000	2486	1	RMS	2402	-42.79	-25	Pass	1487
2486	2700	1	RMS	2653.99	18.53	60	Pass	401
2700	3000	1	RMS	2769.75	-42.63	-25	Pass	401
3000	12000	1	RMS	12000	-47.59	-25	Pass	9001
12000	27000	1	RMS	25737	-30.06	-25	Pass	15001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	986.7	-58.9	-25	Pass	9701
1000	2486	1	RMS	2407	-43.27	-25	Pass	1487
2486	2700	1	RMS	2636.335	16.86	60	Pass	401
2700	3000	1	RMS	2769.75	-42.61	-25	Pass	401
3000	12000	1	RMS	11998	-47.61	-25	Pass	9001
12000	27000	1	RMS	25739	-30.12	-25	Pass	15001



1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-25	Pass	2986
30	1000	0.1	RMS	989.2	-58.93	-25	Pass	9701
1000	2486	1	RMS	2406	-43.22	-25	Pass	1487
2486	2700	1	RMS	2653.99	17.65	60	Pass	401
2700	3000	1	RMS	2769.75	-42.65	-25	Pass	401
3000	12000	1	RMS	5787	-33.21	-25	Pass	9001
12000	27000	1	RMS	25741	-30.1	-25	Pass	15001



END