

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band4


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.04	-13	Pass	2986
30	1000	0.1	RMS	988.5	-55.38	-13	Pass	9701
1000	1700	1	RMS	1700	-44.89	-13	Pass	701
1700	1765	1	RMS	1710.238	13.25	60	Pass	401
1765	3000	1	RMS	2670	-38.81	-13	Pass	1236
3000	12000	1	RMS	6841	-44.01	-13	Pass	9001
12000	18000	1	RMS	16402	-30.4	-13	Pass	6001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	897.6	-55.16	-13	Pass	9701
1000	1700	1	RMS	1700	-44.91	-13	Pass	701
1700	1765	1	RMS	1711.213	13.3	60	Pass	401
1765	3000	1	RMS	2671	-38.84	-13	Pass	1236
3000	12000	1	RMS	11901	-44.81	-13	Pass	9001
12000	18000	1	RMS	16401	-30.46	-13	Pass	6001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	1000	0.1	RMS	892.3	-55.25	-13	Pass	9701
1000	1700	1	RMS	1700	-44.88	-13	Pass	701
1700	1765	1	RMS	1710.238	12.37	60	Pass	401
1765	3000	1	RMS	2669	-38.85	-13	Pass	1236
3000	12000	1	RMS	11908	-44.76	-13	Pass	9001
12000	18000	1	RMS	16403	-30.39	-13	Pass	6001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.25	-13	Pass	2986
30	1000	0.1	RMS	968.3	-55.41	-13	Pass	9701
1000	1700	1	RMS	1699	-44.92	-13	Pass	701
1700	1765	1	RMS	1711.213	12.28	60	Pass	401
1765	3000	1	RMS	2669	-38.74	-13	Pass	1236
3000	12000	1	RMS	11921	-44.84	-13	Pass	9001
12000	18000	1	RMS	16402	-30.41	-13	Pass	6001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	915.4	-55.35	-13	Pass	9701
1000	1700	1	RMS	1700	-44.95	-13	Pass	701
1700	1765	1	RMS	1732.013	13.56	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11907	-44.71	-13	Pass	9001
12000	18000	1	RMS	16400	-30.41	-13	Pass	6001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	877.1	-55.32	-13	Pass	9701
1000	1700	1	RMS	1698	-44.98	-13	Pass	701
1700	1765	1	RMS	1732.988	13.6	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11921	-44.8	-13	Pass	9001
12000	18000	1	RMS	16403	-30.48	-13	Pass	6001



1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	897.8	-55.34	-13	Pass	9701
1000	1700	1	RMS	1697	-44.99	-13	Pass	701
1700	1765	1	RMS	1732.013	12.57	60	Pass	401
1765	3000	1	RMS	2667	-38.85	-13	Pass	1236
3000	12000	1	RMS	11896	-44.81	-13	Pass	9001
12000	18000	1	RMS	16400	-30.39	-13	Pass	6001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.6	-13	Pass	2986
30	1000	0.1	RMS	893.2	-55.4	-13	Pass	9701
1000	1700	1	RMS	1699	-44.98	-13	Pass	701
1700	1765	1	RMS	1732.988	12.63	60	Pass	401
1765	3000	1	RMS	2671	-38.79	-13	Pass	1236
3000	12000	1	RMS	11912	-44.74	-13	Pass	9001
12000	18000	1	RMS	16401	-30.47	-13	Pass	6001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	1000	0.1	RMS	939.1	-55.29	-13	Pass	9701
1000	1700	1	RMS	1686	-44.95	-13	Pass	701
1700	1765	1	RMS	1753.788	14.11	60	Pass	401
1765	3000	1	RMS	2669	-38.81	-13	Pass	1236
3000	12000	1	RMS	11909	-44.78	-13	Pass	9001
12000	18000	1	RMS	16402	-30.39	-13	Pass	6001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	1000	0.1	RMS	898.7	-55.48	-13	Pass	9701
1000	1700	1	RMS	1699	-44.97	-13	Pass	701
1700	1765	1	RMS	1754.763	14.12	60	Pass	401
1765	3000	1	RMS	2670	-38.82	-13	Pass	1236
3000	12000	1	RMS	5264	-44.64	-13	Pass	9001
12000	18000	1	RMS	16401	-30.44	-13	Pass	6001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.91	-13	Pass	2986
30	1000	0.1	RMS	906.4	-55.39	-13	Pass	9701
1000	1700	1	RMS	1700	-44.98	-13	Pass	701
1700	1765	1	RMS	1753.788	13.08	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11914	-44.82	-13	Pass	9001
12000	18000	1	RMS	15900	-30.47	-13	Pass	6001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.95	-13	Pass	2986
30	1000	0.1	RMS	985.8	-55.39	-13	Pass	9701
1000	1700	1	RMS	1685	-44.98	-13	Pass	701
1700	1765	1	RMS	1754.763	13.17	60	Pass	401
1765	3000	1	RMS	2672	-38.82	-13	Pass	1236
3000	12000	1	RMS	11912	-44.82	-13	Pass	9001
12000	18000	1	RMS	16399	-30.56	-13	Pass	6001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.44	-13	Pass	2986
30	1000	0.1	RMS	969.2	-55.4	-13	Pass	9701
1000	1700	1	RMS	1700	-44.91	-13	Pass	701
1700	1765	1	RMS	1710.238	13.15	60	Pass	401
1765	3000	1	RMS	2669	-38.8	-13	Pass	1236
3000	12000	1	RMS	6841	-44.57	-13	Pass	9001
12000	18000	1	RMS	16400	-30.45	-13	Pass	6001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-13	Pass	2986
30	1000	0.1	RMS	986.2	-55.34	-13	Pass	9701
1000	1700	1	RMS	1699	-44.97	-13	Pass	701
1700	1765	1	RMS	1712.838	13.15	60	Pass	401
1765	3000	1	RMS	2670	-38.8	-13	Pass	1236
3000	12000	1	RMS	11911	-44.75	-13	Pass	9001
12000	18000	1	RMS	16400	-30.36	-13	Pass	6001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	914.5	-55.34	-13	Pass	9701
1000	1700	1	RMS	1698	-44.92	-13	Pass	701
1700	1765	1	RMS	1710.238	12.32	60	Pass	401
1765	3000	1	RMS	2669	-38.8	-13	Pass	1236
3000	12000	1	RMS	11915	-44.84	-13	Pass	9001
12000	18000	1	RMS	16400	-30.46	-13	Pass	6001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.58	-13	Pass	2986
30	1000	0.1	RMS	988.1	-55.45	-13	Pass	9701
1000	1700	1	RMS	1699	-44.98	-13	Pass	701
1700	1765	1	RMS	1712.838	12.28	60	Pass	401
1765	3000	1	RMS	2672	-38.81	-13	Pass	1236
3000	12000	1	RMS	11900	-44.81	-13	Pass	9001
12000	18000	1	RMS	16402	-30.43	-13	Pass	6001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	1000	0.1	RMS	915.2	-55.37	-13	Pass	9701
1000	1700	1	RMS	1690	-45	-13	Pass	701
1700	1765	1	RMS	1731.2	13.38	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11900	-44.78	-13	Pass	9001
12000	18000	1	RMS	16400	-30.41	-13	Pass	6001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.58	-13	Pass	2986
30	1000	0.1	RMS	914	-55.4	-13	Pass	9701
1000	1700	1	RMS	1697	測 □	-13	Pass	701
1700	1765	1	RMS	1733.8	13.52	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11914	-44.83	-13	Pass	9001
12000	18000	1	RMS	16400	-30.44	-13	Pass	6001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.39	-13	Pass	2986
30	1000	0.1	RMS	983.6	-55.4	-13	Pass	9701
1000	1700	1	RMS	1699	-44.93	-13	Pass	701
1700	1765	1	RMS	1731.2	12.29	60	Pass	401
1765	3000	1	RMS	2669	-38.8	-13	Pass	1236
3000	12000	1	RMS	11902	-44.79	-13	Pass	9001
12000	18000	1	RMS	15901	-30.5	-13	Pass	6001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.8	-13	Pass	2986
30	1000	0.1	RMS	888.1	-55.45	-13	Pass	9701
1000	1700	1	RMS	1700	-44.98	-13	Pass	701
1700	1765	1	RMS	1733.8	12.5	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11912	-44.81	-13	Pass	9001
12000	18000	1	RMS	15900	-30.37	-13	Pass	6001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.14	-13	Pass	2986
30	1000	0.1	RMS	926.1	-55.09	-13	Pass	9701
1000	1700	1	RMS	1680	-45	-13	Pass	701
1700	1765	1	RMS	1752.163	13.97	60	Pass	401
1765	3000	1	RMS	2669	-38.84	-13	Pass	1236
3000	12000	1	RMS	11901	-44.77	-13	Pass	9001
12000	18000	1	RMS	16404	-30.49	-13	Pass	6001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.23	-13	Pass	2986
30	1000	0.1	RMS	896.7	-55.22	-13	Pass	9701
1000	1700	1	RMS	1699	-44.98	-13	Pass	701
1700	1765	1	RMS	1754.763	14.01	60	Pass	401
1765	3000	1	RMS	2670	-38.84	-13	Pass	1236
3000	12000	1	RMS	11900	-44.84	-13	Pass	9001
12000	18000	1	RMS	16403	-30.5	-13	Pass	6001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	942.3	-55.3	-13	Pass	9701
1000	1700	1	RMS	1696	-44.99	-13	Pass	701
1700	1765	1	RMS	1752.325	12.99	60	Pass	401
1765	3000	1	RMS	2670	-38.76	-13	Pass	1236
3000	12000	1	RMS	11913	-44.79	-13	Pass	9001
12000	18000	1	RMS	16400	-30.44	-13	Pass	6001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.37	-13	Pass	2986
30	1000	0.1	RMS	877.9	-55.35	-13	Pass	9701
1000	1700	1	RMS	1684	-44.99	-13	Pass	701
1700	1765	1	RMS	1754.763	12.96	60	Pass	401
1765	3000	1	RMS	2670	-38.82	-13	Pass	1236
3000	12000	1	RMS	11912	-44.78	-13	Pass	9001
12000	18000	1	RMS	16400	-30.41	-13	Pass	6001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.68	-13	Pass	2986
30	1000	0.1	RMS	890.9	-55.36	-13	Pass	9701
1000	1700	1	RMS	1700	-44.93	-13	Pass	701
1700	1765	1	RMS	1710.4	13.09	60	Pass	401
1765	3000	1	RMS	2673	-38.84	-13	Pass	1236
3000	12000	1	RMS	11915	-44.72	-13	Pass	9001
12000	18000	1	RMS	16401	-30.57	-13	Pass	6001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.4	-13	Pass	2986
30	1000	0.1	RMS	978.3	-55.29	-13	Pass	9701
1000	1700	1	RMS	1697	-45.01	-13	Pass	701
1700	1765	1	RMS	1714.625	13.18	60	Pass	401
1765	3000	1	RMS	2669	-38.83	-13	Pass	1236
3000	12000	1	RMS	11913	-44.81	-13	Pass	9001
12000	18000	1	RMS	16400	-30.46	-13	Pass	6001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	1000	0.1	RMS	921	-55.54	-13	Pass	9701
1000	1700	1	RMS	1700	-44.9	-13	Pass	701
1700	1765	1	RMS	1710.4	12.19	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11900	-44.72	-13	Pass	9001
12000	18000	1	RMS	16399	-30.41	-13	Pass	6001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.74	-13	Pass	2986
30	1000	0.1	RMS	905.1	-55.3	-13	Pass	9701
1000	1700	1	RMS	1689	-44.98	-13	Pass	701
1700	1765	1	RMS	1714.625	12.3	60	Pass	401
1765	3000	1	RMS	2671	-38.85	-13	Pass	1236
3000	12000	1	RMS	11901	-44.81	-13	Pass	9001
12000	18000	1	RMS	16400	-30.39	-13	Pass	6001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	1000	0.1	RMS	902	-55.42	-13	Pass	9701
1000	1700	1	RMS	1694	-44.96	-13	Pass	701
1700	1765	1	RMS	1730.388	13.26	60	Pass	401
1765	3000	1	RMS	2671	-38.79	-13	Pass	1236
3000	12000	1	RMS	11904	-44.75	-13	Pass	9001
12000	18000	1	RMS	16400	-30.46	-13	Pass	6001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.47	-13	Pass	2986
30	1000	0.1	RMS	953.9	-55.48	-13	Pass	9701
1000	1700	1	RMS	1692	-44.97	-13	Pass	701
1700	1765	1	RMS	1734.613	13.54	60	Pass	401
1765	3000	1	RMS	2671	-38.84	-13	Pass	1236
3000	12000	1	RMS	11898	-44.76	-13	Pass	9001
12000	18000	1	RMS	16400	-30.4	-13	Pass	6001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	1000	0.1	RMS	989.3	-55.27	-13	Pass	9701
1000	1700	1	RMS	1678	-44.99	-13	Pass	701
1700	1765	1	RMS	1730.388	12.41	60	Pass	401
1765	3000	1	RMS	2670	-38.82	-13	Pass	1236
3000	12000	1	RMS	11904	-44.68	-13	Pass	9001
12000	18000	1	RMS	16400	-30.52	-13	Pass	6001



1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.41	-13	Pass	2986
30	1000	0.1	RMS	913.7	-55.31	-13	Pass	9701
1000	1700	1	RMS	1700	-44.95	-13	Pass	701
1700	1765	1	RMS	1734.613	12.74	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11909	-44.78	-13	Pass	9001
12000	18000	1	RMS	16399	-30.36	-13	Pass	6001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.9	-13	Pass	2986
30	1000	0.1	RMS	850.4	-55.55	-13	Pass	9701
1000	1700	1	RMS	1698	-44.99	-13	Pass	701
1700	1765	1	RMS	1750.375	13.82	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11902	-44.77	-13	Pass	9001
12000	18000	1	RMS	16401	-30.55	-13	Pass	6001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	909.9	-55.33	-13	Pass	9701
1000	1700	1	RMS	1697	-44.97	-13	Pass	701
1700	1765	1	RMS	1754.6	13.85	60	Pass	401
1765	3000	1	RMS	2668	-38.87	-13	Pass	1236
3000	12000	1	RMS	5264	-44.3	-13	Pass	9001
12000	18000	1	RMS	16400	-30.39	-13	Pass	6001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	1000	0.1	RMS	902.1	-55.28	-13	Pass	9701
1000	1700	1	RMS	1700	-44.98	-13	Pass	701
1700	1765	1	RMS	1750.375	13.01	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11899	-44.83	-13	Pass	9001
12000	18000	1	RMS	16400	-30.47	-13	Pass	6001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	1000	0.1	RMS	894.2	-55.33	-13	Pass	9701
1000	1700	1	RMS	1694	-44.99	-13	Pass	701
1700	1765	1	RMS	1754.6	13.05	60	Pass	401
1765	3000	1	RMS	2670	-38.86	-13	Pass	1236
3000	12000	1	RMS	11903	-44.91	-13	Pass	9001
12000	18000	1	RMS	15900	-30.54	-13	Pass	6001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	1000	0.1	RMS	917.5	-55.37	-13	Pass	9701
1000	1700	1	RMS	1693	-43.37	-13	Pass	701
1700	1765	1	RMS	1710.563	12.96	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11906	-44.67	-13	Pass	9001
12000	18000	1	RMS	16401	-30.47	-13	Pass	6001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.32	-13	Pass	2986
30	1000	0.1	RMS	999.2	-55.29	-13	Pass	9701
1000	1700	1	RMS	1699	-44.99	-13	Pass	701
1700	1765	1	RMS	1719.338	13.06	60	Pass	401
1765	3000	1	RMS	2672	-38.84	-13	Pass	1236
3000	12000	1	RMS	11908	-44.66	-13	Pass	9001
12000	18000	1	RMS	16403	-30.48	-13	Pass	6001



1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.11	-13	Pass	2986
30	1000	0.1	RMS	999.3	-55.36	-13	Pass	9701
1000	1700	1	RMS	1693	-43.68	-13	Pass	701
1700	1765	1	RMS	1710.563	12.12	60	Pass	401
1765	3000	1	RMS	2669	-38.83	-13	Pass	1236
3000	12000	1	RMS	11900	-44.82	-13	Pass	9001
12000	18000	1	RMS	16401	-30.37	-13	Pass	6001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.38	-13	Pass	2986
30	1000	0.1	RMS	912.7	-55.2	-13	Pass	9701
1000	1700	1	RMS	1696	-44.98	-13	Pass	701
1700	1765	1	RMS	1719.5	12.26	60	Pass	401
1765	3000	1	RMS	2670	-38.73	-13	Pass	1236
3000	12000	1	RMS	11909	-44.86	-13	Pass	9001
12000	18000	1	RMS	16400	-30.5	-13	Pass	6001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.59	-13	Pass	2986
30	1000	0.1	RMS	903.8	-55.36	-13	Pass	9701
1000	1700	1	RMS	1690	-44.98	-13	Pass	701
1700	1765	1	RMS	1728.113	13.25	60	Pass	401
1765	3000	1	RMS	2669	-38.84	-13	Pass	1236
3000	12000	1	RMS	11900	-44.85	-13	Pass	9001
12000	18000	1	RMS	16400	-30.32	-13	Pass	6001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	1000	0.1	RMS	919.6	-55.36	-13	Pass	9701
1000	1700	1	RMS	1699	-44.97	-13	Pass	701
1700	1765	1	RMS	1736.888	13.69	60	Pass	401
1765	3000	1	RMS	2670	-38.86	-13	Pass	1236
3000	12000	1	RMS	11905	-44.88	-13	Pass	9001
12000	18000	1	RMS	16400	-30.49	-13	Pass	6001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	997.4	-55.09	-13	Pass	9701
1000	1700	1	RMS	1690	-44.98	-13	Pass	701
1700	1765	1	RMS	1728.113	12.24	60	Pass	401
1765	3000	1	RMS	2670	-38.82	-13	Pass	1236
3000	12000	1	RMS	11913	-44.81	-13	Pass	9001
12000	18000	1	RMS	16401	-30.53	-13	Pass	6001



1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.1	-13	Pass	2986
30	1000	0.1	RMS	956.2	-55.11	-13	Pass	9701
1000	1700	1	RMS	1697	-45	-13	Pass	701
1700	1765	1	RMS	1736.888	12.73	60	Pass	401
1765	3000	1	RMS	2668	-38.88	-13	Pass	1236
3000	12000	1	RMS	11905	-44.79	-13	Pass	9001
12000	18000	1	RMS	16400	-30.36	-13	Pass	6001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2986
30	1000	0.1	RMS	996.9	-55.12	-13	Pass	9701
1000	1700	1	RMS	1697	-44.97	-13	Pass	701
1700	1765	1	RMS	1745.663	13.56	60	Pass	401
1765	3000	1	RMS	2671	-38.79	-13	Pass	1236
3000	12000	1	RMS	11913	-44.86	-13	Pass	9001
12000	18000	1	RMS	15900	-30.49	-13	Pass	6001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-13	Pass	2986
30	1000	0.1	RMS	893.4	-55.29	-13	Pass	9701
1000	1700	1	RMS	1695	-44.98	-13	Pass	701
1700	1765	1	RMS	1754.438	13.71	60	Pass	401
1765	3000	1	RMS	2667	-38.82	-13	Pass	1236
3000	12000	1	RMS	11910	-44.86	-13	Pass	9001
12000	18000	1	RMS	16401	-30.44	-13	Pass	6001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.93	-13	Pass	2986
30	1000	0.1	RMS	994.9	-55.26	-13	Pass	9701
1000	1700	1	RMS	1696	-44.97	-13	Pass	701
1700	1765	1	RMS	1745.663	12.63	60	Pass	401
1765	3000	1	RMS	2670	-38.78	-13	Pass	1236
3000	12000	1	RMS	11909	-44.71	-13	Pass	9001
12000	18000	1	RMS	16399	-30.45	-13	Pass	6001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.79	-13	Pass	2986
30	1000	0.1	RMS	917.4	-55.37	-13	Pass	9701
1000	1700	1	RMS	1694	-45	-13	Pass	701
1700	1765	1	RMS	1754.438	12.81	60	Pass	401
1765	3000	1	RMS	2672	-38.87	-13	Pass	1236
3000	12000	1	RMS	11899	-44.79	-13	Pass	9001
12000	18000	1	RMS	16402	-30.39	-13	Pass	6001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.13	-13	Pass	2986
30	1000	0.1	RMS	994.8	-55.35	-13	Pass	9701
1000	1700	1	RMS	1698	-44.85	-13	Pass	701
1700	1765	1	RMS	1710.888	13.07	60	Pass	401
1765	3000	1	RMS	2667	-38.83	-13	Pass	1236
3000	12000	1	RMS	11915	-44.77	-13	Pass	9001
12000	18000	1	RMS	16401	-30.45	-13	Pass	6001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	1000	0.1	RMS	896.5	-55.28	-13	Pass	9701
1000	1700	1	RMS	1698	-38.79	-13	Pass	701
1700	1765	1	RMS	1724.213	13.15	60	Pass	401
1765	3000	1	RMS	2671	-38.8	-13	Pass	1236
3000	12000	1	RMS	11900	-44.88	-13	Pass	9001
12000	18000	1	RMS	16401	-30.45	-13	Pass	6001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.23	-13	Pass	2986
30	1000	0.1	RMS	997.5	-55.42	-13	Pass	9701
1000	1700	1	RMS	1698	-44.82	-13	Pass	701
1700	1765	1	RMS	1710.888	12.2	60	Pass	401
1765	3000	1	RMS	2669	-38.82	-13	Pass	1236
3000	12000	1	RMS	11906	-44.84	-13	Pass	9001
12000	18000	1	RMS	16400	-30.45	-13	Pass	6001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	1000	0.1	RMS	984.1	-55.27	-13	Pass	9701
1000	1700	1	RMS	1698	-39.61	-13	Pass	701
1700	1765	1	RMS	1724.213	12.33	60	Pass	401
1765	3000	1	RMS	2668	-38.85	-13	Pass	1236
3000	12000	1	RMS	11908	-44.83	-13	Pass	9001
12000	18000	1	RMS	16402	-30.42	-13	Pass	6001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	894.8	-55.31	-13	Pass	9701
1000	1700	1	RMS	1699	-43.64	-13	Pass	701
1700	1765	1	RMS	1725.838	13.32	60	Pass	401
1765	3000	1	RMS	2669	-38.83	-13	Pass	1236
3000	12000	1	RMS	11910	-44.65	-13	Pass	9001
12000	18000	1	RMS	16399	-30.52	-13	Pass	6001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.58	-13	Pass	2986
30	1000	0.1	RMS	967.5	-55.21	-13	Pass	9701
1000	1700	1	RMS	1697	-44.99	-13	Pass	701
1700	1765	1	RMS	1739.163	13.94	60	Pass	401
1765	3000	1	RMS	2670	-38.84	-13	Pass	1236
3000	12000	1	RMS	11910	-44.78	-13	Pass	9001
12000	18000	1	RMS	16400	-30.37	-13	Pass	6001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.51	-13	Pass	2986
30	1000	0.1	RMS	877.8	-55.49	-13	Pass	9701
1000	1700	1	RMS	1699	-44.02	-13	Pass	701
1700	1765	1	RMS	1725.838	12.34	60	Pass	401
1765	3000	1	RMS	2669	-38.8	-13	Pass	1236
3000	12000	1	RMS	11910	-44.85	-13	Pass	9001
12000	18000	1	RMS	15900	-30.31	-13	Pass	6001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	1000	0.1	RMS	986.4	-55.32	-13	Pass	9701
1000	1700	1	RMS	1692	-45	-13	Pass	701
1700	1765	1	RMS	1739.163	12.91	60	Pass	401
1765	3000	1	RMS	2667	-38.82	-13	Pass	1236
3000	12000	1	RMS	11906	-44.81	-13	Pass	9001
12000	18000	1	RMS	16402	-30.56	-13	Pass	6001



1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-13	Pass	2986
30	1000	0.1	RMS	954.1	-55.58	-13	Pass	9701
1000	1700	1	RMS	1697	-44.97	-13	Pass	701
1700	1765	1	RMS	1740.788	13.92	60	Pass	401
1765	3000	1	RMS	2669	-38.84	-13	Pass	1236
3000	12000	1	RMS	11905	-44.86	-13	Pass	9001
12000	18000	1	RMS	15900	-30.37	-13	Pass	6001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.81	-13	Pass	2986
30	1000	0.1	RMS	999.5	-55.54	-13	Pass	9701
1000	1700	1	RMS	1700	-45	-13	Pass	701
1700	1765	1	RMS	1754.113	13.83	60	Pass	401
1765	3000	1	RMS	2670	-38.79	-13	Pass	1236
3000	12000	1	RMS	11908	-44.75	-13	Pass	9001
12000	18000	1	RMS	16401	-30.36	-13	Pass	6001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.24	-13	Pass	2986
30	1000	0.1	RMS	913.5	-55.34	-13	Pass	9701
1000	1700	1	RMS	1700	-45	-13	Pass	701
1700	1765	1	RMS	1740.788	13.1	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11910	-44.83	-13	Pass	9001
12000	18000	1	RMS	16403	-30.44	-13	Pass	6001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.91	-13	Pass	2986
30	1000	0.1	RMS	903.9	-55.34	-13	Pass	9701
1000	1700	1	RMS	1700	-44.99	-13	Pass	701
1700	1765	1	RMS	1754.113	12.93	60	Pass	401
1765	3000	1	RMS	2670	-38.83	-13	Pass	1236
3000	12000	1	RMS	11899	-44.89	-13	Pass	9001
12000	18000	1	RMS	16400	-30.28	-13	Pass	6001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	1000	0.1	RMS	900.7	-55.36	-13	Pass	9701
1000	1700	1	RMS	1693	-44.87	-13	Pass	701
1700	1765	1	RMS	1711.05	13.02	60	Pass	401
1765	3000	1	RMS	2668	-38.84	-13	Pass	1236
3000	12000	1	RMS	11914	-44.83	-13	Pass	9001
12000	18000	1	RMS	16401	-30.48	-13	Pass	6001



1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.31	-13	Pass	2986
30	1000	0.1	RMS	992.3	-55.39	-13	Pass	9701
1000	1700	1	RMS	1693	-38.58	-13	Pass	701
1700	1765	1	RMS	1728.925	13.23	60	Pass	401
1765	3000	1	RMS	2671	-38.82	-13	Pass	1236
3000	12000	1	RMS	11905	-44.83	-13	Pass	9001
12000	18000	1	RMS	16402	-30.47	-13	Pass	6001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	1000	0.1	RMS	903.4	-55.1	-13	Pass	9701
1000	1700	1	RMS	1693	-44.92	-13	Pass	701
1700	1765	1	RMS	1711.05	12.19	60	Pass	401
1765	3000	1	RMS	2671	-38.81	-13	Pass	1236
3000	12000	1	RMS	11910	-44.71	-13	Pass	9001
12000	18000	1	RMS	16400	-30.42	-13	Pass	6001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	1000	0.1	RMS	969.1	-55.5	-13	Pass	9701
1000	1700	1	RMS	1693	-39.51	-13	Pass	701
1700	1765	1	RMS	1728.925	12.43	60	Pass	401
1765	3000	1	RMS	2672	-38.84	-13	Pass	1236
3000	12000	1	RMS	11897	-44.83	-13	Pass	9001
12000	18000	1	RMS	16401	-30.5	-13	Pass	6001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-13	Pass	2986
30	1000	0.1	RMS	908.8	-55.38	-13	Pass	9701
1000	1700	1	RMS	1688	-44.93	-13	Pass	701
1700	1765	1	RMS	1723.563	13.12	60	Pass	401
1765	3000	1	RMS	2671	-38.79	-13	Pass	1236
3000	12000	1	RMS	5171	-44.12	-13	Pass	9001
12000	18000	1	RMS	16400	-30.37	-13	Pass	6001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	1000	0.1	RMS	968.4	-55.36	-13	Pass	9701
1000	1700	1	RMS	1700	-44.96	-13	Pass	701
1700	1765	1	RMS	1741.438	13.9	60	Pass	401
1765	3000	1	RMS	2670	-38.82	-13	Pass	1236
3000	12000	1	RMS	11901	-44.78	-13	Pass	9001
12000	18000	1	RMS	16400	-30.3	-13	Pass	6001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	896.8	-55.32	-13	Pass	9701
1000	1700	1	RMS	1700	-44.97	-13	Pass	701
1700	1765	1	RMS	1723.563	12.18	60	Pass	401
1765	3000	1	RMS	2671	-38.82	-13	Pass	1236
3000	12000	1	RMS	11911	-44.86	-13	Pass	9001
12000	18000	1	RMS	15900	-30.5	-13	Pass	6001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.6	-13	Pass	2986
30	1000	0.1	RMS	900.6	-55.4	-13	Pass	9701
1000	1700	1	RMS	1688	-45	-13	Pass	701
1700	1765	1	RMS	1741.438	12.95	60	Pass	401
1765	3000	1	RMS	2668	-38.85	-13	Pass	1236
3000	12000	1	RMS	11916	-44.85	-13	Pass	9001
12000	18000	1	RMS	16402	-30.4	-13	Pass	6001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.16	-13	Pass	2986
30	1000	0.1	RMS	959.2	-55.38	-13	Pass	9701
1000	1700	1	RMS	1700	-44.11	-13	Pass	701
1700	1765	1	RMS	1736.075	13.6	60	Pass	401
1765	3000	1	RMS	2668	-38.71	-13	Pass	1236
3000	12000	1	RMS	11907	-44.78	-13	Pass	9001
12000	18000	1	RMS	16399	-30.44	-13	Pass	6001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.91	-13	Pass	2986
30	1000	0.1	RMS	999.3	-55.17	-13	Pass	9701
1000	1700	1	RMS	1669	-44.97	-13	Pass	701
1700	1765	1	RMS	1753.95	13.74	60	Pass	401
1765	3000	1	RMS	2667	-38.81	-13	Pass	1236
3000	12000	1	RMS	11903	-44.76	-13	Pass	9001
12000	18000	1	RMS	16401	-30.38	-13	Pass	6001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.69	-13	Pass	2986
30	1000	0.1	RMS	921.3	-55.4	-13	Pass	9701
1000	1700	1	RMS	1700	-44.24	-13	Pass	701
1700	1765	1	RMS	1736.075	12.73	60	Pass	401
1765	3000	1	RMS	2672	-38.83	-13	Pass	1236
3000	12000	1	RMS	11897	-44.83	-13	Pass	9001
12000	18000	1	RMS	16402	-30.4	-13	Pass	6001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.16	-13	Pass	2986
30	1000	0.1	RMS	937	-55.37	-13	Pass	9701
1000	1700	1	RMS	1695	-44.98	-13	Pass	701
1700	1765	1	RMS	1753.95	12.78	60	Pass	401
1765	3000	1	RMS	2671	-38.82	-13	Pass	1236
3000	12000	1	RMS	11908	-44.8	-13	Pass	9001
12000	18000	1	RMS	15900	-30.47	-13	Pass	6001



END