



Test Data Appendix of Test Report

1. Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	65.61	1.83	4.03
NVNT	a	5200	Ant1	65.61	1.83	4.03
NVNT	a	5240	Ant1	65.61	1.83	4.03
NVNT	n20	5180	Ant1	67.66	1.7	3.68
NVNT	n20	5200	Ant1	67.66	1.7	3.68
NVNT	n20	5240	Ant1	67.66	1.7	3.68
NVNT	n40	5190	Ant1	54.26	2.66	6.54
NVNT	n40	5230	Ant1	53.9	2.68	6.58
NVNT	ac20	5180	Ant1	63.69	1.96	4.39
NVNT	ac20	5200	Ant1	63.69	1.96	4.39
NVNT	ac20	5240	Ant1	63.69	1.96	4.39
NVNT	ac40	5190	Ant1	50	3.01	7.75
NVNT	ac40	5230	Ant1	49.61	3.04	7.81
NVNT	ac80	5210	Ant1	63.69	1.96	4.39




Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1




Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1



Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1

2. Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-7.33	1.83	-5.5	24	Pass
NVNT	a	5200	Ant1	-6.12	1.83	-4.29	24	Pass
NVNT	a	5240	Ant1	-5.75	1.83	-3.92	24	Pass
NVNT	n20	5180	Ant1	-5.95	1.7	-4.25	24	Pass
NVNT	n20	5200	Ant1	-5.91	1.7	-4.21	24	Pass
NVNT	n20	5240	Ant1	-6.1	1.7	-4.4	24	Pass
NVNT	n40	5190	Ant1	-6.26	2.66	-3.6	24	Pass
NVNT	n40	5230	Ant1	-6.64	2.68	-3.96	24	Pass
NVNT	ac20	5180	Ant1	-6	1.96	-4.04	24	Pass
NVNT	ac20	5200	Ant1	-5.5	1.96	-3.54	24	Pass
NVNT	ac20	5240	Ant1	-5.63	1.96	-3.67	24	Pass
NVNT	ac40	5190	Ant1	-7.99	3.01	-4.98	24	Pass
NVNT	ac40	5230	Ant1	-7.16	3.04	-4.12	24	Pass
NVNT	ac80	5210	Ant1	-6.22	1.96	-4.26	24	Pass




Power NVNT a 5180MHz Ant1




Power NVNT a 5200MHz Ant1




Power NVNT a 5240MHz Ant1




Power NVNT n20 5180MHz Ant1




Power NVNT n20 5200MHz Ant1




Power NVNT n20 5240MHz Ant1




Power NVNT n40 5190MHz Ant1




Power NVNT n40 5230MHz Ant1




Power NVNT ac20 5180MHz Ant1




Power NVNT ac20 5200MHz Ant1




Power NVNT ac20 5240MHz Ant1



Power NVNT ac40 5190MHz Ant1



Power NVNT ac40 5230MHz Ant1



Power NVNT ac80 5210MHz Ant1

3. -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.692	0.5	Pass
NVNT	a	5200	Ant1	20.002	0.5	Pass
NVNT	a	5240	Ant1	20.176	0.5	Pass
NVNT	n20	5180	Ant1	21.607	0.5	Pass
NVNT	n20	5200	Ant1	20.943	0.5	Pass
NVNT	n20	5240	Ant1	20.916	0.5	Pass
NVNT	n40	5190	Ant1	38.114	0.5	Pass
NVNT	n40	5230	Ant1	38.164	0.5	Pass
NVNT	ac20	5180	Ant1	21.058	0.5	Pass
NVNT	ac20	5200	Ant1	21.153	0.5	Pass
NVNT	ac20	5240	Ant1	20.943	0.5	Pass
NVNT	ac40	5190	Ant1	41.019	0.5	Pass
NVNT	ac40	5230	Ant1	37.764	0.5	Pass
NVNT	ac80	5210	Ant1	78.695	0.5	Pass



-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1



-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1



-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1



-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1

4. Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.478
NVNT	a	5200	Ant1	16.417
NVNT	a	5240	Ant1	16.431
NVNT	n20	5180	Ant1	17.658
NVNT	n20	5200	Ant1	17.588
NVNT	n20	5240	Ant1	17.583
NVNT	n40	5190	Ant1	35.872
NVNT	n40	5230	Ant1	35.891
NVNT	ac20	5180	Ant1	17.634
NVNT	ac20	5200	Ant1	17.654
NVNT	ac20	5240	Ant1	17.642
NVNT	ac40	5190	Ant1	36.163
NVNT	ac40	5230	Ant1	35.902
NVNT	ac80	5210	Ant1	75.424




OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1




OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1



OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1

5. Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-17.09	1.83	-15.26	11	Pass
NVNT	a	5200	Ant1	-15.82	1.83	-13.99	11	Pass
NVNT	a	5240	Ant1	-15.69	1.83	-13.86	11	Pass
NVNT	n20	5180	Ant1	-16.2	1.7	-14.5	11	Pass
NVNT	n20	5200	Ant1	-15.02	1.7	-13.32	11	Pass
NVNT	n20	5240	Ant1	-14.66	1.7	-12.96	11	Pass
NVNT	n40	5190	Ant1	-18.9	2.66	-16.24	11	Pass
NVNT	n40	5230	Ant1	-18.52	2.68	-15.84	11	Pass
NVNT	ac20	5180	Ant1	-16.67	2.03	-14.64	11	Pass
NVNT	ac20	5200	Ant1	-16.52	2.03	-14.49	11	Pass
NVNT	ac20	5240	Ant1	-15.31	2.03	-13.28	11	Pass
NVNT	ac40	5190	Ant1	-19.08	0.46	-18.62	11	Pass
NVNT	ac40	5230	Ant1	-18.89	3.04	-15.85	11	Pass
NVNT	ac80	5210	Ant1	-19.27	1.96	-17.31	11	Pass




PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1




PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1



PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1

6. Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-47.09	-27	Pass
NVNT	a	5240	Ant1	-46.6	-27	Pass
NVNT	n20	5180	Ant1	-46.74	-27	Pass
NVNT	n20	5240	Ant1	-46.56	-27	Pass
NVNT	n40	5190	Ant1	-46.65	-27	Pass
NVNT	n40	5230	Ant1	-46.46	-27	Pass
NVNT	ac20	5180	Ant1	-46.87	-27	Pass
NVNT	ac20	5240	Ant1	-46.29	-27	Pass
NVNT	ac40	5190	Ant1	-46.89	-27	Pass
NVNT	ac40	5230	Ant1	-46.57	-27	Pass
NVNT	ac80	5210	Ant1	-46.58	-27	Pass
NVNT	ac80	5210	Ant1	-46.11	-27	Pass




Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1




Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1




Band Edge NVNT ac40 5190MHz Low Ant1



Band Edge NVNT ac40 5230MHz High Ant1



Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT ac80 5210MHz Low Ant1


7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-34.59	-27	Pass
NVNT	a	5200	Ant1	-34.29	-27	Pass
NVNT	a	5240	Ant1	-33.99	-27	Pass
NVNT	n20	5180	Ant1	-35.08	-27	Pass
NVNT	n20	5200	Ant1	-34.56	-27	Pass
NVNT	n20	5240	Ant1	-34.68	-27	Pass
NVNT	n40	5190	Ant1	-34.36	-27	Pass
NVNT	n40	5230	Ant1	-35.21	-27	Pass
NVNT	ac20	5180	Ant1	-34.67	-27	Pass
NVNT	ac20	5200	Ant1	-34.69	-27	Pass
NVNT	ac20	5240	Ant1	-33.36	-27	Pass
NVNT	ac40	5190	Ant1	-34.82	-27	Pass
NVNT	ac40	5230	Ant1	-33.69	-27	Pass
NVNT	ac80	5210	Ant1	-34.37	-27	Pass


Note: Testing is carried out with frequency rang 30MHz to the 40GHz, above 27GHz not recorded for no spurious point have a margin of less than 20 dB with respect to the limits.




Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission




Tx. Spurious NVNT n40 5190MHz Ant1 Emission




Tx. Spurious NVNT n40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission



Tx. Spurious NVNT ac40 5190MHz Ant1 Emission



Tx. Spurious NVNT ac40 5230MHz Ant1 Emission



Tx. Spurious NVNT ac80 5210MHz Ant1 Emission