Internal Photos of the EUT

Fig. 1

Fig. 2

Fig. 3

Fig. 4

D E D S
mph
km/h
ODO
mile
km
KS-N12T_DISPLAY_V1.1
2024-04-12

Fig. 5


kingsong
www.kingsong.com
KS-N12T_DISPLAY_V1.1
2024-04-12

Fig. 6



Fig. 7



Fig. 8



Fig. 9



Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14

Rechargeable Lithium-ion
Battery Pack
Name: E-50025FRS
Origin: Dongguan
Voltage: 37V
Power: 384.8Wh
Capacity: 10.4Ah
Charging Current: 2A
Charging Voltage: 42V
UN38.3 MSDS
Li-ion
Caution:
DO NOT CONNECT IMPROPERLY.
DO NOT DISPOSE IN FIRE OR EXPOSE TO EXCESS HEA
DO NOT DISASSEMBLE.
DO NOT CRUSH, PUNCTURE, INCINERATE, OR SHORT
CIRCUIT EXTERNAL CONTACTS.
USE SPECIFIED CHARGER ONLY.
注 意

Fig. 15

Rechargeable Lithium-ion
Battery Pack
Name: E-50025FRS
Origin: Dongguan
Voltage: 37V
Power: 384.8Wh
Capacity: 10.4Ah
Charging Current: 2A
Charging Voltage: 42V
UN38.3 MSDS
Li-ion
Caution:
• DO NOT CONNECT IMPROPERLY.
• DO NOT DISPOSE IN FIRE OR EXPOSE TO EXCESS HEA
• DO NOT DISASSEMBLE.
• DO NOT CRUSH, PUNCTURE, INCINERATE, OR SHORT
CIRCUIT EXTERNAL CONTACTS.
• USE SPECIFIED CHARGER ONLY.
注 意
1. 限0-40℃条件下充电，保持电池干燥；
2. 请勿激烈撞击、挤压或私自拆卸电池；
3. 仅适用于说明书指定的充电器；
4. 不要将电池投入火中或接近热源；
5. 运输和使用过程中，防止电池正负极短路；
6. 未经授权禁止以任何形式拆分电池.

Fig. 16


KSC02GE0425K11001
KSC02G30425K11001
注意：
此标签遇水变红，如此标签变红或
撕毁，则此产品不保修！
Note:
The label turns red when it meets water,
so the label turns red or is torn, then the
product is not guaranteed !

Fig. 17