



2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference



2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500




Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
3DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.92	3.75	77.87	1.09	---	---

Test Graphs


DH5_Ant1_2402




DH5_Ant1_2441




DH5_Ant1_2480




2DH5_Ant1_2402




2DH5_Ant1_2441





3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands

Test Result


TestMod e	Antenn a	ChNam e	Freq(MH z)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-61.0	2.6	1.10	37.9	≤54	PASS
				AV	2379.485	-59.16	2.6	1.10	39.74	≤54	PASS
				AV	2390.000	-59.79	2.6	1.10	39.11	≤54	PASS
				Peak	2310.000	-53.4	2.6	0.00	44.4	≤74	PASS
				Peak	2384.105	-48.75	2.6	0.00	49.05	≤74	PASS
				Peak	2390.000	-52.04	2.6	0.00	45.76	≤74	PASS
		High	2480	AV	2483.500	-58.55	2.6	1.10	40.35	≤54	PASS
				AV	2484.480	-57.91	2.6	1.10	40.99	≤54	PASS
				AV	2500.000	-59.16	2.6	1.10	39.74	≤54	PASS
				Peak	2483.500	-49.48	2.6	0.00	48.32	≤74	PASS
				Peak	2484.560	-45.3	2.6	0.00	52.5	≤74	PASS
				Peak	2500.000	-51.4	2.6	0.00	46.4	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.95	2.6	1.10	37.95	≤54	PASS
				AV	2376.755	-58.9	2.6	1.10	40	≤54	PASS
				AV	2390.000	-59.12	2.6	1.10	39.78	≤54	PASS
				Peak	2310.000	-53.41	2.6	0.00	44.39	≤74	PASS
				Peak	2364.995	-48.53	2.6	0.00	49.27	≤74	PASS
				Peak	2390.000	-51.6	2.6	0.00	46.2	≤74	PASS
		High	2480	AV	2483.500	-58.7	2.6	1.10	40.2	≤54	PASS
				AV	2483.760	-58.35	2.6	1.10	40.55	≤54	PASS
				AV	2500.000	-59.05	2.6	1.10	39.85	≤54	PASS
				Peak	2483.500	-49.91	2.6	0.00	47.89	≤74	PASS
				Peak	2484.320	-46.31	2.6	0.00	51.49	≤74	PASS
				Peak	2500.000	-50.57	2.6	0.00	47.23	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-60.59	2.6	1.10	38.31	≤54	PASS
				AV	2375.705	-58.99	2.6	1.10	39.91	≤54	PASS
				AV	2390.000	-59.31	2.6	1.10	39.59	≤54	PASS
				Peak	2310.000	-52.01	2.6	0.00	45.79	≤74	PASS
				Peak	2387.045	-48.89	2.6	0.00	48.91	≤74	PASS
				Peak	2390.000	-51.3	2.6	0.00	46.5	≤74	PASS
		High	2480	AV	2483.500	-58.54	2.6	1.09	40.35	≤54	PASS
				AV	2483.600	-58.29	2.6	1.09	40.6	≤54	PASS
				AV	2500.000	-59.37	2.6	1.09	39.52	≤54	PASS
				Peak	2483.500	-50.43	2.6	0.00	47.37	≤74	PASS
				Peak	2486.000	-48.66	2.6	0.00	49.14	≤74	PASS
				Peak	2500.000	-50.6	2.6	0.00	47.2	≤74	PASS

Note:


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


DH5_Ant1_Low_2402_AV




DH5_Ant1_Low_2402_Peak




DH5_Ant1_High_2480_AV




DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

