



Report No.: TWN2602545-02E

Applicant: Shenzhen Yichi innovation technology Co.,LTD

Product: H6G Box

Model No.: H6G 4K Smart Player

Trademark: N/A

Test Standards: FCC Part 15.247

Test Result: It is herewith confirmed and found to comply with the requirements set up by ANSI C63.10, FCC Part 15.247 for the evaluation of electromagnetic compatibility

Approved By

*Terry Tang*

Terry Tang

Manager

Dated: March 18, 2026



**Results appearing herein relate only to the sample tested**

**The technical reports is issued errors and omissions exempt and is subject to withdrawal at**

### **SHENZHEN TIMEWAY TESTING LABORATORIES**

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



### **Special Statement:**

#### **FCC-Registration No.: 744189**

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

#### **ISED —Registration No.:5205A**

The EMC Laboratory has been registered by Certification and Engineering Bureau of ISED for radio equipment testing with Registration No.: 5205A.

#### **A2LA (Certification Number:5013.01)**

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

#### **CAB identifier: CN0033**

#### **FCC Designation Number: CN1251**

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Test Report Conclusion

Content

|            |                                           |    |
|------------|-------------------------------------------|----|
| <b>1.0</b> | <b>General Details</b>                    | 4  |
| 1.1        | Test Lab Details                          | 4  |
| 1.2        | Applicant Details                         | 4  |
| 1.3        | Description of EUT                        | 4  |
| 1.4        | Submitted Sample                          | 4  |
| 1.5        | Test Duration                             | 5  |
| 1.6        | Test Uncertainty                          | 5  |
| 1.7        | Test By                                   | 5  |
| <b>2.0</b> | <b>List of Measurement Equipment</b>      | 6  |
| <b>3.0</b> | <b>Technical Details</b>                  | 7  |
| 3.1        | Summary of Test Results                   | 7  |
| 3.2        | Test Standards                            | 7  |
| <b>4.0</b> | <b>EUT Modification</b>                   | 7  |
| <b>5.0</b> | <b>Power Line Conducted Emission Test</b> | 8  |
| 5.1        | Schematics of the Test                    | 8  |
| 5.2        | Test Method and Test Procedure            | 8  |
| 5.3        | Configuration of the EUT                  | 8  |
| 5.4        | EUT Operating Condition                   | 9  |
| 5.5        | Conducted Emission Limit                  | 9  |
| 5.6        | Test Result                               | 9  |
| <b>6.0</b> | <b>Radiated Emission test</b>             | 12 |
| 6.1        | Test Method and Test Procedure            | 12 |
| 6.2        | Configuration of the EUT                  | 13 |
| 6.3        | EUT Operation Condition                   | 13 |
| 6.4        | Radiated Emission Limit                   | 13 |
| 7.0        | 6dB Bandwidth Measurement Bandwidth       | 19 |
| 8.0        | Maximum Peak Output Power                 | 24 |
| 9.0        | Power Spectral Density Measurement        | 29 |
| 10.0       | Out of Band Measurement                   | 34 |
| 11.0       | Antenna Requirement                       | 42 |
| 12.0       | FCC ID Label                              | 43 |
| 13.0       | Photo of Test Setup and EUT View          | 44 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 1.0 General Details

### 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.  
Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China  
Telephone: (755) 83448688  
Fax: (755) 83442996

### 1.2 Applicant Details

Applicant: Shenzhen Yichi innovation technology Co.,LTD  
Address: 1501, Building B, Shenye Century Industrial Centre, No.743, Choushi Road, Hezhou Community, Hangcheng Street, Bao'an District, Shenzhen, China.

### 1.3 Description of EUT

Product: H6G Box  
Manufacturer: Shenzhen Yichi innovation technology Co.,LTD  
Address: 1501, Building B, Shenye Century Industrial Centre, No.743, Choushi Road, Hezhou Community, Hangcheng Street, Bao'an District, Shenzhen, China.  
Trademark: N/A  
Additional Trademark: N/A  
Model Number: H6G 4K Smart Player  
Additional Model Number: N/A  
Hardware Version: D109\_H728\_V1.0  
Software Version: Android 14  
Serial No.: 098000538907  
Type of Modulation: GFSK (Bluetooth BLE)  
Frequency range: 2402-2480MHz  
Frequency Selection: By software  
Channel Number: 40  
Rating: Input: DC5.0V, 2A  
Power Supply: Model: QL010-0502000UU  
Input: 100-240V~, 50/60Hz, 0.45A; Output: DC5V, 2A

### 1.4 Submitted Sample: 2 Samples

### 1.5 Test Duration

2026-02-05 to 2026-03-18

### 1.6 Test Uncertainty

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Conducted Emissions Uncertainty =3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty =5%

Note: The measurement uncertainty is for coverage factor of  $k=2$  and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| 2.0 Test Equipment |              |                  |              |              |            |
|--------------------|--------------|------------------|--------------|--------------|------------|
| Instrument Type    | Manufacturer | Model            | Serial No.   | Date of Cal. | Due Date   |
| ESPI Test Receiver | R&S          | ESPI 3           | 100379       | 2025-07-11   | 2026-07-10 |
| LISN               | R&S          | EZH3-Z5          | 100294       | 2025-07-11   | 2026-07-10 |
| LISN               | R&S          | EZH3-Z5          | 100253       | 2025-07-11   | 2026-07-10 |
| Impuls-Begrenzer   | R&S          | ESH3-Z2          | 100281       | 2025-07-11   | 2026-07-10 |
| Loop Antenna       | EMCO         | 6507             | 00078608     | 2025-07-17   | 2028-07-16 |
| Spectrum           | R&S          | FSIQ26           | 100292       | 2025-07-11   | 2026-07-10 |
| Horn Antenna       | A-INFO       | LB-180400-KF     | J211060660   | 2025-07-17   | 2028-07-16 |
| Horn Antenna       | R&S          | BBHA 9120D       | 9120D-631    | 2025-07-17   | 2028-07-16 |
| Power meter        | Anritsu      | ML2487A          | 6K00003613   | 2025-07-11   | 2026-07-10 |
| Power sensor       | Anritsu      | MA2491A          | 32263        | 2025-07-11   | 2026-07-10 |
| Bilog Antenna      | Schwarebeck  | VULB9163         | 9163/340     | 2025-07-17   | 2028-07-16 |
| 9*6*6 Anechoic     | --           | --               | N/A          | 2025-07-11   | 2028-07-10 |
| EMI Test Receiver  | RS           | ESCS 30          | 834115/006   | 2025-07-11   | 2026-07-10 |
| Spectrum           | HP/Agilent   | E4407B           | MY50441392   | 2025-07-11   | 2026-07-10 |
| Spectrum           | RS           | FSP              | 1164.4391.38 | 2025-07-11   | 2026-07-10 |
| RF Cable           | Zhengdi      | ZT26-NJ-NJ-8M/FA | --           | 2025-07-11   | 2026-07-10 |
| RF Cable           | Zhengdi      | 7m               | --           | 2025-07-11   | 2026-07-10 |
| Pre-Amplifier      | Schwarebeck  | BBV9743          | #218         | 2025-07-11   | 2026-07-10 |
| Pre-Amplifier      | HP/Agilent   | 8449B            | 3008A00160   | 2025-07-11   | 2026-07-10 |
| LISN               | SCHAFFNER    | NNB42            | 00012        | 2025-07-11   | 2026-07-10 |
| LISN               | R&S          | EZH3-Z5          | 100294       | 2025-07-11   | 2026-07-10 |

## 2.2 Automation Test Software

### For Conducted Emission Test

| Name   | Version           |
|--------|-------------------|
| EZ-EMC | Ver.EMC-CON 3A1.1 |

### For Radiated Emissions

| Name                                            | Version |
|-------------------------------------------------|---------|
| EMI Test Software BL410-EV18.91                 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06  |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 3.0 Technical Details

#### 3.1 Summary of test results

| The EUT has been tested according to the following specifications: |                                                                                                                                                                       |        |          |
|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|
| Standard                                                           | Test Type                                                                                                                                                             | Result | Notes    |
| FCC Part 15, Paragraph 15.207                                      | Conducted Emission Test                                                                                                                                               | Pass   | Complies |
| FCC Part 15 Subpart C<br>Paragraph 15.247(a)(2) Limit              | Spectrum bandwidth of a<br>Orthogonal Frequency<br>Division Multiplex System<br>Limit: 6dB<br>bandwidth>500kHz                                                        | Pass   | Complies |
| FCC Part 15, Paragraph<br>15.247(b)                                | Maximum peak output<br>power<br>Limit: max. 30dBm                                                                                                                     | Pass   | Complies |
| FCC Part 15, Paragraph 15.205<br>& 15.209                          | Transmitter Radiated<br>Emission<br>Limit: Table 15.209                                                                                                               | Pass   | Complies |
| FCC Part 15, Paragraph<br>15.247(e)                                | Power Spectral Density<br>Limit: max. 8dBm                                                                                                                            | Pass   | Complies |
| FCC Part 15, Paragraph<br>15.247(d)                                | Out of Band Emission and<br>Restricted Band<br>Radiation<br>Limit: 20dB less than<br>peak value of fundamental<br>frequency<br>Restricted band limit:<br>Table 15.209 | Pass   | Complies |

#### 3.2 Test Standards

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

#### 4.0 EUT Modification

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



5.0 Power Line Conducted Emission Test

5.1 Schematics of the test




5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024. The Frequency spectrum From 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024.

Test Voltage: 120V~, 60Hz

Block diagram of Test setup



5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

| Device  | Manufacturer                                 | Model               | FCC ID     |
|---------|----------------------------------------------|---------------------|------------|
| H6G Box | Shenzhen Yichi innovation technology Co.,LTD | H6G 4K Smart Player | 2BSRL-D109 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



B. Internal Device

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
|        |              |       |        |

C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
| N/A    |              |       |        |

5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024.

A Setup the EUT and simulators as shown on follow

B Enable AF signal and confirm EUT active to normal condition

5.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency<br>(MHz) | Limits (dB $\mu$ V) |               |
|--------------------|---------------------|---------------|
|                    | Quasi-peak Level    | Average Level |
| 0.15 ~ 0.50        | 66.0~56.0*          | 56.0~46.0*    |
| 0.50 ~ 5.00        | 56.0                | 46.0          |
| 5.00 ~ 30.00       | 60.0                | 50.0          |

- Notes:
1. \*Decreasing linearly with logarithm of frequency.
  2. The tighter limit shall apply at the transition frequencies

5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**A: Conducted Emission on Live Terminal (150kHz to 30MHz)**


**EUT Operating Environment**

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

**EUT set Condition: Keep Bluetooth Transmitting**

**Results: Pass**

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|-----------------|----------------|-------------|--------------|--------------|-------------|----------|-----|
| 1   | 0.2397          | 23.67          | 10.15       | 33.82        | 62.11        | -28.29      | QP       | P   |
| 2   | 0.2397          | 20.38          | 10.15       | 30.53        | 52.11        | -21.58      | AVG      | P   |
| 3   | 0.5049          | 31.25          | 10.38       | 41.63        | 56.00        | -14.37      | QP       | P   |
| 4   | 0.5049          | 25.73          | 10.38       | 36.11        | 46.00        | -9.89       | AVG      | P   |
| 5   | 1.1055          | 29.50          | 10.38       | 39.88        | 56.00        | -16.12      | QP       | P   |
| 6   | 1.1055          | 24.75          | 10.38       | 35.13        | 46.00        | -10.87      | AVG      | P   |
| 7   | 1.7061          | 38.91          | 10.24       | 49.15        | 56.00        | -6.85       | QP       | P   |
| 8   | 1.7061          | 30.04          | 10.24       | 40.28        | 46.00        | -5.72       | AVG      | P   |
| 9   | 2.4276          | 35.05          | 10.23       | 45.28        | 56.00        | -10.72      | QP       | P   |
| 10  | 2.4276          | 32.30          | 10.23       | 42.53        | 46.00        | -3.47       | AVG      | P   |
| 11  | 3.1794          | 30.55          | 10.29       | 40.84        | 56.00        | -15.16      | QP       | P   |
| 12  | 3.1794          | 28.34          | 10.29       | 38.63        | 46.00        | -7.37       | AVG      | P   |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)**


**EUT Operating Environment**

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

**EUT set Condition: Keep Bluetooth Transmitting**

**Results: Pass**

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|-----------------|----------------|-------------|--------------|--------------|-------------|----------|-----|
| 1   | 0.5088          | 30.00          | 10.38       | 40.38        | 56.00        | -15.62      | QP       | P   |
| 2   | 0.5088          | 25.65          | 10.38       | 36.03        | 46.00        | -9.97       | AVG      | P   |
| 3   | 0.9534          | 30.17          | 10.40       | 40.57        | 56.00        | -15.43      | QP       | P   |
| 4   | 0.9534          | 25.22          | 10.40       | 35.62        | 46.00        | -10.38      | AVG      | P   |
| 5   | 1.7061          | 37.00          | 10.24       | 47.24        | 56.00        | -8.76       | QP       | P   |
| 6   | 1.7061          | 30.81          | 10.24       | 41.05        | 46.00        | -4.95       | AVG      | P   |
| 7   | 2.3067          | 35.41          | 10.21       | 45.62        | 56.00        | -10.38      | QP       | P   |
| 8   | 2.3067          | 31.55          | 10.21       | 41.76        | 46.00        | -4.24       | AVG      | P   |
| 9   | 3.0546          | 33.01          | 10.29       | 43.30        | 56.00        | -12.70      | QP       | P   |
| 10  | 3.0546          | 28.35          | 10.29       | 38.64        | 46.00        | -7.36       | AVG      | P   |
| 11  | 16.0221         | 22.76          | 10.44       | 33.20        | 60.00        | -26.80      | QP       | P   |
| 12  | 16.0221         | 17.23          | 10.44       | 27.67        | 50.00        | -22.33      | AVG      | P   |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




## 6 Radiated Emission Test

### 6.1 Test Method and test Procedure:

- (1) The EUT was tested according to ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No.744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2020+Cor 1-2023+C63.10a-2024 + Errata to C63.10a-2024.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a “QP” in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

### Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



For radiated emissions from 30MHz to 1GHz



For radiated emissions above 1GHz



## 6.2 Configuration of The EUT

Same as section 5.3 of this report

## 6.3 EUT Operating Condition

Same as section 5.4 of this report.

## 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Frequencies in restricted band are complied to limit on Paragraph 15.209**

| Frequency Range (MHz) | Distance (m) | Field strength (dB $\mu$ V/m) |
|-----------------------|--------------|-------------------------------|
| 30-88                 | 3            | 40.0                          |
| 88-216                | 3            | 43.5                          |
| 216-960               | 3            | 46.0                          |
| Above 960             | 3            | 54.0                          |

- Note:
1. RF Voltage (dBuV) = 20 log RF Voltage ( $\mu$ V)
  2. In the Above Table, the higher limit applies at the band edges.
  3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
  4. BLE-1M and 2M were tested and only the worst case was recorded in the test report, BLE-1M was the worst case
  5. For the radiated emissions from 30MHz-1000MHz, only the worst case was recorded and the middle channel (2440MHz) was the worst case.

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test result  
General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Bluetooth Transmitting  
Test Channel: Middle (2440MHz)  
Results: Pass

Test Figure:



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna    | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|------------|---------|
| 1   | 175.464         | 32.08            | -11.46      | 43.5           | 11.42       | Peak     | 207.00         | 100         | Horizontal | Pass    |
| 2   | 374.991         | 35.27            | -5.16       | 46.0           | 10.73       | Peak     | 254.00         | 100         | Horizontal | Pass    |
| 3   | 499.848         | 42.12            | -4.32       | 46.0           | 3.88        | Peak     | 313.00         | 100         | Horizontal | Pass    |
| 4*  | 624.946         | 43.13            | -1.47       | 46.0           | 2.87        | QP       | 182.00         | 100         | Horizontal | Pass    |
| 5*  | 749.803         | 43.22            | -0.25       | 46.0           | 2.78        | QP       | 331.00         | 100         | Horizontal | Pass    |
| 6   | 875.144         | 40.55            | 1.92        | 46.0           | 5.45        | Peak     | 296.00         | 100         | Horizontal | Pass    |

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Test result  
General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition:      **Keep Transmitting**  
Test Channel:            Middle (2440MHz)  
**Results:**                **Pass**

Test Figure:



| No. | Frequency (MHz) | Results (dBuV/m) | Factor (dB) | Limit (dBuV/m) | Margin (dB) | Detector | Table (Degree) | Height (cm) | Antenna  | Verdict |
|-----|-----------------|------------------|-------------|----------------|-------------|----------|----------------|-------------|----------|---------|
| 1   | 73.639          | 31.89            | -12.28      | 40.0           | 8.11        | Peak     | 36.00          | 100         | Vertical | Pass    |
| 2   | 112.672         | 31.23            | -10.03      | 43.5           | 12.27       | Peak     | 252.00         | 100         | Vertical | Pass    |
| 3   | 174.736         | 30.21            | -11.42      | 43.5           | 13.29       | Peak     | 205.00         | 100         | Vertical | Pass    |
| 4*  | 499.848         | 43.10            | -4.32       | 46.0           | 2.90        | QP       | 1.00           | 100         | Vertical | Pass    |
| 5*  | 624.946         | 44.19            | -1.47       | 46.0           | 1.81        | QP       | 20.00          | 100         | Vertical | Pass    |
| 6   | 960.240         | 38.33            | 2.47        | 54.0           | 15.67       | Peak     | 69.00          | 100         | Vertical | Pass    |

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Operation Mode: Transmitting under Low Channel (2402MHz)**

| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dB μ V/m) |
|-----------------|-------------------|------------------|---------------------|
| 4804            | --                | H                | 74(Peak)/ 54(AV)    |
| 4804            | --                | V                | 74(Peak)/ 54(AV)    |
| 7206            | --                | H/V              | 74(Peak)/ 54(AV)    |
| 9608            | --                | H/V              | 74(Peak)/ 54(AV)    |
| 12010           | --                | H/V              | 74(Peak)/ 54(AV)    |
| 14412           | --                | H/V              | 74(Peak)/ 54(AV)    |
| 16814           | --                | H/V              | 74(Peak)/ 54(AV)    |
| 19216           | --                | H/V              | 74(Peak)/ 54(AV)    |
| 21618           | --                | H/V              | 74(Peak)/ 54(AV)    |
| 24020           | --                | H/V              | 74(Peak)/ 54(AV)    |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit  
2. Remark "---" means that the emissions level is too low to be measured

**Operation Mode: Transmitting g under Middle Channel (2440MHz)**

| Frequency (MHz) | Level@3m (dB μ V/m) | Antenna Polarity | Limit@3m (dB μ V/m) |
|-----------------|---------------------|------------------|---------------------|
| 4880            | --                  | H                | 74(Peak)/ 54(AV)    |
| 4880            | --                  | V                | 74(Peak)/ 54(AV)    |
| 7320            | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 9760            | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 12200           | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 14640           | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 17080           | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 19520           | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 21960           | --                  | H/V              | 74(Peak)/ 54(AV)    |
| 24400           | --                  | H/V              | 74(Peak)/ 54(AV)    |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit  
2. Remark "---" means that the emissions level is too low to be measured

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



**Operation Mode: Transmitting under High Channel (2480MHz)**

| Frequency (MHz) | Level@3m (dB $\mu$ V/m) | Antenna Polarity | Limit@3m (dB $\mu$ V/m) |
|-----------------|-------------------------|------------------|-------------------------|
| 4960            | --                      | H                | 74(Peak)/ 54(AV)        |
| 4960            | --                      | V                | 74(Peak)/ 54(AV)        |
| 7440            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 9920            | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 12400           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 14880           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 17360           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 19840           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 22320           | --                      | H/V              | 74(Peak)/ 54(AV)        |
| 24800           | --                      | H/V              | 74(Peak)/ 54(AV)        |


Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit  
2. Remark "---" means that the emissions level is too low to be measured

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 7.0 6dB Bandwidth Measurement

### 7.1 Test Setup



### 7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

### 7.3 Test Procedure

1. Set resolution bandwidth (RBW) = 100 kHz
2. Set the video bandwidth (VBW)  $\geq 3 \times$  RBW.
3. Detector = Peak.
4. Trace mode = max hold.
5. Sweep = auto couple.
6. Allow the trace to stabilize.
7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

### 7.4 Test Result

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer, supplier or other persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report, The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




| Condition | Mode   | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | 0.694                 | 0.5                         | Pass    |
|           |        | 2440            |         | 0.668                 | 0.5                         | Pass    |
|           |        | 2480            |         | 0.673                 | 0.5                         | Pass    |
|           | BLE 2M | 2402            |         | 1.138                 | 0.5                         | Pass    |
|           |        | 2440            |         | 1.135                 | 0.5                         | Pass    |
|           |        | 2480            |         | 1.132                 | 0.5                         | Pass    |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Agilent Spectrum Analyzer - Occupied BW

RL

RF

50 Ω

AC

SENSE:INT

ALIGN: AUTO

02:28:01 PM Feb 12, 2026

Center Freq 2.480000000 GHz

Center Freq: 2.480000000 GHz

Trig: Free Run

Avg/Hold: 100/100

Radio Std: None

#IF Gain: Low

#Atten: 30 dB

Radio Device: BTS

10 dB/div

Log

Ref Offset 7.48 dB

Ref 27.48 dBm

Mkr3 2.480556 GHz

-2.2701 dBm

Center 2.48 GHz

#Res BW 100 kHz

#VBW 300 kHz

Span 2 MHz

Sweep 1.333 ms

Occupied Bandwidth

1.8629 MHz

Total Power

9.98 dBm

Transmit Freq Error

-10.516 kHz

OBW Power

99.00 %

x dB Bandwidth

1.132 MHz

x dB

-6.00 dB

MSG

STATUS

Frequency

Center Freq

2.480000000 GHz

CF Step

200.000 kHz

Auto

Man

Freq Offset

0 Hz

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 8. Maximum Output Power

### 8.1 Test Setup



### 8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

### 8.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

**Note: The Peak power was measured.**

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




8.4Test Results

| Condition | Mode      | Frequency<br>(MHz) | Antenna | Conducted Power<br>(dBm) | Duty Factor<br>(dB) | Total Power<br>(dBm) | Limit<br>(dBm) | Verdict |
|-----------|-----------|--------------------|---------|--------------------------|---------------------|----------------------|----------------|---------|
| NVNT      | BLE<br>1M | 2402               | Ant1    | 3.81                     | 0                   | 3.81                 | 30             | Pass    |
|           |           | 2440               |         | 4.32                     | 0                   | 4.32                 | 30             | Pass    |
|           |           | 2480               |         | 4.25                     | 0                   | 4.25                 | 30             | Pass    |
|           | BLE<br>2M | 2402               |         | 3.75                     | 0                   | 3.75                 | 30             | Pass    |
|           |           | 2440               |         | 4.39                     | 0                   | 4.39                 | 30             | Pass    |
|           |           | 2480               |         | 4.08                     | 0                   | 4.08                 | 30             | Pass    |
|           |           |                    |         |                          |                     |                      |                |         |

Note: 1. the result basic equation calculation as follow:  
Max. Power Output = Power Reading + Cable loss + Attenuator


The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 9. Power Spectral Density Measurement

### 9.1 Test Setup



### 9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

### 9.3 Test Procedure

1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
2. Set the RBW = 3 kHz.
3. Set the VBW  $\geq$  10 kHz.
4. Set the span to 1.5 times the DTS channel bandwidth.
5. Detector = peak.
6. Sweep time = auto couple.
7. Trace mode = max hold.
8. Allow trace to fully stabilize.
9. Use the peak marker function to determine the maximum amplitude level.
10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
11. The resulting peak PSD level must be  $\leq$  8 dBm/3kHz.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




9.4Test Result

| Condition | Mode      | Frequency<br>(MHz) | Antenna | Conducted PSD<br>(dBm/3kHz) | Duty<br>Factor<br>(dB) | Total PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Verdict |
|-----------|-----------|--------------------|---------|-----------------------------|------------------------|-------------------------|---------------------|---------|
| NVNT      | BLE<br>1M | 2402               | Ant1    | -11.66                      | 0                      | -11.66                  | 8                   | Pass    |
|           |           | 2440               |         | -11.05                      | 0                      | -11.05                  | 8                   | Pass    |
|           |           | 2480               |         | -11.06                      | 0                      | -11.06                  | 8                   | Pass    |
|           | BLE<br>2M | 2402               |         | -13.53                      | 0                      | -13.53                  | 8                   | Pass    |
|           |           | 2440               |         | -12.85                      | 0                      | -12.85                  | 8                   | Pass    |
|           |           | 2480               |         | -12.84                      | 0                      | -12.84                  | 8                   | Pass    |

Note: The result basic equation calculation as follow:  
Peak Power Output = Peak Power Reading + Cable loss


The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## 10 Out of Band Measurement

### 10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

### 10.2 Limits of Out of Band Emissions Measurement

1. Below  $-20\text{dB}$  of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

### 10.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of Radiated emission test. (Peak values with RBW=1MHz, VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector)

For bandage test, the spectrum set as follows: RBW=100 kHz, VBW=300 kHz. A conducted measurement used

### 10.4 Test Result

Please see next pages

Note: For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | -52.04          | -20         | Pass    |
|           |        | 2480            |         | -53.03          | -20         | Pass    |
|           | BLE 2M | 2402            |         | -33.34          | -20         | Pass    |
|           |        | 2480            |         | -52.37          | -20         | Pass    |
|           |        |                 |         |                 |             |         |


The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




Conducted Emissions at antenna Port

Test Figures above 1GHz:

| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | -41.92          | -20         | Pass    |
|           |        | 2440            |         | -41.79          | -20         | Pass    |
|           |        | 2480            |         | -41.76          | -20         | Pass    |
|           | BLE 2M | 2402            |         | -42.37          | -20         | Pass    |
|           |        | 2440            |         | -42.39          | -20         | Pass    |
|           |        | 2480            |         | -41.63          | -20         | Pass    |


The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertizing. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Restricted band Measurement

|                                 |                      |       |              |                     |
|---------------------------------|----------------------|-------|--------------|---------------------|
| EUT                             | H6G Box              |       | Model        | H6G 4K Smart Player |
| Mode                            | Keeping Transmitting |       | Test Voltage | 120V~               |
| Temperature                     | 24 deg. C,           |       | Humidity     | 56% RH              |
| Test Result:                    | Pass                 |       | Detector     | PK                  |
| BLE-1M, Low Channel, Horizontal |                      |       |              |                     |
| 2390                            | PK (dBμV/m)          | 43.22 | Limit        | 74(dBμV/m)          |
|                                 | AV (dBμV/m)          | --    |              | 54(dBμV/m)          |
| BLE-1M, Low Channel Vertical    |                      |       |              |                     |
| 2390                            | PK (dBμV/m)          | 41.05 | Limit        | 74(dBμV/m)          |
|                                 | AV (dBμV/m)          | --    |              | 54(dBμV/m)          |

Restricted band Measurement

|                                  |                      |       |       |              |                     |
|----------------------------------|----------------------|-------|-------|--------------|---------------------|
| EUT                              | H6G Box              |       |       | Model        | H6G 4K Smart Player |
| Mode                             | Keeping Transmitting |       |       | Test Voltage | 120V~               |
| Temperature                      | 24 deg. C,           |       |       | Humidity     | 56% RH              |
| Test Result:                     | Pass                 |       |       | Detector     | PK                  |
| BLE-1M, High Channel, Horizontal |                      |       |       |              |                     |
| 2483.5                           | PK (dBμV/m)          | 41.83 | Limit | 74(dBμV/m)   |                     |
|                                  | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |
| BLE-1M, High Channel, Vertical   |                      |       |       |              |                     |
| 2483.5                           | PK (dBμV/m)          | 39.69 | Limit | 74(dBμV/m)   |                     |
|                                  | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Restricted band Measurement

|                                 |                      |       |       |              |                     |
|---------------------------------|----------------------|-------|-------|--------------|---------------------|
| EUT                             | H6G Box              |       |       | Model        | H6G 4K Smart Player |
| Mode                            | Keeping Transmitting |       |       | Test Voltage | 120V~               |
| Temperature                     | 24 deg. C,           |       |       | Humidity     | 56% RH              |
| Test Result:                    | Pass                 |       |       | Detector     | PK                  |
| BLE-2M, Low Channel, Horizontal |                      |       |       |              |                     |
| 2390                            | PK (dBμV/m)          | 41.65 | Limit | 74(dBμV/m)   |                     |
|                                 | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |
| BLE-2M, Low Channel Vertical    |                      |       |       |              |                     |
| 2390                            | PK (dBμV/m)          | 40.13 | Limit | 74(dBμV/m)   |                     |
|                                 | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |

Restricted band Measurement

|                                  |                      |       |       |              |                     |
|----------------------------------|----------------------|-------|-------|--------------|---------------------|
| EUT                              | H6G Box              |       |       | Model        | H6G 4K Smart Player |
| Mode                             | Keeping Transmitting |       |       | Test Voltage | 120V~               |
| Temperature                      | 24 deg. C,           |       |       | Humidity     | 56% RH              |
| Test Result:                     | Pass                 |       |       | Detector     | PK                  |
| BLE-2M, High Channel, Horizontal |                      |       |       |              |                     |
| 2483.5                           | PK (dBμV/m)          | 43.71 | Limit | 74(dBμV/m)   |                     |
|                                  | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |
| BLE-2M, High Channel, Vertical   |                      |       |       |              |                     |
| 2483.5                           | PK (dBμV/m)          | 41.90 | Limit | 74(dBμV/m)   |                     |
|                                  | AV (dBμV/m)          | --    |       | 54(dBμV/m)   |                     |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



## **11.0 Antenna Requirement**

### **11.1 Standard Applicable**

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### **11.2 Antenna Connected construction**

FPC antenna used. The gain of the antennas is 2.45dBi (Get from the antenna specification provided the manufacturer)

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it, or a certified copy thereof prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES, to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES, will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.




## 12.0 FCC ID Label

### FCC ID: 2BSRL-D109

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



### 13.0 Photo of testing

Conducted Emission Test Setup:




The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



Radiated Emission Test Setup:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.



RF test view



### Photographs – EUT

Please refer test report TWN2602545-01E

**End of the report**

The report refers only to the sample tested and does not apply to the bulk.  
This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for advertising. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.  
In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.