






2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500



2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference



3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Freq(MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.92	3.76	77.66	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.92	3.75	77.87	1.09	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
3DH5	Ant1	2402	2.91	3.75	77.60	1.10	---	---
		2441	2.92	3.75	77.87	1.09	---	---
		2480	2.92	3.76	77.66	1.10	---	---

Test Graphs







2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix J: Emissions in Restricted Bands


Test Result

TestMode	Antenna	ChName	Freq(MHz)	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.27	2.00	1.10	38.03	≤54	PASS
				AV	2374.655	-58.75	2.00	1.10	39.55	≤54	PASS
				AV	2390.000	-59.64	2.00	1.10	38.66	≤54	PASS
				Peak	2310.000	-51.58	2.00	0.00	45.62	≤74	PASS
				Peak	2333.390	-48.3	2.00	0.00	48.90	≤74	PASS
				Peak	2390.000	-53.29	2.00	0.00	43.91	≤74	PASS
		High	2480	AV	2483.500	-58.84	2.00	1.10	39.46	≤54	PASS
				AV	2483.760	-57.98	2.00	1.10	40.32	≤54	PASS
				AV	2500.000	-59.64	2.00	1.10	38.66	≤54	PASS
				Peak	2483.500	-51.42	2.00	0.00	45.78	≤74	PASS
				Peak	2492.320	-48.73	2.00	0.00	48.47	≤74	PASS
				Peak	2500.000	-51.01	2.00	0.00	46.19	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-60.56	2.00	1.09	37.73	≤54	PASS
				AV	2374.130	-58.92	2.00	1.09	39.37	≤54	PASS
				AV	2390.000	-59.26	2.00	1.09	39.03	≤54	PASS
				Peak	2310.000	-49.41	2.00	0.00	47.79	≤74	PASS
				Peak	2388.095	-48.42	2.00	0.00	48.78	≤74	PASS
				Peak	2390.000	-52.67	2.00	0.00	44.53	≤74	PASS
		High	2480	AV	2483.500	-59.08	2.00	1.10	39.22	≤54	PASS
				AV	2483.600	-58.38	2.00	1.10	39.92	≤54	PASS
				AV	2500.000	-58.7	2.00	1.10	39.60	≤54	PASS
				Peak	2483.500	-51.18	2.00	0.00	46.02	≤74	PASS
				Peak	2484.960	-49.04	2.00	0.00	48.16	≤74	PASS
				Peak	2500.000	-51.91	2.00	0.00	45.29	≤74	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-59.84	2.00	1.10	38.46	≤54	PASS
				AV	2383.265	-58.91	2.00	1.10	39.39	≤54	PASS
				AV	2390.000	-59.19	2.00	1.10	39.11	≤54	PASS
				Peak	2310.000	-51.16	2.00	0.00	46.04	≤74	PASS
				Peak	2367.515	-48.27	2.00	0.00	48.93	≤74	PASS
				Peak	2390.000	-51.7	2.00	0.00	45.50	≤74	PASS
		High	2480	AV	2483.500	-58.8	2.00	1.10	39.50	≤54	PASS
				AV	2484.240	-58.35	2.00	1.10	39.95	≤54	PASS
				AV	2500.000	-59.11	2.00	1.10	39.19	≤54	PASS
				Peak	2483.500	-52.11	2.00	0.00	45.09	≤74	PASS
				Peak	2490.960	-48.85	2.00	0.00	48.35	≤74	PASS
				Peak	2500.000	-50.28	2.00	0.00	46.92	≤74	PASS


Note: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







DH5_Ant1_High_2480_Peak




2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

